5 made

629

REGISTEF

FAIRLIGHT

SUSSEX

1915, 19-20

FORM A.
BRITISH RAINFALL
14. JUN 1916

Kept at Fairlight
in the County of Sussex
by P H Pal

.m.
Ore
n Gauge 8 in.
ove Ground — ft. 10 in.
Sea Level 515 ft.

IMPORTANT NOTE.—Rai l the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	54	08	-	-	-	-	-	22	66	-	19	22	1
2	50	27	21	08	03	-	-	19	23	-	-	17	2
3	28	-	04	27	27	-	-	17	18	-	-	50	3
4	04	-	-	02	-	-	-	04	-	02	07	30	4
5	05	20	-	15	-	-	-	-	-	05	-	39	5
6	44	27	-	51	-	-	07	-	-	-	-	27	6
7	45	31	04	-	-	-	-	[illegible]	-	-	-	29	7
8	05	04	07	-	-	-	32	-	-	-	04	-	8
9	03	30	-	05	-	-	02	-	-	-	53	1·11	9
10	27	-	-	-	-	26	-	-	-	-	-	64	10
11	-	02	-	-	-	-	-	-	-	-	87	12	11
12	04	-	-	30	04	-	-	-	-	08	63	-	12
13	05	73	-	03	1·81	-	-	-	04	-	-	-	13
14	02	04	-	-	-	-	52	-	09	-	-	45	14
15	12	-	-	-	09	-	21	40	-	-	17	24	15
16	-	26	-	06	-	-	1·03	30	-	-	04	-	16
17	-	84	-	-	1·38	-	04	-	-	-	-	23	17
18	-	07	-	-	22	-	-	-	-	-	-	09	18
19	-	-	-	-	-	-	-	-	-	03	-	-	19
20	32	-	-	03	-	-	-	7	-	-	-	09	20
21	16	-	-	-	-	-	-	-	-	-	-	10	21
22	-	-	08	-	-	-	88	-	-	-	-	22	22
23	04	03	06	-	-	-	-	-	-	03	-	63	23
24	-	03	05	-	-	-	05	-	33	62	-	35	24
25	-	-	-	15	-	-	16	-	-	03	-	35	25
26	-	-	-	-	-	04	01	-	-	-	-	75	26
27	-	-	-	-	-	26	04	-	-	16	-	05	27
28	-	02	-	-	-	-	-	-	95	93	-	-	28
29	-	X	-	-	02	17	-	43	4	08	31	04	29
30	5	X	-	-	-	-	-	-	-	37	30	-	30
31	21	X	-	X	-	X	-	-	X	47	X	30	31
Total	3·66	3·51	·55	1·65	3·86	·73	3·35	2·12	2·52	2·87	3·15	7·90	YEAR'S TOTAL 35·87
Rain Days.	19	16	7	11	8	4	12	8	8	12	10	24	139

629

FORM A.
BRITISH RAINFALL.
14. JUN 1916

REGISTER

Kept at Fairlight
in the County of Sussex
by P H Palmer

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ore
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	54	08	–	–	–	–	–	22	66	–	19	22	1
2	50	27	21	08	03	–	–	19	23	–	–	17	2
3	28	–	04	27	27	–	–	17	18	–	–	50	3
4	04	–	–	02	–	–	–	04	–	02	07	30	4
5	05	20	–	15	–	–	–	–	–	05	–	39	5
6	44	27	–	51	–	–	07	–	–	–	–	27	6
7	45	31	04	–	–	–	–	–	–	–	–	29	7
8	05	04	07	–	–	–	32	–	–	–	04	–	8
9	03	30	–	05	–	–	02	–	–	–	53	1·11	9
10	27	–	–	–	–	26	–	–	–	–	–	64	10
11	–	02	–	–	–	–	–	–	–	–	87	12	11
12	04	–	–	30	04	–	–	–	–	08	63	–	12
13	05	73	–	03	1·81	–	–	–	04	–	–	–	13
14	02	04	–	–	–	–	52	–	09	–	–	45	14
15	12	–	–	–	09	–	21	70	–	–	17	24	15
16	–	26	–	06	–	–	1·03	30	–	–	04	–	16
17	–	84	–	–	1·38	–	04	–	–	–	–	23	17
18	–	07	–	–	22	–	–	–	–	–	–	09	18
19	–	–	–	–	–	–	–	–	–	03	–	–	19
20	32	–	–	03	–	–	–	7	–	–	–	09	20
21	16	–	–	–	–	–	–	–	–	–	–	10	21
22	–	–	08	–	–	–	88	–	–	–	–	22	22
23	04	03	06	–	–	–	–	–	–	03	–	63	23
24	–	03	05	–	–	–	05	–	33	62	–	35	24
25	–	–	–	15	–	–	16	–	–	03	–	35	25
26	–	–	–	–	–	04	01	–	–	–	–	75	26
27	–	–	–	–	–	26	04	–	–	16	–	05	27
28	–	02	–	–	–	–	–	–	95	93	–	–	28
29	–	X	–	–	02	17	–	43	4	08	31	04	29
30	5	X	–	–	–	–	–	–	–	37	30	–	30
31	21	X	–	X	–	X	–	–	X	47	X	30	31
Total	3·66	3·51	·55	1·65	3·86	·73	3·35	2·12	2·52	2·87	3·15	7·90	YEAR'S TOTAL 35·87
Rain Days.	19	16	7	11	8	4	12	8	8	12	10	24	139

W. 8,000. X. 15.

547

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Fairlight, Hastings.

in the County of Sussex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 517 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·44	0·38	—	—	0·17	—	0·10	—	—	0·20	0·04	0·78	1
2	0·14	—	0·08	—	0·02	—	0·07	—	—	—	0·03	0·41	2
3	0·21	—	0·41	—	0·03	—	—	—	0·09	—	—	0·28	3
4	0·21	0·10	0·60	—	—	0·02	—	0·09	0·05 ~~0·09~~	—	0·18	0·09	4
5	0·02	0·25	0·78	—	—	—	—	0·19	~~0·05~~ —	—	0·04	0·34	5
6	0·14	—	—	—	—	—	—	—	—	—	—	0·04	6
7	0·06	—	0·41	—	—	—	—	—	—	0·03	0·41	—	7
8	0·28	—	—	—	—	—	—	—	—	—	—	—	8
9	0·13	—	0·12	—	0·25	—	—	—	—	—	0·32	—	9
10	0·21	—	0·07	0·05	—	—	—	—	—	—	0·03	—	10
11	0·40	—	0·05	0·24	—	—	—	—	—	—	—	0·28	11
12	0·06	—	—	0·14	0·03	—	—	—	—	0·12	0·05	—	12
13	—	—	—	—	—	—	0·17	—	—	—	—	0·05	13
14	0·44	—	—	0·61	—	—	0·14	—	0·05	—	—	0·05	14
15	0·15	0·04	—	0·12	—	—	—	—	—	—	0·05	0·18	15
16	0·10	0·71	—	—	—	—	—	—	—	—	0·19	0·06	16
17	—	0·40	0·02	0·02	—	—	—	—	—	—	0·11	0·04	17
18	—	0·04	0·07	—	—	—	0·13	—	—	—	0·02	0·03	18
19	—	0·23	0·33	—	—	—	0·09	0·05	—	—	0·38	—	19
20	0·29	0·08	0·12	—	—	0·46	0·38	0·06	—	—	—	—	20
21	—	0·46	0·09	—	—	—	0·04	—	—	—	—	0·05	21
22	—	0·09	0·04	—	—	—	0·26	—	0·31	—	0·11	0·10	22
23	—	—	—	—	—	—	0·07	—	0·15	—	0·04	0·02	23
24	—	0·16	—	0·17	—	—	—	—	—	0·07	0·59	0·09	24
25	0·07	—	—	—	0·03	—	0·03 ~~0·3~~	0·33	—	—	0·09	—	25
26	0·21	0·15	—	0·10	—	—	0·22	0·02	—	—	0·19	0·48	26
27	0·28	—	0·10	0·39	—	—	—	—	—	—	0·45	—	27
28	—	—	0·16	0·23	—	—	—	0·62	—	—	0·41	0·54	28
29	0·06	×	0·04	0·06	—	—	—	0·06	—	0·18	0·34	0·24	29
30	—	×	—	—	—	—	—	0·56	—	0·10	0·08	0·34	30
31	0·06	×	—	×	—	×	—	0·11 ~~0·16~~	×	0·19	×	—	31
Total	3·96 ✓	3·09 ✓	3·49 ✓	2·13 ✓	0·53 ✓	0·48 ✓	1·70 ✓	2·09 ✓	0·65 ✓	0·89 ✓	4·15	4·49 ✓	YEAR'S TOTAL 27·65 in ✓
Rain Days.	21 ✓	13 ✓	17 ✓	11 ✓	6 ✓	2 ✓	12 ✓	10 ✓	5 ✓	7 ✓	22 ✓	21 ✓	147 ✓

W. 8,000, IX. 17.

516

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

20 MAY 1921

REGISTER OF RAINFALL IN 1920.

Kept at Fairlight - Hastings
in the County of Sussex
by Hastings Corporation

Lat. 50°52'45" Long 0°37'5"
Time of Observation 12 p.m to 12 p.m
Nearest Railway Station Ore
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 523 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·26

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	-	-	·02	·02	-	·09	-	-	·60	-	·28	1
2	-	-	-	·13	·02	-	-	·50	·07	·05	-	·27	2
3	-	-	-	-	-	-	-	·03	-	-	-	·10	3
4	-	·08	-	·08	-	-	·62	·04	-	-	-	·11	4
5	-	-	·03	-	-	-	·28	·11	·03	-	-	·10	5
6	-	-	·15	-	·18	-	·29	-	-	-	-	-	6
7	·05	-	-	·13	·08	-	·09	-	-	·06	-	·05	7
8	-	-	-	·10	·04	-	·22	-	-	-	-	-	8
9	·33	-	-	-	·03	-	·05	-	-	-	-	-	9
10	·40	·21	·06	·24	-	-	-	-	-	-	-	·06	10
11	·51	-	·16	·09	-	·07	·15	-	-	-	-	-	11
12	·09	·04	·04	·17	-	·39	·28	-	-	-	-	-	12
13	·33	·04	·21	-	-	-	-	-	-	-	·06	-	13
14	-	·02	·40	·27	-	·06	-	-	-	·04	·30	-	14
15	·04	-	·02	-	·06	-	-	-	·78	·56	·11	·02	15
16	-	-	-	·02	·34	-	-	-	·73	-	-	·18	16
17	-	-	-	·04	·08	-	·07	-	·39	-	-	·04	17
18	·08	-	-	-	·28	-	-	1·27	·98	-	-	·03	18
19	·06	-	-	·12	-	-	-	·05	·11	-	-	·08	19
20	·05	·08	-	·18	-	·80	-	-	·70	-	-	-	20
21	-	-	-	-	-	-	·08	-	·12	-	-	·71	21
22	-	-	-	·34	-	-	-	-	-	-	-	·40	22
23	-	-	-	-	-	-	·30	-	-	-	-	·51	23
24	-	-	·06	-	-	-	·13	-	·03	-	-	·10	24
25	-	-	-	-	-	-	·24	-	·02	-	-	-	25
26	·05	-	·07	·08	-	-	·05	-	-	-	-	-	26
27	·38	·07	·14	·11	-	·06	-	-	-	-	·07	·33	27
28	·20	-	-	·03	·37	-	·14	-	-	-	·67	·04	28
29	·47	-	-	·12	-	-	-	-	-	-	·33	·09	29
30	-		·03	-	-	-	·03	-	·19	-	·23	·09	30
31	·04		-		-		-	-		·15		·51	31
TOTAL	3·21	·54	1·37	2·27	1·50	1·38	3·11	2·00	4·15	1·46	1·77	4·10	YEAR'S TOTAL 26·86
Days with ·01 in. or more	16	7	12	18	11	5	17	6	12	6	7	21	138
Days with ·04 in. or more	16	6	9	15	8	5	16	5	9	6	7	19	121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

{FALMER}
SUSSEX
1911-20

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTI 11

Brighton Corporation | office Pattern & Zambra's make

Kept at Fal | 8 in.

ve Ground 1 ft. 8 in.

in the County of Suss | Sea Level 209·6 ft.

by The Brighton Corporation | 9 am

Name Falmer

Distance ½ mile Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05			.72				.03			.06	.02	1
2	Snow .01			.06	.23						.31	.41	2
3	01	.01			.23						.08	.28	3
4	.10	.01	.02	Snow 08						.19	17	.24	4
5	.01			Snow .05						.89	01	.06	5
6	.35		.07								01	.52	6
7	.05									.32	1.06	.30	7
8	09		.27								.75	.23	8
9	.15		.02	.03							.43	.06	9
10		.10	.11	.05							01	.52	10
11	.51		.03		03						1.39	.02	11
12	.01		Snow & Rain .92								.04	.03	12
13			do 07		.12				.42	.07		.23	13
14		.08	Snow 01		.21							.47	14
15		.03	S & Rain .14								.11	.06	15
16						.50					.64	.19	16
17		.02				.04					.66	.16	17
18		.08	.08	.01						.01	.91	.42	18
19		.04				.07			.21	.37	03	.11	19
20	.03		.01					.29	.33	03		.77	20
21	.03	.21						.05		1.46		.32	21
22	.12		.18	.01		.08		.02		.33		.62	22
23	.05	.13	.06			1.12			.46	.91	.03	.24	23
24	.01	.32				.04	.03	.04		.45		27	24
25		.02	Snow .08	.10		.16			06	.09		.02	25
26			S & Rain 07	.33	.01	.09				.38	Snow .24	.37	26
27		.61	.33	.05					.04	.50	.05	.21	27
28		.17		.15				.01			.03	02	28
29				.01		.13	.56		.36	.55			29
30				.01		.23			.01	.15		.02	30
31													31
Total	1.58	1.83	2.47	1.66	.83	2.46	.59	.44	1.89	6.70	7.02	7.19	TOTAL for year 34.66
No. of Rain Days	16	14	17	14	6	10	2	6	8	16	21	29	159

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Brighton Corporation Waterworks Falmer works.

in the County of Sussex 3

by The Brighton Corporation Waterworks.

RAIN GAUGE
Pattern Met^c office Pattern Negretti & Zambra's make
Diameter of top 8 in.
Height of top above Ground 1 ft. 8 in.
" " " Sea Level 209·6 ft.

Time of Observation 9. am

Nearest Railway Station
Name Falmer
Distance ½ mile Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ——

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05			.72				.03			.06	.02	1
2	Snow .01			.06	.23						.31	.41	2
3	.01	.01			.23						.08	.28	3
4	.10	.01	.02	Snow 08						.19	17	.24	4
5	.01			Snow .05						.89	01	.06	5
6	.35		.07								01	.52	6
7	.05									.32	1.06	.30	7
8	09		.27								.75	.23	8
9	.15		.02	.03							.43	.06	9
10		.10	.11	.05							01	.52	10
11	.51		.03		03						1.39	.02	11
12	.01		Snow & Rain .92								.04	.03	12
13			do 07		.12				.42	.07		.23	13
14		.08	Snow 01		.21							.47	14
15		.03	S&Rain .14								.11	.06	15
16						.50					.64	.19	16
17		.02				.04					.66	.16	17
18		.08	.08	.01						.01	.91	.42	18
19		.04				.07			.21	.37	03	.11	19
20	.03		.01					.29	.33	03		.77	20
21	.03	.21						.05		1.46		.32	21
22	.12	-	.18	.01		.08		.02		.33		.62	22
23	.05	.13	.06			1.12			.46	.91	.03	.24	23
24	.01	.32				.04	.03	.04		.45		.27	24
25		.02	Snow .08	.10		.16			06	.09		.02	25
26		.	S&Rain 07	.33	.01	.09				.38	Snow .24	.37	26
27		.61	.33	.05					.04	.50	.05	.21	27
28		.17		.15				.01			.03	02	28
29				.01		.13	.56		.36	.55			29
30				.01		.23			.01	.15		.02	30
31													31
Total	1.58	1.83	2.47	1.66	.83	2.46	.59	.44	1.89	6.70	7.02	7.19	TOTAL for year 34.66
No. of Rain Days	16	14	17	14	6	10	2	6	8	16	21	29	159

9,000, IX. '10.

1.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

4 - JAN 1913

Kept at Brighton Corporation Waterworks Falmer Works
in the County of Sussex 3
by

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Falmer
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 209.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05		.02	36	.04		06	.71		.28	1
2		Snow .07	.28			03	.19					.01	2
3	01	Snow 02	04			23		.45	.04	.01		.01	3
4	25	S&R 03	49			17		.13			.21		4
5	25	S&Rain 13	09			17		15			.09	.04	5
6	.63	.12			05	07		71	.02		01	09	6
7					30	81		26				12	7
8	69	33	17		02	05	07	05				05	8
9	.08	06	05	.01		01	.09	18				.10	9
10		08	05					15			13	.43	10
11	.04	.46			01	02		02				14	11
12		08	03		03	06		40		02	01	09	12
13	.01	02	03				.02	01			06	.29	13
14	.01		01		.10			07		09		.04	14
15		14	12		09	55		01				.21	15
16	.19	01	20		13	08		17		07	.01	.01	16
17	27		32		03	15		08		01	.09	.19	17
18	08	01	51					15		04	.01	.58	18
19	.04	12	29			01	.06	34			.01	.01	19
20	03	01	82					02		49	.04		20
21	02	.27	47		06		01	15		45	.04		21
22	06	61	09					33		.06	.01	03	22
23	44	17	35			01		25	.01	.13	.19	.10	23
24	05	.10	02					28		.04	.01	.13	24
25	08	.01	01			.33		88		.04	39	53	25
26		07						07		.44	34	17	26
27		01	01			.03	02			25		54	27
28		.07				.01	03	08	.16	.74	69	30	28
29		02					.12	65	2.01	.08	S&Rain 02		29
30					.46		.01	30	1.31	.19	S&Rain 01		30
31	01		.01				.31	.23					31
Total	3.24	3.02	4.51	.01	1.30	3.15	.97	6.57	3.61	3.86	2.37	4.49	YEAR'S TOTAL 37.10 ✓
Rain Days.	20	25	24	1	12	19	12	28	7	18	20	25	211 ✓

W. 7,500, XI. ·12

[illegible]

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8- JAN 1914

Kept at Brighton Corporation Waterworks
Falmer. Works.
in the County of Sussex
3
by Mr James Johnston.
Waterworks Engineer

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Falmer
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 209·6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.54	12	.21		.09			.01	.05	.09	.14	1
2	.09	.08	-	01			.08			.37	.12	.03	2
3	.01	.01	05	.18	.36	01				.01		.14	3
4	41		10	.01	.03		02		.84	.12	.17		4
5	.39	04	.04			.19	.11		.26	03	.23	03	5
6		03	06		.15	.19	.52			38	.31	24	6
7		23	07		05	.04	.04			28	.17	01	7
8	01	09	04		.22	04		.85		34	.04	02	8
9		12		01	.20	02	13		.10	01	02	01	9
10	02			11		03	1.14	.01		11	1.16		10
11	1.03			.59						.72	.18	01	11
12		01			.62						1.00	01	12
13	60		02					01	12		.16		13
14	37		08	.01			1.09	05	11	04	.20		14
15	13		25	.35			.29		02			01	15
16	30		46	.16			.03		11			01	16
17	10	Snow 02		.13			.29				03	03	17
18	.04		06	.16			.03				.11		18
19	.30		07		.16	.05	.10		.59				19
20	.89		03	.28	01	.08				.51	02		20
21			16	.17						.74	93		21
22	.36		12				.01	.08	.10	.03			22
23			09			.02	.01	.04				.84	23
24	.08			.04				.16			.06		24
25		.01		15						.01		01	25
26			.08					30		.78		19	26
27	01	.01	12	.03						.07			27
28	08		40	.10						11			28
29	.31		05	.30	.32			.08		05	01		29
30	.65		.12	.18	—			.33	.01	.06			30
31	...							1.23		.20			31
													YEAR'S TOTAL
Total	5.92	1.19	2.59	3.18	2.02	.76	3.89	3.03	2.27	5.02	4.89	1.73	36.49
Rain Days.	22	.12	22	20	10	11	15	11	11	22	19	16	191

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at Brighton Corporation Waterworks
Falmer
in the County of Sussex. 3
by Mr J. Johnston Exc. M 9.

Lat. 50° 51' 30" Long. 0° 5' 30"
Time of Observation 9. am
Nearest Railway Station Falmer
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 209·6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·47

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				03			.04	09			16	17	1
2	01			03			06	01			16	17	2
3			12	04	.30		03	08					3
4	.01		02	40			01	23			38	39	4
5	.15		10	43	03	01	17				.01		5
6		.10		15	07	08		04				61	6
7	04	.37	23	09	05	.31	13					34	7
8	.07	.54	36	07	02	03	15	06				16	8
9	10		61	07		02		01	.08			1.89	9
10	.10	06		17	25				05		02	05	10
11		46	48	07	05				29		05	67	11
12		10	12			03	.91		51	01	03	71	12
13	01	49	21			.14			26	03	08	50	13
14	.01	13	12				30		05	41	26	51	14
15		08	32					.34	02	03	84	02	15
16		19					43		.14		01		16
17		63	10				01		.12			23	17
18		07	40							01		36	18
19		28	S + Rain 1.21				29	02		02	.31	36	19
20		16	.07			·15	02		.01			44	20
21		62	.08							10		02	21
22		10	08		10	.30	07	03		36			22
23		.01	39			53	02	.01		06	01		23
24			03	.01							17		24
25	·09		27					.14		.46	03	03	25
26	01		31					.27		.12	14	64	26
27	02		01								30	58	27
28	03	.05			01		30			.47	36	48	28
29	16		06	.01						.58	11	03	29
30	03	X	14	.06						.11	1.18	31	30
31	03	X		X	.30	X	.01		X		X	.13	31
Total	.87	4.44	5.74	1.63	1.08	1.40	2.75	1.22	1.51	2.67	4.51	9.58	YEAR'S TOTAL 37.40
Rain Days.	16	18 ~~.79~~	.34	.14	.10	.10	17	13	.10	.14	20	25	~~192~~

191

W. 8,000. X. 14.

563

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Brighton Corporation Waterworks Falmer works

in the County of Sussex 3

by

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Falmer

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 209.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.47	.36					.01	.04	.76	.12	.11	.26	1
2	.44	.16	.36	.14		.01		.07		.15		.19	2
3	.35		.10	.28	.06	.01		.07	.12			.61	3
4	.07		.01	.02				.11				.38	4
5	.10	.48		.04				.18		.01	06	.71	5
6	.92	.47	.04	53			.25				01	.09	6
7	.38	.43	.06	05			.52	.01				.33	7
8	.04	.39					.33				05	.04	8
9	.04	.16		.18		.20		07			.53	1.02	9
10	.34											.73	10
11	.02	03	.03								.96	.04	11
12	05	.20		.29	.32						.94		12
13	02	.72			2.10				.06				13
14	07	.02					.20		.09			.62	14
15	11	.05			.07		.63	.56			Snow Rain 11	.42	15
16		69		.01	.09		1.41	.09				.11	16
17		.50			1.12		.05	.33				.05	17
18	.01	17			.21						.03	.01	18
19		04								.01			19
20	.27			.04	.16							.12	20
21	Snow rain 15									28		.03	21
22	Snow rain .20	05	.12	12			1.17		.01	.06		.20	22
23		Snow 07	.18				.06		07	.34		1.17	23
24			02	.01					.41	.85		.92	24
25			.01	.01			.33					.35	25
26		.15				.05	.01					.89	26
27		.04				.02	.09		03	.59		.05	27
28		06				.27			1.11	.31	.01	01	28
29					.03	.05		.19		.11	.68	.06	29
30	24	✕								.42	.41	.03	30
31	.02	✕		✕		✕		.13	✕	80	✕	.21	31
Total	4.31	5.24	.93	1.72	4.16	.61	4.76	1.85	2.66	3.95	3.90	9.65	YEAR'S TOTAL 43.74
Rain Days.	21	21	10	13	9	7	13	12	9	13	12	28	168

W. 8,000. X. 15.

Exc 8.L

'552

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Brighton Corporation Waterworks

Kept at Falmer works

in the County of Sussex

by Jas: Whuslen

Lat. Long.

Time of Observation 9 Am

Nearest Railway Station Falmer

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 209.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	04	02		24	05			.07	01	.42		1
2	.49	07	47		34	01				89	08		2
3	02	28	09		–	05	.03		.09	37	53		3
4	.7	09			01	49			24	08	35		4
5	.03	01		02	16	13				04	53		5
6	.02	04	5 05	12	02	06	.47			02	24		6
7	.01	04	5 66		30	14	01			05	31	.02	7
8			5 04		39						03	69	8
9		01	5 01		25							09	9
10		66	03	.06		.40	.14				01	57	10
11	.01	19	02	.17		23						10	11
12	08	07	16	08	.07	16	.10			02	01	01	12
13		24	29	01	.12		.01	01	.01	02	01		13
14	01	68	40	02	.19			04		01		18	14
15		24	11										15
16	02	02	25	.32			09	04					16
17	49	19		06			03	04	.44	92		01	17
18	02	07	01	01				20	24	18	60	05	18
19	16	07	.10	22		02		02	05		97	21	19
20	08		09	10		.11					48	61	20
21	05		49	01			.01				18	82	21
22	03	5 02	03			.01				04	02	72	22
23	02	5 09	04			.16	.02	.01		05	03	02	23
24			01		.14	01		02		41	05	43	24
25	01	.5 39	11					65	.02	09	.03		25
26	04	5 85				.76		12	30	22		07	26
27	01	5 04	.94			02		03	12	28		01	27
28		5 +R. 77	5+R .04			35		10	48	52	01	38	28
29	01	.58				26		56	20	64		55	29
30		╳	.01		12	.		05		42		01.	30
31		╳		╳		╳		01	╳	06	╳		31
Total	1.84	5.45	4.47	1.20	2.35	3.42	.91	1.90	2.26	5.34	4.89	5.55	YEAR'S TOTAL 39.58
Rain Days.	22	25	25	13	13	19	10	15	12	22	20	20	216

W. 8,000, VIII. 16

527

FORM A.
BRITISH RAINFALL.

21 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Brighton Corporation Waterworks Falmer works.
in the County of Sussex.
by Geo: Johnston

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station Falmer.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 209.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			01	S+R 31				1.36	.13		.13	.02	1
2				S+R .10				04			.10		2
3	.01			.05			.91	18		.07	.02		3
4		S 06	S+R 19				.04	29		19			4
5	.43		02	15		.01		01	.24	.25	.03		5
6			31	05		32			.15		13	02	6
7	37						.23			34		.05	7
8	07			S+R 10			.09	.34		34	33	36	8
9	01		S 13	S+R 02			.09	01		02	02	.68	9
10	19		.16	S+R 02		37		16			01		10
11	21		.19	S+R 25		01		.06	01	.51			11
12	02		04	S+R .11	.02			31		.31	.01		12
13	02		25		39			04	06	22	.01	.01	13
14			01	.17				02		01	.01		14
15						.14		08		30		.02	15
16	S 01	.25		07	07					30		S+R 1.21	16
17		.02		.22	23		.46	01	35	19		S .01	17
18	01	03		.11	07		23	13	36				18
19	02	31	.04		03	.17	01		15				19
20		20	S+R 01		29	02		12					20
21	S .01	01	S+R .01		03	02	23					.02	21
22	S .02		S+R .03			36		10		34			22
23		34			.21	07		13		02		02	23
24		.16				.01	.24	02		21	02		24
25		.14	.05			04	.11						25
26			S+R 02					.49	08		.88	02	26
27					03	01		.92					27
28			05			1.29	01	.48			01	S+R 03	28
29			08		.03		09	.10		.43		.14	29
30	S 02	X	32			.02	51	.62		.07		02	30
31	S 03	X	02	X		X	19	.01	X	.07	X	Snow 03	31
Total	1.45 ✓	1.52 ✓	1.94	1.63 ✓	1.40 ✓	2.80 ✓	3.44 ✓	6.03 ✓	1.53 ✓	4.09 ✓	1.71 ✓	2.66 ✓	YEAR'S TOTAL 30.20 ✓
Rain Days.	16 ✓	10 ✓	20 ✓	14 ✓	11 ✓	15 ✓	15 ✓	25 ✓	9 ✓	19 ✓	14 ✓	16 ✓	184 ✓

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Brighton Corporation Waterworks

Kept at Falmer
in the County of Sussex
by Jno: Johnston

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station Falmer
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 209-00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
			5										
1		02	03		04						15	17	1
2		02	02					.37			37	25	2
3		01	10	07	62			04		.01	44	04	3
4	01	05	01	05				08	12		57	03	4
5		10	04		05			17		.03		01	5
6	20	19		.17	27			71				02	6
7	5 02	04		17	25	01		07	18	.04	07	07	7
8		01						01	25	03	07	21	8
9	5 .01			10		10	.04		56	29	02	52	9
10				04		02	26		25	22		37	10
11	02	.01		01			01		07	26	05	10	11
12		13			23		13		05	05		02	12
13	5 26	01	01	.01	14		15		28			04	13
14	19		10		01	08	32		52	.36		06	14
15	1.78		01	.13		11	02		01	01		21	15
16	38			.04			07		20				16
17	5or 32			12		21	95	01				.26	17
18	30			01		38	01		56	07		07	18
19	07		20	01		19	01	01		04	01	01	19
20	02	.23		93		07	51	.01	16	15		01	20
21	19	.01		1.05			06		31	19		09	21
22	19				06		61		69	01	02	21	22
23	15			01			56	.10	06			04	23
24	.01	23				03	15		32		10		24
25	.01						01	.26		04	01		25
26							17		09	.03	26	17	26
27	01	06	02	.08			26	.20	42	01	13	05	27
28		5 02	21	01	01	01				02	17	06	28
29			01						1.17		05	01	29
30		X	69					.01	.04	21		06	30
31		X		X		X			X	.12	X		31
Total	4.14	1.14	1.45	3.01	1.68	1.21	4.30	2.05	6.31	2.19	2.49	3.16	YEAR'S TOTAL 33.13
Rain Days.	19	16	13	18	10	11	19	14	21	21	16	27	205

G+R 498

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Brighton Corporation Waterworks Falmer
in the County of Sussex
by Jas: Johnston M. Inst. C. E.

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Falmer
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft 8 in.
" " " " Sea Level 209.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.49	Snow .05	02	.10	03		09			.23	05	.81	1
2	.13		03		01		05		02	.02	06	08	2
3	.37		63		07				26		04	26	3
4	.31	.11	.43			.03	07	.05	06		06	05	4
5		S&R .41	1.12				02	01	09		12	42	5
6	25	.01	.06									07	6
7	24		.08										7
8	26		.10								.01		8
9	39		.14	10	.18				.01		30		9
10	69		.15	06							02	27	10
11	15		.31	46	.11		03					34	11
12	11		.01	01	.01		07			05	Snow 02		12
13	03	.01	.01	16								.04	13
14	50		.01	.55			.10		.33			28	14
15	14	02	.18	.10						01		.92	15
16	11	57		.01							.08	01	16
17		27		.01							11	07	17
18		02	.05		05			.03			10	02	18
19	09	63	1,36			.08	.42	.46	.03	01	.17	.02	19
20	77	09	.04			72	.08	.16				.05	20
21	08	52	01				.07				.02	04	21
22		02	Snow 02				22		.78		.03	23	22
23							01		.20		02	02	23
24		01		.19		02	05		.01	13	.15	08	24
25	08						.01	53	.01	01		01	25
26	02	25	.05	15				03	.05		.40	55	26
27	Snow 71	.01	11	S&R 62				36			S&R 44	03	27
28	Snow 05		Snow 34	02				76			52	50	28
29	S&R 07		01	.01				81		19	13	11	29
30		✕	02	22		.02		.70		05	.24	93	30
31	Snow 08	✕	S&R 04	✕		✕		.01	✕	01	✕	31	31
Total	6.12	3.00	5.53	2.77	.46	.87	1.39	3.91	1.85	.70	2 99	6.42	Year's Total 35.91
Days with ·01 in. or more	24	16	26	16	7	5	14	12	12	10	22	27	191

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

35. 92

50 wds 469

7 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Brighton Corporation

Kept at Waterworks · Falmer works

in the County of Sussex

by Jas. Johnston

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Falmer

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 209.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15		02	03	09		30	02		47	04	31	1
2	01		29	06	04			30	13	24		12	2
3	02		01				01	01	01	10		04	3
4		17	01	10			74	19		12	01	02	4
5		01	06	01	01		32	01	16			03	5
6			10		24		37					01	6
7	05	01		18	04		26			03			7
8	01			16	07		34			01			8
9	28	01	01	02	02	05				01		01	9
10	81	20	21	05		14	.11				01	Snow	10
11	30	02	14	31	01	01	.24				01	02	11
12	04	03	03	32	04	65				01	01		12
13	26	02	30	04							10		13
14		03	57	47		03	02		02	.27	48	01	14
15	10	01	03	16	02	01	01		67	.42	12		15
16	01		09	12	03	01			23		01		16
17	02			05	24		01		13			07	17
18	06		01		06	01		87	29			11	18
19	07			15				01	04			04	19
20	12	13		10		90			11			02	20
21				05			61		.28		01	32	21
22	01			50			01					58	22
23		01		01			58	06				78	23
24	01	02	09	01							01	16	24
25	01		02	03	02		37				01	01	25
26	10		15	06			08				03	04	26
27	37	02	01	31		14	09				90	.36	27
28	40	03	23	22	20		24				11	.09	28
29	67		13	.15	01	.02			.01		36	16	29
30	05		02				02		.33		42	31	30
31	01		12				01			88		39	31
TOTAL	3.94	.72	2.65	3.67	1.14	1.97	4.74	1.47	2.35	2.56	2.64	4.01	YEAR'S TOTAL 31.86
Days with ·01 in. or more	25	15	23	26	16	11	21	8	13	11	17	34	210
Days with ·04 in. or more	~~17~~ 16	3	13	20	9	5	14	4	10	7	8	16	126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

X made

30·1·12

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

FALM~~ER~~
COURT
SUSSEX
1911 - 1914

REC

Kept at Falmer C
in the County of Sus
by R. H. Verrall

5 in.
Ground 3 ft. –
Sea Level 312 ft.
A.M.
Name Falmer
Distance 1 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				x				·03			·06	·02	1
2	·06		·02	·69	·20						·36	·44	2
3	·01		·12	·01							·12	·40	3
4	·12	·01		·21	·24			·05	·01	·20	·19	·19	4
5	·01									·75	·01	·12	5
6	·23									·01	·01	·29	6
7	·08									·32	1·43	·29	7
8	·10		·26							·01	1·0	·21	8
9	·16		·01	·02							·46	·06	9
10	·01		·13	·04							·02	·31	10
11	·47				·12					·005	1·40	·04	11
12	·02		·92							·005	·04		12
13			·04		·09				·40	·110		·23	13
14		·10	·01		·24							·70	14
15		·04	·13								·17	·06	15
16						·52				·005	·81	·16	16
17		·01				·04				·005	·63	·13	17
18		·11	·07	·01						·005	1·22	·41	18
19						·07			·20	·26	·04	·11	19
20	·04		·01		·01			·31		·02		1·21	20
21	·04	·29						·03	·37	1·53		·40	21
22	·06	·01	·20			·07		·03		·52		·91	22
23	·12	·13	·05			1·10			·50	1·10		·21	23
24	·03					·14	·04	·04		·29	·03	·43	24
25		·25	·40	·10		·14			·07	·09		·01	25
26		·02	·14	·32		·17				·21		·34	26
27		·51	·26		·01				·04	·46	·26	·20	27
28	·01	·12		·15				·02		·01	·03	·01	28
29				·02		·14	·42		·55	·62			29
30				·01		·25				·22		·02	30
31										·005			31
Total	1·57	1·60	2·47	1·58	·91	2·64	·46	·51	2·14	6·76	8·32 8·31	7·91	TOTAL for year 36·86 36·86
No. of Rain Days	17	12	16	11	7	10	2	7	8	21 ~~24~~	20	28	159

7,000. X. '09.

X made

30·1·12

REGISTER

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

Kept at Falmer Court

in the County of Sussex 4

by R. H. Verrall

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. —
" Sea Level 312 ft.

Time of Observation 9 · A.M.

Nearest Railway Station
Name Falmer
Distance 1 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				x				·03			·06	·02	1
2	·06		·02	·69	·20						·36	·44	2
3	·01		·12	·01							·12	·40	3
4	·12	·01		·21	·24			·05	·01	·20	·19	·19	4
5	·01									·75	·01	·12	5
6	·23									·01	·01	·29	6
7	·08									·32	1·43	·29	7
8	·10		·26							·01	1·0	·21	8
9	·16		·01	·02							·46	·06	9
10	·01		·13	·04							·02	·31	10
11	·47				·12					·005	1·40	·04	11
12	·02		·92							·005	·04		12
13			·04		·09				·40	·110		·23	13
14		·10	·01		·24							·70	14
15		·04	·13								·17	·06	15
16						·52				·005	·81	·16	16
17		·01				·04				·005	·65	·13	17
18		·11	·07	·01						·005	1·22	·41	18
19						·07			·20	·26	·04	·11	19
20	·04		·01		·01			·31		·02		1·21	20
21	·04	·29						·03	·37	1·53		·40	21
22	·06	·01	·20			·07		·03		·52		·91	22
23	·12	·13	·05			1·10			·50	1·10		·21	23
24	·03					·14	·04	·04		·29	·03	·43	24
25		·25	·40	·10		·14			·07	·09		·01	25
26		·02	·14	·32		·17				·21		·34	26
27		·51	·26		·01				·04	·46	·26	·20	27
28	·01	·12		·15				·02		·01	·03	·01	28
29				·02		·14	·42		·55	·62			29
30				·01		·25				·22		·02	30
31										·005			31
Total	1·57	1·60	2·47	1·58	·91	2·64	·46	·51	2·14	6·76	8·32 8·31	7·91	TOTAL for year 36·86 36·86
No. of Rain Days	17	12	16	11	7	10	2	7	8	~~24~~ 21	20	28	159

7,000. X. '09.

corr for arith 5·11·13

W 7h2

FORM A2.
BRITISH RAINFALL.

6 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Falmer Court

in the County of Sussex 4

by K. Moulden

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 312 ft.

Time of Observation 9 A M

Nearest Railway Station
Name Falmer
Distance 1 M Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03		·01	·53	·06		·08	·72			1
2			·23	·01		·02	·29	·01	·01			·06	2
3	·01		·06			·14	·03	·40	·07		·02	·21	3
4	·35		·52			·28		·16	·01		·19	·01	4
5	28	·19	·09			·13		·09	·01		·04	·04	5
6	36	·10	·01		·05	·06		1·02			·06	·09	6
7					·29	·79		·27				·09	7
8	·68	·35	·10			·06	·02	·06				·05	8
9	·10	·05	·05				·20	·21				·12	9
10		·07	·03	·01				·12			·13	·39	10
11	·04	·65	·005			·02		·09				·20	11
12		·09	·03			·05		·41		·04		·07	12
13		·02	·01		·02		·03	·04		·01	·05	·41	13
14					·11			·07		·11	·01	·04	14
15		·07	·14		·13	·73					·02	·16	15
16	·23	·01	·20		·11	·14		·22				·09	16
17	·34		·49		·08	·21		·14			·05	·27	17
18	·07	·01	·67		·01		·03	·18		·11	·01	·69	18
19	·04	·14	·35		·03		·07	·54		·03			19
20	·03	·02	·98					·05		·61	·09		20
21	·02	·24	·37					·22		·55	·02		21
22	·07	·57	·21				·02	·36			·01	·07	22
23	·41	·20	·19					·40			·25	·09	23
24	·07		·07			·03	·01	·34				·13	24
25	·10	·12	·01			·33		1·05		·24	·49	·52	25
26		·09					·05	·08		·47	·45	·22	26
27			·02					44	·01	·21		·29	27
28		·08				·01	·02	·17	·15	·77	·54	·61	28
29		·01				·04	·23	·78	2·02	06	·02		29
30					·55	·01	·04	·57	1·29	·26	·01	·01	30
31			·005				·27	·30				·03	31
Total	3·20 3·20	3·08	4·87	·02	1·39	3·58	1·37	8·49	3·65	4·19	2·46	4·96	TOTAL for year 41·36 41·26
No. of Rain Days.	17	20	24	2	11	18	15	29	9	14	19	26	204 204

W. 8,000, X. '11.

cor. by surr. stats 11·II·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8 JAN 1914

Kept at Falmer Court
in the County of Sussex
by K. Moulden

4

Lat. Long.
Time of Observation 9 : A M
Nearest Railway Station Falmer
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 312 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·05	·56	·12						·01	·07	·08	·18	1
2	·01	·14	·02				·10		·01	·33	·16	·07	2
3	·07		·10	·35	·21							·09	3
4	·39		·15		·02		·02		·92	·14		·04	4
5	·40	·04	·06	·01		·31	·03		·24	·05	·44	·02	5
6	·01	·04	·10		·14	·13	·46			·34	·25	·25	6
7		·19	·08		·07	·16	·05			·32			7
8	·01	·15	·01		·21	·06		·34		·45	·17	·07	8
9	·01	·10			·16	·05	·16	·01	·12	·02		·03	9
10	·02	·01					·77			·10		·02	10
11	·99			·61						·78	1·17		11
12		·02			·55						1·48	·01	12
13	·69		·07						·15		·22		13
14	·33		·06	·06			·96	·05	·14		·23		14
15	·20		·51	·21			·22		·10				15
16	·09		·46	·11			·03		·01				16
17	·08		·08	·15			·32				·06		17
18	·07		·05	·18			·04				·16		18
19	·27			·25	·24	·15			·57				19
20	·84		·04		·01	·04				·50			20
21			·102							·85	(1·09)		21
22	·38		·29	·20			·08	·13	·03				22
23	·02		·10					·02				·05	23
24	·1·0							·15			·08		24
25		·08		·22			·01					·71	25
26			·08					·19		·83	·07	·09	26
27	~~·12~~		·14	·03						·04			27
28	·12	·01	·40	·08	·41			·03		·09		·03	28
29	·11		·06	·42				·09		·05			29
30	·50			·20				·30		·11			30
31			·11					1·14		·18			31
Total	5·76	1·34	3·21	3·08	2·02	·90	3·25	2·45	2·30	5·25	5·60	1·66	YEAR'S TOTAL 36·82
Rain Days.	24	11	23	15	10	7	14	11	11	18	14	14	172

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

16 JAN 1915

Kept at Falmer Court

in the County of Sussex 4

by H. Moulden

Lat. 50·51 N Long. 0·5 W.

Time of Observation 9 A.M

Nearest Railway Station Falmer

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. – in.

" " " " Sea Level 312 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·03	·12			·13	·21	1
2						·02	·04	·01			·06		2
3			22	·08	·29			·20	—		·17	·14	3
4	·33		·02	·37			·05	·13			·34	·51	4
5	·20		·13	·54			·15					·05	5
6		·05	·03	·21				·07				·49	6
7	·05	·45	·25	·11	·16	·07	·18					·31	7
8	·11	·53	·50	·10		·25	·17	·08				·15	8
9	·12	·01	·60	·05		·10		·02	·14			1·58	9
10		·06	·01	·17	·29	·03			·10			·02	10
11	·13	·43	·52		·03				·08		·10	·53	11
12		·10	·13			·06			·88			·31	12
13		·52	·22		·03	·15	1·01		·31	·04		·37	13
14		·04	·12			·02	·32		·03	·40	·30	·60	14
15		·05	·40					·23	·03		·97	·02	15
16		·15	·01				·30		·07			—	16
17		·73							·23			·19	17
18		·05	·53				·02					·18	18
19			1·36				·30				·35	·08	19
20		·07	·07			·07	·02			·20		·63	20
21		1·10	·13							·02		·02	21
22		·10	·09		·13	·24	·09			·22		·01	22
23			·37			·69	·02	·05					23
24			·22				·01			·04	·21	·01	24
25			·15			·01		·11		·34	·03	·04	25
26	·13		·10					·19		·16	·14	·43	26
27	·04									·90	·25	·34	27
28	·05		·01		·02		·34			·32	·43	·44	28
29	·19		·06								·08	·02	29
30			·11			·01				·12	1·02	·29	30
31				·05	·15					·02		·04	31
Total	1·35	4·44	6·36	1·68	1·10	1·72	3·05	1·21	1·87	2·78	4·58	8·01	YEAR'S TOTAL 38·15
Rain Days.	10	16	26	9	8	13	16	11	9	12	15	28	173

W.7,000, XI. 13

Slip made

cor

FOREST ROW

COURTMEAD

SUSSEX

1915 – 1917

915

FORM A. BRITISH RAINFALL.

26 JAN 1916

Kept at Courtm

in the County of S

by G. Worth

Long.

n 9. AM

tation Forest Row

l of Rain Gauge 5 in.

auge above Ground ft. 8 in.

„ Sea Level 275 ft.

IMPORTANT n. and the result entered to the previous day. If st universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·28

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·30	·20	—	—	—	—	—	—	—	1·00	·53	1
2	·91	·24	·05	—	—	—	—	—	·85	—	·21	·43	2
3	·30	·22	·32	·24	·20	—	—	·30	—	·10	—	·15	3
4	}·41	—	·4	·16	—	—	—	·16	·10	—	—	·71	4
5		—	—	—	—	—	—	—	—	·05	—	1·11}	5
6	·04	·70	—	—	—	—	·66	·20	—	—	—		6
7	·61	—	—	·77	—	—	·10	·05	—	—	—	·9	7
8	·36	·78	—	—	—	—	—	—	—	—	—	·41	8
9	—	·74	—	·10	—	—	—	·06	—	—	·10	—	9
10	—	·16	—	·19	—	·41	—	·06	—	—	·47	·86	10
11	·49	—	—	—	—	—	—	—	—	—	—	·56	11
12	—	—	—	—	—	—	—	—	—	—	·70	—	12
13	·10	·17	—	—	·35	—	—	·03	—	—	—	—	13
14	—	}·96	—	—	2·10	—	—	—	—	—	—	—	14
15	—		—	·24	1·46	—	—	—	—	—	—	·66	15
16	·25	—	—	—	—	—	·25	·32	—	—	·15	·32	16
17	—	·84	—	—	—	—	1·20	—	—	—	—	·11	17
18	—	·51	—	—	—	—	—	·03	—	—	—	·04	18
19	—	·20	—	—	—	—	·05	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	20
21	·37	—	—	·16	—	—	—	—	—	—	—	·23	21
22	—	—	—	—	—	—	—	—	—	—	—	—	22
23	·40	·16	·20	—	—	—	1·36	—	—	—	—	·23	23
24	—	—	·05	—	—	—	·10	—	·25	—	—	·57	24
25	—	—	—	—	—	—	·06	—	·23	·86	—	·57	25
26	—	—	—	—	—	—	·27	—	—	—	—	·42	26
27	—	·28	—	—	—	—	—	—	—	—	—	·67	27
28	—	—	—	—	—	—	—	—	—	·69	—	·06	28
29	—	—	—	—	—	—	·31	—	1·30	·48	·60	—	29
30	—	X	—	—	—	1·31	·40	·21	—	—	—	—	30
31	—	X	—	X	—	X	—	—	X	—	X	·04	31
Total	·30 ~~4·24~~ 4·54	·20 ~~6·26~~ 6·16	— ~~·86~~ ·66	— 1·86	— 4·41	— 1·72	— 4·76	— 1·42	— 2·73	1·00 ~~2·18~~ 3·18	·53 ~~3·23~~ 2·76	·28 ~~8·77~~ 8·52	YEAR'S TOTAL ~~42·44~~ 42·42
Rain Days.	~~11~~ 12	14	~~6~~ 5	7	4	2	11	10	5	~~5~~ 6	7	21	~~103~~ 104

W. 8,000. X. 15.

Slip

Cord

9 15

FORM A.
BRITISH RAINFALL.

26 JAN 1916

Kept at Courtn

in the County of Sussex

by G. Worthington

Long.

of Observation 9. AM

Nearest Railway Station Forest Row

Diameter of Funnel of Rain Gauge 5- in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·28

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·30	·20	–	–	–	–	–	–	–	1·00	·53	1
2	·91	·24	·05	–	–	–	–	–	·85	–	·21	·43	2
3	·30	·22	·32	·24	·20	–	–	·30	–	·10	–	·15	3
4	}·41	–	·4	·16	–	–	–	·16	·10	–	–	·71	4
5		–	–	–	–	–	–	–	–	·05	–	1·11}	5
6	·04	·70	–	–	–	–	·66	·20	–	–	–		6
7	·61	–	–	·77	–	–	·10	·05	–	–	–	·9	7
8	·36	·78	–	–	–	–	–	–	–	–	–	·41	8
9	–	·44	–	·10	–	–	–	·06	–	–	·10	–	9
10	–	·16	–	·19	–	·41	–	·06	–	–	·47	·86	10
11	·49	–	–	–	–	–	–	–	–	–	–	·56	11
12	–	–	–	–	–	–	–	–	–	–	·70	–	12
13	·10	·17	–	–	·35	–	–	·03	–	–	–	–	13
14	–	}·96	–	–	2·10	–	–	–	–	–	–	–	14
15	–		–	·24	1·46	–	–	–	–	–	–	·66	15
16	·25	–	–	–	–	–	·25	·32	–	–	·15	·32	16
17	–	·84	–	–	–	–	1·20	–	–	–	–	·11	17
18	–	·51	–	–	–	–	–	·03	–	–	–	·04	18
19	–	·20	–	–	–	–	·05	–	–	–	–	–	19
20	–	–	–	–	–	–	–	–	–	–	–	–	20
21	·37	–	–	·16	–	–	–	–	–	–	–	·23	21
22	–	–	–	–	–	–	–	–	–	–	–	–	22
23	·40	·16	·20	–	–	–	1·36	–	–	–	–	·23	23
24	–	–	·05	–	–	–	·10	–	·25	–	–	·57	24
25	–	–	–	–	–	–	·06	–	·23	·86	–	·57	25
26	–	–	–	–	–	–	·27	–	–	–	–	·42	26
27	–	·28	–	–	–	–	–	–	–	–	–	·67	27
28	–	–	–	–	–	–	–	–	–	·69	–	·06	28
29	–	–	–	–	–	–	·31	–	1·30	·48	·60	–	29
30	–	X	–	–	–	1·31	·40	·21	–	–	–	–	30
31	–	X	–	X	–	X	–	–	X	–	X	·04	31
Total	·30 ~~4·24~~ 4·54	·20 ~~6·26~~ 6·16	– ~~·86~~ ·66	– 1·86	– 4·41	– 1·72	– 4·76	– 1·42	– 2·73	1·00 ~~2·18~~ 3·18	·53 ~~3·23~~ 2·76	·28 ~~8·77~~ 8·52	YEAR'S TOTAL ~~42·14~~ 42·42
Rain Days.	~~11~~ 12	14	~~6~~ 5	7	4	2	11	10	5	~~5~~ 6	7	21	~~103~~ 104

W. 8,000. X. 15.

65

FORM A.
BRITISH RAINFALL.

6 JA 1917

REGISTER OF good yly RAINFALL IN 1916

Kept at Courtmead Forest Row

in the County of Sussex

by Godfrey Worthington

Lat. as last year Long.

Time of Observation 9 a.m. (10 during summer time)

Nearest Railway Station Forest Row

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil
·28

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	×	×	×	·27	·03	×	×	·20	·07	·44	×	1
2	·86	·20	×	×	·39	·01	·03	×	·02	·54	·05	×	2
3		·74	·24	×	·27	×	·03	×	·18	·53	·86	×	3
4	·04	·10	·28	·05	×	·63	×	×	·26	·07	·51	×	4
5	·38	·06	·03	·11	×	·10	×	×	×	·17	·89	×	5
6	×	·20	·13	·31	·10	·37	·35	×	×	·08	·90	×	6
7	·03	·03	·81	×	·32	·12	·06	×	×	·08	·87	·07	7
8	·09	×	·02	×	·22	×	×	×	×	×	×	·68	8
9	×	×	·01	×	·44	×	·01	×	×	·01	×	·15	9
10	×	·30	×	·10	×	·17	·12	×	×	×	×	·22	10
11	×	·21	·04	·09	×	·09	×	×	×	×	×	·01	11
12	×	·15	×	·16	·15	·18	·19	×	×	·09	×	×	12
13	·06	·32	·37	×	·02	·03	·05	·03	×	·04	×	×	13
14	×	·69	·14	·02	·15	×	×	×	×	·05	×	·71	14
15	×	·16	·19	×	×	×	·02	·11	×	·03	×	·07	15
16	×	·20	·21	·21	×	×	·17	·17	×	×	×	·02	16
17	×	·09	×	·07	×	×	×	·15	·30	1·47	×	×	17
18	~~1~~·35	·01	×	·02	×	×	×	·50	·28	·45	·77	×	18
19	×	×	·16	·24	×	·10	×	× ~~[illegible]~~	·08	×	·71	·27	19
20	·28	×	·11	·10	×	×	×	×	×	×	·13	·69	20
21	·19	×	·58	×	×	×	·39	×	×	×	×	·43	21
22	·05	×	·09	×	×	·05	×	×	×	·04	×	·68	22
23	·05	·24	·07	×	×	·12	·01	·01	×	·17	·12	·04	23
24	×	×	·02	[illegible]	·09	·03	×	·01	×	·33	·11	·36	24
25	×	1·03	·23	×	×	×	×	1·25	×	·18	·04	·06	25
26	×	·48	·11	×	×	·33	×	·12	·02	·33	×	×	26
27	·05	×	·76	×	×	·31	×	·04	·12	·50	×	×	27
28	×	·55	·22	×	×	·09	×	·40	·24	·15	×	·20	28
29	×	·21	·02	×	×	·34	×	·41	·06	·57	×	·35	29
30	×	×	·03	×	·39	×	×	·07	×	·28	×	·01	30
31	×	×	×	×	×	×	×	·03	×	·21	×	×	31
Total	2·71	5·97	4·87	1·48	2·81	3·10	1·43	3·30	1·76	6·44	6·40	4·42	YEAR'S TOTAL 44·69
Rain Days.	13 14	20	24	12	12	18	12	14	11	24	13	18	192

W. 8,000, VIII. 16

Ex. D.

623

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
8. JAN 1918

Kept at Courtmead Forest Row

in the County of Sussex

by G. Worthington

Lat. Long. Ashdown

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	×	×	×	·29	×	×	×	1·56	·52	×	·06	·04	1
2	×	×	×	·20	×	×	×	·19	×	×	·20	×	2
3	×	×	×	·13	×	×	·59	·58	×	·19	·06	×	3
4	×	·18	·15	×	×	×	·22	·12	×	·48	×	×	4
5	·38	×	·03	·28	×	×	×	·07	·37	·29	·11	×	5
6	×	×	·09	·10	×	·31	×	×	·37	×	12	×	6
7	·48	×	×	×	×	×	·03	×	×	·43	×	·08	7
8	·10	×	×	·12	×	×	·30	·51	×	·42	43	·26	8
9	·03	×	·03	·07	×	×	·21	·03	×	×	·04	·78	9
10	·24	×	·14	·16	×	×	×	·23	×	·01	×	×	10
11	·18	·01	·14	·48	×	×	×	·25	·08	·61	×	×	11
12	·04	×	·04	×	×	×	×	·24	×	·29	·01	×	12
13	·03	×	·15	×	·07	×	×	·04	·01	·18	×	×	13
14	×	×	·01	·20	×	×	×	·03	×	×	×	×	14
15	·09	×	×	×	×	×	×	·59	×	·25	×	·13	15
16	·05	·17	×	·29	·12	×	·06	×	×	·95	×	1·20	16
17	×	×	×	·12	·31	×	·19	·07	·37	·30	×	×	17
18	·03	×	×	·10	·03	×	·27	·10	·37	·03	×	×	18
19	·02	·14	·27	×	×	·33	×	·32	·18	×	×	×	19
20	·03	·13	·08	×	·64	×	·02	·04	·04	×	·04	×	20
21	×	×	·03	·03	·01	·01	×	×	×	·03	×	×	21
22	×	×	·09	×	×	·57	×	·13	×	·16	×	×	22
23	×	·18	×	×	·28	×	×	·18	×	×	×	×	23
24	×	·03	×	×	×	·18	×	·07	×	·25	·08	·12	24
25	×	·15	·13	×	×	·08	×	×	×	·01	×	×	25
26	×	×	·03	×	×	·04	×	·52	·05	×	·98	·02	26
27	×	×	×	×	×	×	×	1·61	×	×	×	×	27
28	×	×	·07	×	×	1·02	·03	·35	×	×	×	·10	28
29	×	×	·06	×	·42	·04	·20	·04	×	·95	×	·17	29
30	·02	×	·50	×	×	·03	·87	·35		·05	×	·04	30
31	·07	×	·05	×	×	×	·49	·06	×	·01	×	·10	31
Total	1·79	·99	2·09	2·54	1·88	2·61	3·48	8·28	2·36	5·89	2·13	3·04	YEAR'S TOTAL 37·[illegible]1
Rain Days.	15	8	19	14	8	10	13	26	10	20	11	12	166

W. 8,000, IX. 17.

FRANT

SUSSEX

1912

B ✓

REGIST

Kept at Henley Lo

in the County of Suss

by Eustace Ma

6 50 E

adhurst

5" in.

ound 1 ft. / in.

a Level 445. ft.

FORM A.
BRITISH RAINFALL.
4 JAN 1913

IMPORTANT NOTE.— result entered to the previous day. If an Observ al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·13	·02		·11	·19		·03	1·04		·24	1
2		·07	·32	·04		·01	·17		·02	·02		·01	2
3	·01	·16	·01		·09	·27	·01	·20	·02		·01	·05	3
4	·22	trace	·59		·04	·35		·01			·13	·01	4
5	·18	·10	·19			·12		·31			·15	·02	5
6	·43	·07			·03	·01		·64	trace		·01	·17	6
7	·30				·14	·44		·41				·16	7
8	trace	·33	·18			·12		·27		trace	·01	·03	8
9	trace	·08	·01	·04		·01	·21	·29		trace		·21	9
10		·07						·20	trace	·01	·07	·35	10
11	·04	·47	·06		trace	·07			·02			·30	11
12		·16	·03		·12	·04		·23			·03	·02	12
13		·01	·03								·19	·14	13
14			trace		·03			·07	trace	·06	trace	·02	14
15	trace	·01	·12		·20	·67		·01		trace	trace	·32	15
16	·20		·14		·10	·31		·16		·08	·01	–	16
17	·42		·52			·03		·06			·15	·30	17
18	·08		·34				·08	·15		·06	·02	·32	18
19	·05	·21	·43				·07	·65	·01		·02		19
20	·03	·03	·81		trace	trace		·03		·58	·05		20
21	·01	·05	·72		·05			·09		·21	·06		21
22	·09	·61	·19		·01		·02	·18					22
23	·53	·31	·28		·12	·09		·34		·16	·12	·08	23
24	·08	·02			·01			·21				·12	24
25	·16	·01				·29		·75			·41	·59	25
26		·05				·04		·41		·38	·41	·42	26
27							·02			·20		·43	27
28		·07	trace			·03	·23	·11	·03	·98	·49	·43	28
29		·04		·01			·24	·62	1·79	·14	~~·49~~ ·03		29
30					·26	trace	·06	·18	1·61	·49			30
31			·02				·33	·12					31
Total	2·83	2·93	5·12	·09	1·20	3·01	1·63	6·70	3·53	4·41	2·37	4·74	YEAR'S TOTAL 38·58 ✓
Rain Days.	16.	21.	20.	4.	13.	18.	12.	26.	8	14.	19.	23.	194. ✓

W. 7,500, XI. 13

B ✓

REGIST [redacted]

6 50 E

FORM A.
BRITISH RAINFALL.
4 JAN 1913

Kept at Aruley Lo

in the County of Sussex

by Eustace Malden.

Nearest Railway Station Wadhurst

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. / in.

" " " " Sea Level 445. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·13	·02		·11	·19		·03	1·04		·24	1
2		·07	·32	·04		·01	·17		·02	·02		·01	2
3	·01	·16	·01		·09	·27	·01	·20	·02		·01	·05	3
4	·22	Trace	·59		·04	·35		·01			·13	·01	4
5	·18	·10	·19			·12		·31			·15	·02	5
6	·43	·07			·03	·01		·64	Trace		·01	·17	6
7	·30				·14	·44		·41				·16	7
8	Trace	·33	·18			·12		·27		Trace	·01	·03	8
9	Trace	·08	·01	·04		·01	·21	·29		Trace		·21	9
10		·07						·20	Trace	·01	·07	·35	10
11	·04	·47	·06		Trace	·07			·02			·30	11
12		·16	·03		·12	·04		·23			·03	·02	12
13		·01	·03								·19	·14	13
14			Trace		·03			·07	Trace	·06	Trace	·02	14
15	Trace	·01	·12		·20	·67		·01		Trace	Trace	·32	15
16	·20		·14		·10	·31		·16		·08	·01	–	16
17	·42		·52			·03		·06			·15	·30	17
18	·08		·34				·08	·15		·06	·02	·32	18
19	·05	·21	·43				·07	·65	·01		·02		19
20	·03	·03	·81		Trace	Trace		·03		·58	·05		20
21	·01	·05	·72		·05			·09		·21	·06		21
22	·09	·61	·19		·01		·02	·18					22
23	·53	·31	·28		·12	·09		·34		·16	·12	·08	23
24	·08	·02			·01			·21				·12	24
25	·16	·01				·29		·75			·41	·59	25
26		·05				·04		·41		·38	·41	·42	26
27							·02			·20		·43	27
28		·07	Trace			·03	·23	·11	·03	·98	·49	·43	28
29		·04		·01			·24	·62	1·79	·14	~~·49~~ ·03		29
30					·26	Trace	·06	·18	1·61	·49			30
31			·02				·33	·12					31
Total	2·83	2·93	5·12	·11	1·20	3·01	1·63	6·70	3·53	4·41	2·37	4·74	YEAR'S TOTAL 38·58 ✓
Rain Days.	16.	21.	20.	4.	13.	18.	12.	26.	8	14.	19.	23.	194. ✓

W. 7,500, XI. 12

W D
[illegible] written 22·II·15

REG

FRANT "HIGHFIELD"

SUSSEX

1914, 18.

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Hig

in the County of S

by Charles M.

in.

round ft. in.

ea Level ft.

IMPORTANT NOT … e result entered to the previous day. If an O … sal rule, he is earnestly requested to add the rea … in the space provided for it at the end of thi … nt of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·10

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·4				·32						1·55	1
2				·14				·4				·12	2
3							·15					·27	3
4			·23		·32								4
5								·8			·53	·35	5
6	·13		·10	·28	·10		22						6
7				·55	·5	·20		·12				·45	7
8		·65	·36	·32		·15	·8					·32	8
9	·8	·56	·30	·5		·21		·10				·8	9
10	·30		1·17	·18					·8			1·67	10
11		·53		·10	·15							·50	11
12			·55						·24		·10	·65	12
13		51	·10				·15		31			57	13
14		·64	·28			·8			·12				14
15		·36	·30							·47	·28	·28	15
16		·	·36				·27				·60		16
17							·22		~~27~~				17
18		·56	·36						27			·12	18
19		·23										·55	19
20		·13	1·32				·14				·30	·18	20
21		·23	·15									·22	21
22		1·00	·10					·17				·6	22
23	~~4~~	·6			·10	·14	·20	·5		·63			23
24			·44		·12	·8	·2					·11	24
25			·6								·13		25
26			·31							·31			26
27	·15							·33	·	·13	·27	·65	27
28								·4		·36	·10	·57	28
29											·24	·51	29
30	·12	X								·67			30
31		X	·10	X		X			X	·12	X	·30	31
	~~·04~~	–	–	–	·32	–	–	–	1·02	–	1·55	·10	YEAR'S TOTAL
Total	~~·78~~	~~5·50~~	~~6·59~~	~~1·62~~	~~·84~~	~~1·18~~	1·45	·93	1·02	2·69	~~2·55~~	~~10·08~~	~~35·23~~
Rain	·82	5·46	6·69	1·52	1·16	·86					4·10	8·63	3
Days.	4	13	17	7	6	9	9	8	5	7	9	22	~~114~~

35·33

W. 8,000. X. 14.

W.D. Copy form written 22·II·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
6 JAN 1915

Kept at Highfield ~~at R~~
in the County of Grant 7
by Charles M. R. Cleeve

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·10

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·4				·32						1·55	1
2				·14				·4				·12	2
3							·15					·27	3
4			·23		·32								4
5								·8			·53	·35	5
6	·13		·10	·28	·10		22						6
7				·55	·5	·20		·12				·45	7
8		65	·36	·32		·15	·8					·32	8
9	·8	·56	·30	·5		·21		·10				·8	9
10	·30		1·17	·18					·8			1·67	10
11		·53		·10	·15							·50	11
12			·55						·24		·10	·65	12
13		51	·10				·15		31			57	13
14		·64	·28			·8			·12				14
15		·36	·30							·47	·28	·28	15
16		·	·36				·27				·60		16
17							·22		~~24~~				17
18		·56	·36						27			·12	18
19		·23										·55	19
20		·13	1·32				·14				·30	·18	20
21		·23	·15									·22	21
22		1·00	·10					·17				·6	22
23	~~4~~	·6			·10	·14	·20	·5		·63			23
24			·44		·12	·8	·2					·11	24
25			·6								·13		25
26			·31							·31			26
27	·15							·33	·	·13	·27	·65	27
28								·4		·36	·10	·57	28
29											·24	·51	29
30	·12	X								·67			30
31		X	·10	X		X			X	·12	X	·30	31
	~~·04~~	–	–	–	·32	–	–	–	– 1·02	–	~~1·55~~	·10	YEAR'S TOTAL
Total	~~·78~~ ·82	~~5·50~~ 5·46	~~6·59~~ 6·69	~~1·62~~ 1·52	~~·84~~ 1·16	~~1·18~~ ·86	1·45	·93	1·02	2·69	~~2·55~~ 4·10	~~10·08~~ 8·63	~~35·25~~ 3
Rain Days.	4	13	17	7	6	7	9	8	5	7	9	22	~~114~~

W. 8,000. X. 14.

35·33

TELEPHONE
217 TUNBRIDGE WELLS.
TELEGRAMS,
BELLS YEW GREEN.

Bayham Estate Office,
Highfield, Frant,
Tunbridge Wells.

24 FEB 1915

23rd February 1915.

Dear Sir,

In reply to your letter of the 22nd inst I find the mistake was on my side 0.12 was omitted on 30th January and on the 10th March 1.07 should have been 1.17 and on 31st March .10 was omitted that leaves the total for the months correct as stated Jan .78 March 6.59. The error was mine in September it should have been 1.02 and not 1.12. The rainfall taken on January 1st was .10 and I am keeping 1915 correctly as mentioned.

Yours faithfully,

H. R. Mill Esq.

139

FORM A.
BRITISH RAINFALL

8 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Highfield. Frant

in the County of Sussex

by

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Frant

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 413 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	10				3						26	3	1
2		6						24			57	20	2
3			14 8}	8	47					6	45		3
4		14						5	14		75	3	4
5					18			16		14		4	5
6	6	22		25	22			20	21	4	3	6	6
7		8		18	9			2	33	5	3		7
8	8	3							13			12	8
9				20					53	20	14	22	9
10				8			80		32	14		33	10
11	4			2	2		6		16	65	8	10	11
12		7			13		38		12	13		2	12
13					13		17		6	29			13
14	35		5			11	16		23			5	14
15	1.50			36		16	4		2				15
16				10		7	9		10			22	16
17	53			18		2	32	3	56			35	17
18	42					22	1			18		12	18
19	14			7		30	12			16		3	19
20	5	9		90			90		20	52		6	20
21	22			50			8		51	10		3	21
22	11				3		20		1.05			15	22
23	6				6		70	10	10			3	23
24		28		8			9		18		7		24
25							6	25			3		25
26				5			70	3		2	6	18	26
27		14	3	13			13	15	6		7	6	27
28			43	13		11					27	3	28
29			40	9					1.05	5	2		29
30		╳	2						5	7		20	30
31		╳		╳		╳			╳	3	╳	3	31
Total	3.66	1.11	1.15	3.40	1.36	.99	5.01	1.26	6.11	2.83	2.83	2.69	YEAR'S TOTAL 32.40
Rain Days.	13	9	6	17	10	7	18	10	21	17	14	24	166

W. 6,500, VII. 18. W W C

FUNTINGDOON

SUSSEX

1911-20

REGIS 1911

FORM A2. BRITISH RAINFALL
10 JAN 1912

Kept at Funtington

in the County of Sussex

by J. K. Greenwood

ing ii. U.t Snowdon

top 5 in.

above Ground 1 ft. - in.

" Sea Level 95 ft.

9 A.M.

tion { Name Bosham LB&SCR
Distance 2½m. Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·040			·090				·130			·090	·060	1
2	·070				·340						·330	·260	2
3					·230			·070		·020	·220	·060	3
4			·010	·100					·030	·060	·170	·490	4
5										·480	·		5
6	·290		·060	·020							·120	·850	6
7	·090									·400	·800		7
8	·040										·370	·470	8
9	·110					·040					·090	·140	9
10		·170	·180								-	·440	10
11	·380		·060								1·100		11
12			·850		·090						·220	·060	12
13			·020		·430				·120	·110		·360	13
14		·090	·010		·140							·500	14
15		·030									·100	·030	15
16						·780					·960	·130	16
17											·520	·370	17
18		·140	·070	·020						·070	·280	·390	18
19		·040							·420	·150	·030	·270	19
20	·050		·080					·010	·130	·020		·860	20
21	·020	·280						·010	·020	·780		·240	21
22	·170		·040			·170		·030		·300		·500	22
23		·150	·010			·490			·210	·600		·320	23
24	·020	·210				·150	·030	·110		1·060	·040	·490	24
25		·060	·030	·190		·070	·600			·020		·110	25
26				·300	1·640			·020		·230		·340	26
27		·590	·250	·060	·070		·100		·100	·250	·020	·320	27
28		·250		·280				·200	·270		·050		28
29						·190	·040			·340			29
30						·120				·310		·040	30
31			·340										31
Total	1·280	2·010	2·010	1·060	2·940	2·010	·770	0·580	1·300	5·200	5·510	8·150	TOTAL for year 32·820
No. of Rain Days.	11	11	14	8	7	8	4	8	8	17	18	25	139

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Funtington

in the County of Sussex

by J. A. Greenwood

Rain Gauge
Pattern ordinary ii. w/ Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. · in.
" " " Sea Level 95 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Bosham L B & S C R
Distance 2½m. Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·040			·090				·130			·090	·060	1
2	·070				·340						·330	·260	2
3					·230			·070		·020	·220	·060	3
4			·010	·100					·030	·060	·170	·490	4
5										·480	·		5
6	·290		·060	·020							·120	·850	6
7	·090									·400	·800		7
8	·040										·370	·470	8
9	·110					·040					·090	·140	9
10		·170	·180								-	·440	10
11	·380		·060								1·100		11
12			·850		·090						·220	·060	12
13			·020		·430				·120	·110		·360	13
14		·090	·010		·140							·500	14
15		·030									·100	·030	15
16						·780					·960	·130	16
17											·520	·370	17
18		·140	·070	·020						·070	·280	·340	18
19		·040							·420	·150	·030	·270	19
20	·050		·080					·010	·130	·020		·860	20
21	·020	·280						·010	·020	·780		·240	21
22	·170		·040			·170		·030		·300		·500	22
23		·150	·010			·490			·210	·600		·320	23
24	·020	·210				·150	·030	·110		1·060	·040	·490	24
25		·060	·030	·190		·070	·600			·020		·110	25
26				·300	1·640			·020		·230		·340	26
27		·590	·250	·060	·070		·100		·100	·250	·020	·320	27
28		·250		·280				·200	·270		·050		28
29						·190	·040			·340			29
30						·120				·310		·040	30
31			·340										31
Total	1·280	2·010	2·010	1·060	2·940	2·010	·770	0·580	1·300	5·200	5·510	8·150	TOTAL for year 32·820
No. of Rain Days.	11	11	14	8	7	8	4	8	8	17	18	25	139

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
16 JAN 1913

Kept at Funtington
in the County of Sussex
by J. R. Greenwood

RAIN GAUGE
Pattern ordinary - not Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 95 ft.

Time of Observation 9 A.M.
Nearest Railway Station
Name Bosham LB & SCR
Distance 2½ m Direction S & E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·120	·005	–	·400	·200	·100	·	·690		·260	1
2			·370		·030	·040	·230	–	·				2
3	·020		·030		·	·160	·020	·720	·040	–		·020	3
4	·240	·030	·650		·	·150	·	·050	~~·020~~	–	·200		4
5	·340		·190		·		·	·410	·020	–	·100	·040	5
6	·580	·090	·		·170		·030	·750	·	–		·240	6
7	–	·050	·040		·320	·650	·	·020	–	–		·050	7
8	·680	·340	·200			·140	–	·140	–	–			8
9	–	·	·240			·060	·040	·110	·	–		·200	9
10	–	·050	·			·	·	·310	–	–	·	·320	10
11	·110	·290	·			·050	·	·030	–	–	·050	·170	11
12	·120	·070	·110	·020	·100	·400	·110	·360	–	–	·020		12
13	·	·050	·020	·030		·	·260	·140	–	–	·060	·140	13
14	·020	·	·			·	·	·040	·	·030	·	·050	14
15	·015	·140	·240			·540	·	·020	–	–	·	·320	15
16	·190	·010	·250		·040	·030	·	·270	–	·080	·150		16
17	·590	·	·340		·060	·070	·	·200	–	–		·160	17
18	·100	·	·150			·	·	·380	–	·030	·040	·070	18
19	·060	·040	·150			·	·140	·560	·	–	·030		19
20	·	·020	·400			·	·	·240	–	·470	·040		20
21	·	·170	·160		·400	·	·	·170	·	·200	–		21
22	·070	·510	·100			·	·020	·400	·	·020	–	·070	22
23	·480	·220	·330		~~·020~~	·020	·	·650	·	·140	·270	·110	23
24	·110	·020	·			·	·	·220	·	·050	·		24
25	·150	·020	·			·360	·	·940	·	·070	·300	·860	25
26	·	·070	·			·	·030	·100	·	·460	·380	·270	26
27	·	·010	·			·180	·260	·	·	·190	·	·600	27
28	·	·050	·			·100	·110	·200	·110	·750	·470	·150	28
29	·	·080	·			·030	·060	·290	1·770	·150	·	–	29
30	·		·		·250	·010	·060	·040	1·100	·210		–	30
31	·		·130	~~·005~~			·460	·160		·020		·020	31
Total	3.775	2.330	4·220	0·055	1·370	3·390	2·030	8·060	3·040	3·560	2·110	4·120	TOTAL for year
No. of Rain Days.	17	21	20	3 2	8	18	15	29	5	16	13	~~38~~·055 20	184

(38·055)

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4 FEB 1914

Kept at Funtington Et PR
in the County of Sussex
by I K Greenwood

Lat. 50 52 Long. 0 51 30 W
Time of Observation 9 AM
Nearest Railway Station Bosham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	-	·330		·080		·200		·	·420	-	·290	·150	1
2	·080			·040			·040	·		·440	·100	·030	2
3	·070		·050	·260	·320			·		·130	-	·260	3
4	·410				·470			·	·750	·320	·160	·060	4
5	·490	·250	·060		·010	·080	·030	·	·400	·030	·230	·040	5
6	·020	·060	·065		·210	·150	1·250	·	·020	·940	·150	·370	6
7	·	·260			·170	·030	·200	·	-	·400	·180	-	7
8	·	·080	·110		·320	·010		·480	-	·150	·010	·100	8
9	·	·060	·310		·030		·450	·020	·170	-	·100	-	9
10	·150					·040	·150	·020		·050	·500	·	10
11	·830			·490	·020	-	·	·	·	·790	·250	·030	11
12	·450				·980	-	·	·	·	-	·480	·	12
13	·280		·080		-	-	·	·030	·010	·	·200	·	13
14	·180		~~·080~~ ·110		-	·	·330	·	·080	·020	·060	-	14
15	·390	·120	·270	·390	-	·	·210	·	·150	·	-	-	15
16	·200		·470	·080	·	·	·050	·	·300	-	-	-	16
17	·140	·020	·010	·050	·	·	·070	·	-	·	·050	-	17
18	·020		·100	·110	·	·	·060	·	·030	·	·040	-	18
19	·310		·030		·040	·150	·040	·	·290	·		-	19
20	·410		·060	·170	-	·	·	·	·	·990	·010	-	20
21			·070	·100	-	·	·	·	·	·670	·550	·	21
22	·460				-	·	·	·210	·250	·080	·020	·	22
23			·050		·	·070	·	-	·020	·	·	·210	23
24	·110			·050	·	-	·	·050	·	:	·050		24
25	·	·030	~~·060~~	·260	·	-	·	·	·	:	·020	·300	25
26			~~·240~~ ·060	·010	:	-	·	·200	·	·610	·	·	26
27	·		~~·070~~ ·240	·060	·	-	·	·	·	·110	·	·	27
28	·180	·150	~~·090~~ ·070	·120	·	-	·	·	·	·190	·	·	28
29	·090		·090	·410	·590	-	·	·020	·	·070	·		29
30	·580		·100	·100	·	·	·	·310	·	·140	·		30
31			·080				·	1·220				·	31
Total	5·870	1·360	2·485	2·780	3·160	0·730	2·880	2·560	2·890	6·130	3·450	1·550	YEAR'S TOTAL 35·845
Rain Days.	21	10	21	17	11	8	12	10	13	18	20	10	171

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Eve. M.G.

Kept at Funtington

in the County of Sussex

by J. H. Greenwood

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·		·040	–	–	–	–	·180	·	·	·050	·130	1
2	·		–	–	–	–	·090	·020	·	·	·090	·170	2
3	–		·070	·070	·240	–	–	–	·	·	–	·020	3
4	–		·020	·260	·030	·020	·020	·170	·	–	·290	·350	4
5	·110		·100	·380	·050	–	·230	·020	·	–	·030	–	5
6	·	·180	·030	·330	·090	·020	–	·040	·	–	–	·500	6
7	·	·600	·340	·220	–	–	·170	·010	·	–	–	·300	7
8	·060	·680	·200	·060	–	·080	–	·190	·	–	–	·150	8
9	·070	–	·890	·070	–	–	–	·140	·090	–	–	2·090	9
10	·150	·190	·010	·140	·250	–	–	–	·240	–	·010	–	10
11	·	·540	·590	[illegible]	·040	–	·040	–	·110	–	·090	·740	11
12	·	·250	·520	–		–	1·100	–	·410	·010	~~·350~~ ·040	·520	12
13	·	·380	·120	–		–	–	–	·260	·040	~~·030~~ ·100	·870	13
14	–	·220	·130	–		·890	·400	·040	–	·350	·240	·260	14
15	–	·050	·210	–		–	–	·450	·030	·030	·780	–	15
16	–	·020	–	–		–	·080	–	·200	–	–	–	16
17	–	·510	·090	–		–	–	·	·060	·	·010	·320	17
18	–	·040	·340	–		–	·005	·	·	·	–	·460	18
19	–	·260	·730	–		–	1·410	·	–	–	·150	·040	19
20	–	·290	·180	–		·020	–	·	–	·020	–	·220	20
21	–	·560	·060	–		·	–	·	–	·150	–	·060	21
22	–	·030	·050	–	·050	·040	·090	·090	·	·110	–	·020	22
23	·	·160	·220	–		·460	–	·010	·	·050	–	–	23
24	–	–	~~·240~~ ·020	–		–	·020	–	·	–	·200	–	24
25	·030	–	~~·010~~ ·240	–		–	·020	·320	·	·300	·040	·100	25
26	–	–	·010	–		·	·025	·110	·	·180	·290	·740	26
27	–	–	~~·010~~	–		·	·020	–	·	·010	·070	·300	27
28	·040	·030	~~·200~~ ·010	–	·170	–	·090	–	·	·740	·550	·570	28
29	·150	X	~~·010~~ ·200	–		·	–	–	·	·320	·120	–	29
30	·020	X	·040	·120		·	–	·	·	·150	·660	·500	30
31	·010	X		X	·040	X	·140	·	X	·180	X	–	31
Total	·640	4·870	5·460	1·650	·960	1·530	3·950 3·94	1·790	1·400	2·640	3·810	9·430	YEAR'S TOTAL 38·130
Rain Days.	9	18	27	9	9	7	16	14	8	15	19	23	174

W. 8,000. X. 14.

512

FORM A. BRITISH RAINFALL.
21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Funtington

in the County of Sussex

by J. A. Greenwood

Lat. 50° 52 N Long. $3^{m}\ 26^{s}.32$ W

Time of Observation 9 AM

Nearest Railway Station Bosham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·520	·200	·030	—	—	—	·	·060	·270	·170	·040	·320	1
2	·460	·190	·320	·060	—	—	·	·090	1120	·	—	·280	2
3	·840	—	·180	·160	·180	·180	—	—	—	·	—	·590	3
4	·040	—	—	·010	·	—	—	·020	—	—	—	·690	4
5	·050	·360	—	·030	—	—	—	·090	—	·	—	·500	5
6	·760	·160	—	·500	—	—	·780	·030	—	—	—	·160	6
7	·220	·430	—	·030	—	—	·080	·010	—	—	—	·280	7
8	·070	·710	—	—	—	—	·	·020	—	—	·060	·040	8
9	—	·060	—	·140	—	·250	·	·030	—	—	·460	·910	9
10	·220	·090	—	—	—	—	—	—	—	·020	—	·300	10
11	—	—	·080	—	—	—	—	·050	—	·020	·950	—	11
12	·090	·250	—	·290	·520	—	—	—	—	·020	·580	—	12
13	·030	·590	—	—	1·800	—	·070	·300	·140	—	—	—	13
14	·030	—	—	—	—	—	·050	·430	·070	—	~~0~~	·810	14
15	·070	—	—	—	·080	—	·380	·020	·010	—	·070	·400	15
16	—	·620	—	—	·280	—	1·090	—	—	—	—	·050	16
17	—	·310	·	—	·730	—	·010	—	·	—	—	—	17
18	—	·270	—	—	·090	—	—	—	—	—	—	—	18
19	—	·400	—	—	·110	—	·050	—	—	—	—	—	19
20	·250	~~·090~~	—	·020	·050	—	—	—	—	—	—	—	20
21	2·040	·090	·	—	·030	—	·030	—	—	·300	—	·090	21
22	·020	·360	·140	·020	—	—	·870	—	—	·010	—	·110	22
23	·020	·040	·150	·030	—	—	·140	—	·280	·300	—	·180	23
24	—	—	·020	—	—	—	·030	—	·680	·750	—	·680	24
25	—	—	·050	·020	—	—	·200	—	—	—	·	·560	25
26	—	·070	—	—	—	·240	—	—	—	—	·	·310	26
27	—	—	—	—	—	·040	—	—	—	·390	—	·850	27
28	—	·100	—	—	—	·100	—	—	·700	·510	—	—	28
29	—	—	·	—	—	·370	—	·230	—	·050	·420	·040	29
30	·240	X	—	—	—	·060	—	—	·050	·480	·630	·090	30
31	·020	X	·	X	—	X	—	—	X	1·450	X	·290	31
Total	5·990	5·000	0·970	1·310	3·870	1·240	3·780	1·380	2·320	4·470	3·2[illegible]0*	8·530	YEAR'S TOTAL 42·070
Rain Days.	19	19	8	12	10	7	13	13	9	13	8	23	154

*3·210

W. 8,000. X. 15.

499

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

27. FEB 1917

Kept at Funtington

in the County of Sussex

by J. A. Greenwood

Lat. 50° 52' N Long. 0 51 30 W

Time of Observation 9 A.M.

Nearest Railway Station Bosham LB&SCR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·140	·030	-	·	–	·050	-	-	·140	·140	·450		1
2	·210	·080	·170	·	-	·	-	-	·080	·640	·030		2
3	·040	·330	·150	·	·	-	·	-	·110	·650	·610		3
4	·140	·150	·	·	·	·340	·	-	·290	·030	·310		4
5	·080	·020	·	·	·170	·080	·	-	·	·050	·520		5
6	-	·050	·040	·040	·050	·050	·450	·	·	·080	·350	-	6
7	·		·600	·	·120	·090	·	-	-	·120	·750	·060	7
8	-		·	·	·	-	·	-	-	-	·010	·350	8
9	-		·	·	·090	·020	·	-	·	-	-	·100	9
10	-	·690	·030	·030	·020	·190	·100	·	·	·090	·050	·150	10
11	·020	·060	·020	·190	·	·080	·	·	·	-	-		11
12	·050	·080	·030	·070	·040	·070	·110	·010		·050	·010		12
13	-	·360	·060	·	·	·030	-	·	·	·010	-		13
14	-	·420	·050	·	·030	-	·	·040	·	-	-		14
15	-	·140	·240	·020	-	-	·	·110	·	-	·		15
16	-	·620	·250	·240	-	-	·080	·230	-	-	-		16
17	·330	·270	-	·170	-	-	-	·040	·	·890	·		17
18	-	·690	·030	·	-	-	-	-	·380	·090	·350	·160	18
19	·160		·130	·030	-	·480	·	-	·070	-	·490	·040	19
20	·120		·390	·030	-	-	-	-	·	-	·040	·790	20
21	-		·210	-	-	-	-	-	·	-	·030	·220	21
22	-		·020	-	-	-	-	-	·	·140		·720	22
23	·040	·110	·	-	-	·170	-	·030	·	·190	·040		23
24	-		-	-	-	-	-	·030	·	·250	·150	·460	24
25	-	·700	·070	-	-	-	-	·260	1·020	·060	·080		25
26	·030		·030	-	·	·310	-	·	·080	·390			26
27	-		·950	-	·	·085	·	·040	·100	·410			27
28	·700	·670	·080	-	·	·040	-	·240	·250	·160	·050	·340	28
29	-	·300	-	·	·	·390	-	·600	·100	·370		·400	29
30	·	X	-	·	·350	-	·	·	-	·320			30
31	·	X	-	X		X	·	·020	X	·170	X	·040	31
Total	2·060	5·170	3·550	0·820	0·870	2·4705	·740	1·650	2·620	5·300	4·320	3·830	YEAR'S TOTAL 33·400
Rain Days.	13	19	20	9	8	16	4	12	11	22	18	13	165

W. 8,000, VIII. 16

480

FORM A.
BRITISH RAINFALL.

JAN 1918

[illegible]

REGISTER OF RAINFALL IN 1917

Kept at Funtington
in the County of Sussex
by J A Greenwood Esq

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		·150					1·290	·040		·080		1
2	-		·140					·020	·050	·030	·200		2
3	-		-				·410	·150		·050	·170		3
4	·320	·210	·290					·060		·200			4
5	-			·390		·050		·170	·120	·380	·060		5
6	·330		·250			·030		·010		·050	·190		6
7	·340							·030		·480		·070	7
8	-						·230	·070		·180	·250	·420	8
9	·140		·240				·040	·010		·090	·020	·110	9
10	·200		·180			·130		·210					10
11	·030		·200	·440				-		·350			11
12	·040							-		·200			12
13	-		·310					·080		·230			13
14	-			·040			·020	·060					14
15	-				·260		·010	·050				·100	15
16	-	·140		·150	·090			·030		·420		·940	16
17	-			·170	·050		·490	·100	·420	·100			17
18	-				·020	·070	·070	·020	·390	·040			18
19	-	·460	·080			·020		·020	·120				19
20	-	·040	·060		1·000	·030							20
21	-									·020	·040		21
22	-					·020		·110		·170			22
23	-	·340			·060			·350		·020		·030	23
24	-	·160				·160	·110			·230	·060		24
25	-	·100	·060						·110	·010			25
26	-	-	·050			·030		·630			·380		26
27	-	-			·750	·030		1·320					27
28	-	-	·040			2·410		·170					28
29	-	-			·130	·100	·180	·150		·400		·130	29
30	-	X	·260				·670	·280		·020		·030	30
31	-	X		X		X	·130	·090	X	·030	X	·030	31
Total	1·400 ✓	1·440 ✓	2·310 ✓	1·190 ✓	2·360 ✓	~~2·770~~ ✓	2·360 ✓	5·480 ✓	1·250 ✓	3·700 ✓	1·450 ✓	1·860 ✓	YEAR'S TOTAL ~~27·550~~
Rain Days	7 ✓	7 ✓	14 ✓	5 ✓	8 ✓	~~8~~ 7 ✓	11 ✓	25 ✓	7 ✓	22 ✓	10 ✓	9 ✓	133

W. 8,000, IX. 17.

3·080

~~27·570~~
27.880

FUNTINGTON HOUSE
NEAR CHICHESTER

13 Jan 1918

Dr R H Mill

Dear Sir. Thank you returning Register of Rainfall (Form A) for 1917. I found I had left out 2 or 3 days rainfall in June which I have now inserted.

I have note difference now of June total.

I note the mistake in addition I made to it. Alas! inaccuracy. Yours very truly

Total now is 27-880

J. A. Grummond

Exe & L

14

FORM A. BRITISH RAINFALL 3.1.19

REGISTER OF RAINFALL IN 1918

Kept at Funtington

in the County of Sussex

by J. A. Greenwood

Lat. 50 52 N Long. –

Time of Observation 9 AM

Nearest Railway Station Bosham LB&SCR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~9~~ 1 ft. in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		~~.020~~											
1	-	.020 ~~.070~~	-	-	-	-	-	-	-	-	.370	.200	1
2	-	.070 ~~.010~~	-	.050	-	-	-	1.000	-	-	.560	.310	2
3	-	010 ~~.050~~	.030	.150	.520	-	-	.300	-	-	.050	.020	3
4	-	.050 ~~.160~~	.110	-	-	-	-	.050	.140	-	.480	.020	4
5	-	.160 ~~.230~~	.120	-	.060	-	-	.190	.100	.120	-	.030	5
6	.230	.230 ~~.120~~	-	-	-	-	-	.100	-	-	-	.100	6
7	-	.120 ~~.050~~	-	.410	.460	-	-	-	.430	.110	.110	.020	7
8	.020	.050	-	-	-	-	-	-	-	-	-	.040	8
9	-		-	.310	-	.120	.480	-	.450	.210	.080	.620	9
10	.020		-	.060	-	-	.220	-	.550	.056	-	.320	10
11	.050		-	.020	-	-	.420	-	.030	.310	-	.070	11
12	-	.100	-	-	.280	-	-	-	-	-	-	.070	12
13	.230 5		.620	-	.090	-	.210	-	.460	-	-	.030	13
14	.240		-	.190	-	-	-	-	.250	.210	-	.070	14
15	1.340		-	.210	-	-	.070	-	.630	-	-	.110	15
16	.390		-	.050	-	.220		-	.250	-	-	.010	16
17	.250		-	.070	-	-	.100	-	-	-	-	.220	17
18	.420		-	-	-	.350	-	-	.750	-	-	.110	18
19	.060		.220	-	-	-	.190	-	-	-	-	.050	19
20	.030	.210	-	.530	-	.080	.150	-	.220	.070	-	-	20
21	.240	.040	-	.040	-	-	.050	-	.180	.270	-	.150	21
22	.180	.010	-	-	.240	-	.450	-	.220	-	-	.190	22
23	.110		-	-	-	-	.400	-	.060	-	-	.050	23
24	-	.240	-	-	-	-	.150	~~.300~~	.200	-	.140	-	24
25	.020		-	.220	-	-	.140	.300	-	.030	-	-	25
26	.020		-	-	-	-	.620	~~.140~~	-	-	.110	.180	26
27	.010	.100	.040	-	-	-	-	.140	.260	-	-	.050	27
28	-	-	-	-	-	.200	-	-	-	-	.120	.640	28
29	-	-	.040	-	-	-	-	-	1.440	-	-	.040	29
30	=	X	.600	-	-	-	-	-	-	-	-	.030	30
31		X	.080	X	-	X	-	-	X	.150	X	-	31
Total	3.860	1.410	1.260	2.310	1.650	0.970	3.650	2.080	6.020	1.530	2.020	3.150	YEAR'S TOTAL 29.910
Rain Days.	19	14	9	13	6	5	14	7	18	10	9	27	150

W. 6,500, VII. 18. W W C

~454

REGISTER OF RAINFALL IN 1919.

FORM A. BRITISH RAINFALL.

Kept at Frintington

in the County of Suff4.

by J. A G.

Lat. 50° 52′ N Long. 0° 51′ 30″ W

Time of Observation 9 A.M.

Nearest Railway Station B.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·600	·020	·020	·020	·020	—	·210	—	—	·050	·040	·450	1
2	·290	—	·010	—	·050	—	—	—	·050	—	—	·070	2
3	·420	—	·580	—	·040	—	·030	—	·030	—	·150	·320	3
4	·340	·030	·490	—	—	·010	·130	·060	·040	—	·100	·050	4
5	·050	·370	1·020	—	—	—	·260	—	·190	—	·060	·270	5
6	·350	·010	·170	—	—	—	—	—	—	—	·040	·150	6
7	·100	—	·430	—	—	—	—	—	—	—	—	—	7
8	·260	—	·210	—	—	—	—	—	—	—	—	—	8
9	·260	—	·110	·090	·160	—	—	—	—	—	·280	—	9
10	·960	—	·120	·060	—	—	—	—	—	—	—	·270	10
11	·640	—	·060	·300	·100	—	·040	—	—	—	—	—	11
12	·020	—	·020	—	·020	—	·060	—	—	·038	·100	·030	12
13	·020	—	·020	·440	—	—	—	—	—	—	—	—	13
14	·360	·020	—	·200	—	—	·060	—	·440	·120	—	·120	14
15	·270	·030	—	·090	·020	—	—	—	—	·040	—	1·080	15
16	·070	·640	—	—	—	—	—	—	—	—	·140	—	16
17	—	·310	—	—	—	—	—	—	—	—	·110	—	17
18	—	·040	·230	—	—	—	—	·060	—	—	·040	·060	18
19	·320	·640	1·260	—	—	·130	·560	·120	—	—	·160	·050	19
20	·610	·030	·020	—	·030	·430	·030	·210	—	—	—	—	20
21	·050	·430	—	—	—	—	·020	—	—	—	—	—	21
22	—	·010	—	—	—	—	—	—	·390	—	·030	·250	22
23	—	—	—	—	—	—	—	—	—	—	·040	·070	23
24	—	—	—	·050	—	·030	·020	·060	—	·290	·090	·170	24
25	·060	·030	—	·140	—	·070	—	·450	—	—	—	·110	25
26	·020	·100	·080	·150	—	—	·070	·060	·110	—	·220	·420	26
27	·260	—	·020	·290 S	—	—	—	·890	—	—	·170	·060	27
28	·140	—	·290 S	—	—	—	—	·510	—	—	·400	·480	28
29	·020		—	·030	—	—	—	·320	—	·090	—	·210	29
30	—	×	—	·210	—	·060	—	·710	—	—	·550	·730	30
31	·040	×	·160	×	—	×	—	—	×	—	×	·060	31
Total	6·530 6·53	2·710	~~5·420~~ 5·320	2·070	·440	·730	1·490	3·450	1·250	·720	3·72 ~~2·620~~	5·78	YEAR'S TOTAL 33·21
Rain Days.	25	15	20	13	8	6	12	11	7	6	18	22	

9·240 14·660 16·730

17·170 17·900 17·390

16 3

W. 500, IX. 17.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2

429

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Funtington

in the County of Sussex

by [illegible]

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·090	—	—	·080	·110	—	·510	—	—	·460	·110	·290	1
2	·030	—	·080	·060	·100	—	—	·100	·090	·070	—	·190	2
3	·060	—	—	—	—	—	19 ·190	—	—	·290	—	·030	3
4	—	·070	—	—	—	—	·690	·160	—	·440	—	·050	4
5	—	—	·170	·030	—	—	·870	·120	—	·150	—	—	5
6	—	—	·100	—	·380	—	·320	—	—	·070	—	—	6
7	·050	—	—	·100	·020	—	·210	—	—	—	—	—	7
8	—	·020	—	—	·050	—	·110	—	—	—	—	—	8
9	·320	·040	·040	·060	·130	·040	·060	—	—	—	—	—	9
10	·740	·220	·140	·030	—	·190	·330	—	—	—	—	—	10
11	·250	·020	·090	·540	—	—	·450	—	—	—	—	·230	11
12	·070	·070	—	·220	—	·720	—	—	—	—	—	—	12
13	·290	—	·330	·020	—	—	—	—	—	—	·030	—	13
14	·010	—	·400	·340	—	—	—	—	·250	·070	·590	—	14
15	·170	—	—	·120	·050	—	—	—	·730	·420	·020	—	15
16	·010	—	·050	·030	—	—	—	—	·200	·020	—	—	16
17	—	—	—	—	·150	—	—	—	·830	—	—	—	17
18	·070	—	·020	·040	·050	—	—	·050	·150	—	—	·100	18
19	·010	—	—	·210	—	—	—	—	·060	—	—	—	19
20	·110	·100	—	·090	—	·960	—	—	—	—	—	—	20
21	—	—	—	·020	—	—	1·050	—	·140	—	—	·180	21
22	·030	—	—	·340	—	—	—	—	—	—	—	·270	22
23	—	—	—	—	—	—	·480	·060	—	—	·060	·690	23
24	·020	—	·110	—	—	—	—	—	—	—	—	·140	24
25	—	·020	·020	—	·150	—	·330	—	—	—	—	—	25
26	·030	—	·150	·030	—	—	—	—	—	—	·030	·100	26
27	·490	—	—	·140	—	·070	·100	—	—	—	·230	·290	27
28	·430	—	·080	·100	·050	—	—	—	—	—	—	·030	28
29	·640	—	·070	·150	—	—	—	—	—	—	·200	·210	29
30	·070	X	—	—	—	—	·170	—	·250	—	·190	·240	30
31	·030	X	·200	X	—	X	—	—	X	·030	X	·180	31
Total	4·120	·560	2·050	2·750	1·240	1·980	5·870	·490	2·700	2·920	1·460	3·220	Year's Total 29·96
Days with ·01 in. or more	23	8	16	21	11	5	15	5	9	10	9	16	148
	16	5	14	15	10	5	15	5	9	9	6	14	123

(44,283). Wt. 21,958—218. 7500 10/19. Gp. 132. A.&E.W.

GROOMBRIDGE
GLEN AUDRED
SUSSEX
1911 - 1916

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

RE /

Kept at Glen Aud 8 in.
e Ground 1 ft. — in.
in the County of S Sea Level 320 ft.
A.M. daily —
by Margaret Name Groombridge S.B.S.(1/4
Distance 1¼ mile Direction N.

IMPORTANT NOTE.—Rain should be the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-05	—	—	-64	—	—	—	-05	—	—	-05	-02	1
2	-05	—	—	-06	-32	—	-01.	—	—	—	-16	-28	2
3	-04	-03	-08	—	-26.	—	—	—	—	—	-15	-24	3
4	-20	-03	—	-46.	—	—	—	—	-01	1-03	-32	-32	4
5	-02	—	—	-11	—	—	—	—	—	-38	-01	-06	5
6	-36	—	-05	-03	—	—	—	—	—	-07	-03	-92	6
7	—	—	—	-03	—	—	—	—	—	-47	-65	-32	7
8	-16	—	-15	-09	—	—	—	—	—	—	-64	-26	8
9	-23	—	-02	—	—	—	—	—	—	—	-12	-18	9
10	—	-09	-14	—	—	—	—	—	—	—	-01	-66	10
11	-65	—	-05	—	—	—	—	—	—	—	1-25	—	11
12	—	—	-68	—	—	—	—	—	—	—	-10	—	12
13	—	—	-09	—	-21.	—	—	—	-57	-22	-01	-25	13
14	—	—	—	—	-12	—	—	—	—	—	—	-75	14
15	—	-07	-30	—	—	—	—	—	—	-02	-20	-02	15
16	—	-03	—	—	—	-21	—	—	—	—	-64	-21	16
17	—	—	-03	—	—	-04	—	—	—	—	1·12	-25	17
18	—	-14	-08	—	—	-02	—	—	—	—	-96	-62	18
19	—	—	—	—	—	-10	—	—	-13	-57	-25	-12	19
20	—	-02	—	—	—	—	—	-37	-37	—	—	-82.	20
21	-05	—	—	—	—	—	—	—	-02	-98	—	-13	21
22	—	-22	-40	—	—	-12	—	-09	—	-37	-05	—	22
23	—	-28	—	—	—	1-01.	—	—	—	-28	—	-34	23
24	—	-13.	—	—	—	-23	-06.	-37	-26	-27	—	-54.	24
25	—	-03	-32	-08	—	-19.	—	—	-10	—	-02.	—	25
26	—	—	-28	-28	—	-23	—	—	—	-48	-25	-26	26
27	—	-34	—	-38	—	—	—	—	-13	-44.	-02	-08	27
28	—	-30	—	-16	—	—	—	-02.	—	—	—	—	28
29	—		—	-19	—	-12.	-35	—	-20.	-40.	—	—	29
30	—		-15	-03.	—	-02.	—	—	—	-33	—	-02	30
31	—				—			—				—	31
Total	1.81	1.71	2.82	2.54	-91	2.29	0.42	0.90	1.79	6.26	7.04	7.67	TOTAL for year 36.16
No. of Rain Days	10	13	15	13	4	11	3	5	9	15	22	24	144

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Glen Andred Groombridge
in the County of Sussex. 7
by Margaret Boardman

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 320 ft.
Time of Observation 10 A.M. daily
Nearest Railway Station
Name Groombridge S.B.S.C.R.
Distance 1¼ mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-05	—	—	-64	—	—	—	-05	—	—	-05	-02	1
2	-05	—	—	-06	-32	—	-01	—	—	—	-16	-28	2
3	-04	-03	-08	—	-26	—	—	—	—	—	-15	-24	3
4	-20	-03	—	-46	—	—	—	—	-01	1-03	-32	-32	4
5	-02	—	—	-11	—	—	—	—	—	-38	-01	-06	5
6	-36	—	-05	-03	—	—	—	—	—	-02	-03	-92	6
7	—	—	—	-03	—	—	—	—	—	-47	-65	-32	7
8	-16	—	-15	-09	—	—	—	—	—	—	-67	-26	8
9	-23	—	-02	—	—	—	—	—	—	—	-12	-18	9
10	—	-09	-14	—	—	—	—	—	—	—	-01	-66	10
11	-65	—	-05	—	—	—	—	—	—	—	1-25	—	11
12	—	—	-68	—	—	—	—	—	—	—	-10	—	12
13	—	—	-09	—	-21	—	—	—	-57	-22	-01	-25	13
14	—	—	—	—	-12	—	—	—	—	—	—	-75	14
15	—	-07	-30	—	—	—	—	—	—	-02	-20	-02	15
16	—	-03	—	—	—	-21	—	—	—	—	-64	-21	16
17	—	—	-03	—	—	-04	—	—	—	—	1·12	-25	17
18	—	-14	-08	—	—	-02	—	—	—	—	-96	-62	18
19	—	—	—	—	—	-10	—	—	-13	-57	-25	-12	19
20	—	-02	—	—	—	—	—	-37	-37	—	—	-82	20
21	-05	—	—	—	—	—	—	—	-02	-98	—	-13	21
22	—	-22	-40	—	—	-12	—	-09	—	-37	-05	—	22
23	—	-28	—	—	—	1-01	—	—	—	-28	—	-34	23
24	—	-13	—	—	—	-23	-06	-37	-26	-27	—	-54	24
25	—	-03	-32	-08	—	-19	—	—	-10	—	-02	—	25
26	—	—	-28	-28	—	-23	—	—	—	-48	-25	-26	26
27	—	-34	—	-38	—	—	—	—	-13	-44	-02	-08	27
28	—	-30	—	-16	—	—	—	-02	—	—	—	—	28
29	—		—	-19	—	-12	-35	—	-20	-40	—	—	29
30	—		-15	-03	—	-02	—	—	—	-33	—	-02	30
31	—				—			—				—	31
Total	1·81	1·71	2·82	2·54	-91	2·29	0·42	0·90	1·79	6·26	7·04	7·64	TOTAL for year 36.16
No. of Rain Days	10	13	15	13	4	11	3	5	9	15	22	24	144

9,000, IX. '10.

W DS Cor by own stats 6.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 JAN 1913

Kept at Glen Andred, Groombridge

in the County of Sussex 7

by Mrs. Boardman

Lat. Long.

Time of Observation 10 a.m

Nearest Railway Station Groombridge

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.18	—		.09	.04	—	—	.96		.33	1
2	.01	.06	.49	03			.22	—	.04			.02	2
3	.18	.07	.05			.22	.04	.14	.02	.02	.02		3
4	—	—	.90		.03	.25		.02			.25	.05	4
5	.25	.08	.25			.04		.29				.03	5
6	.55	.08	—					.46			.05	.17	6
7	—	.04	—			.53		.45				.16	7
8	.33	.40	.39			.14	.11	—				.05	8
9	—	.14	—	.07	.17	—		.44					9
10	.02	.09	02			—		.10				.31	10
11	.04	.44	—			.05		.02	.04			.26	11
12	—	.12	05		.18	.02		.26			.10	.03	12
13	—	.02	02			—		.10			.15	.11	13
14	—	02	03		.03	—		.11				.03	14
15	.01	.01	11		.18	.67		.01				.43	15
16	.28	—	.35		.12	.25		.15		.14			16
17	.22	—	.61			.03		.08		.05	.24	.31	17
18	.07	—	38			—		.17				.12	18
19	.08	.25	26			—		.42					19
20	.03	.02	75			.02		.12		.47	.08		20
21	—	.06	(.56) 18					.06		.24	.07		21
22	.06	.62	35					.08					22
23	.44	.35	—		.20	.04		.40		.11	.15	.10	23
24	.06	.03	—					.16				.15	24
25	.11	.01	—			.29		.88			.43	.70	25
26	—	.04	—			.02		.61		.45	.33	.23	26
27	—	—	—					—		.33		.35	27
28	—	.08	—			.05	.37	.18	.04	.79	.61	.39	28
29	—	.08	—			—	.11	.50	1.85	.22			29
30	—		—		.48	—	.09	.18	1.41	.34			30
31	.03		02				.21	.10					31
Total	2.77	3.11	5.95	.10	1.39	2.71	1.19	6.49	3.40	4.12	2.48	4.33	YEAR'S TOTAL 38.04
Rain Days.	18	23	20 ~~19~~	2	8	16	8	27	6	12	12	21	173 ~~172~~

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
3 - JAN 1914

Kept at Glen Andred - Groombridge
in the County of Sussex
by Margaret Boardman (Mrs S. H. Boardman)

7

Lat. .... Long. ....
Time of Observation 10 A. M
Nearest Railway Station Groombridge
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	-34	-11	-23	—	—	—	—	—	-12	-12	-13	1
2	-22	-23	—	—	—	—	-11	—	-02	-12	-12	—	2
3	—	—	-05	-62	-46	—	—	—	—	-07	—	-23	3
4	-33	—	-06	—	-02	—	—	—	-11	-23	-11	—	4
5	-33	-07	-02	-02	—	-16	—	—	-53	03	-21	-06	5
6	-03	-03	-06	—	-06	-15	-17	—	—	49	-16	-11	6
7	—	-23	-12	—	—	-05	—	—	—	-24	-18	-03	7
8	—	-05	—	—	-15	-06	—	-35	—	-26	—	—	8
9	—	—	—	—	-07	—	—	-05	-07	—	-02	—	9
10	—	—	—	-05	—	—	-94	—	—	—	-89	—	10
11	-58	—	—	-45	—	—	—	—	—	(·70) -76	-35	—	11
12	—	—	—	—	-07	—	—	—	—	—	1.15	—	12
13	-49	—	-14	—	—	—	—	—	-09	—	-30	—	13
14	-27	—	-20	-08	—	—	1.07	—	-05	-15	-09	—	14
15	-16	—	-60	-50	—	—	-36	—	-04	—	—	—	15
16	-28	—	-05	-31	—	—	—	—	-20	—	—	—	16
17	-03	-10	—	-14	—	—	-37	—	—	—	—	—	17
18	-02	—	-24	-19	—	—	—	—	—	—	-15	—	18
19	-45	—	—	—	—	—	-11	—	-26	—	—	—	19
20	-60	—	-04	-09	—	-70	—	—	—	-45	—	—	20
21	-47	—	-36	-05	—	—	—	—	—	-44	-74	—	21
22	-35	—	-44	—	—	—	-05	—	—	—	—	—	22
23	—	—	-20	—	—	—	—	-08	-10	—	—	-82	23
24	-05	—	—	-03	—	—	—	—	—	—	-05	—	24
25	—	—	—	-26	—	—	—	—	—	—	—	—	25
26	-02	—	-05	—	—	—	—	-21	—	1.10	—	-33	26
27	—	—	-10	-02	—	—	—	—	—	-10	—	—	27
28	-25	—	-32	-08	-30	—	—	—	—	-25	—	—	28
29	—		-03	-45	-71	—	—	-15	—	-28	—	—	29
30	73		—	-27		—	—	-14	—	-15		—	30
31	—		-04				—			-18		—	31
Total	5.66	1.05	3.26	3.84	1.84	1.12	3.18	-98	1.47	5.36	4.64	1.71	YEAR'S TOTAL 34.11
Rain Days.	19	7.	20	18	8	5	8	6	10.	18.	15	7	141.

W.7,000, XI. 13

6X 9½

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
13 JAN 1915

Kept at Glen Andred - Groombridge
in the County of Sussex 7
by Mr Boardman, head gardener

Lat. Long.
Time of Observation 10 A.M. Daily
Nearest Railway Station Groombridge
Diameter of Rain Gauge eight in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1915.
- 80. [illegible]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								-15				-16	1
2				-15	~~-28~~	-05					-07	-18	2
3			-18		-28		-11	-05				-04	3
4				-41	-06						-24	-24	4
5			-10.	51	-12		-20	-14					5
6				23	-06	-12	-05				-03	-38	6
7	-25	-90	-47	25		-05	-10	-10				-35	7
8		-66	-60			-26	-08					-05	8
9	30		1.05	22	-11	-01			-11			1-40	9
10		-20		13					-25			-03	10
11		-33	-67	08					-12		-05	-44	11
12		-15	-10				-22		-38	-07		-72	12
13		-26	-34			-06				-02	-15	-71	13
14		-70	-18					-07		-34	-24	-36	14
15			-40				-09				-64		15
16		-14											16
17		-48	-31						-31			-45	17
18		-15	-45									-58	18
19		-10	1-10				-16				-25	-18	19
20		-26	-15			-05				-09		-38	20
21		-06	-25				-15	-47		-09		-07	21
22					-03	-08		-10		-37			22
23			-21		-12	-05							23
24	-12.		-06		-11						-11		24
25			-25							-43		-04	25
26			-12					·36		-11	·24	-70	26
27			-05					·04		–	-09	-72	27
28		-04.								-20	-60	-60	28
29										-77	-72	–	29
30		X	-12							-10	·39	-42	30
31	-26	X		X	-41	X			X	-11	X	-04	31
Total	-93	4-40	7·19	1-98	1·30	-73	1-16	1-48	1-17	2·70	3.85	9·24	YEAR'S TOTAL 36.13
Rain Days.	4	14	21	8	9	9	9	9	5	12	14	24	138

W. 8,000. X. 14.

made

E4 B1

667

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at "Glen Andred" Groombridge

in the County of Sussex

7

by Mrs. E. H. Bousaman

Lat. Long.

Time of Observation 10 am

Nearest Railway Station Groombridge

Diameter of Funnel of Rain Gauge 7 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.80	.65	.4						.70	.6	.32	.28	1
2	.30	.36	.21	.33		.19		.32	.21			.22	2
3				.24	.12				.8			.48	3
4				.35						.13	.10	.57	4
5	.5	.45		.63			.12	.12				.56	5
6	.55	.13										.44	6
7	.35	.45					.30	.10				.31	7
8	.4	.80											8
9		.18		.10							.50	.72	9
10	.47											.68	10
11					(.43)						.87		11
12	.6	.22		.30			.35				.93		12
13		.46			2".07								13
14		.4										.70	14
15								.10				.46	15
16	.25	.78					1".25	.25					16
17		.35			1".59		.2					.10	17
18		.11										8	18
19		.5		.10									19
20	.39											.18	20
21	.15	.6										.10	21
22	snow .12	5					1".05			.40		.30	22
23	.8	snow .10					.20					.56	23
24									1".15	.20		.20	24
25							.25					.26	25
26		.15				.3	.10					1"	26
27		.3	snow .10			.10		.25		.68		.3	27
28		.21		.9		.8	.12		2"	.15			28
29						.41	.11				.93		29
30	.15	X			.15	.12				.32	.50	.6	30
31		X		X		X			X	.86	X	.30	31
Total	3".76	5".93	.35	2".14	4".36	.93	3".87	1".14	4".14	2".80	4".15	8".59	YEAR'S TOTAL 42".16
Rain Days.	14	20	3	8	5	6	11	6	5	8	7	23	146

W. 8,000. X. 15.

✓ W 32 card for auths 657

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

9 JAN 1917

Kept at Glen Andred : Groombridge
in the County of Sussex
by Mrs E H Boardman

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Groombridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.30		·46					·16			1
2			.40		·30	·25				·10	·30		2
3	.60	.50	.20							·39	·63		3
4						·10	·10		·34	·41	·63		4
5		.10							·09	·11	·52		5
6	·23	·14		·68			·50				·46		6
7			Snow ·75		·45	·12					·88		7
8			Snow 25		·10					·10		·63	8
9			..15		·30	·30						·23	9
10		.40	.15			·25	·20					18	10
11	·10	·18				·52							11
12		·11	.25				·15					·10	12
13		·18	·21			·23	·25	·05		·11			13
14		·79			45								14
15		·12						·07		·12		·27	15
16		·21	·30	·10			13						16
17	20	·12						·25	·50	1"30			17
18	·15			·15				·50	·12	·60	Snow ·20		18
19	·35		·9			·14			·10		1"28	·10	19
20			·6	·25					·15			·70	20
21	15		·77									·25	21
22			·8								·15	·61	22
23						·19				·18			23
24										·04	·10	·30	24
25		Snow ·45	·38		·08			1"16		·30			25
26		Snow 1"25	·10			·11		·15		·32			26
27		Snow ·25	·71			·37		·10	·10	·35			27
28	25							·10		·14			28
29						30		·59		·40		·32	29
30					·12			·15		·25			30
31										·12			31
Total	2"03	4"79	5"15	1"18	2"26	2"88	1"33	3"12	1"40	5"50	5"15	3"69	YEAR'S TOTAL 38·48
Rain Days.	8	4·79 14	17	4	8	12	6	10	7	19	5·15 10	11	126

BRIGHTON W.W.
GOLDSTONE BOTTOM
SUSSEX
1911-20

FORM A2.
BRITISH RAINFALL.
JAN 1912

REGIST 11.

Kept at Brighton Corporation Goldst
in the County of S
by The Brighton Corpora

rette + Zambra's make
Glaisher's pattern
p 8 in.
bove Ground 0 ft. 7 in.
„ Sea Level 140 ft.
9 am
Name Hove
Distance 2/3 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.70			.02				.03	-	1
2	Snow .02			.05	.20						.32	.27	2
3	-				22						.08	.43	3
4	06			Snow ~~rain~~ .05						.11	.15	.17	4
5				Snow .03						.61		.05	5
6	.30		.03								.01	.71	6
7	.02									.28	1.09	.21	7
8	.05		18								.62	.17	8
9	.11			.01							.46	.06	9
10		.07	08	.03								.35	10
11	.43		02		.06						1.26	.04	11
12			Snow & Rain 75								.02	.	12
13			do 05		.13				.30	.04		.22	13
14		.07			.30							.43	14
15		.01	Snow & Rain .07								.09	.05	15
16						.65					.68	.12	16
17						02					.65	.14	17
18		.07	.04	.01							.98	.38	18
19		.03				.04			.25	.25	.03	.08	19
20	.01							.20	.19			.72	20
21	.02	.17						.02	.01	.74		.30	21
22	.21		.10	.01		.07		.03		.34		.52	22
23	.01	.14	.04			1.03			.41	.78		.20	23
24	.01	.25				.07	.01	.01		.35		.38	24
25		.02	Snow .08	.10		.07	.02		.05	.01		.01	25
26			Snow & Rain .04	31		.07				.25	Snow 17	.30	26
27		.40	.27	06					03	.39	05	.20	27
28		.13		.15				01			01	.01	28
29				.01		.15	.45		.37	.39			29
30				02		.14			.02	.20		02	30
31												01	31
Total	1.29	1.36	1.75	1.54	.81	2.31	.50	.27	1.63	4.74	6.70	6.55	TOTAL for year 29.45
No. of Rain Days	13	11	13	14	5	10	4	5	9	14	18	28	144

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

✓

REGISTER OF RAINFALL IN 1911.

Kept at Brighton Corporation Waterworks Goldstone Works.

in the County of Sussex 3

by The Brighton Corporation Waterworks

Rain Gauge
Pattern Negretti & Zambra's make Glaisher's pattern
Diameter of top 8 in.
Height of top above Ground 0 ft. 7 in.
" " " Sea Level 140 ft.

Time of Observation 9 am

Nearest Railway Station
Name Hove
Distance 2/3 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.70			.02				.03	-	1
2	Snow .02			.05	.20						.32	.27	2
3	.				22						.08	.43	3
4	06			Snow ~~rain~~ .05						.11	.15	.17	4
5				Snow 03						.61		.05	5
6	.30		.03								.01	.71	6
7	.02									.28	1.09	.21	7
8	.05		18								.62	.17	8
9	.11			.01							.46	.06	9
10		.07	08	.03								.35	10
11	.43		02		.06						1.26	.04	11
12			Snow & Rain 75								.02	.	12
13			do 05		.13				.30	.04		.22	13
14		.07			.20							.43	14
15		.01	Snow & Rain .07								.09	.05	15
16						.65					.68	.12	16
17						02					.65	.14	17
18		.07	.04	.01							.98	.38	18
19		.03				.04			.25	.25	.03	.08	19
20	.01							.20	.19			.72	20
21	.02	.17						.02	.01	.74		.30	21
22	.21		.10	.01		.07		.03		.34		.52	22
23	.01	.14	.04			1.03			.41	.78		.20	23
24	.01	.25				.07	.01	.01		.35		.38	24
25		.02	Snow .08	.10		.07	.02		.05	.01		.01	25
26			Snow & Rain .04	.31		.07				.25	Snow 17	.30	26
27		.40	.27	.06					.03	.39	05	.20	27
28		.13		.15				01			01	.01	28
29				.01		.15	.45		.37	.39			29
30				02		.14			.02	.20		02	30
31												.01	31
Total	1.29	1.36	1.75	1.54	.81	2.31	.50	.27	1.63	4.74	6.70	6.55	TOTAL for year 29.45 ✓
No. of Rain Days	13	11	13	14	5	10	4	5	9	14	18	28	144 ✓

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Brighton Corporation Waterworks Esq- Hd
Goldstone Bottom
in the County of Sussex 3
by J. Johnston

~~Lat.~~ Long.
Time of Observation 9. am
Nearest Railway Station Hove
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground — ft. 7 in.
" " " " Sea Level 140·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·~~02~~		·02		·05	33	08		·04	·68		·23	1
2			35			03	16						2
3	·01		·06			·18		·54	03				3
4	·22		59			·15		·10			·34		4
5	·27	St Rain ·02	·10			·14		31			·12		5
6	·60	·07			·04			61	·01		·01	·26	6
7					27	·81		27				·04	7
8	65	29	·15		·01	09	04	06				02	8
9	08	04	03	·01		25	07	·11				09	9
10		05	01					·21			·16	·40	10
11	03	40			01							·13	11
12		07	02		08	05		·36				·07	12
13		01	01				07				·02	29	13
14					·06			·06		·09		04	14
15	01	·12	15		·10	55						23	15
16	·13		16		·14	·10		15		·06			16
17	·26		22		·09	·11		07			·09	36	17
18	·08		34					09		·03		·62	18
19	03	10	26			·01	·07	·22			·02		19
20	03	·01	69					·02		·40	02		20
21		·18	·74		09			·18		·33	·04		21
22	05	·60	·04					30		02		·02	22
23	35	·15	·31			02		30		05	·16	·10	23
24	01	·10						19		31		·10	24
25	04					·27		·84		06	38	·65	25
26		06						09		38	41	·26	26
27						·04				21		·56	27
28		07				02	·23	06	·24	74	·70	·24	28
29		02					·34	96	1·53	15	St rain 02	-	29
30					·34		·03	·16	1·03	35			30
31			03				·25	25					31
Total	2·85	2 36	4 28	·01	1·28	3·15	1·24	6·51	2 88	3 86	2 39	4·71	YEAR'S TOTAL 35 52
Rain Days.	~~18~~ 17	18	20	1	12	17	10	25	6	15	14	20	~~178~~ 175

W. 7,500, XI. 12

Exc 4. 6

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8 JAN 1914

Kept at Brighton Corporation Waterworks Goldstone Bottom Wks

in the County of Sussex 3

by Mr James Johnston Waterworks Engineer

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Hove.

Diameter of Rain Gauge in.

Height of top of Gauge above Ground — ft. 1 in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.45	·10	19		·06			.04	.02	·04	.12	1
2	·09	.10					·06			29	·09	.02	2
3	.02		05	.24	.19							.12	3
4	.30		·10		.02		02		.71	.23	·10		4
5	.27	.04	03		·00	28	08		17	03	28		5
6		03	08	.04	.15	14	.28		.02	28	.19	.22	6
7		.24	08		.05	01	·05			15	.11		7
8		11	01		.13	03		·53		27	–	·03	8
9		·10			·22	02	04		.09		06	.01	9
10				03		01	1.20			25	1.07		10
11	79			55						.79	.24	01	11
12					69						.98		12
13	55		01					02	.12		.17		13
14	32		10	01			·99		06	.04	·23		14
15	23		42	30			16		05			01	15
16	14		52	16			03		02				16
17	07	Snow 02		23			·23				03	.03	17
18	01		08	.14			·05				·10		18
19	26		05		.11		.09		.46				19
20	60		04	.16		·13				.47	01		20
21			12	.18						66	.75		21
22	29		20					05	11	.02			22
23			07					08				·79	23
24	10			04				.12			.05		24
25		.01		17									25
26			09					07		.81		.20	26
27			.12	04						01			27
28	.05		.28	07				05		08			28
29	.13		·04	30	.61			06		02	.02		29
30	.58			·16				38		10			30
31			.08					1.16		.23			31
Total	4.80	1.10	2.67	3.01	2.17	·68	3.28	2.52	1.85	4.75	4.52	1.56	YEAR'S TOTAL 32.91
Rain Days.	18	9	22	18	9	8	13	10	11	19	18	11	166

W.7,000, XI. 13

Ex LMcC

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

REGISTER OF RAINFALL IN 1914 between

Brighton Corporation Waterworks

Kept at Goedstone Bottom

in the County of Sussex 3

by Mr. J. Johnston

Lat. 50·50·30" Long. 0·10 + 0·11"

Time of Observation 9. am

Nearest Railway Station Hove.

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground — ft. 7 in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·46

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.05			.06	12			13	27	1
2				01			.13				10	15	2
3			.07	07	30		.01	02					3
4	02			34				07			.28	.47	4
5	15		11	40	04		.21						5
6		07	02	17	05	.05		.02				52	6
7	03	36	25	.10	05	03	13					19	7
8	06	53	44	04		.18	11	.05				25	8
9	08		59	07				.01	19			1.15	9
10	15	07		15	.24				12		.01	.01	10
11		43	.46	07	.03				21		.04	.57	11
12		08	.11				.64		60		.01	.54	12
13		43	.19			.13			21	02	09	38	13
14		13	.15				.02		01	45	.25	49	14
15		12	30					.30		01	66		15
16		11					.12		.12				16
17		61	10						.09			21	17
18		06	Est. 35									27	18
19		30	St Rain 90				23				.32	27	19
20		09	03			.08						36	20
21		54	07							07			21
22		12	04		.04	11	.05			.46			22
23			.29			.72	.03			.04			23
24			05	.01							.13		24
25	.08		21					.13		38	01	03	25
26			04					.16		10	.10	57	26
27	04										22	44	27
28		.03					.29			49	38	44	28
29	.14		05							52	11	01	29
30	.02	X	.12	11						08	1.00	27	30
31	.03	X		X	.13	X			X		X	03	31
Total	.80	3.98	4.94	1.59	.88	1.30	1.93	.78	1.55	2.62	3.74	7.89	YEAR'S TOTAL 32.00
Rain Days.	11	17	23	13	8	7	13	9	8	11	17	23	160

W. 8,000. X. 14.

552

FORM A.
BRITISH RAINFALL.
8. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Brighton Corporation Waterworks Goldstone Bottom Wks

in the County of Sussex 3

by —

Lat. Long.

Time of Observation 9 Am.

Nearest Railway Station Hove

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground — ft. 7 in.

" " " " Sea Level 140.06 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.46	.25					.04		.61	.09	.07	.28	1
2	.38	.14	.27	.16	.01			.10		.26		.17	2
3	.31		.08	29	.05	—		03	.02			.55	3
4	.07		.01	02				16				.40	4
5	16	41		05		.01		.13			.02	.57	5
6	91	30	.02	43			.43					.08	6
7	37	30	.04	06		.05	.17	.01				.23	7
8	.05	39					.54				.02	.02	8
9	.13	31		13		.10		09			.59	.92	9
10	.29											.66	10
11	.01		.07							.09	.85	.04	11
12	.07	17		14	.36						70		12
13	-07	.59			1.88				.06				13
14	.06	02					.18	.01	.09			.60	14
15	.14	01			.07		.41	.54			Snow Rain 08	.28	15
16		65		.01	06		1.13	.17			—	.09	16
17		39			.87		.07	.05				.01	17
18		15			14						03		18
19		01			01								19
20	26			02	08							.11	20
21	Snow Rain 14									37		.05	21
22	Snow 16	.04	.07	.09			.98			.15		.17	22
23	.07	Snow .03	16				01		.07	.21		1.23	23
24			01						.27	.60		.85	24
25			01				.25					.30	25
26		.11				.05	.02					.89	26
27		02				02	.10			.52		.03	27
28		.04				.32	.01		1.08	.22	.04		28
29					02	.01		.16		03	38	04	29
30	.23	X							.01	.30	31	.03	30
31	.03	X		X		X		.32	X	.60	X	.23	31
Total	4.27	4.23	.74	1.40	3.55	.56	4.34	1.77	2.15	3.44	3.05	8.83	YEAR'S TOTAL 38.33
Rain Days.	21	20	.10	11	11	7	14	12	8	12	10	26	162

W. 8,000. X. 15.

540

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Brighton Corporation Waterworks.

Kept at Goldstone Bottom

in the County of Sussex

by Jas. Johnston

Lat. .... Long. ....

Time of Observation 9. am

Nearest Railway Station Hove.

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground — ft. 7 in.

" " " " Sea Level 140.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	05	02	02		09	05			05	·05	.43		1
2	39	03	34		19	01	.01			.88	.03		2
3	02	22	07			02	04		·10	·38	.57		3
4	18	07			01	50			.17	·05	36		4
5	05				18	10				03	37		5
6	01	04	5 01	.08	02	05	·36			02	23		6
7	01	01	5 47		24	11				05	55	·02	7
8		02	5 01		35					+	03	·50	8
9					19							.11	9
10		50	03	06		.31	03			·01	02	39	10
11	01	16		16		.14						15	11
12	04	07	02	07	09	.11	07			.03			12
13		30	18	03	05	.02		01		01		.01	13
14		70	07	01	17			07				11	14
15		28	09	02									15
16	02	01	30	26			06	05					16
17	40	18		10				02	·35	·75			17
18	01	08		02				05	.24	·13	5+R 54	·08	18
19	15		.14	25		·05		05	.05		1.14	08	19
20	13		·05	09		·04					33	55	20
21	03		·26				·19				03	53	21
22	01		01			01				05	01	54	22
23	01	5 .04	5+R 03			10		·02		07	01	01	23
24					·08	01		·02		36	04	34	24
25		8 ·21	.14					.58	02	20	05		25
26	·05	8 ·20				.32		.06	34	20		05	26
27	·01	5 ·10	62			.02		.02	12	25		.	27
28	.01	5+R .09	5 ·02			·27		.09	32	52		38	28
29		.21				.27		.58	12	53		48	29
30		X			.18			02	.	37		02	30
31		X		X		X		02	X	03	X	.	31
Total	1.59	3.84	2.78	1.15	1.84	2.51	.76	1.64	1.88	4.97	4.74	4.35	YEAR'S TOTAL 32.05
Rain Days.	20	22	20	12	13	20	7	15	.11	22	17	18	197

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

2 JAN 1918

Kept at Brighton Corporation Waterworks Goldstone Bottom Works
in the County of Sussex.
by Jas. Johnston

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Hove
Diameter of Funnel of Rain Gauge ·8 in.
Height of top of Gauge above Ground — ft. 7 in.
" " " " Sea Level 140.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				S&R .17				1.15	09		12	03	1
2				S&R .14				03			08		2
3	02			S&R. 07			.84	.11		.03			3
4		S .11	S&R .14				04	.16		.19			4
5	36		02	.12					18	.20	03		5
6			23	.02		74			16		.15		6
7	38						.37			.31		08	7
8	S&R 08			S&R 10			.11	07		.31	.27	45	8
9	02		Snow 07	Snow 02			.16			.02	.05	30	9
10	14		15	R&S 03		29		.08					10
11	14		18	R&S .55				05		.45			11
12	03		05	R&S .03				17		.35	.01		12
13	02		22		15			02		.20			13
14				16				03	.05				14
15					01					.27		04	15
16	Snow 01	.31		12	09					.27		S&R. 55	16
17		.04		.14	15		.45		.32	.15			17
18		03		07	13		.19	.15	31				18
19		35	.08		02	27			13				19
20		17			32	01		02					20
21		01	S 01		03	01						.03	21
22						12		.15		.30			22
23		25			.16			05					23
24		13				02	24	03		23	.04	01	24
25		13	03				08	04		01			25
26						02		.61	.07		.80		26
27					04			.95					27
28		01	08			1.54		.44					28
29			08		.02		07	04		.36	.01	09	29
30		X	28			.01	.35	.63		.08		01	30
31	Snow .04	X	S&R 04	X		X	.08		X	.03	X	S. 03	31
Total	1.24	1.44	1.66	1.74	1.12	3.03	2.88	4.98	1.31	3.76	1.56	1.62	YEAR'S TOTAL 36.34
Rain Days.	11	11	15	14	11	10	12	21	8	18	10	11	152

W. 8 000, IX. 17.

49

FORM A.
BRITISH RAINFALL.

24.1.19

REGISTER OF RAINFALL IN 1918

Kept at Brighton Corporation Waterworks Goldstone,
in the County of Sussex
by Jas. Johnston

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Hove
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground — ft. 7 in.
" " " " Sea Level 140.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			Snow 03								.15	.13	1
2								37			.25	21	2
3		03	05	03	31			03			17	03	3
4		03	01	01				07	.06		53	03	4
5		08	04		03			09		.02		01	5
6	.20	17		17	13			88	03			03	6
7	S 01	05		10	20			03	.11		09	–	7
8									16	03	03	05	8
9	S 02	01		07		12	.34		03	34	01	36	9
10				04		02	17	–	35	21	01	52	10
11	.02						02		08	.18	04	09	11
12		.08			.21		–		08			03	12
13	S 29				08		14		26			03	13
14	15		.06			09	17		47	.39		03	14
15	1.70			07		02	07					.19	15
16	.35			02			05		.22				16
17	S.R. .31			.11			67	02				.38	17
18	.28					.34	01		.75			.06	18
19	07		16			67	01			.04			19
20	.02	.18		.51		06	48	01	15	.06			20
21	17	.01	01	.68		02			26	.04		.03	21
22	13				30		42		59			17	22
23	09			03			53	07				02	23
24		.18					09		31		12	06	24
25	.01			04			01	.34		.03			25
26							19		06	01	10	09	26
27		04	01	03			.10	.17	39		11	08	27
28		S 04	17	02		.08				03	15	04	28
29			01						1.11		02		29
30		X	.56						01	17		03	30
31		X		X		X			X	06	X		31
Total	3.72	.90	1.11	1.93	1.26	1.42	3.37	1.98	5.88	1.51	1.78	2.30	YEAR'S TOTAL 27 16
Rain Days.	16	12	11	15	7	9	17	11	20	14	14	24	170

W. 6,500, VII. 18. w w c

489

6 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Brighton Corporation Waterworks Goldstone Bottom
in the County of Sussex.
by Jas. Johnston M. Inst. C.E.

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station Hove
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 7 in.
" " " " Sea Level 140.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in. Snow	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44	03	01	01	03		.18			.14	01	.67	1
2	.11		02				03			.05	02	08	2
3	27		54		06				.10		02	36	3
4	21	12	42				09	05	.01		03	05	4
5		SR 37	65				01		.03		.18	38	5
6	23		06									05	6
7	08		44										7
8	23		10										8
9	47		.11	04	03						32		9
10	62		.08	06								13	10
11	21		.22	50	.07		03					08	11
12	01		.01				03			.03	S .01		12
13	02		.07	30								.01	13
14	37			44			08		.11			36	14
15	.11	03	.16	05								86	15
16	13	44									07	01	16
17		SR 30									12	03	17
18		01	07					02			11	02	18
19	03	54	80			.07	.60	40	.01		18	01	19
20	.55	05	06			.71	03	14				05	20
21	.05	45					04				03	02	21
22		.01	Snow 01				12		.64		01	.30	22
23							01		.21		02	.02	23
24		.01		15		.05	07		.01	.16	.10	.11	24
25								50				.01	25
26	04	18	07	10				04	.04		.74	.42	26
27	Snow 62	01	08	SR 37				32			R S 36	.02	27
28			Snow 25					57			.69	48	28
29	SR 07			01				.96		18	07	07	29
30				26		02		.94		03	21	60	30
31	Snow .04		SR 05							02		16	31
TOTAL	4.91	2.45	4.28	2.19	.19	.85	1.32	3.94	1.16	.61	3.20	5.16	YEAR'S TOTAL 30.26
Days with ·01 in. or more	22	14	22	12	4	4	13	10	9	7	20	27	164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

663

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Brighton Corporation

Kept at Waterworks · Goldstone Works ·

in the County of Sussex

by Jas: D

Lat. Long.

Time of Observation 9 · am

Nearest Railway Station Hove ·

Diameter of Funnel of Rain Gauge ·8 in.

Height of top of Gauge above Ground — ft. 7 in.

" " " " Sea Level 140·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	17		02	02	07		.26			30		22	1
2			19	02	04			22	14	10		05	2
3	03									10		03	3
4		.13		03			89	14		10		01	4
5			.07				41	03	05			03	5
6			08		32		30						6
7	06			16	06		15						7
8		.01		11	04		50						8
9	26	01				04							9
10	90	23	18	06		10	14					Snow	10
11	40		10	19	03	02	20					03	11
12	09	.03	03	26	01	72							12
13	22	03	28	02							08		13
14		02	46	45		01	03		01	.17	48		14
15	11		03	20		02			64	.30	12		15
16	01		13	03					30				16
17	04			03	22				51			05	17
18	05		01		06			62	.76			05	18
19	08			15					02			03	19
20	15	.05		08		84			04			01	20
21				05			61		19			23	21
22				41					05			50	22
23							39	13				62	23
24	.01		06	03								14	24
25			01	01	07		23						25
26	.09		12	05			04				03	05	26
27	35	02		22		15	04				86	25	27
28	.36	03	12	06	16		.15				10	06	28
29	.70		05	19	02	03					20	11	29
30	.03	✕	01				04		32		28	23	30
31	.07	✕	07	✕		✕			✕	.70	✕	25	31
Total	4 12	.56	2.02	2.83	1.04	1.93	4.38	1.14	2.73	1.77	2.15	2.95	YEAR'S TOTAL 27.62
Days with ·01 in. or more	21	10	19	.23	.12	9	16	5	12	7	8	.20	162
Days with ·04 in. or more	16	3	13	15	8	5	15	4	10	7	7	14	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

/

F 911

Kept at Guestli

in the County of Ea

by Rev E.

rowden Guest

p in.

bove Ground ft. in.

" Sea Level ft.

Name

Distance Direction

GUEST~~LIN~~G
RECTORY
SUSSEX
1911 - 1913

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

IMPORTANT NO m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08		.01	.80				.08			.05		1
2	.03		.025	.02	.34						.35		2
3	.03				.11						.115	.47	3
4	.05	.015	.05	.27						.32	.35	.16	4
5	.08	.01		.02							.02	.11	5
6	.24									.235		.28	6
7	.06									.92	1.04	.37	7
8	.08		.165							.02	1.02	.28	8
9	.10		.09							.015	.625	.07	9
10		.10	.015	.06						.055	.125	.545	10
11	.74		.01								1.51		11
12	.02		.81							.04	.16	.015	12
13			.01		.16				.37	.88		.21	13
14		.07	.01		.01							.355	14
15		.04	.175							.02	.14	.20	15
16						.34					.435	.07	16
17	.01	.01				.04					.195	.055	17
18		.15	.05							.01	.68	.35	18
19									.11	.245	.05	.11	19
20	.03		.025			.11		.94	.12	.13		.45	20
21		.15								.40		.185	21
22	.04	.03	.47			.12		.355	.085	.46		.60	22
23	.015		.02			.905			.305	1.12	.06	.13	23
24	.025	.15				.06	.05			.98		.37	24
25		.05	.29	.12		.06		.01	.07	.045			25
26			.155	.26		.37				.36	.32	.33	26
27		.39	.09	.06								.08	27
28		.38						.20	.11	.57	.02	.01	28
29				.21		.17	.11		.47	.595			29
30				.19		.04		.01	.02	.25			30
31					.02								31
Total	1.63	1.545	2.47	2.01	.64	2.215	.16	1,595	1.66	6.81	7.265	5.805	TOTAL for year
No. of Rain Days.	16	13	18	10	5	10	2	6	9	21	19	24	153

W. 8,000, X. '11.

Total Rainfall 33.805 "

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

R [illegible] 911

Kept at Guestling Rectory AV

in the County of East Sussex 6

by Rev. E. N. Bloomfield

RAIN GAUGE Pattern Snowdon Gauge
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08		.01	.80				.08			.05		1
2	.03		.025	.02	.34						.35		2
3	.03				.11						.115	.47	3
4	.05	.015	.05	.27						.32	.35	.16	4
5	.08	.01		.02							.02	.11	5
6	.24									.235		.28	6
7	.06									.92	1.04	.37	7
8	.08		.165							.02	1.02	.28	8
9	.10		.09							.015	.625	.07	9
10		.10	.015	.06						.055	.125	.545	10
11	.74		.01								1.51		11
12	.02		.81							.04	.16	.015	12
13			.01		.16				.37	.08		.21	13
14		.07	.01		.01							.355	14
15		.04	.175							.02	.14	.20	15
16						.34					.435	.07	16
17	.01	.01				.04					.195	.045	17
18		.15	.05							.01	.68	.35	18
19									.11	.245	.05	.11	19
20	.03		.025			.11		.94	.12	.13		.45	20
21		.15								.40		.185	21
22	.04	.03	.47			.12		.355	.085	.46		.60	22
23	.015		.02			.905			.305	1.12	.06	.13	23
24	.025	.15				.06	.05			.98		.37	24
25		.05	.29	.12		.06		.01	.07	.045			25
26			.155	.26		.37				.36	.32	.33	26
27		.39	.09	.06								.08	27
28		.38						.20	.11	.51	.02	.01	28
29				.21		.17	.11		.47	.595			29
30				.19		.04		.01	.02	.25			30
31					.02								31
Total	1.63	1.545	2.47	2.01	.64	2.215	.16	1,595	1.66	6.81	7.265	5.805	TOTAL for year
No. of Rain Days.	16	13	18	10	5	10	2	6	9	21	19	24	153

W. 8,000, X. '11.

Total Rainfall 33.805 11

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
23 JAN 1913

Kept at Guestling Rectory
in the County of East Sussex 6
by Rev E N Bloomfield

Lat. Long.
Time of Observation 9 o'clock
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.155	.01		.40	.17		.04	.47		.35	1
2			.06			.30	.09			.02			2
3	.055	.04	.08			.25		.18	.03		.02	.02	3
4	.17		.515			.545		.17			.19		4
5	.24	.39	.10			.22		.18			.16		5
6	.495	.15	.04		.02			1.02				.05	6
7	.03		.01		.20	.30	.06	.32				.11	7
8	.73	.34	.09			.03	.025	.05					8
9	.13	.02	.03	.05				.20				.11	9
10	.01	.04						.10			.055	.30	10
11	.04	.29				.245		.03				.16	11
12		.215	.01			.11	.05	.85				.05	12
13		.025	.02								.44	.065	13
14			.06		.065		.02				.02	.01	14
15		.07	.07		.07	.675		.025				.31	15
16	.105		.22		.135	.04		.185		.035	.035		16
17	.545		.43			.03		.07		.075		.045	17
18	.03		.33				.25	.13		.025		.41	18
19	.035	.345	.265		.015			.315			.015		19
20	.03	.11	.485		.02		.08	.03		.61	.04		20
21	.015	.13	.15		.02		.02	.22		.395	.05		21
22	.03	.41	.10			.015	.03	.14					22
23	.60	.35	.43					.42		.435	.16	.025	23
24	.10	.045	.01		.01			.235		.37		.16	24
25	.22	.035				.35		.91		.01	.46	.57	25
26		.05					.19	.145		.365	.355	.285	26
27		.01					.15			.16		.44	27
28		.04						.12	.01	.70	.42	.065	28
29		.005		.015			.10	.125	1.31	.235	.16		29
30			.015		.065			.135	1.66	.385			30
31							.155	.20					31
Total	3.61	3.03	3.675	.075	.62	3.51	1.39	6.505	3.05	4.29	2.28	3.545	YEAR'S TOTAL 35.58
Rain Days.	19	20	23	3	10	14	14	26	5	15	15	19	183

m21?

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Guestling Rectory 4 M 6
in the County of East Sussex
by Revd E N Bloomfield

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station As before
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.57	.095	.09		.06				07	.18	.02	1
2		.195			.21		.13			.01	.16	.03	2
3			045	.42	22							.12	3
4	17		.07				08		.40	045	.27	.01	4
5	11	.02	.03			.06	.23		.70	175	435	.04	5
6		.015	095		.025	.055			.01	.635	.20	.065	6
7		.24	.07			.03	.505			275	.05		7
8			.04		17	.045				47	.05	.03	8
9		.155			.16			13	.16	07	.02	025	9
10	.01			.02			.17				.48		10
11	.75			.55						.52	02		11
12					04						.60	.02	12
13	.65							.08	.02		.245		13
14	.15		.14	.05			305		.14	.05	.09		14
15	.12		.47	.29			.195		.03				15
16	.405		.58	.14					.435				16
17	.15		.05	.12			23	.02	.02		.065		17
18	.02		.14	.27			.08				.16		18
19	02		.04		.02		.14	.025	.16				19
20	27			.15		.18				.40	035		20
21			.065	.05	025					535	.50		21
22	33		.07				.04		.03		.01		22
23	.055									.015		.72	23
24	.11			.01							06		24
25	.01			.34			.01				015		25
26		.085	.16				01	06		.57		.36	26
27		.04								.145			27
28	.10		.32	.015						.32			28
29	19		03	.505						.01			29
30	.61		.08	20	.10			.89	.02	.04		.075	30
31	02		.05					1.00		.14			31
Total	4.25	1.32	2.64	3.23	.97	.43	2.125	2.205	2.125	4.495	3.745	1.575	YEAR'S TOTAL 29.05
Rain Days.	20	8	20	16	9	6	13	7	12	19	20	12	162

W.7,000, XI. 13

322.5 2175

REGIS

HADLOW DOWN

SUSSEX

1917 - 1920

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at ~~Thong, Gravesend~~ ~~Hadlow Down~~

in the County of Kent ~ Su

by C. H. Scriven

auge 5 in.

Ground 1 ft. 6 in.

Sea Level ~~255~~ 350 ft.

IMPORTANT NOTE. … he result entered to the previous day. If an Obse… rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.05	.01	.30				1.92	.03		.07		1
2		.01		.26				.19		.02	.14		2
3				.11				.66		.16	.05	.01	3
4		.19	.25	.01			.04	.01		.44			4
5	.13	.01	.01	.31					.32	.28	.04		5
6				.10	.11	.11			.22	.01	.12	.02	6
7	.16			.01					.01	.48	.31	.03	7
8	.04		.01	.02			.75	.07	.02	.28		.11	8
9	.02		.03	.13			.25	.19			.01	.91	9
10	.10		.10	.06				.04				.01	10
11	.12	03	.30	.31				.02	.20	.42			11
12	.03	.01	.02	.01	.02			.10		.24	.01		12
13	.01		.07		.01			.01	.01	.32		.01	13
14	.02		.01	.13				.15					14
15	.23		.01				.03	.07		.16	.01	.07	15
16	.06	.07		.05	.20	.03	.02	.01		.42		1.19	16
17		.06		.08	.46		.15	.01	.19	.28		.01	17
18	.03	.06		.09	.03	.01	.10	.18	.13				18
19	.01	.10	.09		.02	.12			.07		.02		19
20	.02	.15	.05		.83		.40				.01		20
21	.01	.02	.05	.01	.05						.01	.05	21
22	.02		.05			.01		.13		.18			22
23		.08	.02		.21	.02		.05				.03	23
24	02		.01					.01		.24	.01	.02	24
25						.28				.02	.01		25
26			.03					.25			1.01	.01	26
27			.01					.74					27
28			.01			.97		.10				.09	28
29					.12	.09	1.16	.11		.56		.15	29
30	.03	X	.26			.02	2.14	.03		.10		.03	30
31	.12	X	.08	X		X	.97		X	.02	X	.07	31
Total	1.18	.84	1.48	1.99	1.95	1.66	6.01	5.05	1.20	4.63	1.83	2.82	YEAR'S TOTAL 30.64
Rain Days.	19	13	22	17	10	10	11	23	10	19	15	18	187

Thong, Gravesend

Hadlow Down.

W. 8,000, IX. 17.

REGIS

FORM A.
BRITISH RAINFALL.

4. JAN 1918

Kept at Thong, Gravesend and to 30 September
Hadlow Down 1st Oct to 31 December
in the County of Kent & Sussex
by C. H. Scriven

Lat. ~~51 23~~ 51 Long. 0 E
Time of Observation 9 a.m.
Nearest Railway Station { Gravesend / Buxted
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ~~255~~ 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.05	·01	·30				1.92	·03		·07		1
2		·01		·26				·19		·02	·14		2
3				·11				·66		·16	·05	·01	3
4		·19	·25	·01			·04	·01		·44			4
5	·13	·01	·01	·31					·32	·28	·04		5
6				·10	·11	·11			·22	·01	·12	·02	6
7	·16			·01					·01	·48	·31	·03	7
8	·04		·01	·02			·75	·07	·02	·28		·11	8
9	·02		·03	·13			·25	·19			·01	·91	9
10	·10		·10	·06				·04				·01	10
11	·12	03	·30	·31				·02	·20	·42			11
12	·03	·01	·02	·01	·02			·10		·24	·01		12
13	·01		·07		·01			·01	·01	·32		·01	13
14	·02		·01	·13				·15					14
15	·23		·01				·03	·07		·16	·01	·07	15
16	·06	·07		·05	·20	·03	·02	·01		·42		1.19	16
17		·06		·08	·46		·15	·01	·19	·28		·01	17
18	·03	·06		·09	·03	·01	·10	·18	·13				18
19	·01	·10	·09		·02	·12			·07		·02		19
20	·02	·15	·05		·83		·40				·01		20
21	·01	·02	·05	·01	·05						·01	·05	21
22	·02		·05			·01		·13		·18			22
23		·08	·02		·21	·02		·05				·03	23
24	·02		·01					·01		·24	·01	·02	24
25						·28				·02	·01		25
26			·03					·25			1.01	·01	26
27			·01					·74					27
28			·01			·97		·10				·09	28
29					·12	·09	1.16	·11		·56		·15	29
30	·03	X	·26			·02	2.14	·03		·10		·03	30
31	·12	X	·08	X		X	·97		X	·02	X	·07	31
Total	1.18 ✓	.84 ✓	1.48 ✓	1.99 ✓	1.95 ✓	1.66 ✓	6.01 ✓	5.05 ✓	1.20	4.63 ✓	1.83 ✓	2.82 ✓	YEAR'S TOTAL ~~30.64~~ ✓
Rain Days.	19 ✓	13 ✓	22	17 ✓	10 ✓	10 ✓	11 ✓	23 ✓	10 ✓	19 ✓	15 ✓	18 ✓	~~187~~ ✓

Thong, Gravesend

Hadlow Down.

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2. 1. 19

Kept at Hadlow Down
in the County of Sussex
by Ct Lorimer

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·08								·19	·08	1
2		·01						·34	·02		·32	·24	2
3			·10	·06	·47			·02		·04	·61	·01	3
4			·01	·02	·01			·10	·13		·70		4
5		·15			·02			·14		·11		·04	5
6	·16	·12		·17	·22			·39	·04	·03		·05	6
7	·05	·10		·01	·04			·01	·24	·03	·05		7
8							·01		·15		·10	·26	8
9	·03			·04		·05	·03		·56	·46		·26	9
10				·03		·04	·42		1·11	·18		·20	10
11							·09		·35	·59		·27	11
12		·09			·19		·34		·08	·15		·02	12
13	·31				·13		·33		·15			·01	13
14	·26		·03			·10	·27		·27	·34		·03	14
15	1·50			·23		·04	·02					·22	15
16	·33			·04		·21	·15		·08	·01			16
17	·25			·14		·41	1·35	·02				·36	17
18	·31					·41	·01		·60	·07		·05	18
19	·10		·10	·02		·32	·01		·01	·09			19
20	·03	·11		1·28		·01	1·24		·18	·36			20
21	·24			1·20			·13		·31	·09		·05	21
22	·24				·21		·25		·70		·01	·24	22
23	·04			·02	·02		·76	·10				·06	23
24		·20		·01		·02	·07		·26			·01	24
25						·02	·22	·24			·03		25
26				·10			·26		·01	·09	·09	·16	26
27		·07	·01	·09			·11	·24	·20		·11	·06	27
28		·01	·40	·04	·22			·01			·20		28
29		×							1·20		·01		29
30		×	·50						·01	·14		·14	30
31	·01	×		×		×			×	·05	×	·01	31
Total	3·86	·86	1·23	3·50	1·53	1·63	6·07	1·61	6·66	2·83	2·42	2·83	YEAR'S TOTAL 35·03
Rain Days.	15	9	8	17	10	11	20	11	22	17	12	23	175

W. 8,000, IX. 17.

521

FORM A. I. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Hadlow Down

in the County of Sussex

by C. H. Scriven

Lat. 51 N Long. 0°

Time of Observation 9 a.m.

Nearest Railway Station Buxted

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·05			·05		·05			·10	·05	·84	1
2	·35		·05		·15		·03			·03	·17	·08	2
3	·29		·46		·03		·19		35		·06	·25	3
4	·39		·42			·01	·06	04	·03		·07	·09	4
5	·01	·35	1.06				·03		·06		·14	·42	5
6	·10		·06						·01	·01		·09	6
7	·17		·47								·03		7
8	·35		·08						·01		·01		8
9	·49		·07	·14	·04					·01	·26		9
10	·85		·09	·03							·05	·22	10
11	·23		·29	·40	·04		·03			·01		·08	11
12	·26		·03	·01	·01		·40			·04	·04		12
13			·01	·35								·05	13
14	·56			·43			·07		·17			·10	14
15	·13	·01		·03					·01	·01	·01	·43	15
16	·14	·47									09	·02	16
17		·28	·02	·01							·26	·04	17
18		·08	·02		·01			·03	·02		·14	·06	18
19	·03	·38	·96			·04	·25	·10	·01		·13	·01	19
20	·51	·08	·10			63	·22	·18				·01	20
21	·08	·50	·03			·03	·02				·03	·05	21
22		·02	·01				·15		·62			·18	22
23						·02	·01		·38		·04	·02	23
24				·16		·01	·01			·07	·10	·14	24
25	·07				·01			·76					25
26		14	·15	·06			·02	·02	·05		·08	·41	26
27	·71			1.31			·01	·58			·34	·04	27
28			·37	·04				1.96			·66	·42	28
29	·05			·03		·02		·28		·28	·09	·16	29
30			·06	·24				·52		·07	·24	·57	30
31	·18		·09				·02			·02		(·04)	31
TOTAL	6.25	2.36	4.90	3.24	·34	·76	1.57	3.57	1.72	·65	3.09	4.82	YEAR'S TOTAL 33.27
Days with ·01 in. or more	22	11	22	14	8	7	17	10	12	11	23	26	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Hadlow Down

in the County of Sussex

by C. H. Scriven

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Buxted

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·13	·11		·16			·90	·01	·30	1
2			·36	·04	·01			·23	·10	·16		·15	2
3		·01		·01	·01				·01	·06		·08	3
4		·14	·01	·04			·65	·20				·05	4
5			·02				·53	·03	·06			·05	5
6			·18		·24		·24						6
7	·04		·01	·10	·06		·10					·01	7
8				·05	·12		·45						8
9	·21	·04		·01	·28	·02	·03						9
10	·76	·22	·17	·13	·01	·19	·15				·01	·02	10
11	·30	·03	·12	·23		·09	·57					·03	11
12	·13	·07	·01	·26	·04	·31	·01				·01		12
13	·23	·03	·31								·11	·01	13
14		·02	·63	·51		·04	·03		·05	·32	·35		14
15	·04		·07	·08		·01			·83	·36	·14	·02	15
16			·01	·07	·18				·24			·02	16
17	·01			·13	·23		·01		·52			·10	17
18	·09		·02		·15			·92	·22			·10	18
19	·04			·21				·02	·18			·07	19
20	·08	·13		·11		·78			·13				20
21				·01			·70		·18			·28	21
22				·46					·03			·50	22
23			·01	·02			·43					·51	23
24	·02		·07									·08	24
25			·01	·04	·02		·47						25
26	·07		·25	·04			·15				·05	·05	26
27	·50	·02		·10		·09	·10				·43	·29	27
28	·40	·01	·22	·01	·21		·19				·25	·03	28
29	·92		·06	·10	·01	·01					·24	·24	29
30	·03				·03	·01	·05		·24		·37	·18	30
31	·03		·12		·02					·75		·35	31
TOTAL	4.00	·72	2.66	2.91	1.73	1.55	5.02	1.40	2.79	2.55	1.97	3.52	YEAR'S TOTAL 30.82
Days with ·01 in. or more	19	11	20	24	17	10	19	5	13	6	11	24	179
Days with ·04 in. or more	15	5	12	19	10	6	15	3	11	6	8	17	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dh

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

2/3

HAILSHAM

SUSSEX

1911 - 1920

REG

Kept at Hailsham
in the County of E Su
by Rev F Clyde

in.
Ground ft. in.
Sea Level ft.
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured … the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13			·66				·24			·08		1
2					·31						·26	·27	2
3	·17		·08		·25						·13	·37	3
4	·04	·03								·38	·40	·22	4
5	·30			·30						·50	·03	·18	5
6										·87	·86	·65	6
7	·07										1·15	·45	7
8	·11		·14								·48	·25	8
9	·18	·13		·05							·54	·05	9
10	·57		·04	·11								·70	10
11			·03								1·08		11
12			·84								·13		12
13			·11		·18				·46	·23		·26	13
14		·08			·07							·56	14
15			·18								·17	·13	15
16						·45					·43	·15	16
17											·37	·14	17
18		·14	·07								·74	·42	18
19						·12	·10	·75	·05	·35	·08	·24	19
20									·20	·08		·59	20
21	·08	·33										·13	21
22	·03	·04	·40			·09		·23		·83		·64	22
23		·28	·20			·96			·32	·75		·20	23
24	·08	·20				·11		·02		·33		·41	24
25			·40	·10		·06			·10	·04			25
26			·25	·32		·16				·44	·20	·35	26
27		·38	·20						·04	·52	·10	·12	27
28		·31						·04					28
29				·25		·17	·36		·36	·50			29
30				·10		·09				·23		·03	30
31													31
Total	1·76	1·92	2·94	1·89	·81	2·21	·46	1·28	1·53	6·05	7·23	7·51	TOTAL for year 35·59
No. of Rain Days	11	10	13	8	4	9	2	5	7	14	18	24	125

9,000, IX. '10.

DL

REC

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

2/3

Kept at Hailsham

in the County of E Sussex 5

by Rev F Clyde Harvey

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13			·66				·24			·08		1
2					·31						·26	·27	2
3	·17		·08		·25						·13	·37	3
4	·04	·03								·38	·40	·22	4
5	·30			·30						·50	·03	·18	5
6										·87	·86	·65	6
7	·07										1·15	·45	7
8	·11		·14								·48	·25	8
9	·18	·13		·05							·54	·05	9
10	·57		·04	·11								·70	10
11			·03								1·08		11
12			·84								·13		12
13			·11		·18				·46	·23		·26	13
14		·08			·07							·56	14
15			·18								·17	·13	15
16						·45					·43	·15	16
17											·37	·14	17
18		·14	·07								·74	·42	18
19						·12	·10	·75	·05	·35	·08	·24	19
20									·20	·08		·59	20
21	·08	·33										·13	21
22	·03	·04	·40			·09		·23		·83		·64	22
23		·28	·20			·96			·32	·75		·20	23
24	·08	·20				·11		·02		·33		·41	24
25			·40	·10		·06			·10	·04			25
26			·25	·32		·16				·44	·20	·35	26
27		·38	·20						·04	·52	·10	·12	27
28		·31						·04					28
29				·25		·17	·36		·36	·50			29
30				·10		·09				·23		·03	30
31													31
Total	1·76	1·92	2·94	1·89	·81	2·21	·46	1·28	1·53	6·05	7·23	7·51	TOTAL for year 35·59
No. of Rain Days	11	10	13	8	4	9	2	5	7	14	18	24	125

9,000, IX. '10.

DL 2/3

Ex. H86

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

23 JAN 1913

Kept at Hailsham

in the County of Sussex 5

by Rev. F Clyde Harvey

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·08			·30	·22		·35	·74		·31	1
2			·18	·04			·17						2
3						·40		·16					3
4	·27		·70	·08		·38		·05			·22		4
5	·18	·35	·15			·36		·20			·10		5
6	·65	·18			·04			1·17				·06	6
7					·25	·61		·18				·12	7
8	·70	·30	·32				·09	·04				·03	8
9	·07	·08					·07	·17				·11	9
10		·06						·11			·06	·41	10
11	·05	·36				·17		·04				·28	11
12		·10				·06		·58				·15	12
13			·08		·05						·15	·28	13
14										·10		·04	14
15		·05	·11		·11	·63				·10		·29	15
16	·12		·25		·15	·20		·22					16
17	·34		·37		·14	·06		·10			·04	·14	17
18	·08		·48		·05		·05	·21		·04		·32	18
19	·12	·13	·43		·06		·04	·58			·04	·06	19
20		·03	·73					·15		1·22	·10		20
21		·11	·18					·24		·61	·07		21
22	·07	·46	·05					·29		·05			22
23	·32	·28	·28					·26		·40	·15		23
24	·05						·03	·18				·24	24
25	·20	·06	·04					·86		·06	·40	·66	25
26		·08				·38		·12		·30	·18	·29	26
27							·12			·21		·47	27
28		·08					·05	·11	·08	·70		·29	28
29		·04					·17	·21	1·62	·25	·61		29
30					·45			·07	1·74	·27			30
31							·21	·15					31
Total	3·22	2·75	4·43	·12	1·30	3·55	1·22	6·45	3·79	5·05	2·12	4·55	TOTAL for year 38·55
No. of Rain Days	14	17	16	2	9	11	11	25	4	14	12	19	154

9,000, IX. '10.

82

2/3

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hailsham
in the County of Sussex 5
by Rev. F. Clyde Harvey

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.51	.15	.13		.05					.13	.19	1
2	.10	.20							.09	.22	.19		2
3			.08	.46	.18		.10					.20	3
4	.19		.10				.08		1.47	.08	.22		4
5	.11		.05			.14			.45	.25	.25		5
6		.04	.17				.61			.80	.44	.22	6
7		.30	.09			.07	.32			.37	.25		7
8					.13	.08				.35		.03	8
9		.12					.07	.03	.13		.14		9
10	.06			.08	.10		.49				.92		10
11	.95			.57						.85			11
12					.27				.03		.90	.04	12
13	.66		.06					.05			.18		13
14	.25		.18	.06			.44		.20	.05	.15		14
15	.17		.45	.46			.32						15
16	.20		.71	.31					.23			.03	16
17	.10	.11		.04			.30					.06	17
18			.15	.23					.03		.22		18
19	.20		.07				.16		.20				19
20	.38		.10	.16		.75				.58	.07		20
21			.04	.35					.03	1.20	.69		21
22	.30		.15						.08			.79	22
23						.03							23
24	.08			.04				.07			.05		24
25				.27									25
26			.13				.06	.21		1.17		.43	26
27			.07							.16			27
28	.11		.33	.11						.26			28
29	.12		.07	.58	.13			.16					29
30	.73			.35	.05			.41		.11			30
31			.11					1.22		.17			31
Total	4.71 ✓	1.28 ✓	3.26	4.20 ~~4.19~~	.86 ✓	1.12 ✓	2.95 ✓	2.15 ✓	2.94 ✓	6.62 ✓	4.80 ✓	1.99 ✓	YEAR'S TOTAL 36.88
Rain Days.	17	6	20	16	6	6	11	7	11	15	15	9	139

W. 7,500, XI. 12

[illegible] 19·11·15

2/3

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
23 JAN 1915

Kept at Hailsham Vicarage

in the County of Sussex 5

by Rev. F. Clyde Harvey

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06				·06			·10	·16	1
2							·38				·15	·32	2
3			·16	·03	·26							·08	3
4				·35				·14			·46	·46	4
5	·18		·17	·41	·02								5
6				·20		·06	·04	·10				·68	6
7	·08	·61	·16			·08	·10					·36	7
8	·21	·34	·55	·02	·07	·07	·06	·05				·05	8
9	·19		·62			·21			·10			1·27	9
10	·07	·13	·53	·11	·10				·05			·06	10
11		·43		·10					·30		·08	·56	11
12		·05	·14				·22		·42	·04	·03	·67	12
13		·57	·31			·13			·22	·03	·15	·62	13
14		·12	·25						·03	·40	·23	·37	14
15		·09	·38				·03	·08	·05	·01	·49		15
16		·32					·06		·20				16
17		·56	·10				·09		·12			·24	17
18		·08	·24									·43	18
19		·14	1·18	·08			·48			·04		·38	19
20		·14	·15			·02	·02			·03	·28	·47	20
21		·83										·08	21
22		·05	·08		·02	·09	·30	·10		·39		·03	22
23			·48	·05		·73	·05						23
24			·08		·08								24
25	·14		·15					·09		·33	·14		25
26							·04	·32		·16	·18	·57	26
27								·05		·03	·11	·63	27
28		·07			·02					·52	·64	·40	28
29			·04							·55	·11	·05	29
30			·11							·08	1·75	·15	30
31					·30							·14	31
Total	·87	4·53	5·88	1·41	·87	1·39	1·87	·99	1·49	2·61	4·90	9·23	YEAR'S TOTAL 3604
Rain Days.	6	16	20	10	8	8	13	9	9	13	15	25	162

W.7,000, XI. 13

82

623

2/3

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Hailsham

in the County of Sussex

by Rev. F. Clyde Harvey

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.56	.15	.07					.06	1.33		.13	.45	1
2	.65	.25	.22	.16	.08			.08		.10		.20	2
3	.31		.04	.29	.13			.05				.55	3
4	.08			.02								.32	4
5	.06	.40		.35				.18				.66	5
6	.61	.26	.07	.52			.15				.07	.19	6
7	.53	.35	.10									.52	7
8	.06	.26	.07				.48					.04	8
9	.02	.41		.15		.22	.02				.75	1.12	9
10	.39	.18				.18						.81	10
11	.08	.06	.03								1.06	.06	11
12		.19		.18	.29			.03		.08	1.07	.04	12
13	.01	.87			1.68				.07				13
14	.10	.03					.47		.07			.70	14
15	.30				.12		.35	.69			.25	.34	15
16		.83			.18		1.29	.06				.04	16
17		.56			1.06			.01				.15	17
18		.27			.10		.02				.02	.03	18
19		.04											19
20	.32			.06	.15							.20	20
21	.08									.22		.05	21
22			.07				.99					.27	22
23	.08	.10	.10				.06			.16		.81	23
24							.02		.30	.82		.45	24
25			.06	.04			.20					.30	25
26		.07				.12	.08					.85	26
27		.03				.30				.50			27
28		.06				.08			1.10	.82		.02	28
29					.15	.01	.04	.23	.04	.07	.52	.03	29
30	.27					.02				.42	.19	.03	30
31	.04									.86		.39	31
Total	4.55	5.37	.83	1.77	3.94	.93	4.17	1.39	2.91	4.05	4.06	9.62	YEAR'S TOTAL 43.59
Rain Days.	19	20	10	9	10	7	13	9	6	10	9	28	150

W. 8,000. X. 14.

2/3

FORM A.
BRITISH RAINFALL.
20 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at *Hailsham*

in the County of *Sussex*

by *F. Clyde Harvey*

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·05	x		·15	·01			·03		·51		1
2	·43	·07	x		·33					·95	·07		2
3	·01	·35	x			·02	·05		·08	·37	·50		3
4		·06	–			·40			·31	·10	·53		4
5	·04		·77	·07	·15	·03				·09	·70		5
6	·02	·08	x	·35	·07	·42	·29				·44		6
7	·01		x		·31	·08	·10			·18	·20	·06	7
8		·05	x		·36							·35	8
9					·35							·30	9
10		·38	·01	·12		·15	·08					·54	10
11	·03	·13		·20		·09						·10	11
12	·08	·09		·05	·17	·18	·20			·05			12
13		·28	·14		·11	·04	·01			·02			13
14		·57	·01		·20			·15				·35	14
15		·22	·05					·01					15
16	·03			·23			·10	·02					16
17	·44	(·03) ·21		·03			·04		·42	·84			17
18	·04	·10							·31	·21	1·02		18
19	·28		·07	·30				·02	·11		·85	·16	19
20	·10		·05	·11		·04					·20	·57	20
21	·07		·35	·08		·05						·46	21
22			·07							·02		·80	22
23		·32	·05			·18	·02	·05			·14	·06	23
24			·02		·24					·40		·38	24
25		·53	·10					·58		·24	·10		25
26	·04	·62				·12		·06	·01	·17		·08	26
27		·11	·80	·02		·45		·15	·16	·93			27
28		·74	·08			·21		{·41}	·14	·61		·30	28
29		·21				·46				·74		·70	29
30		X								·29			30
31		X		X		X			X	·26	X		31
Total	1·68	5·20	2·57	1·56	2·44	2·93	·89	1·45	1·57	6·47	5·26	5·21	YEAR'S TOTAL 37·23
Rain Days.	15	23	(19)	11	11	17	9	9	9	18	12	15	167

W. 8,000. X. 15.

583

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Hailsham

in the County of Sussex

by F. Clyde Harvey

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·17				1·72	·22		·06	·04	1
2				·15				·11	·02		·10		2
3						—	·42	·27		·31	·13		3
4			·43				·11	·18		·31			4
5	·34			·08					·85	·28			5
6		·05	·08	·15		·63			·50		·20		6
7	·47	·08					·10			·45		·20	7
8	·04			·13			·13	·08		·43	·32	·23	8
9			·11									·80	9
10	·16		·12	·08		·83		·17					10
11	·17		·18	·10				·06		·52			11
12				·15				·31		·32			12
13	·05		·21		·05			·03	·05	·40			13
14				·28						·06			14
15					·25					·18			15
16		·07		·11	·16					·22		·83	16
17				·11	·14		·38		·28	·26			17
18		·04		·04	·13		·38	·12	·19				18
19		·25	·04			·07			·17				19
20		·12			·86								20
21							·02						21
22			·12			·72		·27					22
23		·21			·35			·13				·25	23
24		·13					·15	·27		·35	·08		24
25			·04				·16		·08				25
26								·56			·82		26
27								1·20					27
28			·12			1·29		·60					28
29			·08				·20	·04		·32			29
30		✕	·21		·08		·05	·40		·16		·12	30
31		✕	·10	✕		✕	·33		✕	·03	✕	·06	31
													YEAR'S TOTAL
Total	1·23	·95	1·84	1·55	2·02	3·54	2·43	6·52	2·36	4·60	1·71	2·53	31·28
Rain Days.	6	8	13	12	8	5	12	18	9	16	7	8	~~122~~

W. 8,000, VIII. 16

2·68

Dl ✓

H DR cwd for with

104

FORM A. BRITISH RAINFALL.

22.1.19

REGISTER OF RAINFALL IN 1918

Kept at Hailsham Vicarage

in the County of Sussex

by F. Clyde Harvey

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·12	·06	1
2		·05	·10					·35		·01	·50	·24	2
3				·08	·45			·08			·51	·04	3
4		·07		·07				·08	·17		·58		4
5		·17			·06			·21		·15		·03	5
6	·08	·21		·20	·29			·35			·09	·06	6
7		·12		·15	·05	·02			·62	·04			7
8	·04							·03	·22		·14	·06	8
9				·11		·15	·15		·61	·31		·14	9
10				·05			·20		·22		·06	·19	10
11									·14	·85		·12	11
12		·14			·12					·24		·02	12
13	·32				·18		·10		·24			·01	13
14	·10		·05			·10	·30		·48	·28		·05	14
15	1·85			·06		·10						·24	15
16	·22			·10			·06						16
17	·50			·14		·05	·70		·52			·36	17
18	·30					·30				·38		·05	18
19	·10		·12	·04		·18				·08			19
20	·04	·19				·07	1·56		·32	·28			20
21	·22			·96					·16	·18		·08	21
22	·12			1·11	·54		·40		·94			·18	22
23	·10			·04	·01		·65		·02				23
24		·20				·02	·16		·20		·14	·10	24
25								·45		·02			25
26							·12		·14		·08	·18	26
27		·04	·01	·12			·30		·75		·11	·11	27
28			·42	·03	·07					·05	·25	·04	28
29				·05					1·00				29
30		×	·45						·02	·13		·22	30
31		×	·01	×		×			×	·08	×	·07	31
Total	3·99	1·19	1·16	3·31	1·77	·99	4·70	1·55	6·77	3·08	2·58	~~2·75~~ 2·65	YEAR'S TOTAL ~~33·84~~ 33·74
Rain Days.	13	9	7	16	9	9	12	7	18	15	11	23	149

W. 8,000, VIII. 16

8L

cont. by surrounding shrubs

543

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Hailsham Vicarage

in the County of Sussex

by F. Clyde Harvey

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.58		.01		.11		.07			.08	.08	.84	1
2	.25		.10		.01		.04			.16	.11	.22	2
3	.24		.60		.07				.16		.03	.21	3
4	.43		.30				.05	.12	.05		.10	.16	4
5	.02	.44	.85								.16	.45	5
6	.18		.07								.01	.08	6
7	.15		.58								.09		7
8	.31		.10										8
9	.30		.09								.30		9
10	.80		.11	.06	.03							.04	10
11	.29		.12	.35								.39	11
12	.08		.02				.20			.18			12
13				.40								.04	13
14	.65			.45			.13		.08			.08	14
15	.20	.06		.12								.23	15
16	.24	.75									.14		16
17		.28	.03								.20	.09	17
18			.05					.03	.05		.11	.04	18
19	.13	.28	.75				.50	.35			.15		19
20	.33	.10	.15			.45	.03	.16					20
21	.12	.68	.05				.06					.09	21
22		.05					.24		.43		.08	.15	22
23						.03			.33		.04	.01	23
24		.08		16						.07	.42	.09	24
25	.05							.31				.01	25
26	.02	.20	.10	.05			.05	.01			.25	.52	26
27	.43		.06	.96				.35			.87		27
28	.04		.25	(17)				1.36			.86	.43	28
29								.53	.06	.18		.20	29
30		X		.24	—			.50		.03	.24	.60	30
31	.14	X		X		X			X	.12	X	.03	31
Total	5.98	2.92	4.39	2.96	.22	.48	1.37	3.72	1.16	.82	4.24	5.00	YEAR'S TOTAL 33.26
Rain Days.	23	10	20	10	4	2	10	10	7	7	19	23	145

W, 6,500, VII. 18. W W C

7/85

.572

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hailsham Vicarage
in the County of Sussex
by H. C. Harvey

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·06	·08		·15			·69		·31	1
2			·22	·03	·02			·63	·09	·05		·16	2
3				·02								·05	3
4		·15		·07			1·69	·10	·09			·09	4
5			·04				·36	·07				·09	5
6			·24		·17		·31						6
7	·16			·10	·02		·07					·03	7
8				·25	·02		·31						8
9	·36				·03	·05							9
10	·90	·14	·15	·15		·12	·10						10
11	·50		·09	·28		·10	·18				·02		11
12	·08	·05		·12	·01	·19							12
13	·30	·05	·29			·02					·06		13
14			·46	·44						·12	·51		14
15	·06								·85	·32	·13		15
16			·05	·02	·01				·48				16
17				·03	·22				·79				17
18	·11				·20			·93	·15				18
19	·11			·21								·20	19
20	·10	·11		·11		·66			·58				20
21							·21		·08			·52	21
22				·30								·40	22
23							·43	·05				·50	23
24			·09									·15	24
25			·02	·01			·21						25
26	·11		·18	·06							·02	·06	26
27	·48			·21		·08	·14				·37	·33	27
28	·28		·15	·20	·36		·15				·10	·06	28
29	·75		·08	·11							·25	·15	29
30	·02	✕	·02				·05		·15		·32	·18	30
31		✕	·12	✕	·01	✕			✕	·51	✕	·66	31
TOTAL	4·40	·50	2·20	2·78	1·15	1·22	4·36	1·78	3·26	1·69	1·78	3·94	YEAR'S TOTAL 29·06 738
Days with ·01 in. or more	16	5	15	20	12	7	14	5	9	5	9	17	~~[illegible]~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

15 5 13 15 5 6 14 5 9 5 7 16 115

8L/

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

93

REG

HARTING WEST

SUSSEX

1911 – 1916

Kept at West Hartin
in the County of ~~Hamp~~
by M. M. Monkh

in.
und ft. in.
Level ft.
e
ance Direction

IMPORTANT NOTE. e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·23				·08			·03	·10	1
2				·07	·48						·23	·32	2
3					·28			·12			·28	·05	3
4				·08						·04	·26	·64	4
5										·13	·02		5
6	·67										·05	1·18	6
7										·42	·60	·16	7
8	·12		·39								·18	·63	8
9	·10										·02	·22	9
10	·08	·15	·32									1·16	10
11	·39										1·44		11
12			·60								·28	·12	12
13			·18		·27				·60	·13		·49	13
14					·15							·62	14
15					·11						·14	·03	15
16						·46					·64	·28	16
17						·16					·65	·45	17
18		·14				·12				·05	·33	·82	18
19						·11			·60	·26	·02	·24	19
20								·07	·06			·87	20
21	·23	·28							·20	·66		·15	21
22			·88			·51				·33		·67	22
23		·20				·35			·12	·40	·02	·64	23
24		·21				·17	·01	·10		2·08		·45	24
25		·04	·08	·15	1·90	·10	·60	·04	·06			·08	25
26				·20	·07		·02			·30	·03	·40	26
27		·49	·45	·43			·11		·06	·15	·05	·18	27
28		·41		·25				·19			·02	·02	28
29				·23		·15	·04		·25	·47			29
30						·02		·05		·53		·02	30
31													31
Total	1·59	1·92	2·90	1·64	3·26	2·15	·78	·65	1·95	5·95	5·29	10·99 ~~8·89~~	TOTAL for year 39·07
No. of Rain Days	6	8	7	8	7	10	5	7	8	14	20	27	127

8L/ ✓

REC

93

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at West Harting Cottage Petersfield

in the County of ~~Hampshire~~ Sussex 2

by M. M. Monkhouse

RAIN GAUGE
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station: Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·23				·08			·03	·10	1
2				·07	·48						·23	·32	2
3					·28			·12			·28	·05	3
4				·08						·04	·26	·64	4
5										·13	·02		5
6	·67										·05	1·18	6
7										·42	·60	·16	7
8	·12		·39								·18	·63	8
9	·10										·02	·22	9
10	·08	·15	·32									1·16	10
11	·39										1·44		11
12			·60								·28	·12	12
13			·18		·27				·60	·13		·49	13
14					·15							·62	14
15					·11						·14	·03	15
16						·46					·64	·28	16
17						·16					·65	·45	17
18		·14				·12				·05	·33	·82	18
19						·11			·60	·26	·02	·24	19
20								·07	·06			·87	20
21	·23	·28							·20	·66		·15	21
22			·88			·51				·33		·67	22
23		·20				·35			·12	·40	·02	·64	23
24		·21				·17	·01	·10		2·08		·45	24
25		·04	·08	·15	1·90	·10	·60	·04	·06			·08	25
26				·20	·07		·02			·30	·03	·40	26
27		·49	·45	·43			·11		·06	·15	·05	·18	27
28		·41		·25				·19			·02	·02	28
29				·23		·15	·04		·25	·47			29
30						·02		·05		·53		·02	30
31													31
Total	1·59	1·92	2·90	1·64	3·26	2·15	·78	·65	1·95	5·95	5·29	~~8·89~~ 10·99	TOTAL for year 39·07
No. of Rain Days	6	8	7	8	7	10	5	7	8	14	20	27	127

9,000, IX. '10.

8h

Exc L.C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

Kept at West Harting

in the County of ~~Hampshire~~ Sussex 2

by M. M. Monkhouse

RAIN GAUGE
Pattern
Diameter of top ..... in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level ..... ft.

Time of Observation

Nearest Railway Station
Name
Distance ..... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.26			.40	.07			.67		.45	1
2			.52	.01		.10	.22	.02					2
3			.03			.29	.01	.59				.03	3
4	.21		.88		.03	.53		.04			.15	.02	4
5	.36	.11	.21					.65			.03	.04	5
6	.66	.11			.04	.02		.33	.03		.01	.14	6
7	.02		.03		.19	.97		.11				.20	7
8	.52	.46	.40			.13		.10				.02	8
9	.04	.35	.20	.11		.02	.04	.13				.37	9
10		.14	.02					.17			.02	.37	10
11	.08	.28	.43			.02					.03	.32	11
12	.03	.17	.18		.07	.18	.13	.17			.07	.03	12
13		.13	.03				.25	.12				.14	13
14	.02		.03		.03			.06		.13		.05	14
15	.02	.09	.14		.05	.53		.03		.10		.10	15
16	.09		.50		.10			.44				.35	16
17	.67		.30			.04		.28				.06	17
18	.17		.23			.01		.33					18
19	.10	.10	.13			.03	.06	.82			.09	.08	19
20	.02		.55			.05	.01	.05		.27	.03		20
21	.02	.18	.29		.60			.20		.20			21
22	.08	.68	.14		.01			.31				.08	22
23	.56	.30	.31			.05		.49			.25	.11	23
24	.22	.08	.03			.50		.23			.01	.22	24
25	.18		.01			.63		.80		.07	.36	.77	25
26	.02	.08						.12		.55	.47	.24	26
27		.03				.19	.16			.42		.60	27
28		.06				.10	.41	.43	.18	.95	.58	.40	28
29		.26				.05	.81	.35	1.00	.67	.02		29
30					.21	.10	.10	.02	2.88	.35			30
31			.11				.41	.15		.03		.02	31
Total	4.09	3.61	5.96	.12	1.33	4.94	2.68	7.54	4.09	4.41	2.12	5.21	TOTAL for year 46.10
No. of Rain Days.	21	18	25	2	10	22	13	28	4	12	14	25	194

W. 8,000, X. '11.

82 ✓

REGISTER OF RAINFALL IN 1913

Exd DH

107

FORM A. BRITISH RAINFALL.

22 JAN 1914

Kept at West Harting

in the County of ~~Hampshire~~ Sussex

by N. N. Monkhouse

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·48	·25			·15					·29	·10	1
2	·11	·12	·02	·07			·12		·66	·20	·12	·04	2
3	·30		·05	·16	·55				·06	·09		·30	3
4	·60		·20		·29					·46	·14	·05	4
5	·70	·05				·15	·04		·62	·01	·28	·05	5
6	·05				·10	·22	·43		·07	·70	·10	·30	6
7		·45	·10		·24	·14	·25			·33	·18		7
8					·28	·02				·27		·08	8
9		·17			·04	·02	·12		·06		·09	·01	9
10	·05						·42				·34		10
11	·99			·02	·04					·60	·35		11
12				·45	·75						·57		12
13	·50		·12								·28		13
14	·20		·20				·30		·27	·05	·20		14
15	·45	·12	·33	·55			·14				·03		15
16	·17		·57	·23					·35		·02		16
17	·28			·13			·09				·04		17
18	·08		·38	·23							·10		18
19	·42						·07		·27				19
20	·20		·39	·15						·70	·04		20
21			·30	·18						·23	·70		21
22	·45		·32				·02	·27	·20		·02		22
23											·04	·83	23
24	·12		·06	·10							·02		24
25				·25									25
26			·07	·10				·16		·55		·30	26
27			·48	·17						·15			27
28	·15			·15						·27			28
29	·06		·10	·55	·55					·15			29
30	·70			·11						·25			30
31	·05							1·20		·06			31
Total	6.68	1·39	3·94	3·60	2·84	·70	2·00	1·63	2·56	5·07	3·95	2·06	YEAR'S TOTAL 36·42
Rain Days.	22	6	17	17	9	6	11	3	9	17	21	10	148

W. 7,500, XI. ·12

DL written 19.11.15

Sx 2 B11

95

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
28 JAN 1915

Kept at West Harting, Petersfield

in the County of ~~Hampshire~~ Sussex 2

by Miss M. Monkhouse

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04					·20			·07	·03	1
2							·04	·10			·24	·21	2
3			·03	·06	·45		·04	·03			·02	·05	3
4			·06	·37	·09		·02	·43			·38	·22	4
5			·09	·49	·26	·02	·19	·06			·04	·01	5
6				·20	·12	·07		·04				·56	6
7		·50	·05	·16	·04	·02	·22	·01				·30	7
8		1·01	·80	·05	·04	·05	·02	·50			·01	·04	8
9	·12	·02	1·07	·23	·02	·03		·03	·29			2·40	9
10	·04	·20	·03	·12	·19				·31			·02	10
11		·70	·78	·01	·03	·02	·81		·26		·09	·63	11
12		·20	·14				·37		·41	·14	·03	·62	12
13		·65	·13			·03			·23	·23	·15	1·15	13
14		·52	·40			·11	·13	·02		·08	·40	·26	14
15		·01	·34				·15	·42	·01		·70	·01	15
16							·10		·36		·02		16
17		·91	·02						·15			·64	17
18			·66									·70	18
19		·13	·50				1·35				·13	·20	19
20		·38	·16									·34	20
21		·68	·06			·01				·10		·05	21
22		·20	·02		·06	·05	·06	·06		·56			22
23		·16	·33		·04	·03							23
24			·06			·01				·03	·28		24
25			·16					·30		·48	·03	·15	25
26								·45		·10	·25	·72	26
27										·01	·16	·46	27
28		·02			·16		·36			·22	·57	·70	28
29	·20		·20							·28	·24	·03	29
30	·10		·25	·10						·20	·97	·76	30
31					·02		·14			·25		·03	31
Total	·46	6·29	6·38	1·79	1·52	·45	4·00	2·65	2·02	2·68	4·78	11·29	YEAR'S TOTAL 44·31
Rain Days.	4	16	24	10	13	12	15	14	8	13	20	27	176

W.7,000, XI. 13

82

527
91

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at West Harling

in the County of Hampshire Sussex S.R. 2

by Miss Monkhouse

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·26	·04		·02			·11	·19	·14	·06	·46	1
2	·37	·31	·33	·10		·02		·21	·11	·06		·36	2
3	·50	·01	·17	·14	·12	·01		·02	·02			·48	3
4	·05		·01	·01				·02				·59	4
5	·05	·70		·02				·12				·93	5
6	·69	·22		·85			·81	·08				·13	6
7	·22	·62	·02	·02	·40		·28	·01				·55	7
8	·03	1·27	·03				·16	·04			·02	·04	8
9	·04	·15		·16		·21		·12			·46	·83	9
10	·38	·18								·04		·26	10
11	·07	·02	·07				·02		—	·02	·99	·04	11
12	·08	·43		·35	·51					·05	·59		12
13	·06	·56			1·59				·12				13
14	·05	·02					·12	·40	·07			1·38	14
15	·09				·08		·10	·10			·06	·58	15
16	·01	1·21					1·50	·05				·07	16
17		·72			·34		·03	·05		·02		·01	17
18		·26			·93					·02	·04		18
19		·15			·11		·08						19
20	·35			·04	·15					·03		·12	20
21	·02	·06			·02		·06			·38		·08	21
22	·65	·34	·15	·03			1·27		·01	·02		·32	22
23	·68	·08	·09			·05	·35		·48	·31		·52	23
24	·02		·02				·22		·68	·57		·48	24
25			·02	·05		·15	·15		·01			×	25
26	·02	·14				·24	·18					×	26
27		·03				·07			·03	·68		1·26	27
28		·09				·19			·69	·24		·02	28
29						·47	·11	·11		·02	·71	·10	29
30	·20	X				·54				·65	·87	·05	30
31	·02	X		X		X	·01	·66	X	1·61	X	·55	31
Total	5·26	7·83	·95	1·77	4·27	1·95	5·45	2·10	2·41	4·86	3·80	10·21	YEAR'S TOTAL 50·86
Rain Days.	24	23	11	11	11	10	17	15	11	17	9	27	186

W. 8,000. X. 14.

8L ✓ Esx 8L

573 ~~87~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at West Harting

in the County of ~~Hampshire~~ Sussex

by Miss Monkhouse

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·06	·01		·23	·03	–						1
2	·36	·17	·06		·28								2
3	·05	·58	·15	·01	·01								3
4	·14	·18				·59							4
5	·03	·05		·01	·15	·12							5
6	·02	·10		·05	·05	·25							6
7	·03	·01			·08	·14							7
8		·02	·48		·38	·01							8
9					·37	·06							9
10	·01	·46	·08	·06	·01	·07							10
11	·05	·06	·03	·23	·01	·07							11
12	·04	·08		·02	·04	·04							12
13		·38	·05			·03							13
14		·61	·06	·14	·03								14
15		·13	·38	·08									15
16	·12	·02	·24	·18									16
17	·31	·26	·01	·08									17
18	·02	·04	·02	·07									18
19	·26		·15	·24									19
20	·17		·65	·20									20
21	·01		·20										21
22		x	·02	·01									22
23		x	·01			·45							23
24		x		—	·33								24
25	·02	x	·11										25
26	·03	x	·15										26
27	·01	x	·70										27
28		x 1·40	·05										28
29		·32				·63							29
30		✕			·10								30
31		✕		✕		✕			✕		✕		31
Total	1·80	4·93	3·61	1·38	2·07	2·49							YEAR'S TOTAL
Rain Days.	19	(25)	21	14	14	13							

W. 8,000. X. 15.

WA — ent. 26.III.12

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGIS ... 111

HASLEMERE
{BLACKDOWN HSE GDS}
SUSSEX
1911-20

Kept at Blackdow... Pound

... 4½ in.

in the County of Suss... ... ove Ground 1 ft. 10 in.

,, Sea Level 700 ft.

by Lady F. H Phi... 9 AM

n { Name Haslemere
Distance 5mi Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2		30		4								1
2				18							4	2	2
3	4			12	36						18	16	3
4					18			19			18	4	4
5	2	2	6	10						4	14	49	5
6										22	2		6
7	40		10								6	92	7
8	4										40	10	8
9	2		30	2							44	50	9
10	18										4	28	10
11		4	20									80	11
12	50		2								1.10		12
13			50		10				2		10	10	13
14			2		10				58			48	14
15		2			20					4		50	15
16			2								8		16
17						60					66	16	17
18						8					32	40	18
19		12	8			20					50	70	19
20						16			58	20	10	19	20
21		2	4					30	2			88	21
22	8	20								70		26	22
23	9		20			36				30		58	23
24		16				46		6	20	20		26	24
25		16	2			14				40		40	25
26		6			50	10	80	2	2			8	26
27			2	38	4	10				26		32	27
28		40	30	10			12		10	24	4	24	28
29				26			8	10					29
30				28		10	12		20	50	2		30
31	–	·30	–	·01	–	–		26		30	–	(·8)	31
Total	~~1.39~~ 1.37	~~1.20~~ 1.50	~~2.16~~ 1.88	~~1.44~~ 1.48	~~1.52~~ 1.48	2.30	1.12	·93	1.72	3.40	4.42	8.86	TOTAL for year 30.46
No. of Rain Days.	~~10~~ 9	~~14~~ 11	~~15~~ 14	~~8~~ 9	~~8~~ 7	10	4	6	8	12	18	24	132

W. 8,000, X. '11.

WA – ent. 26.III.12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Blackdown House
in the County of Sussex 2
by Lady F. H Philipson Stow

Rain Gauge
Pattern Round
Diameter of top 4½ in.
Height of top above Ground 1 ft. 10 in.
" " " Sea Level 700 ft.
Time of Observation 9 AM
Nearest Railway Station
Name Haslemere
Distance 5 mi Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2		30		4								1
2				18							4	2	2
3	4			12	36						18	16	3
4					18			19			18	4	4
5	2	2	6	10						4	14	49	5
6										22	2		6
7	40		10								6	92	7
8	4										40	10	8
9	2		30	2							44	50	9
10	18										4	28	10
11		4	20									80	11
12	50		2								1.10		12
13			50		10				2		10	10	13
14			2		10				58			48	14
15		2			20					4		50	15
16			2								8		16
17						60					66	16	17
18						8					32	40	18
19		12	8			20					50	70	19
20						16			58	20	10	19	20
21		2	4					30	2			88	21
22	8	20								70		26	22
23	9		20			36				30		58	23
24		16				46		6	20	20		26	24
25		16	2			14				40		40	25
26		6			50	10	80	2	2			8	26
27			2	38	4	10				26		32	27
28		40	30	10			12		10	24	4	24	28
29				26			8	10					29
30				28		10	12		20	50	2		30
31								26		30			31
Total	~~1.39~~ 1.37	·30 ~~1.20~~ 1.50	~~2.16~~ 1.88	·01 ~~1.44~~ 1.48	~~1.52~~ 1.48	2.30	1.12	·93	1.72	3.40	4.42	(8) 8.26	TOTAL for year 30.46
No. of Rain Days.	~~10~~ 9	~~14~~ 11	~~15~~ 14	~~8~~ 9	~~8~~ 7	10	4	6	8	12	18	24	132

W. 8,000, X. '11.

Cor. for WD. 31.III.13.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

1 JAN 1913

Kept at Blackdown House

in the County of Sussex 2

by Lady F. H. Philipson Stow

Lat. Long.

Time of Observation 8-30

Nearest Railway Station 4½ mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			10	10		18		44	22	1.50	32		1
2			20			18				70		38	2
3			50			2	20			4			3
4	2		4			22		42			20		4
5	18		64		12	12	2	8			2		5
6	28	4						48					6
7	48	10	20		8			40				10	7
8					16	62		42				12	8
9	30	50	38			6		6					9
10		26	12			10		2				28	10
11	4	12						29			2	40	11
12	10	40	16					8				20	12
13	2	20	5		8	24	20	30		2			13
14		10						10			40	2	14
15			2									2	15
16			16		12	60		2				30	16
17	18		32		20	6		16			6		17
18	16	4	20			4		7				20	18
19	40		30					4		8		10	19
20	12	4	10				22	1.00					20
21	4		54							40			21
22			28		30			16		26			22
23	12	40	4					20		.		2	23
24	52	20	30					30		6	28	20	24
25	23	10				30		22				56	25
26	16					42		70		2	16	22	26
27						2		40		86	32	20	27
28						16	4	.		36		36	28
29		10				18	38	40	14	90	46	20	29
30						4	58	12	2.20		4	39	30
31	—	.10	.10	—	~~18~~ 26	—	~~44~~ 10	~~25~~ 28	1.50	~~32~~ 26	—	—	31
Total	~~3.35~~ 3.35	~~2.60~~ 2.70	~~4.66~~ ~~4.66~~	~~.10~~ .00	~~1.32~~ 1.50	~~3.56~~ 3.38	~~1.74~~ 2.18	~~7.13~~ 6.91	~~2.56~~ ~~3.88~~ 3.84	~~5.46~~ 4.28	~~2.28~~ 1.96	~~3.73~~ 4.13 4.13	YEAR'S TOTAL ~~38.85~~ 38.88
Rain Days.	17	~~14~~ 15	20	~~1~~ 0	~~8~~ 9	~~18~~ 17	~~8~~ 9	26	3	13	~~11~~ 10	19	158

335 - 260 - 465 - 10 - 1.32 - 356 - 1.74 - 713 - 2.56 - 5.46 - 228 + 413 = 38.88

W. 7,500. XI. 13

con for auth WD } 11.11.14

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A. 6-JAN 1914

Kept at Blackdown House
in the County of Sussex
by Lady F. H. Philipson Stow

2

Lat. Long.
Time of Observation 8. 30
Nearest Railway Station Haslemere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (-)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		2		8	5				64		35	12	1
2		30	14	24	16				42		18	.	2
3	5	10		4	2		10		10	10	10	30	3
4	10		4	10	68					10			4
5	46		4		44				1. 30	18	10		5
6	60	2	2			10	6		16		15	6	6
7	2	4	6	39		6	40			70	5	24	7
8		40	6		30	55				50	15		8
9	2	10			20	4		40		20	.		9
10		10	2		2		10	2	10	2	10		10
11				2	2		10				40		11
12	92			42	50					70	20	2	12
13					2						22		13
14	30		4						2		20		14
15	28		14	6			1. 15		10		15		15
16	32	8	18	32			30		16		4		16
17	12		4	18			10		30		.		17
18	18		8	2			15				2		18
19	12		22	14			5			70	10		19
20	40		4			4	10		34				20
21	12		36	12		30				88			21
22			10	16				15		40	70		22
23	30		16	16				8	12				23
24			8			2						76	24
25	60			8							2		25
26				46						2			26
27				4						60		18	27
28			44	10				10		8			28
29	20		4	6						10			29
30	4		10	40	72			20		10	2		30
31	50		2					52		10			31
	·62		·08	·95				·64		·35	·12		YEAR'S TOTAL
Total	~~5.65~~ 5·67	~~1.16~~ 1·14	~~2.42~~ 2·50	~~3.59~~ 3·56	~~3.13~~ 3·08	~~1.11~~ 1·11	~~2.51~~ 2·61	~~1.47~~ 2·11	~~3.76~~ 3·12	~~5.48~~ 5·83	~~3.25~~ 3·02	~~1.68~~ 1·56	35, 31
Rain Days.	~~20~~ 21	~~9~~ 8	~~22~~ 23	21	~~12~~ 11	7	11	~~7~~ 8	~~12~~ 11	~~14~~ 18	19	~~7~~ 6	164

W. 7,500, XI. ·12

Feb 21 (63) written 19.II.15

Corrly Obsr. 20.11.15

Ex. [illegible]

FORM A. BRITISH RAINFALL.

29 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Blackdown House Gdns.
in the County of Sussex 2
by W. Brook

Lat. Long.
Time of Observation 9
Nearest Railway Station Haslemere
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·10			·10	·02	1
2			·02			·01	·01	·05			·14	·25	2
3			·02	·10	·30		·09	·01			·02	·02	3
4			·02	·46	·09		·01	·10			·48	·27	4
5			·02	·28	·06	·09	·40	·31					5
6		·25		·18	·07	·10		·01				·45	6
7	·08	·86	·16	·12	·04	·08	·21	·03				·26	7
8	·04	·52	·30	·10		·09	·01	·37				·13	8
9	·10		1·10	·14		·14		·01	·19			1·94	9
10	·04	·30	·10	·14	·19				·27				10
11		·50	·52	·02		·03			·07		·07	·55	11
12		·30	·10				·51		·58			·80	12
13		·40	·20			·05			·23	·19	·10	·65	13
14		·38	·26			·04	·16			·44	·25	·33	14
15		·06	·20				·09	·14	·02		·50		15
16			·05				·08		·10		·06		16
17		·30	·20						·20			·47	17
18		·60	·25									·56	18
19		·24	·36			·08	·42				·16	·28	19
20		·40	·38			·05			·08			·31	20
21		·05	·12			·02		·24		·13		·02	21
22		·02	·02		·44	·01	·11	·03		·22			22
23		–	·20		·02					·06			23
24			·20								·23		24
25			·26					·20		·30		·02	25
26			·02					·22		·10	·31	·98	26
27										·02	·19	·39	27
28		·04	·06		·05		·10			·11	·58	·72	28
29	·20		·06	·02						·29	·35		29
30			·18							·14	·95	·68	30
31	·04				·10		·06			·04			31
Total	·50	5·22 ~~4·62~~	5·38	1·56	1·36	·79	2·26	1·82	1·74	2·04	4·49	10·10	YEAR'S TOTAL 37·26 36·66
Rain Days.	6	16 ~~15~~	27	10	10	13	14	14	9	12	16	22	16~~8~~9

W. 8,000. X. 14.

22 FEB 1915

STATION-HASLEMERE.
TELEPHONE, FERNHURST 4.

BLACKDOWN HOUSE,
FERNHURST,
SUSSEX.

20th Febrruary 1915.

Dr. R. H. Mill.
62, Camden Square.
LONDON. N.W.

Dear Sir,

In reply to your letter of the 19th inst., I find on referring to the original register, that the amount of rain entered for February 21st last was 0,40". As I think that the error is due to entry under wrong date in the record sent in perhaps it is advisable to add the following readings-

9 A.M. Feb	18th	0,60
	19	Nil
	20	0,24
	21	0,40
	22	0,05
	23	0,02
	et seq.	Nil

Yours faithfully,

H. M. Philipson-Stow

End Lat

539

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4. JAN 191

Kept at Blackdown House
in the County of Sussex 2
by Wm Brooks

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Haslemere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.65	.12	.05	–	–	–	.20	.04	.25	.08	.09	.55	1
2	.23	.30	.24	.09	–	–	–	.30	.30	.05	–	.25	2
3	.58	–	.12	.19	.18	–	–	.04	–	–	–	.41	3
4	.09	–	–	–	–	–	–	.05	–	–	–	.54	4
5	.02	.50	–	–	–	–	–	.05	–	–	–	.50	5
6	.63	.18	–	.74	–	–	.90	.02	–	–	–	.35	6
7	.29	.46	–	–	–	–	.46	–	–	–	–	.35	7
8	.02	106	–	–	–	–	.13	.04	–	–	–	.01	8
9	.02	.10	–	.10	–	.06	–	.11	–	–	.45	.87	9
10	.27	.06	–	–	–	–	–	–	–	–	–	.27	10
11	.05	–	.06	–	–	–	–	–	–	.02	.71	01	11
12	.06	.19	–	.28	.46	–	–	–	–	–	.50	–	12
13	.04	.64	–	–	144	–	–	–	.05	–	–	–	13
14	.05	.02	–	–	–	–	.16	.22	.06	–	–	.70	14
15	.17	–	–	–	.05	–	.04	.15	–	–	.07	.47	15
16	.02	.80	–	–	.10	–	.96	.02	–	–	–	.08	16
17	–	.58	–	–	148	–	–	.24	–	–	–	–	17
18	–	.19	.02	–	.11	–	–	–	–	–	.04	·	18
19	–	.20	–	–	.04	–	.08	–	–	–	–	–	19
20	.35	–	–	.01	.02	–	–	–	–	–	–	.16	20
21	.06	.05	–	–	.04	–	–	–	–	.38	–	.11	21
22	–	.10	.09	–	–	–	.91	–	–	–	–	.29	22
23	121	.15	.07	–	–	–	.06	–	.42	.34	–	.39	23
24	–	–	–	–	–	–	.29	–	.47	.36	–	.35	24
25	–	–	.03	.07	–	–	.05	–	–	–	.02	.20	25
26	–	.09	–	–	–	.10	.24	–	–	–	–	.93	26
27	–	.08	–	–	–	.07	–	–	–	.48	–	.08	27
28	–	.10	–	–	–	.30	–	–	.74	.20	–	–	28
29	–		–	–	–	.08	.08	.16	–	–	.48	.03	29
30	.11	×	–	–	–	.07	–	–	–	.49	.64	.04	30
31	.02	×	–	×	–	×	–	.33	×	1.56	×	.37	31
Total	4.94	5.97	.68	1.48	3.92	.68	4.56	1.77	2.29	3.91	3.00	8.31	YEAR'S TOTAL 41.51
Rain Days.	21	21	8	7	10	6	14	14	7	10	9	25	152

W. 8,000. X. 15.

Ex JL

525

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 19

Kept at Blackdown House Gdn

in the County of Sussex

by Wm. Brooks

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Haslemere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	.04	.03	-	.39	-	-	-	.34	.21	.36	-	1
2	.39	.17	.11	-	.41	-	-	-	.14	102	.07	-	2
3	.02	.92	.19	-	-	-	.04	-	.16	.63	.70	-	3
4	.23	.03	-	-	-	.36	-	-	.19	-	.46	-	4
5	.03	.06	.01	-	.15	.11	-	-	-	.14	.92	-	5
6	.02	.13	.01	.02	.05	.21	.44	-	-	.20	.90	-	6
7	-	-	.48	-	.17	.09	.05	-	-	.04	111	.02	7
8	-	-	-	-	.34	-	-	-	-	-	-	.42	8
9	-	-	-	-	.32	.07	-	-	-	-	-	.23	9
10	-	.41	.08	.05	-	.29	.16	-	-	-	.02	.23	10
11	.10	.10	.02	.10	-	.13	-	-	-	-	-	.12	11
12	.03	.09	.08	.06	.09	.09	.14	-	-	.06	-	-	12
13	-	.30	.06	-	.02	.02	-	-	.02	.04	-	-	13
14	-	.56	.30	.05	.07	-	-	.23	-	.05	-	.02	14
15	-	.11	.52	-	-	-	-	.27	-	-	-	-	15
16	.02	.04	.38	.20	-	-	.18	.43	-	-	-	-	16
17	.22	.18	-	.09	-	-	-	.37	.43	112	-	-	17
18	.03	.07	.05	.04	-	-	-	.06	20	.04	.71	105	18
19	.29	-	.18	.36	-	.03	-	.12	.37	-	.30	.12	19
20	.15	-	.43	.03	-	-	-	-	-	-	.03	.80	20
21	-	-	.30	-	-	-	.24	-	-	-	-	.23	21
22	-	-	.02	-	-	-	-	-	-	.05	-	.66	22
23	.02	.09	-	-	-	.11	-	.03	-	.10	.12	.04	23
24	-	-	-	-	.15	.02	-	.02	-	.35	.16	.29	24
25	-	.64	.16	-	-	-	-	.25	.17	.05	.08	.02	25
26	.02	.15	.04	-	-	.08	-	.13	.16	52	-	-	26
27	.03	.14	101	-	-	-	-	.38	.10	58	-	-	27
28	-	.43	.09	-	-	.4	-	.08	.38	.14	.03	.21	28
29	-	.29	-	-	-	.41	-	101	.15	.37	-	.40	29
30	-	X	-	-	.82	-	-	.01	-	.49	-	-	30
31	-	X	-	X	-	X	-	104	X	.23	X	.03	31
Total	1.83	4.95	4.55	1.00	2.98	2.06	1.25	3.43	2.81	643	5.97	3.89	YEAR'S TOTAL 41.15
Rain Days.	16	21	22	10	12	15	7	15	13	21	15	17	184

W. 8,000, VIII. 16

566

FORM A.
BRITISH RAINFALL.
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Blackdown House

in the County of Sussex

by Wm Brooks

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Haslemere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.11	.31				1.12	.36		.04	.02	1
2			.02	.25				.12			.30		2
3				.11			1.14	.47		.26	.02		3
4		.24	.04				.08	.18		.31		.01	4
5	.32		.08	.45		.02		.05	.29	.24	.11		5
6			.19	.02		.09			.09	.02	.15		6
7	.30						.14			.38	.02	.07	7
8	24			.10			.39	.12		.30	.20	.58	8
9			.04	.01	.02		.05	.11	.02	.05	.05	.35	9
10	.18		.29	.24		.01		.15			.01	34	10
11	.20		.22	.22		.12		.25	.07	.40			11
12	.05		.05	.04				.04		.41			12
13	.06		.16	.08				.17	.04	.20			13
14				.09				.17					14
15					.08		.01	.04		.09		.05	15
16	.02	.16		.10	.03		.15			1.09		.40	16
17		.03		.17	.27		.24	.19	.55	.19			17
18	.03	.03		.05	.06		.36	.02	.45				18
19		.22	.20			.03			.17				19
20	.01	.06	.03		.52			.10	.02				20
21	.02	.01								.03			21
22						.03		.16		.12			22
23		.19			.11	.02		.15				.04	23
24		.05				.08	.08	.02		.30	.15		24
25		.06	.07							.05			25
26			.06					.36	.06		.32		26
27					.06			1.68					27
28			.05			2.01		.33				.02	28
29			.05		.11	.12	.03	.06		.54		.13	29
30		×	.30				1.08	.13		.02		.03	30
31	.02	×	.07	×		×	.18	.06	×	.03	×		31
Total	1.45	1.05	2.03	2.24	1.26	2.53	3.93 3.39	6.25	2.12	5.03	1.27	2.04	YEAR'S TOTAL 31.20
Rain Days.	12	10	18	15	9	10	13	25	11	20	11	12	156

W. 8,000, IX. 17.

3.00

166

39

FORM A.
BRITISH RAINFALL.
2.1.19

REGISTER OF RAINFALL IN 1918

Kept at Blackdown House
in the County of Sussex
by W Brooks for Lady Philipson Stow

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Haslemere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03							.03			.45	.07	1
2		.04		.06				.28		.02	.50	.28	2
3		.02	.02	.18	.53			.04		.02	.38		3
4		.23	.11	.01				.06	.22		114	.05	4
5		.14	.04		.06			.15		.16			5
6	.14	.15		.30	.14			.22		.02		.09	6
7	.02	.14		.11	.27			.02	.25	.07	.16	.05	7
8		.26							.11	.07	.21	.04	8
9		.02		.11		.19	.26		.59	.21		.76	9
10				.10			.21		.50	.04		.40	10
11	.01						.32		.01	.33	.08	.11	11
12		.09					.33					.03	12
13	.23				.28		.15		.21			.04	13
14	21		.12		.02	.09	.08		.42	15		.16	14
15	136			.47		.16	.13		.01			21	15
16	33		.02	.08		.02			.17	.05			16
17	23			.21			.02	.02				37	17
18	58					.33	.02		.96			11	18
19	.08		.09			.11	.13		.02	.02		.04	19
20	.05	.22		.55		.03	.13		.19	.08			20
21	.27	.08		.35		.01	.56		.35	.05		.04	21
22	.21	.02			.15		.40		.24			.21	22
23	.09				.07		.38	.02	.05			.01	23
24	-	.30				.05	.05		.19		.07		24
25	.02			.19			.31	.12		.02			25
26							56		.07	.02	.10	.17	26
27		.24	07	.03			.03	.19	.12	.01	.12	.03	27
28		.05	.30	.03							.17	.03	28
29			.02						110			.02	29
30		X	.47						.08	.08	.02	.06	30
31		X	.04	X		X			X	.14	X		31
Total	3.86	2.00	130	268	152	99	407	115	586	156	330	3.38	YEAR'S TOTAL 31.67
Rain Days.	16	15	11	15	8	9	18	11	21	19	12	24	179

W. 8,000, IX. 17.

4 RD

478

9 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Blackdown House

in the County of Sussex

by W. Brooks

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Haslemere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44	.02	.07				.18			.02		131	1
2	.40				.11		.03		.05		.09	.03	2
3	.35		.56				.18		.07		.02	.30	3
4	.28	.08	.61			.05	.17	.08	.05		.05	.09	4
5		.33	.95				.19		.10		.17	.32	5
6	.24		.10		07							.10	6
7	.10		.60										7
8	.31		13										8
9	.29		.06	.14	.07						.13		9
10	81		.20	.09								.21	10
11	.21		.13	.37	.08		.13					.08	11
12	02		.04	.08			.06			.05			12
13	.04			.70								.05	13
14	.58			.38			.10		88			.04	14
15	.21	.13		.01								100	15
16	.05	.80		.03							.11		16
17		.53									.14		17
18		.06	.26					.06			.10	.03	18
19	.09	.31	.89			.16	.43	.20			.9		19
20	.47	.10	.11			.41	.02	.24				.04	20
21	.11	.47					.02					.05	21
22		.01					.13		.35		.04	24	22
23									.05		.05	.06	23
24				.03		.03				.26	.12	.03	24
25	03	.11						.35			-	.05	25
26	.05	.22	.13	.08					.12		.04	.54	26
27	.90			.66				.52			.02	.05	27
28			.23					.95			.42	.44	28
29	05			.08		.01		.32		14		.15	29
30			.04	.32		.08		.88			.36	84	30
31	.08											10	31
TOTAL	6.11	3.17	5.11	2.97	.33	.74	1.64	3.60	1.67	.47	2.15	6.15	YEAR'S TOTAL 34.11
Days with ·01 in. or more	23	13	17	13	4	6	12	9	8	4	16	24	149

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

C X M L

483

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

5 JAN 1921

Kept at Blackdown House

in the County of Sussex

by W Brooks for Lady Philipson Stow

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Haslemere

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09		.01	.16	.14		.48			.60		.38	1
2	.02		.03	.02	.04		.01	.24	.13	.09		.22	2
3	0.7	.04		.12	.26		.09			.28		.07	3
4		.10		.14			105	.26		33		.04	4
5			17	.03			.68	.50		01		.03	5
6			.23		.25		.34					.04	6
7	.07			.20			.17						7
8				.06	.09		.16						8
9	.24	.03		.09	.04	.04	.08						9
10	.88	.32	09	.07		.26	.27						10
11	.38		07	.36	.02	.02	.31					.18	11
12	.05	.10		23		.67					.04		12
13	.15	.03	.20	.02							.04		13
14		.02	.42	.42					.09	.07	.71		14
15	.04		.02	.26	.02	.05			115	.17	.10		15
16			03	.18					16				16
17	01				.17		.01		.37			.04	17
18	.10			.01	.08		.02	86	.21			.07	18
19	.08			.26		.02			.02		01	.03	19
20	.11	.17		.25		.76						.03	20
21				.14			.83		.22			.20	21
22	.04			.29								.58	22
23							.33	.13				.41	23
24	.03		.14	.03							.01	.22	24
25		.02	.03	.01			.58						25
26	.10		.46		01	.03						.13	26
27	.80	.01	.02	.11		.06	.12				63	.20	27
28	.43		.29		.05		.10				.02	.03	28
29	.74		12	.05							.21	.38	29
30	.08	×					.12		.16		.30	.33	30
31	.12	×	.16	×		×			×	.75	×	.29	31
Total	463	84	249	357	117	191	575	199	251	230	207	390	Year's Total 3307
Days with ·01 in. or more	22	10	17	24	12	9	19	5	9	8	10	21	166
Days with ·04 in. or more	19	5	11	17 18	9	6	16	5	8	7	7	18 17	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

554

HASTINGS, BREDE

SUSSEX

1920

527

0 MAY 1921

V

FORM I RAINFALL ORGANIZATION.

'ALL IN 1920....

Lat. 50°55'50" Long. 0°34'50"
Time of Observation 12 p.m to 12 p.m
Nearest Railway Station ~~Ore~~ Battle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 37 ft.

9 a.m. and the result entered to the previous day.

rule, he is earnestly requested to add he space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·33

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·04	-	·10	·04	-	·11	-	-	·50	·14	·15	1
2	-	-	·09	-	·02	-	-	·55	·04	·19	-	·13	2
3	-	-	-	-	-	-	-	-	-	-	-	·23	3
4	-	·15	-	·04	-	-	·57	·07	-	-	-	·23	4
5	-	-	-	-	·03	-	·37	·17	·03	-	-	-	5
6	-	-	·02	-	·17	-	·31	-	-	-	-	·05	6
7	·09	-	·08	-	·25	-	·05	-	-	·08	-	-	7
8	-	-	-	·12	·03	-	·24	-	-	-	-	-	8
9	·42	-	-	-	·03	-	·08	-	-	-	-	-	9
10	·84	·31	·04	·21	-	·07	·07	-	-	-	·03	-	10
11	42	-	·19	·16	·14	-	·17	-	-	-	-	-	11
12	·10	·06	-	·17	-	·53	·05	-	-	-	-	-	12
13	29	·05	·26	·02	-	·53	-	-	-	-	·06	·12	13
14	-	·03	·46	·40	-	·05	-	-	-	·17	·35	·05	14
15	·05	-	·05	-	-	·03	-	-	·75	-	·20	·15	15
16	·02	-	-	·07	36	-	-	-	·41	·27	-	·07	16
17	·01	-	·02	·05	·13	-	·06	-	·28	-	-	·05	17
18	·13	-	-	-	·24	-	-	-	·50	-	-	·05	18
19	·13	-	-	·40	-	-	-	1·06	02	-	-	-	19
20	·06	-	-	·14	-	-	-	·02	73	-	-	·54	20
21	-	·08	-	-	-	·63	·17	-	·10	-	-	·55	21
22	·01	·03	-	·37	-	-	-	-	-	-	-	·53	22
23	-	-	-	-	-	-	·70	-	·02	-	-	·10	23
24	-	-	·05	·02	-	-	·02	-	·03	-	-	·06	24
25	-	-	-	·02	-	-	·21	-	-	-	-	·30	25
26	·06	-	·32	·11	-	-	-	-	-	-	-	·07	26
27	·43	·10	-	·16	-	·07	-	-	-	-	·22	·10	27
28	·33	-	·02	·05	·26	-	·22	-	-	-	·32	·02	28
29	·47	·02	·03	·13	-	-	-	-	-	-	·22	·20	29
30	·06	X	-	-	-	·03	·05	-	·18	-	·25	·48	30
31	-	X	-	X	-	X	-	-	X	-	X	·33	31
TOTAL	4·06	·87	1·63	2·74	1·70	1·94	3·45	1·87	3·09	1·21	1·79	4·56	YEAR'S TOTAL 28·91
Days with ·01 in. or more	19	10	13	19	12	8	17	5	12	5	9	23	152
Days with ·04 in. or more	16	7	9	16	8	6	16	4	8	5	8	22	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM … I RAINFALL ORGANIZATION.

527

0 MAY 1921

…FALL IN 1920.

*Kept at Brede – Hastings
in the County of Sussex
by Hastings Corporation

Lat. 50°55'50" Long 0°34'50"
Time of Observation 12 p.m to 12 p.m
Nearest Railway Station ~~Ore~~ Battle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .33

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.04	-	.10	.04	-	.11	-	-	.50	.14	.15	1
2	-	-	.09	-	.02	-	-	.55	.04	.19	-	.13	2
3	-	-	-	-	-	-	-	-	-	-	-	.23	3
4	-	.15	-	.04	-	-	.57	.07	-	-	-	.23	4
5	-	-	-	-	.03	-	.37	.17	.03	-	-	-	5
6	-	-	.02	-	.17	-	.31	-	-	-	-	.05	6
7	.09	-	.08	-	.25	-	.05	-	-	.08	-	-	7
8	-	-	-	.12	.03	-	.24	-	-	-	-	-	8
9	.42	-	-	-	.03	-	.08	-	-	-	-	-	9
10	.84	.31	.04	.21	-	.07	.07	-	-	-	.03	-	10
11	.42	-	.19	.16	.14	-	.17	-	-	-	-	-	11
12	.10	.06	-	.17	-	.53	.05	-	-	-	-	-	12
13	.29	.05	.26	.02	-	.53	-	-	-	-	.06	.12	13
14	-	.03	.46	.40	-	.05	-	-	-	.17	.35	.05	14
15	.05	-	.05	-	-	.03	-	-	.75	-	.20	.15	15
16	.02	-	-	.07	.36	-	-	-	.41	.27	-	.07	16
17	.01	-	.02	.05	.13	-	.06	-	.28	-	-	.05	17
18	.13	-	-	-	.24	-	-	-	.50	-	-	.05	18
19	.13	-	-	.40	-	-	-	1.06	.02	-	-	-	19
20	.06	-	-	.14	-	-	-	.02	.73	-	-	.54	20
21	-	.08	-	-	-	.63	.17	-	.10	-	-	.55	21
22	.01	.03	-	.37	-	-	-	-	-	-	-	.53	22
23	-	-	-	-	-	-	.70	-	.02	-	-	.10	23
24	-	-	.05	.02	-	-	.02	-	.03	-	-	.06	24
25	-	-	-	.02	-	-	.21	-	-	-	-	.30	25
26	.06	-	.32	.11	-	-	-	-	-	-	-	.07	26
27	.43	.10	-	.16	-	.07	-	-	-	-	.22	.10	27
28	.33	-	.02	.05	.26	-	.22	-	-	-	.32	.02	28
29	.47	.02	.03	.13	-	-	-	-	-	-	.22	.20	29
30	.06	X	-	-	-	.03	.05	-	.18	-	.25	.48	30
31	-	X	-	X	-	X	-	-	X	-	X	.33	31
													YEAR'S TOTAL
TOTAL	4.06	.87	1.63	2.74	1.70	1.94	3.45	1.87	3.09	1.21	1.79	4.56	28.91
Days with ·01 in. or more	19	10	13	19	12	8	17	5	12	5	9	23	152
Days with ·04 in. or more	16	7	9	16	8	6	16	4	8	5	8	22	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGI… ORGANIZATION.

REG… 1920.

HASTINGS

{FOREWOOD}

SUSSEX

1920

6 MAY 1921

Kept at Forewood…

in the County of Su…

by Hastings C…

Long. 0°-29'-0"

…n 12 p.m to 12 p.m

…tation ~~Battle~~ Crowhurst

…l of Rain Gauge 5 in.

…auge above Ground 1 ft. 3 in.

" Sea Level 46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·25

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	–	–	·10	·02	–	–	–	–	·50	–	·31	1
2	–	–	·13	–	·01	–	–	·32	·05	·01	–	·12	2
3	–	–	–	–	–	–	–	–	·01	–	–	·06	3
4	–	·07	–	·03	–	–	·81	·01	·06	·01	–	·04	4
5	–	–	·02	–	–	–	·38	–	·01	–	–	·14	5
6	–	–	·11	–	·21	–	·18	–	–	–	–	·01	6
7	·10	·01	–	·14	·09	–	·10	–	–	·08	–	–	7
8	·01	–	–	·11	·14	–	·24	–	–	–	–	–	8
9	·30	·01	–	–	·03	–	·07	–	–	–	–	–	9
10	·53	·19	·09	·17	–	–	·07	–	–	–	–	–	10
11	·95	–	·11	·10	–	·25	·12	–	–	–	·01	·23	11
12	·08	·03	·08	·22	·02	·62	·12	–	–	–	–	–	12
13	·37	·05	·18	·03	–	–	·24	–	–	·01	·05	–	13
14	·01	·02	·41	·37	–	–	–	–	–	·11	·40	–	14
15	·09	–	·05	–	·01	·05	–	– ^	·71	·38	·13	–	15
16	–	–	·01	·05	·49	–	–	– Gauge Broken	·45	·02	–	·01	16
17	·01	–	–	·07	·20	–	–	–	·25	–	–	·01	17
18	·05	–	–	–	–	–	·01	} (1·00) –	·37	–	–	·11	18
19	–	–	–	·18	–	–	–	–	–	–	–	·13	19
20	·05	·10	–	·08	–	·93	–	–	·65	–	–	–	20
21	–	–	–	·07	–	–	·14	–	·04	–	–	·51	21
22	–	–	–	·39	–	–	–	– v	–	–	–	·54	22
23	–	–	–	–	–	–	·31	–	–	–	–	·41	23
24	·01	–	·05	–	–	–	·32	–	–	–	–	·10	24
25	–	–	–	–	–	–	·25	–	–	–	–	–	25
26	–	–	·15	·01	–	–	·05	–	–	–	–	–	26
27	·48	·05	·02	·20	–	·07	·10	–	–	–	–	·31	27
28	·24	·01	–	–	·25	–	·15	–	–	–	·32	·03	28
29	·54	–	·04	·20	·01	–	–	–	–	–	·19	·10	29
30	–	X	·01	·15	–	–	·06	–	·18	–	·22	·11	30
31	·05	X	–	X	–	X	–	–	X	–	X	·51	31
TOTAL	3·98	·54	1·46	2·67	1·48	1·92	3·75	(1·33)	2·78	1·12	1·32	3·79	YEAR'S TOTAL ~~25·14~~ (26·14)
Days with ·01 in. or more	18	10	15	19	12	5	19	4	11	8	7	20	148
Days with ·04 in. or more	14	5	11	16	6	5	18	2	9	4	6	16	112

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

[illegible] [illegible] MAY 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Fairwood - Hastings
in the County of Sussex
by Hastings Corporation

Lat. 50° 53′ 30″ Long. 0° 29′ 0″
Time of Observation 12 p.m. to 12 p.m.
Nearest Railway Station ~~Battle~~ Crowhurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 25

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	–	–	·10	·02	–	–	–	–	·50	–	·31	1
2	–	–	·13	–	·01	–	–	·32	·05	·01	–	·12	2
3	–	–	–	–	–	–	–	–	·01	–	–	·06	3
4	–	·07	–	·03	–	–	·81	·01	·06	·01	–	·04	4
5	–	–	·02	–	–	–	·38	–	·01	–	–	·14	5
6	–	–	·11	–	·21	–	·18	–	–	–	–	·01	6
7	·10	·01	–	·14	·09	–	·10	–	–	·08	–	–	7
8	·01	–	–	·11	·14	–	·24	–	–	–	–	–	8
9	·30	·01	–	–	·03	–	·07	–	–	–	–	–	9
10	·53	·19	·09	·17	–	–	·07	–	–	–	–	–	10
11	·95	–	·11	·10	–	·25	·12	–	–	–	·01	·23	11
12	·08	·03	·08	·22	·02	·62	·12	–	–	–	–	–	12
13	·37	·05	·18	·03	–	–	·24	–	–	·01	·05	–	13
14	·01	·02	·41	·37	–	–	–	–	–	·11	·40	–	14
15	·09	–	·05	–	·01	·05	–	–	·71	·38	·13	–	15
16	–	–	·01	·05	·49	–	–	–	·45	·02	–	·01	16
17	·01	–	–	·07	·20	–	–	–	·25	–	–	·01	17
18	·05	–	–	–	–	–	·01	– (1.00) Gauge Broken	·37	–	–	·11	18
19	–	–	–	·18	–	–	–	–	–	–	–	·13	19
20	·05	·10	–	·08	–	·93	–	–	·65	–	–	–	20
21	–	–	–	·07	–	–	·14	–	·04	–	–	·51	21
22	–	–	–	·39	–	–	–	–	–	–	–	·54	22
23	–	–	–	–	–	–	·31	–	–	–	–	·41	23
24	·01	–	·05	–	–	–	·32	–	–	–	–	·10	24
25	–	–	–	–	–	–	·25	–	–	–	–	–	25
26	–	–	·15	·01	–	–	·05	–	–	–	–	–	26
27	·48	·05	·02	·20	–	·07	·10	–	–	–	–	·31	27
28	·24	·01	–	–	·25	–	·15	–	–	–	·32	·03	28
29	·54	–	·04	·20	·01	–	–	–	–	–	·19	·10	29
30	–	X	·01	·15	–	–	·06	–	·18	–	·22	·11	30
31	·05	X	–	X	–	X	–	–	X	–	X	·51	31
Total	3·98	·54	1·46	2·67	1·48	1·92	3·75	(1·33)	2·78	1·12	1·32	3·79	Year's Total ~~25·14~~ (26·14)
Days with ·01 in. or more	18	10	15	19	12	5	19	4	11	8	7	20	148
Days with ·04 in. or more	14	5	11	16	6	5	18	2	9	4	6	16	112

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HASTINGS
CEMETERY
SUSSEX
1911 - 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Hastmg
in the County of Su
by Walter

— ft. 8 in.
evel 500 ft.
Ove
miles
ce 1¼ Direction S.

IMPORTANT N
result entered to the
previous day. If an
rule, he is earnestly
requested to add the
the space provided
for it at the end of this paragraph. Full instructions for the
of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·76	—	—	—	·06	—	—	·06	—	1
2	·08	—	—	·03	·35	—	—	—	—	—	·36	·34	2
3	·03	·02	·03	—	·08	—	—	—	—	—	·08	·46	3
4	·07	—	·05	·22	—	—	—	—	—	·30	·26	·21	4
5	·09	—	—	—	—	—	—	—	—	—	—	·07	5
6	·17	—	—	—	—	—	—	—	—	·25	—	·33	6
7	·03	—	·18	—	—	—	—	—	—	·58	1·04	·31	7
8	·13	—	—	—	—	—	—	—	—	·03	·96	·31	8
9	·14	—	·03	·06	—	—	—	—	—	—	·59	·20	9
10	—	·12	—	·06	—	—	—	—	—	·04	·03	·40	10
11	—	—	·03	—	—	—	—	—	—	—	1.27	—	11
12	—	—	·75	—	—	—	—	—	—	·06	·09	·02	12
13	—	—	—	—	·16	—	—	~~32~~	·32	—	—	·24	13
14	—	·08	·02	—	·03	—	—	—	—	·07	—	·38	14
15	—	·02	·14	—	—	—	—	—	—	·03	·09	·19	15
16	—	—	—	—	—	·38	—	—	—	—	·37	·05	16
17	·02	—	—	—	—	·03	—	—	—	·02	·10	·06	17
18	—	·12	·10	—	—	—	—	—	—	·02	·73	·37	18
19	·02	—	—	—	—	·13	—	~~07~~	·07	·14	·06	·16	19
20	·02	—	·03	—	—	·11	—	·81 ~~16~~	·16	—	—	·49	20
21	·05	·11	—	—	—	—	—	·12	—	·27	—	·20	21
22	—	·02	·31	—	—	·10	—	·42	—	·35	—	·56	22
23	—	·17	·03	—	—	·90	—	~~35~~	·35	1·25	·07	·12	23
24	—	·14	—	—	—	·10	·05	·05	—	·50	—	·29	24
25	·04	·02	·23	·10	—	·04	—	03 ~~06~~	·06	·06	—	—	25
26	—	—	·21	·20	·03	·31	—	—	—	·38	·27	·31	26
27	—	·35	·14	·04	—	—	—	~~08~~	·08	·59	—	·07	27
28	—	·25	—	·24	—	—	—	·02	—	—	·07	—	28
29	—	—	—	—	—	·13	—	—	—	·50	—	—	29
30	—	—	—	·04	—	·05	·43	·02 ~~03~~	·03	·14	—	·01	30
31	—	—	—	—	·01	—	—	—	—	—	—	·01	31
Total	·89	1·42	2·28	1·75	66	2·28	·48	1·53	1·07	5·58	6·50	6·16	TOTAL for year 30.60
No. of Rain Days.	13	12	15	10	6	11	2	8	7	20	18	26	148

W. 8,000, X. '11.

Total Rainfall for the year 30.60 Inches.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Hastings Cemetery

in the County of Sussex 5

by Walter Field

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 8 in.
" " " Sea Level 500 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Ore
Distance 1¼ miles Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·76	—	—	—	·06	—	—	·06	—	1
2	·08	—	—	·03	·35	—	—	—	—	—	·36	·34	2
3	·03	·02	·03	—	·08	—	—	—	—	—	·08	·46	3
4	·07	—	·05	·22	—	—	—	—	—	·30	·26	·21	4
5	·09	—	—	—	—	—	—	—	—	—	—	·07	5
6	·17	—	—	—	—	—	—	—	—	·25	—	·33	6
7	·03	—	·18	—	—	—	—	—	—	·58	1·04	·31	7
8	·13	—	—	—	—	—	—	—	—	·03	·96	·31	8
9	·14	—	·03	·06	—	—	—	—	—	—	·59	·20	9
10	—	·12	—	·06	—	—	—	—	—	·04	·03	·40	10
11	—	—	·03	—	—	—	—	—	—	—	1·27	—	11
12	—	—	·75	—	—	—	—	—	—	·06	·09	·02	12
13	—	—	—	—	·16	—	—	~~32~~	·32	—	—	·24	13
14	—	·08	·02	—	·03	—	—	—	—	·07	—	·38	14
15	—	·02	·14	—	—	—	—	—	—	·03	·09	·19	15
16	—	—	—	—	—	·38	—	—	—	—	·37	·05	16
17	·02	—	—	—	—	·03	—	—	—	·02	·10	·06	17
18	—	·12	·10	—	—	—	—	—	—	·02	·73	·37	18
19	·02	—	—	—	—	·13	—	~~07~~	·07	·14	·06	·16	19
20	·02	—	·03	—	—	·11	—	·81 ~~16~~	·16	—	—	·49	20
21	·05	·11	—	—	—	—	—	·12	—	·27	—	·20	21
22	—	·02	·31	—	—	·10	—	·42	—	·35	—	·56	22
23	—	·17	·03	—	—	·90	—	~~35~~	·35	1·25	·07	·12	23
24	—	·14	—	—	—	·10	·05	·05	—	·50	—	·29	24
25	·04	·02	·23	·10	—	·04	—	03 ~~06~~	·06	·06	—	—	25
26	—	—	·21	·20	·03	·31	—	—	—	·38	·27	·31	26
27	—	·35	·14	·04	—	—	—	~~08~~	·08	·59	—	·07	27
28	—	·25	—	·24	—	—	—	·02	—	—	·07	—	28
29	—	—	—	—	—	·13	—	—	—	·50	—	—	29
30	—	—	—	·04	—	·05	·43	·02 ~~03~~	·03	·14	—	·01	30
31	—	—	—	—	·01	—	—	—	—	—	—	·01	31
Total	·89	1·42	2·28	1·75	66	2·28	·48	1·53	1·07	5·58	6·50	6·16	TOTAL for year 30·60
No. of Rain Days.	13	12	15	10	6	11	2	8	7	20	18	26	148

W. 8,000, X. '11.

Total Rainfall for the year 30.60 Inches.

made

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
2 - JAN 1913

Kept at Hastings Borough Cemetery
in the County of Sussex 5
by Walter Field

Lat. 50°·52N Long. 0·34 E
Time of Observation 9 a m
Nearest Railway Station Ore
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 478 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·09	·03	—	·54	·12	—	·04	·55	—	—	1
2	—	·04	·09	—	—	·23	·09	—	—	·02	—	·03	2
3	·04	—	·05	—	—	·20	·06	·14	·03	—	—	·02	3
4	·17	—	·40	—	—	·56	—	·12	—	—	·21	—	4
5	·22	·39	·07	—	—	·18	—	·13	—	—	·18	·02	5
6	·55	·15	—	—	·04	—	—	·72	—	—	—	·05	6
7	·02	·02	·02	—	·27	·37	—	·22	—	—	·01	·07	7
8	·66	·34	·11	—	—	·10	·03	·06	—	—	·02	·02	8
9	·04	·02	·04	—	—	—	—	·13	—	—	·06	·04	9
10	—	·03	—	—	—	—	—	·09	—	·03	—	·34	10
11	·05)	·25	·02	—	—	·18	—	—	·02	·02	—	·11	11
12	—	·23	·02	—	—	·13	—	·92	—	—	—	·05	12
13	—	·03	·03	—	—	—	—	—	—	·01	·14	·10	13
14	—	·05	·03	—	·05	—	—	—	—	·04	·02	·02	14
15	—	—	·11	—	·08	·67	—	·02	—	·01	·01	·26	15
16	·13	—	·22	—	·22	·03	—	·17	—	·06	·03	—	16
17	·52	—	·35	—	·02	·03	—	·05	—	—	·02	·03	17
18	·03	·01	·35	—	—	—	·34	·13	—	—	—	·42	18
19	·06	·32	·21	—	·03	·01	·02	·32	—	—	·03	·02	19
20	·02	—	·42	—	—	—	—	·03	—	·56	·05	—	20
21	·01	·10	·08	—	—	—	·04	·20	—	·36	·07	—	21
22	·03	·33	·02	—	—	—	—	·20	—	·01	—	·02	22
23	·59	·33	·41	—	·01	—	—	·40	—	·48	·14	·04	23
24	·10	·05	·02	—	—	—	—	·19	—	·17	—	·14	24
25	·28	·02	—	—	—	·26	·03	·89	—	·02	·40	·45	25
26	—	·03	—	—	—	—	—	·16	—	·28	·15	·20	26
27	—	·02	—	—	—	—	·12	—	—	·11	·04	·42	27
28	—	·04	—	—	—	—	·13	·09	·03	·63	·35	·05	28
29	—	·02	—	—	—	—	·14	·11	1·39	·30	·02	—	29
30	—	—	—	—	·07	—	—	·14	1·47	·31	·15	·01	30
31	·03		·02	—	·01	—	·16	·25		—		·01	31
Total	3·55	2·82	3·18	·03	·80	3·49	1·28	5·88	2·98	3·97	2·10	2·94	YEAR'S TOTAL 33·02
Rain Days.	19	22	23	1	10	14	12	25	6	19	20	25	196

W. 7,500, XI. 12

Ex

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 JAN 1914

Kept at . Hastings Cemetery.
in the County of Sussex.
by Walter . Field.

5

Lat. 50·52 40" Long. 0·35 5' 30" E
Time of Observation 9. a.m.
Nearest Railway Station Ore
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 in. ~~ft.~~ ~~in.~~
" " " " Sea Level 478 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·47	·05	·11	—	·05	—	—	—	·13	·13	·04	1
2	·02	·13	—	—	·09	—	·15	—	—	·02	·12	·04	2
3	—	—	·04	·41	·18	—	—	—	—	·02	—	·11	3
4	·23	—	·07	·01	—	—	·07	—	·18	·06	·25	—	4
5	·13	·01	·04	·02	—	·13	·05	—	·92	·17	·40	·03	5
6	·02	·02	·07	—	·02	·03	·26	—	·02	·31	·35	·07	6
7	—	·13	·07	—	—	—	·30	—	—	·52	·07	·02	7
8	—	·14	·03	—	·23	·03	—	—	—	·55	·05	·02	8
9	—	·03	—	·02	·17	—	—	·02	—	·11	·03	·03	9
10	—	—	—	·02	—	—	·19	—	·20	—	·48	·02	10
11	·04	—	—	·55	—	—	—	—	—	·60	·03	·02	11
12	·65	—	—	—	·11	—	—	—	—	·02	·60	·02	12
13	·76	—	·02	—	—	—	—	·09	·03	—	·24	—	13
14	·13	—	·08	·05	—	—	·46	—	·22	·06	·05	—	14
15	·16	·02	·40	·15	—	—	·23	—	·02	—	—	—	15
16	·41	—	·44	·12	—	—	—	—	·53	—	·02	—	16
17	·21	·04	·03	·02	—	—	·28	·04	—	—	·06	·03	17
18	·02	—	·02	·17	—	—	·05	—	—	—	·08	—	18
19	·03	—	·07	—	·02	—	·11	·03	·11	—	—	—	19
20	·25	—	—	·16	—	·24	·15	—	—	·49	·03	—	20
21	·02	—	—	·10	—	—	—	—	·02	·60	·47	—	21
22	·31	—	·05	—	—	—	·07	—	·04	—	—	—	22
23	·04	—	—	—	—	—	—	·01	·02	—	—	·74	23
24	·11	—	·02	·02	—	—	·02	·01	—	—	·06	—	24
25	·31	—	—	·28	—	·11	·02	—	—	—	·03	—	25
26	·01	·04	·15	—	—	—	·02	·05	—	·80	—	·34	26
27	—	·02	·04	—	—	—	—	—	—	·10	—	—	27
28	·12	—	·22	·02	—	—	—	·02	—	·22	—	—	28
29	·22	—	·02	·49	·20	—	—	·37	·02	·01	·02	—	29
30	·43	—	·07	·25	·07	—	—	·57	·02	·06	—	·05	30
31	—	—	·06	—	—	—	—	1·15	—	·23	—	—	31
Total	4·65	1·05	2·06	2·97	1·09	·59	2·43	2·36	2·35	5·08	3·57	1·58	YEAR'S TOTAL 29·78
Rain Days.	24	11	22	19	9	6	16	11	14	20	21	15	188

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 JAN 1915

Ex. ug

Kept at Hastings Cemetery,

in the County of Sussex. 5

by Walter Field

Lat. 50° 52' N Long. 0·34 E

Time of Observation 9 a.m

Nearest Railway Station Ore

Diameter of Rain Gauge five ins

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level 478. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·02			·07	·03				·03	1
2	·02	·02					·14			·01	·06	·18	2
3	·02	·04	·19		·18			·02			·01	·02	3
4	·01	·02	·01	·29				·36			·43	·56	4
5	·18	·02	·16	·19	·02	·02	·17	·01			·02		5
6		·02	·03	·17	·02	·08		·01			·02	·39	6
7	·05	·32	·22	·02	·02	·28	·14	·07			·01	·32	7
8	·12	·18	·27		·12	·13	·03					·11	8
9	·18	·02	·43	·06	·03			·02	·15			1·15	9
10		·04	·04	·12	·06			·01	·05	·02	·01	·03	10
11		·26	·35	·06					·25		·10	·42	11
12		·04	·16			·04	·03		·46	·05	·08	·53	12
13	·06	·26	·18			·07			·22	·05	·16	·72	13
14		·07	·09			·03		·03	·02	·45	·15	·29	14
15		·02	·34				·06	·03	·02		·81	·02	15
16		·40	·03						·08		·01		16
17		·14	·13				·10			·04	·03	·10	17
18		·06	·14				·02			·03	·03	·32	18
19		·13	·73				·19			·11	·23	·37	19
20		·07	·15				·02		·08	·12		·41	20
21		·57	·03							·03		·05	21
22		·02			·03	·08	·44	·04		·05			22
23			·88	·01		·32	·03	·01	·01	·03			23
24			·03							·02	·24	·02	24
25	·20		·24					·05	·02	·27	·02		25
26	·03		·04			·01		·44		·21	·11	·37	26
27	·02		·02					·02		·03	·16	·44	27
28	·03	·03					·10			·46	·46	·31	28
29	·05	X								·63	·03	·01	29
30		X	·07							·10	·58	·05	30
31	·02	X		X	·40	X	·02		X		X	·11	31
Total	·99	2·75	4·99	·94	·88	1·06	1·56	1·15	1·36	2·71	3·76	7·33	YEAR'S TOTAL 29·48
Rain Days.	14	22	26	9	9	10	15	15	11	19	23	26	199

W. 8,000. X. 14.

630

FORM A.
BRITISH RAINFALL
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hastings Cemetery

in the County of Sussex

by Walter Field

5

Lat. 50°52 N Long. 0.34 E

Time of Observation 8 a.m.

Nearest Railway Station Ore

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground — ft. eight in.

" " " " Sea Level — 478 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.57	.10	.02	—	.04	—	—	.16	.70	—	.10	.23	1
2	.42	.12	.20	.11	.03	—	—	—	.27	—	—	.17	2
3	.31	—	—	.30	.26	—	—	.21	.16	—	.02	.51	3
4	.05	—	—	.02	—	—	—	.15	—	—	.06	.27	4
5	.04	.19	—	.14	—	—	—	.04	—	.03	—	.49	5
6	.58	.31	.04	.43	—	.03	.10	—	—	—	.02	.17	6
7	.38	.30	.07	.02	—	—	.02	—	—	—	—	.27	7
8	.03	.10	.10	—	—	.09	.39	—	—	—	.07	.03	8
9	.05	.36	.01	.05	—	—	.01	—	—	—	.46	1.00	9
10	.24	—	.01	—	—	.33	—	—	—	—	—	.77	10
11	—	.03	.01	—	—	—	—	—	—	.03	.83	.03	11
12	.04	.06	—	.33	.21	—	—	—	.01	.07	.40	.02	12
13	.03	.64	—	.03	1.53	—	—	—	.08	—	—	—	13
14	.05	.04	—	—	—	—	.52	—	.04	—	—	.33	14
15	.10	.02	—	—	.10	—	.25	.61	—	—	.25	.19	15
16	—	.40	—	.06	.26	—	.94	.27	—	—	—	.02	16
17	—	.46	—	—	1.20	—	—	.02	—	—	.02	.21	17
18	—	.06	—	—	.09	—	—	—	—	—	.02	.07	18
19	—	.02	—	—	—	—	—	—	—	.02	—	—	19
20	.35	.02	—	.03	.02	—	—	.07	—	—	—	.17	20
21	.15	—	—	—	—	—	—	—	—	.01	—	.07	21
22	.02	—	.06	—	—	—	.71	—	—	—	—	.14	22
23	.03	.08	.08	—	—	—	.02	—	.05	.05	—	.73	23
24	—	.01	.04	.08	—	—	.05	—	—	.72	—	.24	24
25	.02	—	—	.06	—	—	.16	—	.39	—	—	.32	25
26	—	—	—	—	—	.11	.02	—	.02	.03	—	.67	26
27	—	.02	.01	—	—	.25	.05	—	—	.30	—	.02	27
28	.02	.03	.01	—	—	.12	—	—	1.00	.61	.02	—	28
29	—	✕	—	—	.04	.03	.02	.40	—	.53	.27	.03	29
30	.25	✕	—	—	—	—	—	—	—	.19	.33	.02	30
31	.02	✕	—	✕	—	✕	.02	.02	✕	.58	✕	.22	31
Total	3.75	3.37	.66	1.66	3.78	.96	3.28	1.95	2.72	3.17	2.87	7.41	YEAR'S TOTAL 35.58
Rain Days.	22	21	13	13	11	7	15	10	10	13	14	28	177 ✓

W. 8,000. X. 15.

Exd C.J.E

FORM A.
BRITISH RAINFALL.

3 JAN 191

REGISTER OF RAINFALL IN 1916

Kept at Hastings Cemetery.

in the County of Sussex.

by Walter Field

Lat. 50° 52' N Long. 0° 34' E
Time of Observation 9 a.m
Nearest Railway Station Ore
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 478 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·03	—	—	·35	·01	—	—	—	·02	·93	—	1
2	·32	·02	·56	—	·14	—	—	—	—	·80	·02	—	2
3	·02	·18	·12	—	—	—	·21	—	·01	·16	·38	—	3
4	·15	—	—	—	—	·17	—	—	·20	·05	·33	—	4
5	·02	—	·02	·02	·09	·16	—	—	—	·06	·21	—	5
6	·02	—	·20	·42	·03	·36	·26	—	·01	·07	·21	·02	6
7	·03	·05	·67	—	·37	·06	·04	—	—	·08	·20	·03	7
8	·01	—	·02	—	·26	—	—	—	—	—	·01	·29	8
9	·01	—	·02	—	·27	·05	—	—	—	·02	—	·19	9
10	—	·42	—	·11	—	·38	·03	—	—	·06	—	·45	10
11	·04	·32	·03	·11	—	·21	—	—	·01	—	—	·24	11
12	·08	·05	·11	·11	·24	·13	·06	·01	·02	·06	·01	·02	12
13	·01	·17	·10	·04	·26	·08	·02	·03	—	·03	·01	·48	13
14	—	·27	·06	—	·17	—	—	·40	—	·05	—	·42	14
15	—	·25	·08	—	—	—	—	—	—	—	—	·10	15
16	·02	·02	·06	·28	—	—	·23	—	—	—	—	·09	16
17	·32	·11	·02	·03	—	—	—	—	·38	·78	—	·02	17
18	·08	·05	·02	—	—	—	·08	—	·27	·50	1·11	·06	18
19	·16	—	·05	—	—	—	—	—	·21	—	1·09	·15	19
20	·05	—	·09	—	—	·04	—	·19	—	·01	·21	·48	20
21	·04	—	·51	—	—	—	—	—	—	—	·02	·69	21
22	·01	·30	·12	·17	·02	·03	—	—	—	·01	·02	·54	22
23	·02	·18	·37	·03	—	·11	·02	·08	—	—	—	·03	23
24	—	·67	·06	—	·06	—	—	—	—	·32	—	·35	24
25	—	·15	·08	—	—	·02	—	·23	—	·13	·07	—	25
26	·02	·50	·01	—	—	·06	—	·06	·02	·06	—	—	26
27	·02	·13	·70	—	—	·04	—	·07	·10	·55	—	—	27
28	—	·50	·03	—	—	·25	—	·14	·24	·48	·02	·36	28
29	—	·19	—	—	—	·36	—	·80	·07	·56	—	·56	29
30	—	X	·02	—	—	—	—	·10	—	·25	—	—	30
31	—	X	—	X	—	X	—	—	X	·40	X	·02	31
Total	1·47	4·56	4·13	1·32	2·26	2·52	·95	2·11	1·54	5·51	4·85	5·59	YEAR'S TOTAL 36·81
Rain Days.	22	21	26	10	12	18	9	11	12	24	17	22	204

W. 8,000, VIII. 16

[illegible]

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

5. JAN 1918

Kept at Hastings Cemetery
in the County of Sussex
by Walter Field

Lat. 50°·52 N Long. 0·34 E
Time of Observation 8 a.m.
Nearest Railway Station Ore
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground — ft. eight in.
" " " " Sea Level 478 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·12

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	—	·06	—	—	—	1·76	·03	—	·10	·02	1
2	—	—	—	·14	—	—	—	·16	·01	·15	·06	—	2
3	·05	—	—	·12	—	—	·50	·28	—	·20	·19	—	3
4	—	·12	·36	—	—	—	·50	·06	—	·18	—	—	4
5	·30	—	·08	—	—	—	—	—	·22	·26	·01	—	5
6	—	—	—	·04	—	·31	—	—	·06	—	·16	·01	6
7	·39	—	—	·30	—	—	·20	—	—	·36	—	·12	7
8	·06	—	—	·12	—	—	·10	·12	—	·40	·36	·31	8
9	—	—	·08	·02	—	—	·03	—	—	·03	·02	·86	9
10	·16	—	·08	·04	—	·57	—	·06	—	—	·01	—	10
11	·17	·08	·30	·10	—	—	—	—	—	·24	—	—	11
12	·04	·01	·02	·09	—	—	—	—	—	·38	—	·01	12
13	—	—	·21	·19	·24	—	—	·02	—	·26	·01	·01	13
14	—	—	—	—	—	—	·01	·12	—	·05	·01	—	14
15	—	—	—	—	—	—	—	·15	—	·06	—	·05	15
16	·06	—	—	·17	·15	—	—	—	—	·05	—	·75	16
17	—	·04	—	·12	·23	—	·34	—	·20	·20	—	—	17
18	·04	·04	·12	·06	·23	—	·29	·04	·15	—	—	·05	18
19	—	·22	—	—	—	·02	—	—	·11	—	—	—	19
20	—	—	·08	—	1·17	·05	—	—	—	·05	—	—	20
21	—	·02	·03	—	—	·03	—	—	·01	—	·02	—	21
22	—	—	·20	—	—	·38	·04	·06	—	·30	—	—	22
23	—	·26	·02	—	·23	—	—	·02	—	—	—	—	23
24	—	·03	—	—	—	—	·13	·14	·01	·23	·03	·04	24
25	—	·08	·05	—	—	—	·02	—	—	—	—	—	25
26	—	—	·04	—	—	·02	—	·66	·05	—	1·04	—	26
27	—	—	—	—	—	·09	—	1·00	—	·03	—	·07	27
28	—	—	·11	—	—	1·55	—	·42	—	—	—	·10	28
29	—	✗	·04	—	—	—	·88	·02	—	·15	—	—	29
30	·10	✗	·04	—	·02	—	·55	·30	·01	·11	—	·03	30
31	·05	✗	·22	✗	—	✗	·50	—	✗	·06	✗	·12	31
Total	1·43	·90	2·08	1·57	2·27	3·02	4·09	5·39	·86	3·75	2·02	2·55	YEAR'S TOTAL 29·93
Rain Days.	12	10	18	14	7	9	14	18	11	21	13	15	162

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.
9 . 1 . 19

REGISTER OF RAINFALL IN 1918

Eng L

Kept at Hastings Cemetery
in the County of Sussex
by Walter Field

Lat. 50°52 N Long. 0°.34 E
Time of Observation 8 a m.
Nearest Railway Station Ore
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 478 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	—	—	—	·21	·03	1
2	—	·02	·01	—	—	—	—	·30	—	—	·59	·05	2
3	—	·01	·08	·23	·26	—	—	·17	—	·02	·41	·04	3
4	—	·02	·02	·05	·03	—	—	·07	·26	—	·22	·04	4
5	—	·12	—	—	·34	—	—	·20	—	·02	—	·02	5
6	·13	·06	—	·11	·27	—	—	·23	·03	·02	—	·05	6
7	·08	·02	—	·22	·06	—	—	·03	·64	—	·10	·06	7
8	—	—	—	·02	—	—	—	—	·17	·02	·10	—	8
9	·05	—	—	·10	—	·17	—	—	·26	·18	—	·13	9
10	—	—	—	·04	—	·03	·10	—	·42	·03	—	·12	10
11	—	—	—	—	·02	—	·03	—	·22	·39	·08	·13	11
12	—	·09	·01	—	·16	—	—	—	·05	·24	—	·02	12
13	·20	—	·01	·03	·15	—	·07	—	·19	—	—	·03	13
14	·12	—	·04	—	—	·10	·31	—	·29	·29	—	·05	14
15	1·70	—	—	·05	—	·03	—	—	·02	·03	—	·21	15
16	·20	—	—	·17	—	—	·09	—	·03	—	—	—	16
17	·40	—	—	·12	—	·35	·09	—	—	—	—	·16	17
18	·15	—	—	—	—	·24	—	—	·93	·35	—	·03	18
19	·09	—	·10	—	—	—	—	—	—	·21	—	·02	19
20	·04	·13	—	·08	—	·03	—	—	·21	1·05	—	—	20
21	·09	—	—	·27	—	—	·97	—	·06	·11	—	·03	21
22	·09	—	—	·01	·03	—	·27	—	·63	—	—	·31	22
23	·09	—	—	—	·03	—	·87	—	—	—	—	·04	23
24	·01	·20	—	·02	—	·02	—	—	·14	—	·08	—	24
25	—	—	—	—	·02	·03	—	—	—	·05	·04	—	25
26	—	—	—	—	—	—	·05	·26	·04	—	·13	·07	26
27	—	—	·01	·08	—	—	—	—	·54	—	·05	·08	27
28	—	·05	—	·05	·05	·25	·27	·14	—	—	·24	·03	28
29	—	—	·15	·16	—	—	—	—	·87	·01	·03	—	29
30	—	X	·42	—	—	—	—	—	—	·20	·02	·17	30
31	—	X	·03	X	—	X	—	—	X	·04	X	·04	31
Total	3·44	·72	·88	1·81	1·42	1·25	3·12	1·40	6·00	3·26	2·30	1·96	YEAR'S TOTAL 27·56
Rain Days.	15	10	11	18	12	10	11	8	20	18	14	25	172

W. 8,000, IX. 17.

548

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

10 JAN 20

Kept at Hastings Cemetery
in the County of Sussex
by Walter Field

Lat 50° 52′ N Long 0° 34′ E
Time of Observation 9 a.m.
Nearest Railway Station Hastings
Diameter of Funnel of Rain Gauge — 5 in.
Height of top of Gauge above Ground — ft 8 in.
" " " Sea Level 478 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29	·04	·01	—	·04	—	·12	—	—	·18	·02	·65	1
2	·19	—	·05	—	·01	—	·04	—	—	—	·04	·16	2
3	·19	·04	·59	—	—	—	—	—	·11	—	·01	·40	3
4	·23	·06	·40	—	·01	·0.3	—	·06	·02	—	·14	·14	4
5	·01	·25	·75	—	—	—	—	·16	—	·01	·10	·3.5	5
6	·12	—	·0.3	—	—	—	—	—	—	·02	·01	·07	6
7	·06	—	·25	—	—	—	—	—	—	—	·46	—	7
8	·23	—	·08	—	—	—	—	—	—	—	·01	—	8
9	·19	—	·04	—	·09	—	—	—	—	—	·34	—	9
10	·34	—	·04	·0.3	—	—	—	—	—	—	·04	·04	10
11	·29	—	·0.5	·40	·0.3	—	—	—	—	—	—	·22	11
12	·0.5	—	—	—	·02	—	·16	—	—	·09	·0.3	—	12
13	—	·02	—	·15	—	—	—	—	—	—	—	·06	13
14	·21	—	—	·30	—	—	·15	—	·06	—	—	·04	14
15	·10	·04	—	·12	—	—	—	—	—	—	·09	·17	15
16	·12	·71	—	—	—	—	—	—	—	—	·22	·0.3	16
17		·40	·0.3	—	—	—	—	—	—	—	·20	·0.3	17
18	·02	·0.3	·10	—	—	—	—	—	·01	—	·14	·04	18
19	·01	·25	·41	—	—	—	·22	·09	—	·01	·17	—	19
20	·26	·07	·19	—	—	·40	·08	·08	—	·01	·0.3	·0.3	20
21	—	·45	·04	—	—	—	·46	—	—	—	—	·09	21
22	—	·04	·06	—	—	—	·29	—	·21	—	·06	·18	22
23	·01	—	—	—	—	·01	·06	—	·18	·01	·04	·0.3	23
24	—	·24	—	·21	—	—	—	—	—	·06	·58	·10	24
25	—	·02	·01	—	·03	—	—	·17	—	—	·01	—	25
26	·10	·14	·05	·09	—	—	·23	·04	·05	—	·25	·36	26
27	·34	—	·10	·62	—	—	—	·17	—	—	·59	·02	27
28	·01	—	·25	·23	—	—	—	·49	—	—	·42	·45	28
29	·06		—	·06	—	·01	—	·16	—	·26	·15	·21	29
30			·03	·20	—	—	—	·58	—	·16	·10	·20	30
31	·16		—		—		·01	·02		·21		·03	31
TOTAL	3·59	2·80	3·56	2·41	·23	·45	1·82	2·02	·64	1.02	4·25	4·10	YEAR'S TOTAL 26·89
Days with ·01 in. or more	24	16	22	11	7	4	11	11	7	11	26	25	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

85 517

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Hastings Cemetery
in the County of Sussex
by W. Field

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17				·02		·06			·52		·27	1
2			·02	·10	·02			·58	·05	·15		·08	2
3									·01			·06	3
4		·07	·01	·14			·71	·03				·11	4
5			·01		·03		·33	·10	·04			·10	5
6			·05		·20		·31			·01			6
7	·06	·02		·10	·14		·04			·04		·03	7
8					·04		·17			·01			8
9	·30	·05			·03	·01	·05					·01	9
10	·60	·21	·09	·16		·05	·05				·02	·02	10
11	·29		·20	·18		·02	·22						11
12	·08	·02	·01	·14	·05	·50	·07			·01	·02	·02	12
13	·37	·05	·24							·01	·05		13
14			·33	·25		·06			·01	·37	·26		14
15	·04	·01	·03						·73	·33	·13	·04	15
16	·02		·01	·02	·32				·57	·02		·25	16
17	·02			·05	·08		·09		·60			·02	17
18	·07				·18			1·29	·81			·04	18
19	·05			·28	·01			·02	·10			·07	19
20	·06			·06					·83				20
21		·09				·70	·10		·08	·01		·62	21
22		·01		·36					·01			·42	22
23				·01			·38					·48	23
24		·01	·04				·01		·03	·02	·02	·08	24
25	·02			·01			·17						25
26	·04		·20	·07			·02		·02	·01	·02	·02	26
27	·27	·07	·02	·16		·05		·02			·07	·27	27
28	·23			·05	·33		·09				·43	·04	28
29	·30	·01	·01	·15					·01		·24	·05	29
30	·02	✕	·03	·01			·06		·20		·22	·15	30
31	·03	✕	·03	✕		✕			✕	·17	✕	·25	31
TOTAL	3·04	·62	1·33	2·30	1·45	1·39	2·93	2·04	4·10	1·68	1·48	3·50	YEAR'S TOTAL 25·86
Days with ·01 in. or more	20	12	17	19	13	7	18	6	16	14	11	24	177
·04	15	6	7	15	8	5	16	3	10	6	7	18	116

(41783). Wt. 25,958—218. 7500. 10/19. Gp.132. A.&E.W.

·628

REGISTER OF

HASTINGS

{HALTON}

SUSSEX

1915, 19-20

FORM A.
BRITISH RAINFALL.

14. JUN. 1916

Kept at Halton

in the County of Sussex

by P H Palmer

8 in.

— ft. 10 in.

vel 300 ft.

IMPORTANT NOTE.—Rain should ... and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	70	09	05	–	–	–	–	19	71	–	15	19	1
2	56	20	20	10	02	–	–	02	21	–	–	17	2
3	34	–	04	32	22	–	–	27	14	–	–	49	3
4	05	–	–	03	–	–	–	05	–	02	07	31	4
5	05	20	–	16	–	–	–	03	–	05	–	43	5
6	50	29	–	50	–	–	10	–	–	–	–	22	6
7	56	31	05	–	–	–	–	–	–	–	–	28	7
8	07	05	14	–	–	–	43	–	–	–	04	02	8
9	05	41	–	12	–	05	02	–	–	–	56	1·06	9
10	28	–	–	–	–	14	–	–	–	–	–	71	10
11	–	04	–	–	–	–	–	–	–	02	90	05	11
12	04	–	–	33	06	–	–	–	–	05	51	–	12
13	05	94	–	02	1·58	–	–	–	03	–	–	–	13
14	07	04	–	–	–	–	50	–	07	–	–	40	14
15	16	–	–	–	09	–	23	59	–	–	25	24	15
16	–	30	–	05	02	–	93	23	–	–	02	–	16
17	–	86	–	–	1.13	–	06	–	–	–	–	24	17
18	–	05	–	–	12	–	–	–	–	–	–	09	18
19	–	–	–	–	–	–	–	–	–	03	–	–	19
20	27	–	–	04	02	–	–	13	–	–	–	14	20
21	17	–	–	–	–	–	–	–	–	–	–	09	21
22	02	–	06	–	–	–	71	–	–	–	–	21	22
23	04	03	05	–	–	–	–	–	–	02	–	79	23
24	–	04	05	–	–	–	13	–	40	74	–	49	24
25	–	–	–	14	–	–	19	–	–	04	–	32	25
26	–	–	–	–	–	05	02	–	–	–	–	61	26
27	–	–	–	–	–	21	05	–	–	19	–	05	27
28	–	02	–	–	–	03	–	–	80	83	–	–	28
29	–		–	–	02	18	–	34	5	10	25	04	29
30	12		–	–	–	–	–	–	–	29	31	–	30
31	21		–		–		–	–		49		31	31
Total	4·31	3·87	·64	1·81	3·28	·66	3·37	1·85	2·41	2·87	3·06	7·95	YEAR'S TOTAL 36·08
Rain Days.	20	16	8	11	10	6	12	9	8	13	10	25	148

W. 8,000. X. 15.

·628

FORM A.
BRITISH RAINFALL.

14. JUN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Halton
in the County of Sussex
by P. H. Palmer

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ore
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	70	09	05	–	–	–	–	19	71	–	15	19	1
2	56	20	20	10	02	–	–	02	21	–	–	17	2
3	34	–	04	32	22	–	–	27	14	–	–	49	3
4	05	–	–	03	–	–	–	05	–	02	07	31	4
5	05	20	–	16	–	–	–	03	–	05	–	43	5
6	50	29	–	50	–	–	10	–	–	–	–	22	6
7	56	31	05	–	–	–	–	–	–	–	–	28	7
8	07	05	14	–	–	–	43	–	–	–	04	02	8
9	05	41	–	12	–	05	02	–	–	–	56	1·06	9
10	28	–	–	–	–	14	–	–	[illegible]	–	–	71	10
11	–	04	–	–	–	–	–	–	–	02	90	05	11
12	04	–	–	33	06	–	–	–	–	05	51	–	12
13	05	94	–	02	1·58	–	–	–	03	–	–	–	13
14	07	04	–	–	–	–	50	–	07	–	–	40	14
15	16	–	–	–	09	–	23	59	–	–	25	24	15
16	–	30	–	05	02	–	93	23	–	–	02	–	16
17	–	86	–	–	1·13	–	06	–	–	–	–	24	17
18	–	05	–	–	12	–	–	–	–	–	–	09	18
19	–	–	–	–	–	–	–	–	–	03	–	–	19
20	27	–	–	04	02	–	–	73	–	–	–	14	20
21	17	–	–	–	–	–	–	–	–	–	–	09	21
22	02	–	06	–	–	–	71	–	–	–	–	21	22
23	04	03	05	–	–	–	–	–	–	02	–	79	23
24	–	04	05	–	–	–	13	–	40	74	–	49	24
25	–	–	–	14	–	–	19	–	–	04	–	32	25
26	–	–	–	–	–	05	02	–	–	–	–	61	26
27	–	–	–	–	–	21	05	–	–	19	–	05	27
28	–	02	–	–	–	03	–	–	80	83	–	–	28
29	–	X	–	–	02	18	–	34	5	10	25	04	29
30	12	X	–	–	–	–	–	–	–	29	31	–	30
31	21	X	–	X	–	X	–	–	X	49	X	31	31
Total	4·31	3·87	·64	1·81	3·28	·66	3·37	1·85	2·41	2·87	3·06	7·95	YEAR'S TOTAL 36·08
Rain Days.	20	16	8	11	10	6	12	9	8	13	10	25	148

W. 8,000. X. 15.

546

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919.

Kept at Halton, Hastings.
in the County of Sussex.
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 301 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·43	0·09	–	–	0·19	–	0·05	–	–	0·24	0·06	0·68	1
2	0·14	0·02	0·05	–	0·04	–	0·05	–	–	–	0·03	0·42	2
3	0·20	–	0·50	–	0·03	–	–	–	0·10	–	–	0·43	3
4	0·20	0·07	0·48	–	–	0·02	–	0·11	0·02	–	0·12	0·08	4
5	0·02	0·40	0·79	–	–	–	–	0·19	–	–	0·08	0·47	5
6	0·15	–	0·03	–	–	–	–	–	–	–	–	0·06	6
7	0·08	–	0·40	–	–	–	–	–	–	0·04	0·48	–	7
8	0·28	–	0·03	–	–	–	–	–	–	–	–	–	8
9	0·18	–	0·06	–	0·07	–	–	–	–	–	0·32	–	9
10	0·37	–	0·08	0·04	–	–	–	–	–	–	0·03	–	10
11	0·23	–	0·05	0·34	0·02	–	–	–	–	–	–	0·30	11
12	0·05	–	–	0·12	0·02	–	–	–	–	0·23	0·03	–	12
13	–	–	–	0·04	–	–	0·14	–	–	–	–	0·02	13
14	0·44	–	–	0·70	–	–	0·16	–	0·04	–	–	0·03	14
15	0·14	0·03	–	0·17	–	–	–	–	~~0·03~~	–	0·06	0·17	15
16	0·12	0·76	–	–	–	–	–	–	–	–	0·21	0·03	16
17	–	0·34	0·03	0·02	–	–	–	–	–	–	0·20	0·05	17
18	–	0·04	0·05	–	–	–	0·21	0·04	–	–	0·07	0·07	18
19	–	0·23	0·47	–	–	–	0·07	0·18	–	–	0·28	–	19
20	0·30	0·07	0·19	–	–	0·45	0·47	0·12	–	–	–	0·03	20
21	–	0·50	0·11	–	–	–	0·04	–	–	–	–	0·08	21
22	–	0·07	0·04	–	–	–	0·24	–	0·48	–	0·10	0·19	22
23	–	–	–	–	–	0·03	0·07	–	0·11	–	0·05	0·02	23
24	–	0·34	–	0·19	–	–	–	–	–	0·05	0·66	0·11	24
25	0·08	–	–	–	0·02	–	0·02	0·35	–	–	0·03	–	25
26	0·15	0·13	–	0·09	–	–	0·25	0·02	–	–	0·18	0·43	26
27	0·38	–	0·17	0·58	–	–	–	–	–	–	0·80	0·02	27
28	–	–	0·20	0·26	–	–	–	0·57	–	–	0·42	0·43	28
29	0·06	X	0·03	0·08	–	–	–	0·07	–	0·24	0·37	0·26	29
30	–	X	0·02	0·05	–	–	–	0·53	–	0·10	0·07	0·26	30
31	0·10	X	–	X	–	X	–	0·07	X	0·24	X	0·01	31
Total	4·10 ✓	3·09	3·78 ✓	2·68 ✓	0·39	0·50	1·77 ✓	2·25 ✓	0·75	1·14	4·65 ✓	4·65	YEAR'S TOTAL 29·75 in.
Rain Days.	21 ✓	14 ✓	20 ✓	13 ✓	7 ✓	3 ✓	12 ✓	11 ✓	5 ✓	7 ✓	22 ✓	24	159 ✓

W. 8 000, IX. 17.

S15

20 MAY 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hatton - Hastings
in the County of Sussex
by Hastings Corporation

Lat. 50°51'45" Long. 0°35'40"
Time of Observation 12 p.m to 12 p.m
Nearest Railway Station Ore
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan, 1, following. ·26

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	-	-	·02	·02	-	·08	-	-	·55	-	·29	1
2	-	-	-	·09	·02	-	-	·48	·07	·04	-	·20	2
3	-	-	-	-	-	-	-	-	-	-	-	·17	3
4	-	·07	-	·10	-	-	·56	·02	-	-	-	·11	4
5	-	-	·02	-	-	-	·27	·17	·09	-	-	·10	5
6	-	-	·14	-	·20	-	·26	-	-	-	-	-	6
7	·08	-	-	·15	·13	-	·06	-	-	·05	-	·05	7
8	-	-	-	·11	·11	-	·19	-	-	-	-	-	8
9	·35	-	-	-	·02	-	·03	-	-	-	-	-	9
10	·61	·22	·05	·23	-	-	·04	-	-	-	-	·03	10
11	·73	-	·18	·08	-	·07	·15	-	-	-	-	-	11
12	·09	·03	·03	·15	·06	·65	·25	-	-	-	-	-	12
13	·36	·09	·18	-	-	-	-	-	-	-	·07	-	13
14	-	·02	·41	·26	-	·05	-	-	-	·04	·34	-	14
15	·08	-	·03	-	·01	-	-	-	·73	·70	·17	·02	15
16	·01	-	-	·01	·15	-	-	-	·73	-	-	·16	16
17	·01	-	-	·03	·08	-	·08	-	·30	-	-	·02	17
18	·07	-	-	-	·24	-	-	1·09	1·04	-	-	·04	18
19	·08	-	-	·11	-	-	-	·11	·12	-	-	·08	19
20	·08	·08	-	·23	-	·74	-	-	·77	-	-	-	20
21	-	-	-	-	-	-	·08	-	·06	-	-	·68	21
22	-	-	-	·36	-	-	-	-	-	-	-	·40	22
23	-	-	-	-	-	-	·35	-	-	-	-	·44	23
24	-	-	·06	-	-	-	·08	-	·04	-	-	·14	24
25	-	-	-	-	-	-	·23	-	·02	-	-	-	25
26	·05	-	·04	·06	-	-	·04	-	-	-	-	·02	26
27	·34	·06	·12	·21	-	·08	-	-	-	-	·05	·29	27
28	·17	-	-	·02	·37	-	·10	-	-	-	·52	·05	28
29	·44	-	-	·14	-	-	-	-	-	-	·33	·10	29
30	-		·03	-	-	-	·06	-	·19	-	·22	·10	30
31	·06		-		-		-	-		·17		·47	31
TOTAL	3·75	·57	1·29	2·36	1·41	1·59	2·91	1·87	4·16	1·55	1·70	3·96	YEAR'S TOTAL 27·12
Days with ·01 in. or more	18	7	12	18	12	5	18	5	12	6	7	22	142
Days with ·04 in. or more	16	5	8	14	8	5	17	4	11	6	7	18	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HASTINGS
{NEWGATE}
SUSSEX
1911-20

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

REC 1911.

Kept at Hasti
in the County of Suss
by Hastings

of top 8 in.
f top above Ground 5 ft. 6 in.
" " Sea Level 240 ft.
ion
Station { Name Hastings
Distance 800 yds Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. no. Rainfall.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
11 1	·10	–	–	·50.	–	–	·03.	·05	–	–	–	–	1
2	–	–	–	·15.	·35.	–	–	·01	–	–	·41	–	2
3	·02	–	–	·05.	·12.	–	–	–	–	–	·02.	·44.	3
4	·06.	·01	·08	–	–	–	–	–	–	·09.	·10	·35.	4
5	·09.	–	–	·15	–	–	–	–	–	·17.	·27.	·35.	5
6	·22.	–	–	–	–	–	–	–	–	–	–	–	6
7	–	–	–	·01	–	–	–	–	L	1·04	·44.	·90.	7
8	·03	–	–	–	–	–	–	–	–	–	·93	·05.	8
9	·18	–	·19.	–	–	–	–	–	–	·05	·80.	·33	9
10	–	·08.	–	·05	–	–	–	–	–	·02	·37	·74.	10
11	·30.	·05.	·03	·02	–	–	–	–	–	–	1·23.	–	11
12	·33.	–	·40	–	–	–	–	–	–	–	·11	·01	12
13	–	–	–	–	–	–	–	–	·18.	·09	·09	·07.	13
14	–	–	–	–	·20.	–	–	–	–	·01	–	·22	14
15	–	·04.	·16.	–	–	–	–	–	–	·02.	·07.	·58.	15
16	·02	·02	·01	–	–	·17.	–	–	–	·01	·39.	–	16
17	–	–	–	–	–	·25.	–	–	–	–	·14.	·12	17
18	–.	·12	·08	–	–	–	–	–	–	–	·82.	·42	18
19	–	–	·02	–	–	·04.	–	–	–	·06	·04	·10	19
20	–	–	–	–	–	·03.	–	·11	·07.	·27.	–	·38	20
21	·02.	·12	–	–	–	–	–	·86	·17.	–	–	·31.	21
22	·02.	·10	·44.	–	L	·08.	–	·97.	–	·94	–	·71.	22
23	·01	·19.	·03	L	–	·30.	–	–	·15.	·04	·04.	–	23
24	·01.	–	·02	–	–	·57.	–	·06	·18.	1·85.	–	·27.	24
25	·05.	·14	·18	·01.	–	·09.	·04.	–	–	·05.	–	·21	25
26	–	·01	·18.	·09.	–	·20.	–	·04.	·06.	·38	–	·30.	26
27	–	·30	·12.	·24.	·02.	–	–	–	–	·73.	·21	–	27
28	–	·20	–	·16.	–	–	–	–	·08.	–	·01	·06.	28
29	–	–	–	·16	–	–	·22.	–	–	·34.	–	–	29
30	–	–	–	·02.	–	·14.	–	–	·42	·42	–	–	30
31	–	–	–	–	–	–	–	–	–	–	–	·01.	31
99 Total	1·46.	1·38.	1·94.	1·61	·69.	1·87.	·29.	2.10	1·31.	6·58.	6·49.	6·93	TOTAL for year 32·65
No. of Rain Days.	15.	13.	14.	·13.	4.	10.	3.	7.	8.	19	19.	22	147.

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Hastings
in the County of Sussex 5
by Hastings Corporation

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 5 ft. 6 in.
" " " Sea Level 240 ft.

Time of Observation

Nearest Railway Station
Name Hastings
Distance 800 yds Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. no. Rainfall.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	–	–	·50	–	–	·03	·05	–	–	–	–	1
2	–	–	–	·15	·35	–	–	·01	–	–	·41	–	2
3	·02	–	–	·05	·12	–	–	–	–	–	·02	·44	3
4	·06	·01	·08	–	–	–	–	–	–	·09	·10	·35	4
5	·09	–	–	·15	–	–	–	–	–	·17	·27	·35	5
6	·22	–	–	–	–	–	–	–	–	–	–	–	6
7	–	–	–	·01	–	–	–	–	L	1·04	·44	·90	7
8	·03	–	–	–	–	–	–	–	–	–	·93	·05	8
9	·18	–	·19	–	–	–	–	–	–	·05	·80	·33	9
10	–	·08	–	·05	–	–	–	–	–	·02	·37	·74	10
11	·30	·05	·03	·02	–	–	–	–	–	–	1·23	–	11
12	·33	–	·40	–	–	–	–	–	–	–	·11	·01	12
13	–	–	–	–	–	–	–	–	·18	·09	·09	·07	13
14	–	–	–	–	·20	–	–	–	–	·01	–	·22	14
15	–	·04	·16	–	–	–	–	–	–	·02	·07	·58	15
16	·02	·02	·01	–	–	·17	–	–	–	·01	·39	–	16
17	–	–	–	–	–	·25	–	–	–	–	·14	·12	17
18	–	·12	·08	–	–	–	–	–	–	–	·82	·42	18
19	–	–	·02	–	–	·04	–	–	–	·06	·04	·10	19
20	–	–	–	–	–	·03	–	·11	·07	·27	–	·38	20
21	·02	·12	–	–	–	–	–	·86	·17	–	–	·31	21
22	·02	·10	·44	–	L	·08	–	·97	–	·94	–	·71	22
23	·01	·19	·03	L	–	·30	–	–	·15	·04	·04	–	23
24	·01	–	·02	–	–	·57	–	·06	·18	1·85	–	·27	24
25	·05	·14	·18	·01	–	·09	·04	–	–	·05	–	·21	25
26	–	·01	·18	·09	–	·20	–	·04	·06	·38	–	·30	26
27	–	·30	·12	·24	·02	–	–	–	–	·73	·21	–	27
28	–	·20	–	·16	–	–	–	–	·08	–	·01	·06	28
29	–	–	–	·16	–	–	·22	–	–	·34	–	–	29
30	–	–	–	·02	–	·14	–	–	·42	·42	–	–	30
31	–	–	–	–	–	–	–	–	–	–	–	·01	31
99 Total	1·46	1·38	1·94	1·61	·69	1·87	·29	2·10	1·31	6·58	6·49	6·93	TOTAL for year 32·65
No. of Rain Days.	15	13	14	13	4	10	3	7	8	19	19	22	147

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL

2 JAN 1913

Kept at Hastings.

in the County of Sussex. 5

by The Hastings Corporation

Lat. Long.

Time of Observation

Nearest Railway Station Hastings

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
12 1	–	–	.09.	.01.	–	.36	.11.	–	.31	.67	–	.20.	1
2	–	–	.10	–	–	.12	.08	–	–	07	–	–	2
3	.02.	.	–	–	–	.28	–	.02	–	–	–	–	3
4	.03	–	.39.	–	–	.74.	.03.	.11.	.01.	–	–	–	4
5	.14.	.38	.14.	–	–	.20	–	–	–	–	.47.	–	5
6	.64	.12.	–	–	.02	–	–	.89.	–	–	–	.02	6
7	.03	–	.01.	–	.33	.22	–	.35	–	–	–	.11	7
8	.45.	.10.	.14	–	–	–	–	.05.	–	–	–	.03	8
9	.10.	.34.	–	–	–	–	.02	–	–	–	–	–	9
10	–	–	01	.04	–	–	.05	.30	–	–	.09.	34	10
11	.04	.02	–	–	–	.16	–	–	–	–	–	.10	11
12	–	.34	–	–	–	–	–	.42	–	–	–	.11	12
13	–	.18	.05	–	–	–	–	.44	–	–	–	.06	13
14	–	–	.03.	–	–	–	–	–	–	.01	.13	.03	14
15	–	–	.12.	–	.05	.03	–	.02	–	–	01	.16	15
16	–	.04	.15.	–	.38.	.73	–	–	–	.10.	.02	.12	16
17	.56.	–	.41.	–	–	.04	–	.17	–	–	.01	.04	17
18	.15	–	.29.	–	.01	–	.31	.12	–	.01.	–	.55.	18
19	–	.27.	.24.	–	–	–	–	.20	–	.01	.02	–	19
20	.05	.07.	.26	–	–	–	.10	.22	–	.11.	.05	–	20
21	.02	.05.	.34.	–	–	–	–	.21	–	.65	.03.	–	21
22	.03	.25.	.03.	–	.06.	–	.05	.03	–	.22.	.03	–	22
23	.25	.38.	.42	–	–	–	.02	.49.	–	.45	.01	.03.	23
24	.40	.02.	.03	–	–	–	–	.22	–	.30	.13.	.15.	24
25	–	.05.	–	–	–	.29.	–	.18	–	–	.17.	.30.	25
26	.28	.08	–	–	–	.07.	–	.73.	–	.25	.43.	.57.	26
27	–	–	–	–	–	–	.28	–	–	–	.05	.43.	27
28	–	.	–	–	–	–	.06	–	–	.45	.33	.03.	28
29	–	.01.	–	–	–	–	.09	.21	.44	.30	.14	.01.	29
30	–		–	–	–	–	.10	.19	2.20	.62	.10.	–	30
31	–		.01.		.10.		.18	–		.06.		–	31
99 Total	3.19.	2.70.	3.29.	.05.	.95	3.24.	1.48.	5.57.	2.96.	4.28.	2.22.	3.39	YEAR'S TOTAL 33.32
Rain Days.	16.	17.	20.	2.	7.	.12.	.14.	21.	4.	16.	18.	20.	167.

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 JAN 1914

Kept at Hastings.
in the County of Sussex
by Hastings Corporation

5

Lat. Long.
Time of Observation 12 pm to 12 pm.
Nearest Railway Station Hastings (1 mile)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
No Rainfall

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	—	·43	—	·10	—	·03	—	—	·35	·11	·19	—	1
2	·01	·20	·16	—	—	—	·16	—	—	·02	·13	·05	2
3	—	—	·03	·20	·14	—	—	—	—	—	·05	·07	3
4	—	—	·01	·14	·02	—	·03	—	—	·02	—	·05	4
5	·34	—	·05	—	—	·01	·03	—	·92	·22	·27	—	5
6	—	—	·17	·01	·02	·18	·33	—	·05	—	·60	·09	6
7	—	·26	·08	—	—	·07	·28	—	—	·71	—	—	7
8	—	—	—	—	·07	·02	—	—	—	·63	·12	—	8
9	—	·17	—	—	·15	—	·01	—	·08	—	·02	·01	9
10	—	—	—	·02	·10	—	·26	—	·05	·34	—	—	10
11	·66	—	—	·53	—	—	·03	—	—	·75	·51	—	11
12	·05	—	—	—	·10	—	—	—	—	—	·30	·02	12
13	·55	—	—	—	—	—	—	·08	—	—	·35	—	13
14	·24	—	·13	·03	—	—	—	—	·01	—	·35	—	14
15	·22	—	·01	—	—	—	·78	—	·14	·04	·03	—	15
16	·47	·01	·53	·47	—	—	—	—	·42	—	·01	·01	16
17	·07	·01	·35	·02	—	—	·02	—	·10	—	·15	—	17
18	·17	—	·01	·19	—	—	·28	—	—	—	—	·02	18
19	·03	—	·16	·01	—	—	·13	—	—	—	—	—	19
20	·29	—	·01	—	·01	·62	—	·05	·13	·10	—	—	20
21	·03	—	·06	·23	·01	—	—	—	—	·80	·44	—	21
22	·32	—	·02	·01	—	—	·03	—	—	·07	·02	—	22
23	·01	—	·01	—	—	—	·02	—	·04	—	—	·75	23
24	·03	—	—	—	—	—	—	—	—	—	·05	—	24
25	·07	—	·03	·34	—	·05	·02	—	—	—	·05	—	25
26	—	·05	·10	—	—	—	—	—	—	·73	—	·03	26
27	—	·01	·01	—	—	—	—	·05	—	—	—	·35	27
28	—	—	·22	—	—	—	—	—	—	·32	—	—	28
29	·26	—	—	·36	—	—	—	·11	—	·06	—	·02	29
30	·40	—	—	·24	·14	—	—	·39	—	·02	—	—	30
31	·21	—	·09	—	·08	—	—	1·05		·23		·01	31
99 Total	4·43.	1·14.	2·22	2·90	·84.	·98.	2·41.	1·73.	2·29.	5·17.	3·64.	1·48	YEAR'S TOTAL 29·23
Rain Days.	20.	8.	21.	16.	11.	7.	15.	6.	11.	17.	18.	13	163.

W. 7,500, XI. ·13

written 28/4/15.

ExLMC

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.

5 - JAN. 15

Kept at Hastings.
in the County of Sussex 5
by Hastings Corporation.

Lat. Long.
Time of Observation 12 p.m. to 12 p.m.
Nearest Railway Station Hastings (1 mile)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 240. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	—	—	—	·05	·02	—	—	—	·35	1
2	—	—	—	—	—	—	·01	—	—	—	·08	—	2
3	—	—	·15	—	—	—	·19	—	—	—	·02	·23	3
4	—	—	·10	·03	·21	—	—	—	—	—	·24	·59	4
5	·18	—	·08	·40	—	—	—	·24	—	—	·13	·13	5
6	—	—	·07	·10	—	—	—	·09	—	—	—	·25	6
7	—	·26	·15	·15	—	·63	—	·02	—	—	—	·60	7
8	·09	·26	·27	—	·01	·19	·17	—	—	—	—	·02	8
9	·07	·08	·51	·03	·05	—	—	—	·11	—	—	·88	9
10	·19	—	—	·05	·11	—	—	—	—	—	—	·13	10
11	·02	·25	—	·17	—	—	—	—	·32	—	·05	·48	11
12	—	·08	·42	—	—	—	·05	—	·50	—	·01	·11	12
13	—	·25	·20	—	—	·11	—	—	—	·10	·20	·80	13
14	·02	·12	·34	—	—	·09	—	—	·22	·39	—	·52	14
15	—	·14	·24	—	—	—	·07	·01	—	·10	·40	·17	15
16	—	·30	·24	—	—	—	·05	—	·07	—	·54	—	16
17	—	·03	·05	—	—	—	·05	—	·20	·02	—	·13	17
18	—	·23	·13	—	—	—	—	—	—	·03	·01	·34	18
19	·01	·12	·55	—	—	—	·04	—	—	·10	·28	·12	19
20	—	·04	·55	—	—	—	·14	—	·04	·05	—	·40	20
21	—	·34	·03	—	—	·08	—	—	—	·05	—	·37	21
22	—	·34	·02	—	·07	—	·28	·04	—	·04	—	·01	22
23	—	—	·75	·01	—	·40	·03	—	—	·03	—	—	23
24	—	—	·17	—	—	—	—	—	—	·01	·03	—	24
25	—	—	·15	—	—	—	—	—	—	·40	·11	·01	25
26	·19	—	·03	—	—	—	—	·42	—	—	·16	·22	26
27	—	—	·05	—	—	—	—	·10	—	·11	·03	·48	27
28	·01	—	—	—	—	—	·02	—	—	·51	·68	·45	28
29	·04		—	—	—	—	—	—	—	·35	·05	—	29
30	·07		·07	—	—	·04	—	—	—	·36	·57	—	30
31	·03		—		·29		—	—		—		·12	31
Total	·92	2·84	5·33	·94	·74	1·54	1·15	·97	1·46	2·65	3·59	7·91	YEAR'S TOTAL 30·04
Rain Days.	12	15	25	8	6	7	13	8	7	16	18	25	160

W.7,000, XI. 13

626

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
14 JUN 1916

Kept at Newgate
in the County of Sussex
by P. H. Palmer

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hastings
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	28	–	04	–	–	–	–	13	54	–	25	25	1
2	72	28	–	09	01	–	–	–	29	–	01	12	2
3	39	–	18	21	–	–	–	21	11	–	–	18	3
4	05	–	01	09	20	–	–	04	–	–	06	57	4
5	03	–	–	15	–	–	–	–	–	–	–	28	5
6	16	50	02	50	–	–	–	05	–	02	–	45	6
7	75	27	05	–	–	–	10	–	–	–	–	30	7
8	11	13	08	–	–	–	49	–	–	–	–	–	8
9	08	41	–	09	–	05	–	–	–	–	73	75	9
10	35	–	–	–	–	–	–	–	–	–	–	28	10
11	–	–	–	–	–	30	–	–	–	–	45	74	11
12	–	03	–	20	–	–	–	–	–	–	64	–	12
13	04	78	–	10	1.24	–	–	–	–	07	26	–	13
14	01	31	–	01	41	–	51	–	07	–	–	13	14
15	04	–	–	–	07	–	25	43	04	–	–	41	15
16	13	–	–	07	03	–	75	15	–	–	10	06	16
17	–	1.12	–	–	49	–	16	–	–	–	10	23	17
18	–	09	–	–	57	–	–	–	–	–	04	06	18
19	–	–	–	–	–	–	–	–	–	–	–	–	19
20	29	–	–	03	–	–	–	23	–	02	–	–	20
21	08	–	–	–	02	–	–	–	–	–	–	11	21
22	–	–	04	–	–	–	60	–	–	–	–	04	22
23	–	–	01	–	–	–	12	–	–	–	–	·64	23
24	03	04	04	02	–	–	25	–	44	47	–	55	24
25	–	–	02	13	–	–	–	–	–	35	–	29	25
26	–	–	–	–	–	–	17	–	–	–	–	26	26
27	–	–	–	–	–	09	02	–	–	–	–	47	27
28	–	–	–	–	–	25	–	–	77	88	–	–	28
29	–		–	–	02	15	–	28	10	22	20	–	29
30	–		–	–	–	–	–	–	–	12	35	–	30
31	28		–		–		–	–		38		25	31
99 Total	3.82	3·96	·49	1·69	3.06	·84	3·42	1.52	2.36	2.53	3.19	7.42	YEAR'S TOTAL 34·30
Rain Days.	18	11	10	13	10	5	11	8	8	9	12	23	138

W. 8,000. X. 15.

cordly 2nd copy 29.VI.16

626

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5 JAN 1916

Kept at Hastings.

in the County of Sussex.

5

by Hastings Corporation.

Lat. Long.

Time of Observation 12 p.m. to 12 p.m.

Nearest Railway Station Hastings (1 mile)

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·10.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	–	·04	–	–	–	–	·13	·54	–	·25	·25	1
2	·72	·28	[illegible]	·09	·07	–	–	–	·29	–	·01	·12	2
3	·39	–	·18	·21	–	–	–	·21	·11	–	–	·18	3
4	·05	–	·07	·09	·20	–	–	·04	–	–	·06	·57	4
5	·03	–	–	·15	–	–	–	–	–	–	–	·28	5
6	·16	·50	·02	·50 ~~·75~~	–	–	–	·05	–	·02	–	·45	6
7	·75	·27	·05	–	–	–	·10	–	–	–	–	·30	7
8	·11	·13	·08	–	–	–	·49	–	–	–	–	–	8
9	·08	·41	–	·09	–	·05	–	–	–	–	·73	·75	9
10	·35	–	–	–	–	–	–	–	–	–	–	·28	10
11	–	–	–	–	–	·30	–	–	–	–	·45	·74	11
12	–	·03	–	·20	–	–	–	–	–	–	·64	–	12
13	·04	·78	–	·10	1·24	–	–	–	–	·07	·26	–	13
14	·01	·31	–	·07	·41	–	·51	–	·07	–	–	·13	14
15	·04	–	–	–	·07	–	·25	·43	·04	–	–	·41	15
16	·13	–	–	·07	·03	–	·75	·15	–	–	·10	·06	16
17	–	1·12	–	–	·49	–	·16	–	–	–	·10	·23	17
18	–	·09	–	–	·57	–	–	–	–	–	·04	·06	18
19	–	–	–	–	–	–	–	–	–	–	–	–	19
20	·29	–	–	·03	–	–	–	·23	–	·02	–	–	20
21	·08	–	–	–	·02	–	–	–	–	–	–	·11	21
22	–	–	·04	–	–	–	·60	–	–	–	–	·04	22
23	–	–	·07	–	–	–	·12	–	–	~~·02~~	–	·64	23
24	·03	(Snow) ·04	·04	~~·02~~	–	–	·25	–	·44	·47	–	·55	24
25	–	–	·02	·13 ~~·09~~	–	–	–	–	–	·35	–	·29	25
26	–	–	–	–	–	–	·17	–	–	–	–	·26	26
27	–	–	–	–	–	·09	·02	–	–	–	–	·47	27
28	–	–	–	–	–	·25	–	–	·77	·88	–	–	28
29	–		–	–	·02	·15	–	·28	·10	·22	·20	–	29
30	–		–	–	–	–	–	–	–	·12	·35	–	30
31	·28		–		–		–	–		·38		·25	31
Total	3·82	3·96	·49	1·69 ~~1·28~~	3·06	·84	3·42	1·52	2·36	2·53 ~~2·55~~	3·19	7·42	YEAR'S TOTAL 34·30 ~~33·91~~
Rain Days.	18	11	10	13 ~~12~~	10	5	11	8	8	~~10~~ 9	12	23	138

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

Kept at Hastings
in the County of Sussex.
by Hastings Corporation.

Lat. Long.
Time of Observation 12 p.m. to 12 p.m.
Nearest Railway Station Hastings (1 mile)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 25 ft. 6 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	–	·13	–	·18	·01	–	–	–	·01	1·18	–	1
2	·21	–	·12	–	·12	–	–	–	–	·50	·02	–	2
3	·08	·10	·47	–	·04	–	·12	–	–	·11	·38	–	3
4	·15	·22	·02	–	–	·18	·11	–	·27	·24	·37	–	4
5	·03	·02	–	·01	·12	·10	–	–	–	·05	·49	–	5
6	·02	·05	·01	·09	·04	·44	–	–	–	·05	·06	–	6
7	·02	·04	(Snow) ·32	·21	·23	·07	·24	–	–	·18	·42	–	7
8	–	·06	(Snow) ·26	–	·22	·04	–	–	–	–	·06	–	8
9	–	–	–	–	·37	·02	–	–	–	–	–	·41	9
10	–	–	–	–	·03	·46	–	–	–	–	–	·25	10
11	·02	·62	·01	·10	–	·13	–	–	–	–	–	·25	11
12	·05	–	–	·18	·03	·17	·09	·02	–	–	–	·05	12
13	·04	·07	·53	·05	·60	·06	–	–	–	·07	–	·02	13
14	–	·12	–	·02	·02	·02	·01	·42	–	–	–	·70	14
15	–	·50	·07	–	·14	–	–	·08	–	·06	·02	·20	15
16	–	·24	·06	·13	–	–	·25	–	–	–	–	·01	16
17	·16	–	–	·02	–	–	·04	–	–	·70	–	–	17
18	·11	·18	·02	–	–	–	·02	·08	·58	·41	·63	·07	18
19	·24	·04	–	·37	–	–	–	–	·06	–	1·10	·15	19
20	·06	–	·04	·06	–	·02	–	·15	–	–	·90	–	20
21	·07	–	·18	·05	–	–	–	–	–	–	–	1·02	21
22	·04	·02	·30	·15	–	–	–	–	–	·01	–	·17	22
23	–	~~(Snow)~~ ·24	~~(Snow)~~ ·05	–	–	·11	–	·02	–	–	·01	·33	23
24	–	·02	~~(Snow)~~ ·17	–	–	·01	–	·05	–	·20	·05	–	24
25	·01	(Snow) ·26	–	–	·04	–	–	·16	–	·23	·25	·41	25
26	·01	·25	·11	–	–	·04	–	–	–	·11	·02	·10	26
27	·01	(Snow) ·43	·50	–	–	·08	–	·01	·09	·28	·05	·01	27
28	–	·69	·20	–	–	·31	–	·40	–	1·10	–	·18	28
29	–	·06	–	–	–	·16	–	·61	·25	·63	–	·25	29
30	–	X	–	–	–	·18	–	·12	–	·32	–	·48	30
31	–	X	–	X	–	X	–	–	X	·32	X	–	31
99 Total	1·43	4·23	3·57	1·44	2·18	2·61	·88	2·12	1·25	5·58	6·01	5·06	YEAR'S TOTAL 36·36
Rain Days.	19	21	20	13	14	20	8	12	5	20	17	19	188

W. 8,000, VIII. 16

581

cord by mm stats

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Hastings (Newgate)

in the County of Sussex

by Hastings Corporation

Lat. 50°51N Long. 03°4 E

Time of Observation 12 p.m to 12 p.m.

Nearest Railway Station Hastings (1 mile)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·06

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	—	·03	—	—	—	1·77	·04	—	·15	·02	1
2	—	—	—	·19	—	—	—	·25	·02	·12	—	—	2
3	—	—	—	·23	—	—	—	·12	—	·02	·23	—	3
4	·05	(SNOW) ·16	—	—	—	—	·78	·33	—	·47	—	—	4
5	·24	—	·29	—	—	—	—	—	·19	—	—	—	5
6	—	—	—	·25	—	·05	—	—	·10	·28	·03	—	6
7	·28	—	—	—	—	·24	—	—	—	·47	·20	·13	7
8	·22	—	—	—	—	—	·37	·31	—	·49	·47	—	8
9	·01	—	·05	·23	—	—	·05	·03	—	—	—	·90	9
10	·12	—	·09	—	—	—	—	·04	—	·04	·02	·24	10
11	·23	·04	·03	·16	—	—	—	·04	—	—	—	—	11
12	·02	—	·04	·05	—	—	—	·06	—	·87	—	—	12
13	·03	—	·21	·05	·15	—	—	·03	—	·34	—	·01	13
14	·05	—	—	·13	—	—	—	·03	—	·08	—	—	14
15	—	—	—	·06	·07	—	·03	·19	—	·04	—	—	15
16	—	·02	—	·21	—	—	—	—	—	·05	—	·45	16
17	·06	·06	—	—	·26	—	—	—	—	·22	—	·30	17
18	·07	—	—	·18	·02	—	·66	—	·32	—	—	—	18
19	—	·09	·10	·03	·28	—	—	—	·14	—	—	—	19
20	—	·36	·10	—	·94	·06	—	—	—	—	—	·02	20
21	—	—	·05	—	·39	·03	—	—	—	—	·01	·06	21
22	—	—	·12	—	—	·33	—	—	—	—	—	·03	22
23	—	·12	—	—	·32	—	—	·04	—	·30	—	—	23
24	—	·11	—	—	—	—	—	·21	—	·31	—	—	24
25	—	·01	·05	—	—	—	·15	·05	—	·02	·02	—	25
26	—	·12	·07	—	—	—	—	·46	·12	—	·85	—	26
27	—	—	—	—	—	—	—	1·00	—	·02	·25	—	27
28	—	—	·11	—	—	·54	—	·72	—	—	—	·50	28
29	—		·11	—	—	·96	·71	·03 0 ·03	—	·03	—	·50	29
30	—		·03	—	—	·04	·23	·35	—	·36	—	·80	30
31	·02		·33		—		·24	·03		—		·30	31
99 Total	1·40	1·10	1·78	1·80	2·43	2·25	3·22	6·09	·93	4·53	2·23	4·26	YEAR'S TOTAL 32·02
Rain Days.	13	11	16	13	8	8	9	21	7	19	10	14	149

3·32.

W. 8,000, IX. 17.

106

W D L

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Newgates - HASTINGS

in the County of SUSSEX

by Hastings Corporation.

Lat. 50°51 N. Long. 0°34 E. from LONDON

Time of Observation 12p.m. to 12p.m.

Nearest Railway Station Hastings (1 mile)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. .37

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	-	.03	.02	-	-	-	-	-	-	-	.01	1
2	.07	.01	-	-	-	-	-	.35	-	-	.12	-	2
3	-	-	-	.13	.18	-	-	.17	-	-	.62	.20	3
4	-	.04	-	.08	.04	-	-	-	-	.02	.06	-	4
5	.08	.17	.01	-	.19	-	-	.14	.25	-	.47	-	5
6	.11	-	-	.10	.02	-	-	.24	-	.06	.07	-	6
7	-	.09	-	.27	.25	-	-	.02	.57	.08	.02	.07	7
8	-	.11	-	-	-	-	-	-	.35	.01	.14	.05	8
9	-	-	-	.05	-	.04	-	-	-	.30	-	-	9
10	-	.01	-	-	-	.17	.07	-	.52	.01	-	.15	10
11	-	-	-	.01	-	-	.06	-	.48	.29	.04	.10	11
12	-	.03	-	-	.01	-	.01	-	.23	.14	-	.09	12
13	-	.11	-	-	.28	-	.01	-	-	-	-	-	13
14	Snow .13	-	.03	-	-	.08	.33	-	.41	-	-	.04	14
15	1.49	-	-	.01	-	-	-	-	.10	.18	-	.08	15
16	.45	-	-	.06	-	.03	.17	-	.01	.06	-	.11	16
17	.60	-	-	.17	-	.32	-	.01	-	-	-	.03	17
18	.05	-	-	.01	-	.18	.08	-	.52	-	-	.20	18
19	.17	-	.08	-	-	.05	-	-	.37	.20	-	-	19
20	.09	.15	-	-	-	.02	1.0	-	.03	.46	-	-	20
21	-	-	-	.44	-	-	-	-	.17	-	-	.04	21
22	.24	-	-	-	.01	-	.01	-	.69	-	-	.16	22
23	.05	-	-	.01	-	-	1.05	-	.22	-	-	.10	23
24	.12	-	-	.01	.02	.02	-	-	-	-	.04	-	24
25	-	.24	-	-	-	.01	-	.27	.17	.01	-	-	25
26	-	-	-	-	-	-	.07	-	.05	-	.11	-	26
27	.01	.03	.20	.08	-	-	.16	.23	.03	-	-	.19	27
28	.01	.01	.17	-	-	.25	-	-	.50	-	.25	.02	28
29	-		-	.03	-	-	-	-	.70	-	.03	-	29
30	.01		.23	.11	-	-	-	-	.05	-	-	.09	30
31	-		.17		-		-	-		.22		.03	31
99 Total	3.74 ~~3.54~~	1:00 ~~.78~~	.92	1.59	1.00	1.17	3.02	1.43	6.42	2.04	1.97	1.76	YEAR'S TOTAL ~~25.62~~ 26.06
Rain Days.	17	12 ~~11~~	8	17	9	11	12	8	21	14	12	19	~~159~~ 160

W. 6,500, VII. 18. w w c

[illegible] 545

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Newgate - Hastings
in the County of Sussex
by Hastings Corporation

Lat. 50°51N Long. 03°4E from London
Time of Observation 12 p.m to 12 p.m
Nearest Railway Station Hastings 1 mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	Snow ·11	-	·01	·22	-	·05	-	-	·19	·05	·75	1
2	·10	Snow ·01	·04	-	·05	-	·08	-	-	·07	·05	·72	2
3	·28	·02	·03	-	-	-	-	-	·11	-	·01	·07	3
4	·19	—	·75	-	·03	·01	-	·07	·03	-	·13	·10	4
5	·02	·51	·43	-	·01	-	-	·16	-	-	·13	·50	5
6	·10	-	·19	-	-	-	-	-	-	-	-	·03	6
7	·06	-	·38	-	-	-	-	-	-	·02	-	—	7
8	·03	-	·05	-	-	-	-	-	-	-	·52	-	8
9	·37	-	·10	-	-	-	-	-	-	-	·43	-	9
10	·39	-	·05	·05	-	-	-	-	-	-	·12	-	10
11	·47	-	·01	-	-	-	-	-	-	-	-	·29	11
12	·06	-	·04	·38	·08	-	-	-	-	·22	-	-	12
13	-	-	-	·04	·01	-	·14	-	-	-	·02	-	13
14	·23	·01	-	·54	-	-	·14	-	-	-	-	·04	14
15	·15	-	-	·32	-	-	-	-	-	-	-	·07	15
16	·12	·54	-	·01	-	-	-	-	-	-	·06	·10	16
17	-	·29	·02	·01	-	-	-	-	-	-	·31	-	17
18	-	·27	·05	-	-	-	-	·04	-	-	·03	·09	18
19	-	·13	·41	-	-	-	·34	·18	-	-	·39	·02	19
20	·25	·16	·14	-	-	·47	·53	·07	-	-	-	·01	20
21	·03	·43	·24	-	-	·05	-	-	-	-	-	·08	21
22	-	·07	·04	-	-	-	·29	-	·08	-	·10	·16	22
23	-	-	·01	-	-	-	·06	-	·40	-	·02	·04	23
24	-	-	-	·22	-	-	-	-	-	·07	·09	·05	24
25	-	·18	-	-	·02	-	-	-	-	-	·64	—	25
26	·12	·12	-	·11	-	-	-	·30	·09	-	·14	·47	26
27	·33	-	·18	·48	-	-	·21	-	-	-	·44	·01	27
28	·06	-	-	·25	-	-	-	·63	-	-	·76	·47	28
29	·06	✕	·14	·04	-	-	-	·30	-	·21	·39	·26	29
30	·01	✕	·04	-	-	-	-	·47	-	—	-	·34	30
·01 31	-	✕	·01	✕	-	✕	-	·26	✕	·22	✕	-	31
99 TOTAL	3·80	2·85	3·35	2·49	·42	·53	1·84	2·48	·71	1·00	4·83	4·67	YEAR'S TOTAL 28·97
Days with ·01 in. or more	22	14	22	13	7	3	9	10	5	7	21	22	155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Newgate Waterworks, St. Leonards
in the County of Sussex.
by W. Ruskin Butterfield, Boro' Meteorologist.

Lat. Long.
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 1 in.
" " " " Sea Level 246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan. in.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec. in.	Date.
1	0·37	0·11	–	0·01	0·22	–	0·05	–	–	0·19	0·05	0·75	1
2	0·10	0·01	0·04	–	0·05	–	0·08	–	–	0·07	0·05	0·72	2
3	0·28	0·02	0·03	–	–	–	–	–	0·11	–	0·01	0·07	3
4	0·19	–	0·75	–	0·03	0·01	–	0·07	0·03	–	0·13	0·10	4
5	0·02	0·51	0·43	–	0·01	–	–	0·16	–	–	0·13	0·50	5
6	0·10	–	0·19	–	–	–	–	–	–	–	–	0·03	6
7	0·06	–	0·38	–	–	–	–	–	–	0·02	–	–	7
8	0·03	–	0·05	–	–	–	–	–	–	–	0·52	–	8
9	0·37	–	0·10	–	–	–	–	–	–	–	0·43	–	9
10	0·39	–	0·05	0·05	–	–	–	–	–	–	0·12	–	10
11	0·47	–	0·01	–	–	–	–	–	–	–	–	0·29	11
12	0·06	–	0·0~~5~~4	0·38	0·08	–	–	–	–	0·22	–	–	12
13	–	–	–	0·04	0·01	–	0·14	–	–	–	0·02	–	13
14	0·23	0·01	–	0·54	–	–	0·14	–	–	–	–	0·04	14
15	0·15	–	–	0·32	–	–	–	–	~~0·03~~	–	–	0·07	15
16	0·1~~3~~2	0·54	–	0·01	–	–	–	–	–	–	0·06	0·10	16
17	–	0·29	0·02	0·01	–	–	–	–	–	–	0·31	–	17
18	–	0·27	0·05	–	–	–	–	0·04	–	–	0·03	0·09	18
19	–	0·13	0·41	–	–	–	0·34	0·18	–	–	0·39	0·02	19
20	0·25	0·16	0·24	–	–	0·52	0·53	0·07	–	–	–	0·01	20
21	0·03	0·43	0·14	–	–	–	–	–	–	–	–	0·08	21
22	–	0·07	0·04	–	–	–	0·29	–	0·08	–	0·10	0·16	22
23	–	–	0·01	–	–	–	0·06	–	0·40	–	0·02	0·04	23
24	–	–	–	0·22	–	–	–	–	–	0·07	0·09	0·05	24
25	–	0·18	–	–	0·02	–	–	–	–	–	0·64	–	25
26	0·12	0·12	–	0·11	–	–	–	0·30	0·09	–	0·14	0·47	26
27	0·33	–	0·18	0·48	–	–	0·21	–	–	–	0·44	0·01	27
28	0·06	–	–	0·25	–	–	–	0·63	–	–	0·76	0·47	28
29	0·06	✕	0·14	0·07	–	–	–	0·30	–	0·21	0·39	0·26	29
30	0·01	✕	0·04	–	–	–	–	0·47	–	–	–	0·34	30
31	–	✕	0·01	✕	–	✕	–	0·26	✕	0·22	✕	–	31
Total	3·80 in.	2·85	3·3~~6~~8 ✓	2·49	0·42	0·53	1·84	2·48	~~0·74~~ ·71	1·00	4·83	4·67	YEAR'S TOTAL 28·97 ~~29·02~~ in.
Rain Days.	22	14	22	13	7	3	9	10	~~6~~ 5	7	21	22	155 ✓

W. 8 000, IX. 17.

See other copy.

Ex 1920 514

25 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Newgate Hastings
in the County of Sussex
by Hastings Corporation

Lat. 50° 51° Long. 0°3'4 E from London
Time of Observation 12 p.m. to 12 p.m.
Nearest Railway Station 1 mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·21

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	–	–	·12	–	–	·03	–	–	·62	–	·10	1
2	–	–	·01	–	·03	–	·02	·06	·05	·17	–	·35	2
3	–	–	–	·02	·02	–	–	·47	–	·12	–	·15	3
4	–	–	·01	·04	–	–	·75	–	–	–	–	–	4
5	–	–	–	·03	–	–	·50	·12	·08	–	–	·17	5
6	–	–	·07	–	·13	–	·25	·05	–	–	–	·05	6
7	·09	–	–	·12	·06	–	·15	–	–	·05	–	–	7
8	–	–	–	–	·04	–	·17	–	–	–	–	–	8
9	–	–	–	·19	–	–	·13	–	–	–	–	–	9
10	·83	·18	–	·07	–	–	–	–	–	–	–	·05	10
11	·91	·04	·21	·23	–	·10	·05	–	–	–	–	–	11
12	·08	–	·08	·24	–	·57	·34	–	–	·13	–	–	12
13	·27	·08	·08	–	–	–	–	–	–	–	–	–	13
14	–	–	·52	·27	–	–	–	–	–	·77	–	–	14
15	·03	·02	·05	–	–	·08	–	–	·12	–	·22	–	15
16	·05	–	·02	·04	·10	–	–	–	1·03	–	–	–	16
17	–	–	·01	·04	·47	–	–	–	·65	–	–	~~Snow~~ ·15	17
18	·02	–	–	–	·28	–	·11	–	1·15	–	–	·05	18
19	·07	–	–	·16	–	–	–	1·00	–	–	–	·08	19
20	·04	–	–	·29	–	·92	–	–	·41	–	–	–	20
21	–	·10	–	·01	–	–	·05	–	·67	–	–	·37	21
22	–	–	–	·37	–	–	·02	–	–	–	–	·45	22
23	–	–	–	·05	–	–	·07	–	–	–	–	·32	23
24	–	–	·04	–	–	–	·38	–	–	–	–	·57	24
25	–	–	–	–	–	–	·13	–	·04	–	–	–	25
26	·07	–	–	–	–	–	·14	–	·02	–	–	–	26
27	·50	·06	·23	·28	–	·08	–	–	–	–	–	·17	27
28	·12	–	·05	–	–	–	·12	–	–	–	·48	·17	28
29	·44	·01	–	·04	·35	–	–	–	–	–	·30	·09	29
30	–		·06	·10	–	–	·06	–	·10	–	·23	·02	30
31	·06		–		–		–	–		·02		·43	31
99 Total	3·77	·49	1·44	2·71	1·48	1·75	3·47	1·70	4·32	1·88	1·23	3·68	Year's Total 27·92
Days with ·01 in. or more	16	7	14	20	9	5	19	5	11	7	4	18	~~135~~
Days with ·04 in. or more	14	5	10	17	7	5	16	5	10	6	4	17	116

542

B made [illegible]

Form A 2. METEOROLOG NIZATION.

REGI

HASTINGS

ST. LEONARDS

SUSSEX

1919-20

Kept at St. Leonar 3'E

I.

in the County of S auge in.

by The Corporatio Ground - ft. 8 in.

Sea Level 179 ft.

IMPORTANT NOTE.—R ed to the previous day.

If an Observer prefers not to c the reading at 9 a.m. on 1st Ja this paragraph. Full instruction and particulars as to the Britis sent post-free on application t Square, London, N.W. 1. d to add he end of n gauges, Observers," Camden

Re

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9·3	0·2	0·3	-	1·4	-	1·8	-	-	7·2	1·6	14·0	1
2	3·4	0·4	1·3	-	0·3	-	1·9	-	0·2	0·6	1·0	3·6	2
3	4·7	0·4	14·5	-	1·1	-	-	-	3·0	-	·3	9·5	3
4	5·1	1·4	8·9	-	0·5	1·1	0·6	4·7	0·7	-	3·5	2·5	4
5	0·4	8·3	15·0	-	-	-	-	2·2	-	-	2·3	9·0	5
6	3·2	-	0·9	-	-	-	-	-	-	0·4	·5	1·8	6
7	1·2	-	9·5	-	-	-	-	-	-	0·6	14·2		7
8	5·3	-	1·6	-	-	-	-	-	0·3	-			8
9	7·9	-	1·4	0·2	-	-	-	-	-	-	10·2		9
10	9·3	-	2·0	1·3	-	-	-	-	-	-	1·3	·7	10
11	6·3	-	1·2	9·0	1·2	-	-	-	-	5·5		3·3	11
12	1·6	-	0·3	0·3	0·8	-	4·1	-	-	-	·8		12
13	0·3	0·4	0·2	4·7	-	-	-	-	-	-		·7	13
14	8·2	-	-	8·5	-	-	2·6	-	1·2	-		·9	14
15	3·3	0·7	-	2·8	-	-	-	-	-	-	1·3	2·4	15
16	3·0	14·7	-	0·3	-	-	-	-	-	-	5·1	·7	16
17	-	8·0	0·9	0·7	-	-	-	-	-	-	3·8	1·0	17
18	-	0·9	1·5	-	-	-	7·1	-	-	-	2·7	1·2	18
19	0·4	4·2	9·9	-	-	0·5	5·6	3·8	-	0·3	4·0	·2	19
20	5·7	1·7	5·4	-	-	9·5	9·2	1·6	-	0·2		1·0	20
21	0·3	10·0	1·8	-	-	1·1	1·4	-	-	-	·8	1·9	21
22	-	1·3	0·8	-	-	-	8·1	-	7·9	-	1·7	4·2	22
23	-	-	-	-	-	0·8	2·4	-	2·4	-	·7	·5	23
24	-	4·2	-	5·1	-	-	0·4	-		1·9	12·6	2·9	24
25	1·5	0·7	0·6	-	0·5	-	0·3	6·1		-	·3		25
26	4·0	2·7	2·1	3·6	-	-	4·0	0·8	2·2	-	5·1	8·2	26
27	7·3	-	3·0	17·8	-	-	-	5·5		-	19·6	·9	27
28	0·7	-	7·5	4·9	-	-	-	12·1		-	10·1	6·1	28
29	1·0		-	1·7	-	-	-	2·4		3·7	4·8	5·0	29
30	0·2	✕	1·5	5·2	-	0·2	-	16·2		2·8	1·5	4·1	30
31	3·7	✕	0·6	✕	-	✕	0·8	1·4	✕	3·1	✕	1·2	31
TOTAL	97·3	60·2	92·7	66·1	5·8	13·2	50·3	53·8	17·9	26·3	109·8	87·5	YEAR'S TOTAL 680·9
Days with 0·2 mm. or more	26	17	25	15	7	6	15	11	8	11	25	26	192

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202.

542

[illegible]

FORM A 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at St. Leonards [M.O.]
in the County of Sussex
by The Corporation of Hastings

Lat. 50°51′ Long. 0°33′E
Time of Observation 9h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground - ft. 8 in.
" " " " Sea Level 179 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9·3	0·2	0·3	-	1·4	-	1·8	-	-	7·2	1·6	14·0	1
2	3·4	0·4	1·3	-	0·3	-	1·9	-	0·2	0·6	1·0	3·6	2
3	4·7	0·4	14·5	-	1·1	-	-	-	3·0	-	·3	9·5	3
4	5·1	1·4	8·9	-	0·5	1·1	0·6	1·7	0·7	-	3·5	2·5	4
5	0·4	8·3	15·0	-	-	-	-	2·2	-	-	2·3	9·0	5
6	3·2	-	0·9	-	-	-	-	-	-	0·4	·5	1·8	6
7	1·2	-	9·5	-	-	-	-	-	-	0·6	14·2		7
8	5·3	-	1·6	-	-	-	-	-	0·3	-			8
9	7·9	-	1·4	0·2	-	-	-	-	-	-	10·2		9
10	9·3	-	2·0	1·3	-	-	-	-	-	-	1·3	·7	10
11	6·3	-	1·2	9·0	1·2	-	-	-	-	5·5		3·3	11
12	1·6	-	0·3	0·3	0·8	-	4·1	-	-	-	·8		12
13	0·3	0·4	0·2	4·7	-	-	-	-	-	-		·7	13
14	8·2	-	-	8·5	-	-	2·6	-	1·2	-		·9	14
15	3·3	0·7	-	2·8	-	-	-	-	-	-	1·3	2·4	15
16	3·0	14·7	-	0·3	-	-	-	-	-	-	5·1	·7	16
17	-	8·0	0·9	0·7	-	-	-	-	-	-	3·8	1·0	17
18	-	0·9	1·5	-	-	-	7·1	-	-	-	2·7	1·2	18
19	0·4	4·2	9·9	-	-	0·5	5·6	3·8	-	0·3	4·0	·2	19
20	5·7	1·7	5·4	-	-	9·5	9·2	1·6	-	0·2		1·0	20
21	0·3	10·0	1·8	-	-	1·1	1·4	-	-	-	·8	1·9	21
22	-	1·3	0·8	-	-	-	8·1	-	7·9	-	1·7	4·2	22
23	-	-	-	-	-	0·8	2·4	-	2·4	-	·7	·5	23
24	-	4·2	-	5·1	-	-	0·4	-		1·9	12·6	2·9	24
25	1·5	0·7	0·6	-	0·5	-	0·3	6·1		-	·3		25
26	4·0	2·7	2·1	3·6	-	-	4·0	0·8	2·2	-	5·1	8·2	26
27	7·3	-	3·0	17·8	-	-	-	5·5		-	19·6	·9	27
28	0·7	-	7·5	4·9	-	-	-	12·1		-	10·1	6·1	28
29	1·0		-	1·7	-	-	-	2·4		3·7	4·8	5·0	29
30	0·2		1·5	5·2	-	0·2	-	16·2		2·8	1·5	4·1	30
31	3·7		0·6		-		0·8	1·4		3·1		1·2	31
TOTAL	97·3	60·2	92·7	66·1	5·8	13·2	50·3	53·8	17·9	26·3	109·8	87·5	YEAR'S TOTAL 680·9
Days with 0·2 mm. or more	26	17	25	15	7	6	15	11	8	11	25	26	192

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202.

Form C 1.

METEOROLOGICAL OFFICE.—British Rainfall Organization.

PLEASE fill in name of place and month.

RAINFALL at Evening Cowden in the County of Sussex

In the Month of September 1919

Date.	~~Inches.~~ mm.	REMARKS ON THE DAYS.	
		November 1919	December 1919
1	—	1·6 mm.	14·0 mm.
2	0·2	1·0	3·6
3	3·0	0·3	9·5
4	0·7	3·5	2·5
5	—	2·3	9·0
6	—	0·5	1·8
7	—	14·2	—
8	0·3	—	—
9	—	10·2	—
10	—	1·3	0·7
11	—	—	3·3
12	—	0·8	—
13	—	—	0·7
14	1·2	—	0·9
15	—	1·3	2·4
16	—	5·1	0·7
17	—	3·8	1·0
18	—	2·7	1·2
19	—	4·0	0·2
20	—	—	1·0
21	—	0·8	1·9
22	7·9	1·7	4·2
23	2·4	0·7	0·5
24	—	12·6	2·9
25	—	0·3	—
26	2·2	5·1	8·2
27	—	19·6	0·9
28	—	10·1	6·1
29	—	4·8	5·0
30	—	1·5	4·1
31			1·2
TOTAL	17·9	Days with ·01 in. or more 109·8	87·5

1st of following month.

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

Records taken in millimetres should not be entered on this Form.

9 JUN

PRINTED PAPER.

ADDITIONAL REMARKS.

Rainfall at the Gensing Gardens, St. Leonards, is measured at 9h. 0m. and 18h. 0m. daily. The amount measured at 9h. is entered to the day preceding. For any day, therefore, the amount entered represents the sum of the readings at 18h. and at 9h. on the day following.

SIGNED. W. R. Butterfield

No writing on this side of the line

HASTINGS
5 45 PM
28 JUN
1920

THE SUPERINTENDENT,
British Rainfall Organization,
62, Camden Square,
LONDON, N.W. 1.

Ent. Ans. 511

RM A 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1 MAR 1921

REGISTER OF RAINFALL IN 1920.

Kept at Hastings (St Leonards) (MO)
in the County of Sussex
by W. R. Butterfield, for the Corporation

Lat. 50° 51′ N Long. 0° 33′ E
Time of Observation 9h & 21h.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 178 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.2	–	–	1.7	0.7	–	1.9	–	–	12.0	–	10.2	1
2	–	–	0.5	0.5	0.8	–	–	12.9	1.7	6.2	–	3.6	2
3	–	–	0.2	–	–	0.3	–	–	0.3	0.3	–	2.0	3
4	–	1.8	0.3	1.8	–	–	24.8	1.0	–	0.2	–	2.2	4
5	–	–	0.6	0.2	0.6	–	7.2	3.8	1.7	–	–	2.9	5
6	–	–	1.6	–	3.7	–	6.8	–	–	–	–	–	6
7	1.3	–	–	2.5	1.5	–	0.9	–	–	1.9	–	0.9	7
8	–	–	–	4.1	2.1	–	5.5	–	–	0.2	–	0.2	8
9	12.5	0.7	–	–	0.7	0.5	0.3	–	–	–	–	0.2	9
10	4.6	3.0	2.2	5.5	–	2.0	1.5	–	–	–	0.5	0.3	10
11	6.5	0.2	3.5	3.1	1.8	0.4	7.6	–	0.1	–	0.5	0.4	11
12	1.7	0.5	0.3	1.6	0.2	14.9	0.2	–	–	0.2	0.3	0.1	12
13	7.4	2.7	4.3	–	–	0.2	–	–	0.5	0.4	1.6	–	13
14	–	0.5	4.9	3.8	–	1.6	–	–	0.3	10.7	10.0	–	14
15	2.5	0.2	1.3	–	0.3	0.2	0.3	–	22.5	14.0	2.9	0.6	15
16	0.6	–	0.6	0.8	9.7	0.3	–	–	12.8	–	–	3.7	16
17	0.5	–	–	1.1	4.0	–	2.7	–	10.1	–	–	0.5	17
18	2.1	–	–	–	2.9	–	–	26.6	20.2	–	–	1.5	18
19	1.4	–	–	6.4	–	–	–	0.6	3.2	–	–	2.1	19
20	2.1	1.9	–	2.1	–	16.6	–	–	20.8	–	–	–	20
21	–	0.2	–	0.6	–	0.2	2.5	–	1.4	0.2	–	20.2	21
22	0.2	–	–	6.8	–	–	–	0.2	0.2	0.2	–	9.8	22
23	–	–	–	0.2	–	–	10.1	–	–	–	–	10.9	23
24	–	0.2	1.2	–	–	–	–	–	0.7	–	–	3.5	24
25	0.2	0.2	0.2	0.4	0.8	–	6.1	–	0.5	–	–	0.2	25
26	1.1	–	4.4	1.8	–	–	–	–	–	–	0.2	0.4	26
27	5.4	1.6	0.3	6.4	–	2.1	0.4	0.3	–	–	2.1	7.4	27
28	4.1	0.5	0.5	0.7	7.9	–	3.3	–	–	–	10.9	1.9	28
29	11.4	–	1.4	3.3	0.5	–	–	–	0.2	–	7.3	2.3	29
30	0.7	✕	0.8	0.2	–	0.5	1.3	–	4.4	–	5.8	5.3	30
31	0.8	✕	1.2	✕	0.4	✕	–	–	✕	4.3	✕	9.5	31
TOTAL	70.3	14.2	30.3	55.6	38.6	39.8	83.4	45.4	101.6	50.8	42.1	102.8	YEAR'S TOTAL 674.9
Days with 0·2 mm. or more	21	14	20	23	17	13	18	7	17	13	11	26	200
	15		10	15	8	5	13	4	10	6	7	17	115

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M 3202.

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

REGI

HAYWARDS HEATH
FRANK~~L~~IN RD
SUSSEX
1911 - 1914

Kept at Harrogate Cottag
in the County of Sus
by

in.
und 1 ft. – in.
Level 260 ft.
A.M.
ne Haywards Heath
tance 1 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	—	—	.44	—	—	—	.04	—	—	.13	—	1
2	.02	—	—	.07	.27	—	—	—	—	—	.24	.27	2
3	—	—	—	—	.24	—	—	.02	—	—	.12	.03	3
4	.08	—	.02	.04	—	—	—	—	.02	—	.35	.48	4
5	.01	.03	—	Snow .33	—	—	—	—	—	1.20	.03	.10	5
6	.33	—	.04	.03	—	—	—	—	—	—	—	.56	6
7	—	—	.03	—	—	—	—	—	—	.22	.75	.47	7
8	.14	—	.08	—	—	—	—	—	—	—	.79	.20	8
9	.21	—	.14	.02	—	—	—	—	—	—	.28	.23	9
10	—	.11	.11	.08	—	—	—	—	—	—	.08	.04	10
11	.38	—	.06	—	.49	—	—	—	—	—	1.22	—	11
12	.03	—	Snow .36	—	.12	—	—	—	—	—	.11	—	12
13	—	—	Snow .32	—	.11	—	—	—	.36	.05	.03	.30	13
14	—	—	.03	—	.32	—	—	—	—	—	—	.67	14
15	—	.13	Snow .15	—	—	—	—	—	—	—	.11	.04	15
16	—	.07	—	—	—	.35	—	—	—	—	.52	.09 9	16
17	—	—	Snow .08	—	—	.08	—	—	—	—	1.35	.28	17
18	—	.15	.04	.04	—	.02	—	—	—	—	1.42	.44	18
19	—	—	—	—	—	.08	—	—	.18	.02	.09	.13	19
20	—	—	[illegible]	—	—	—	—	.06	.13	.34	—	.92	20
21	.05	.18	~~[illegible]~~	—	—	—	—	.25	.10	.56	—	.22	21
22	.04	.10	.27	—	—	.12	—	.09	—	.33	—	.59	22
23	—	.23	~~[illegible]~~	—	—	.84	—	—	.35	.35	.05	.22	23
24	—	.18	~~[illegible]~~	—	—	.27	.06	.04	—	.30	—	.46	24
25	—	.04	.11	.09	—	.17	—	.12	.07	—	—	—	25
26	—	—	.34	.21	.84	.11	—	—	—	.33	Snow .02	.32	26
27	—	.41	.29	.28	—	—	—	—	.08	.40	Snow .14	.17	27
28	—	.30	~~[illegible]~~	.12	—	—	—	.08	—	—	.07	.03	28
29	—		~~[illegible]~~	.15	—	.20	5·6	—	.19	.52	—	—	29
30	—		~~[illegible]~~	.11	—	.07	—	.02	.02	.40	—	.02	30
31	—		~~[illegible]~~		—		—	—		—		—	31
Total	1.35	1.93	2.47	2.01	2.39	2.31	.62	.72	1.50	5.02	7.90	7.28	TOTAL for year 35.50
No. of Rain Days.	11	12	17	14	7	11	2	9	10	13	21	23	152

W. 8,000, X. '11.

REGI

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

Kept at Harrogate Cottage

4

in the County of Sussex

by R. Inglis

RAIN GAUGE Height of top above Ground 1 ft. – in.
,, ,, ,, Sea Level 260 ft.

Time of Observation 8 A.M.

Nearest Railway Station Name Haywards Heath
Distance 1 m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	—	—	.44	—	—	—	.04	—	—	.13	—	1
2	.02	—	—	.07	.27	—	—	—	—	—	.24	.27	2
3	—	—	—	—	.24	—	—	.02	—	—	.12	.03	3
4	.08	—	.02	.04	—	—	—	—	.02	—	.35	.48	4
5	.01	03	—	Snow .33	—	—	—	—	—	1.20	.03	.10	5
6	.33	—	.04	.03	—	—	—	—	—	—	—	.56	6
7	—	—	.03	—	—	—	—	—	—	.22	.75	.47	7
8	.14	—	.08	—	—	—	—	—	—	—	.79	.20	8
9	.21	—	.14	.02	—	—	—	—	—	—	.28	.23	9
10	—	.11	.11	.08	—	—	—	—	—	—	.08	.04	10
11	.38	—	.06	—	.49	—	—	—	—	—	1.22	—	11
12	.03	—	Snow .56	—	.12	—	—	—	—	—	.11	—	12
13	—	—	Snow .32	—	.11	—	—	—	.36	.05	.03	.30	13
14	—	—	.03	—	.32	—	—	—	—	—	—	.67	14
15	—	.13	Snow 15	—	—	—	—	—	—	—	.11	.04	15
16	—	.07	—	—	—	.35	—	—	—	—	.52	.09 9	16
17	—	—	Snow .08	—	—	.08	—	—	—	—	1.35	.28	17
18	—	.15	.04	.04	—	.02	—	—	—	—	1.42	.44	18
19	—	—	—	—	—	.08	—	—	.18	.02	.05	.13	19
20	—	—	—	—	—	—	—	.06	.13	.34	—	.92	20
21	.05	.18	—	—	—	—	—	.25	.10	.56	—	.22	21
22	.04	.10	.29	—	—	.12	—	.09	—	.33	—	.59	22
23	—	.23	—	—	—	.84	—	—	.35	.35	05	.22	23
24	—	.18	—	—	—	.27	.06	.04	—	.30	—	.46	24
25	—	.04	.11	.09	—	.17	—	.12	07	—	—	—	25
26	—	—	.14	.21	.84	.11	—	—	—	.33	Snow .02	.32	26
27	—	.41	.29	.28	—	—	—	—	.08	.40	Snow .14	.17	27
28	—	30	~~.03~~	.12	—	—	—	08	—	—	.07	.03	28
29	—		—	.15	—	.20	56	—	.19	.52	—	—	29
30	—		—	.11	—	07	—	.02	.02	.40	—	02	30
31	—		—		—		—	—		—		—	31
Total	1.35	1.93	2.47	2.01	2.39	2.31	.62	.72	1.50	5.02	7.90	7.28	TOTAL for year 35.50
No. of Rain Days.	11	12	17	14	7	11	2	9	10	13	21	23 →	152

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Franklynn Road. Haywards Heath

in the County of Sussex 4

by R. Inglis

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 260 ft.

Time of Observation 8 A.M.

Nearest Railway Station
Name Haywards Heath
Distance ½ mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.15	—	—	.20	.15	—	.10	.88	—	.25	1
2	—	Snow 13	.70	02	.10	.06	.24	—	—	.03	—	—	2
3	—	Snow 04	.05	.02	—	.24	02	.43	.02	—	—	—	3
4	.29	Snow .02	.80	—	.03	.15	—	.02	.01	—	.06	—	4
5	[illegible]	—	.19	—	—	—	—	.18	—	—	27	.04	5
6	.48	.14	—	—	.04	—	—	.30	.03	—	—	.05	6
7	—	—	.02	—	.28	.40	—	.77	—	—	—	.08	7
8	.37	.54	.29	.04	—	26	—	.05	—	—	—	.05	8
9	.02	.10	.04	.06	—	20	10	.10	—	—	—	.11	9
10	—	.09	—	—	—	—	—	.68	—	—	.07	.38	10
11	.05	.47	.55	—	.03	.03	—	.02	03	—	—	.20	11
12	—	10	.05	—	.16	.04	—	.18	—	—	.03	.03	12
13	—	—	.05	—	—	—	.04	—	—	—	.12	.11	13
14	—	—	.02	—	.13	—	—	08	—	09	—	.03	14
15	—	.05	.10	—	.15	.61	—	.02	—	—	—	.30	15
16	.26	.02	.31	—	.11	.21	—	.08	—	.10	.02	—	16
17	.34	—	.37	—	—	.10	—	.10	—	—	.20	.30	17
18	.07	—	.48	—	.03	—	.01	.09	—	.06	.02	19	18
19	.05	.08	.39	—	—	—	.03	.18	—	—	—	—	19
20	.06	.04	.75	—	—	03	—	19	—	.62	.05	—	20
21	—	.08	.37	—	—	—	—	.12	—	.17	.05	—	21
22	—	.54	.04	—	.03	—	.02	.21	—	—	—	.04	22
23	.44	.29	.43	—	.05	.02	—	.49	—	.10	.18	.10	23
24	.09	.05	—	—	—	—	.01	.35	—	—	—	.14	24
25	.10	—	—	—	—	.27	—	1.14	—	—	.30	.58	25
26	—	.05	—	—	—	.10	—	.20	—	.44	.47	.37	26
27	—	.02	—	—	—	—	—	—	—	.25	—	.47	27
28	—	.07	—	—	—	.06	.60	07	.21	1.00	1.06	.23	28
29	—	.02	—	—	—	.01	.17	35	1.82	.06	.03	—	29
30	—		—	—	.03	.21	—	43	1.74	.44	—	—	30
31	—		.06				46	17				—	31
Total	2.73	2.84	6.21	.14	1.67	3.20	1.85	7.00	3.96	4.26 4.24	2.93	4.05	TOTAL for year 40.82
No. of Rain Days.	14 189	21	22	4	13	19	12	27	8	13	15	21	189

W. 8,000, X. '11.

W D S S Cord by own stats & fr auth 11.II.14

Ent 23.11.14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
17 JAN 1914

Kept at Franklynn Road Haywards Heath 4
in the County of Sussex
by R. Inglis. Harrogate Cottages.

Lat. ...... Long. ......
Time of Observation 8 A.M.
Nearest Railway Station Haywards Heath
Diameter of Rain Gauge 5in in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.38	.07	.18	.18	—	—	—	.04	.08	.09	.18	1
2	.06	.19	—	—	.15	—	.10	—	—	.20	.09	.06	2
3	—	—	.06	.33	.44	—	—	—	.03	[illegible]	—	.23	3
4	.38	—	.10	—	.04	—	.02	—	.81	.31	.11	.03	4
5	.18	.08	.03	—	—	.09	.09	—	.69	[illegible]	.10	.02	5
6	—	.05	.10	—	.02	.12	.20	—	.12	.10	.19	.23	6
7	—	.30	.08	—	—	.11	.05	—	—	.37	.03	—	7
8	—	.05	—	—	.22	.05	—	.09	—	.32	.12	.05	8
9	—	—	—	.02	.23	—	.13	.08	.19	.17	.05	.03	9
10	—	—	—	.10	—	—	.68	.02	—	—	.79	—	10
11	.86	—	—	.64	—	—	—	—	—	.97	.53	—	11
12	—	—	—	—	.34	—	—	—	—	—	1.22	.02	12
13	.36	—	.51	—	—	—	—	.02	.05	[illegible]	.20	—	13
14	.32	—	.12	.06	—	—	.83	.03	.07	(.07) .07	.25	—	14
15	.24	.03	.20	.27	—	—	.17	—	.25	[illegible]	—	—	15
16	.21	—	.59	.25	—	—	—	—	.26	[illegible]	—	—	16
17	.10	—	.05	.08	—	—	.13	—	—	—	—	.03	17
18	—	—	.05	.22	—	—	.17	—	—	—	.12	—	18
19	.20	—	.30	—	—	.06	.11	—	.49	.58 .08	—	—	19
20	.60	—	.10	—	—	.06	—	—	—	.76	.03	—	20
21	—	—	.38	.11	—	—	—	—	—	.15	.62	—	21
22	.32	—	.25	—	—	—	.02	.17	.10	—	—	—	22
23	—	—	.36	—	—	.04	01 [illegible]	.09	.03	—	—	.88	23
24	.08	—	—	.07	—	.02	—	—	—	.02	.07	—	24
25	—	.06	—	.16	—	—	—	.20	—	.80	—	—	25
26	—	—	.11	.03	—	—	—	—	—	.02	—	.29	26
27	—	.02	.08	.04	.21	—	—	—	—	.21	—	—	27
28	.14	—	.35	.09	—	—	—	.44	—	.09	—	—	28
29	.12		.06	.32	.55	—	—	.37	—	.35	.03	—	29
30	.61		—	.27	—	—	—	.80	—	.21	—	—	30
31	—		.04		—					—		—	31
Total	4.78	1.16	3.99	3.24	2.38	.55	2.71	2.31	3.13	5.61 ✓	4.64 ~~3.64~~	2.05	YEAR'S TOTAL 36.55
Rain Days.	16	9	22	18	10	8	14	11	13	18	18	12	169

36·55

W.7,000, XI. 13

Kept at – Haywards Heath (Franklynn Road) | Time of Observation 8 A.M. 25 JAN 1915
In the County of Sussex 4 | Nearest Railway St. – Haywards Heath
RR | Diameter of R. Gauge – five inches
By R. Inglis | Height of top of R. Gauge – 12 inches | Above sea level – 260 ft.

Date	Jan	Feb.	March	April	May	June	July	Aug	Sept.	Octr.	Novr.	Decr.	Date
1	–	–	.03	.10	–	–	.02	.15	–	–	.04	.17	1
2	–	–	–	–	–	.04	.10	–	–	–	.20	.21	2
3	–	–	.14	.09	.31	–	.02	–	–	–	.04	.04	3
4	–	–	.02	.39	.10	–	.02	–	–	–	.37	.40	4
5	.14	–	.12	.44	.03	.04	.17	.13	–	–	.03	–	5
6	–	.13	–	.53	.04	.10	.07	.07	–	–	.03	.61	6
7	–	.60	.20	.32	.02	.12	.07	–	–	–	–	.28	7
8	.18	68	.43	.05	03	.07	.11	.12	–	–	–	.10	8
9	.28	–	.86	.19	–	–	–	–	.21	–	–	1.20	9
10	.04	.03	–	.11	.12	–	–	–	–	–	–	.05	10
11	–	.57	.40	08	07	–	–	–	.31	–	.06	.57	11
12	–	.10	.07	–	–	–	.52	–	.48	–	–	.66	12
13	–	.63	.30	–	–	03	–	–	.15	.08	.17	.73	13
14	–	.21	.19	–	–	–	.06	–	.01	.31	.13	.64	14
15	–	.12	.33	–	–	–	–	.10	–	–	1,03	.03	15
16	–	.11	–	–	–	–	.05	–	.02	–	–	–	16
17	–	.30	.17	–	–	–	.03	–	–	–	–	.22	17
18	–	.10	.07	–	–	–	–	–	–	–	–	.61	18
19	–	.12	1.02	–	–	–	.28	–	–	–	.25	.15	19
20	–	.22	.30	–	–	.13	.02	–	–	–	–	.27	20
21	–	.80	.09	–	–	–	–	.11	–	–	–	.06	21
22	–	06	.03	–	.21	.05	.12	.01	–	.47	–	–	22
23	–	–	22	02	.05	.35	–	–	–	.02	–	–	23
24	–	–	05	–	–	–	–	–	–	.02	.23	.55	24
25	.10	–	25	–	–	–	–	–	–	.31	.03	.64	25
26	–	–	07	–	–	–	.03	.30	–	–	.18	.51	26
27	.04	–	–	–	–	–	–	–	–	.18	.10	–	27
28	.03	.04	–	–	.02	–	.53	–	–	.27	.24	.32	28
29	.14		.03	–	–	–	–	–	–	.67	.24	.06	29
30	.06		.14	–	–	–	–	–	–	.07	1.17	–	30
31	05		– 5.53		.14			–		.01		–	31
Total	1.06	4.82	5.53	2.32	1.14	.93	2.22	.99	1.18	2.41	4.54	9.08	Total 3.622
Wet days	10	17	24	11	12	9	17	8	6	11	18	24	167

167

Dec. Corrected by [illegible]

FORM A2.
BRITISH RAINFALL.

25 APR. 1912

REG

HAYWARDS HEATH
BROOK HSE
SUSSEX
1911- 1918

Kept at "Brook Hous
in the County of Suss
by H. R. G. Cla

... & Zambra ... in. London.
... ound - ft. 8½ in.
... Level ... ft.
... me Horsted Keynes
... tance 1½ mls Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

[illegible]
[illegible].

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	7			42				3					1
2	4		1	6							20	35	2
3	2	1									14	22	3
4	7		2	15	32					39	30	32	4
5	1	1		35	23					57			5
6	28		2	1								67	6
7	7									26	69	36	7
8	10		23								68	27	8
9	22		8								16	.13 *13	9
10	—	10	10	8								71	10
11	47		7		86						127		11
12			71								16		12
13			17		15				64	6			13
14		11	2		12							39	14
15		5	24								11	69	15
16						35					49	4	16
17						7					134	15	17
18		13	9	2							169	20	18
19						7			16	27	16	37	19
20		2	3			4		28	5	6		94	20
21	4	17						8		73		19	21
22	6	6	33			15		95		45		56	22
23		27				84			38	11		18	23
24	1	19				13	7	5		71		49	24
25	1	6	17	8		9	2	20	9	3			25
26			16	24		15				24	11	29	26
27		47	22	12	40				10	40	6	17	27
28		23		11				7					28
29				16		12	30		21	56			29
30			1			3		2		33		3	30
31										13			31
Total	147	188	268	180	208	204	39	168	163	530	756	772.	TOTAL for year
No. of Rain Days.	14	14	18	12	6	11	3	8	7	16	15	22.	3623 146

W. 8,000, X. '11.

Dec. Corrected by

REG

FORM A2.
BRITISH RAINFALL.
25 APR 1912

Kept at "Brook House". Ardingly
in the County of Sussex. 4
by H. R. G. Clarke Esq.

RAIN GAUGE
Pattern Negretti & Zambra London.
Diameter of top 8 in.
Height of top above Ground - ft. 8½ in.
" " " Sea Level ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Horsted Keynes
Distance 1¼ mls Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

[illegible]g.
[illegible].

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	7			42				3					1
2	4		1	6							20	35	2
3	2	1									14	22	3
4	7		2	15	32					39	30	32	4
5	1	1		35	23					57			5
6	28		2	1								67	6
7	7									26	69	36	7
8	10		23								68	27	8
9	22		8								16	·13 +13	9
10	—	10	10	8								71	10
11	47		7		86						127		11
12			71								16		12
13			17		15				64	6			13
14		11	2		12							39	14
15		5	24								11	69	15
16						35					49	4	16
17						7					134	15	17
18		13	9	2							169	20	18
19						7			16	27	16	37	19
20		2	3			4		28	5	6		94	20
21	4	17						8		73		19	21
22	6	6	33			15		95		45		56	22
23		27				84			38	11		18	23
24	1	19				13	7	5		71		49	24
25	1	6	17	8		9	2	20	9	3			25
26			16	24		15				24	11	29	26
27		47	22	12	40				10	40	6	17	27
28		23		11				7					28
29				16		12	30		21	56			29
30			1			3		2		33		3	30
31										13			31
Total	147	188	268	180	208	204	39	168	163	530	756	772.	TOTAL for year
No. of Rain Days.	14	14	18	12	6	11	3	8	7	16	15	22.	3623 146

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
7 - JAN 1913

Kept at Brook House Haywards Heath
in the County of Sussex 4
by Harvey Clarke 4

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Horsted Keynes
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·13			·14	·07		·02	·87		·25	1
2			·46		·02	·03	·20			·01			2
3						·25	·04	·40	·03	[illegible]		·02	3
4	·23	·04	·82		·06	·15					·16		4
5	·19	·05	·18					·23			·11	·05	5
6	·37	·09			·03			·35				·05	6
7			·02		·17	·41		·36				·09	7
8	·40	·42	·26			·17		·22				·04	8
9		·11	·02	·04		·04	·08	·18				·21	9
10		·09						·21			·13	·34	10
11	·06	·37							·03			·22	11
12	·01	·14	·07		·09	·06		·19				·03	12
13			·02								·15	·08	13
14			·03		·07			·06				·02	14
15		·05			·14	·64		·02		·12		·31	15
16	·38	·02	·20		·19			·12			·10		16
17	·38		·36			·05		·08			·17		17
18	·07		·45					·05		·07		·15	18
19	·06	·13	·22					·25			·03		19
20	·03	·02	·69					·27		·48	·09		20
21		·09	·28		·02	[illegible]		·09		·17	·05		21
22	·04	·54	·06			[illegible]		·26				·03	22
23	·37	·24	·36		·24	[illegible]		·45		·14	·17	·07	23
24	·06	·06				·61		·28				·15	24
25	·09	·02				·35		·92			·31	·61	25
26		·05				·13		·63		·44	·35	·32	26
27						·04				·24		·40	27
28		·08				·02	·38	·14	·29	·86	1·08	·21	28
29		·05				·40	·11	·27	1·95	·07	·02		29
30					·57		·15	·20	1·35	·40			30
31			·07				·24	·21					31
Total	2·74	2·66	4·70	·04	1·60	2·89	1·27	6·44	3·67	3·87	2·92	3·65	YEAR'S TOTAL 36·45
Rain Days.	15.	20.	19	1	11.	16	8	25	6	12	14.	21	168

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
12 JAN 1914

Kept at Brook House E4 BA

in the County of Haywards Heath 4 Sussex

by Harvey R G Clarke

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Haywards Heath

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·37	·07	·20					·05	·03	·07	·18	1
2	·09	·19			·09		·11		·03	·16	·15	·01	2
3				·59	·41				·04	·15		·14	3
4	·47		·06	·01	·03			·04	·72	·25	·12		4
5	·18	·09	·03			·09	·09		·52	·01	·13		5
6		·03	·12			·12	·13		·10	·35	·09	·20	6
7		·26	·04		·09	·05	·08			·35	·12		7
8	·03	·07			·18	·05				·15	·04	·03	8
9		·05		·04	·15	·01	·16		·08		·06		9
10				·08			·44				·58		10
11	·78			·49						·75	·64	·01	11
12					·20						1·21		12
13	·28		·14					·05	·02		·26		13
14	·32		·07	·06			1·21	·03	·13	·06	·23		14
15	·22	·03	·21	·35			·19		·11				15
16	·18		·55	·18					·15				16
17	·07	·08	·10	·05			·28				·03	·04	17
18			·12	·18			·05				·07		18
19	·29		·12			·05			·52				19
20	·66		·08	·12						·66			20
21	·02		·27	·10						·49	·66		21
22	·33		·30					·05	·10	·03			22
23			·29				·11	·09				·73	23
24	·08												24
25				·24									25
26			·10					·21		·79		·25	26
27			·09	·04	·58					·05			27
28	·14		·31	·09						·15			28
29	·14			·51	·39			·27		·11	·04		29
30	·55			·16				·23		·23			30
31			·11					·94	·01	·22			31
Total	4·83	1·17	3·18	3·49	2·10	·37	2·85	1·91	2·58	4·99	4·50	1·59	YEAR'S TOTAL 33·56
Rain Days.	18	9	20	18	9	6	11	9	14	19	17	9	159

W.7,000, XI. 13

Ex LMC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

5 JAN 1915

Kept at Brook House

in the County of Sussex 4

by Harvey R G Clarke

Lat. ____ Long. ____
Time of Observation 9 A.M.
Nearest Railway Station Horsted Keynes
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ____ ft. ____ in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·11				·13		~~·06~~	·06	·07	1
2				·01		·05	·21			~~·20~~	·20	·16	2
3			·08	·10	·31		·03	·10				·06	3
4			·02	·30	·09			·05		~~·38~~	·38	·44	4
5			·09	·46	·08	·03	·23	·09		~~·03~~	·03		5
6		·15		·21	·05	·08	·12	·04				·40	6
7		·58	·24	·16	·05	·03	·16	[illegible]				·35	7
8	·24	·59	·48	·03		·05	·15	·09				·08	8
9	·33		·94	·16					·20			1·76	9
10	·08	·09	·03	·12	·10							·05	10
11		·59	·62	·05					·27		·07	·52	11
12		·18	·09				·35		·48		·03	·72	12
13		·49	·23				[illegible]		·13	·05	·14	·74	13
14		·27	·17			·04	·07			·30	·14	·67	14
15		·05	·28								·90	·02	15
16		·07					·02		·13			·20	16
17		·49	·17						·16				17
18		·11	·21									·46	18
19		·14	·76							·02	·22	·11	19
20		·23	·19			·10	·32					·20	20
21		·74	·09					·33	—	·07		·03	21
22		·08	·05		·32	·09	·07	·07		·34	[illegible]		22
23		·03	·23		·16	·09	·01			·07		·07	23
24	·		·04								·22		24
25	·07		·33					·11		·31	·02		25
26			·05					·25		·15	·18	·58	26
27											·07	·53	27
28					·02					·25	·27	·55	28
29	·22		·03							·71	·21		29
30			·16							·10	1·15	·32	30
31	·06				·12							·05	31
Total	1·00	4·88	5·60	1·71	1·30	·56	1·74	1·26	1·37	2·37	4·29	9·14	YEAR'S TOTAL 35·22
Rain Days.	6	17	25	11	10 ~~9~~	9	12	10	6	11	17	25	159 ~~158~~

W. 8,000. X. 14.

601

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Brook House
Ardingly a Haywards Heath
in the County of Sussex
by Jas. R. G. Clarke

4

Lat. Long.
Time of Observation 10 A.M.
Nearest Railway Station Horsted Keynes
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·63	·32	·10				·08		·17		·21	·41	1
2	·26	·16	·26	·16				·20		·08		·14	2
3	·29		·05	·21	·08			·13	·07			·63	3
4	·10							·26		·04		·56	4
5	·03	·66						·26		·02		·43	5
6	·58	·23	·07	·73			·41	·03				·10	6
7	·24	·41	·10			·06	·06					·41	7
8	·03	·61					·35	·04			·07		8
9	[illegible]	·10		·30		·21		·13			·46	·86	9
10	·39		·03									·56	10
11											·60	·10	11
12	·06	·17		·25	·33	[illegible]		·03			·74		12
13	·02	·79			199	[illegible]			·06		·		13
14	·02	·04					·19	·09	·07	[illegible]		·63	14
15	·17	·07			·07		·03	·19			·15	·31	15
16		·62		·03	·09	[illegible]	·90	·25			·08	·15	16
17		·42			1·13			·83					17
18		·12			·19						·05	·02	18
19		·10					·02						19
20	·32				·05							·21	20
21	·14						02			·14		·04	21
22	·40	·03	·02	·06		[illegible]	1.05			·02		·19	22
23		·11	·17				·04			·36		·61	23
24				·05			·43			·44		·54	24
25							·23			·06		·50	25
26		·08				·05	·02		·26			·69	26
27		·08					·11			·63		·06	27
28		·09				·07	·32		1·22	·31	·02	·02	28
29						·45		·35		[illegible]	·39	[illegible]	29
30	·19	X				·04				·21	·45	·05	30
31		X		X		X		·43	X	·83	X	·30	31
Total	3·87	5·21	·80	1·79	3·93	·88	2·26	3.22	2.05	3·14	3.22	8.52	YEAR'S TOTAL 40·89
Rain Days.	17	20	8	8	8	6	16	14	6	12	11	25	151

W. 8,000. X. 15.

[illegible] 590

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 6 JAN 191

Kept at Brook House
in the County of Sussex
by Harry R G Clark

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Horsted Keynes LB&SCR.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15				·14				·26	·15	·42		1
2	·49	·12	·29		·33		·04			·55	·10		2
3	·02	·62	·36				·04		·17	·51	·73		3
4	·24	·13		·03		·69			·24	·05	·41		4
5	·03			·02	·33	·16	[illegible]			·11	·71		5
6	·02	·13	·10	·24	·03	·34	·30			·06	·65		6
7	·05		·63		·28	·31				·09	·81	·04	7
8			·02		·29					[illegible]		·66	8
9					·32		·02						9
10		·33	·10	·17		·22	·21				·02	·35	10
11	·06	·16		·30		·09						·04	11
12	·03	·10	·22	·06	·11	·14	·13			·17		[illegible]	12
13		·25	·43	·09	·05	·02		·03		·06			13
14		·54	·08	·02	·14			·02		·03		·08	14
15		·09	·14					·06				·05	15
16	·02		·20	·19			·12	·08					16
17	·30	·16		·07				·25	·33	1·09			17
18		·15		·04				·22	·26	·29	·73		18
19	·24		·14	·20		·07		·03	·08		·59	·17	19
20	·12		·03	·13				[illegible]			·20	·59	20
21	·03		·28									·43	21
22			·63								·02	·68	22
23	·02	·14	·04			·09				·13	·04	·04	23
24			[illegible]		·11	·02				·28	·08	·33	24
25		·72	·19					1·13		·14	·04		25
26	·04	·20	·04			·10		·09	·08	·28			26
27	·03	·05	·79			·10		·04	·13	·49			27
28		·65	·23			·04		·09	·17	·13		·23	28
29		·19				·33		·77	·05	·48		·38	29
30		X			·15			·05		·21			30
31		X		X		X		·03	X	·15	X		31
Total	1·87	4·73	4·34	1·56	2·26	2·72	·86	2·89	1·77	5·45	5·55	4·07	YEAR'S TOTAL 38·07
Rain Days.	17	18	20	13	12.	15.	7.	14	10.	21	15	14	176

W. 8,000, VIII. 16

S mode ✓ Ext C.F.E. 563

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. JAN 1918

Kept at Brook House, Ardingly
in the County of Sussex
by H. R. G. Clarke

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Horsted Keynes (L.B.S.C.R.)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.07		.21				1.24	.13		.09	.02	1
2				.22				.10			.10		2
3				.08			.45	.42		.18	.01		3
4		.15					.09	.33		.36			4
5	.28		.14	.27				.36	.72	.25	.05	.	5
6	[illegible]		.04	.03		.49			.42		.18		6
7	.30		.20				.05			.39		.05	7
8	.09			.12			.32	.49		.33	.31	.26	8
9	[illegible]		.04	.05			.16	.03			.03	.75	9
10	.19		.17			.06		.13			.03		10
11	.20		.12	.50				.35		.64			11
12	.06			.02				.20		.18	.02		12
13	.04		.20		.08			.02	.03	.24	.01		13
14	..			.15				.04	.03			.02	14
15	.02			.02				.06		.23		.10	15
16	.07	.21		.19	.10					.70		1.22	16
17				.12	.18		.20	.05	.37	.20			17
18	.05	.05		.08	.08	.	.19	.10	.26				18
19	.06	.18	.23		.02	.38		.49	.14				19
20		.18	.08		.60	.02	.	.03	.06		.03		20
21			.07		.02		.10				.	.03	21
22			.05			.12		.15		.19			22
23		.19			.23		.02	.15		.20			23
24		.09				.15		.02		.03	.23	.09	24
25		.10	.15			.04							25
26			.04			.02		.45			.81		26
27					.29			1.07	.07				27
28			.04			.68		.58				.09	28
29			.03		.16		.21	.04		.75		.15	29
30		✕	.44				.70	.40		.04	.01	.04	30
31		✕		✕		✕	.34	.03	✕	.01	✕	.12	31
Total	1.36 ✓	1.22 ✓	2.04 ✓	2.06 ✓	1.96 ✓	1.96 ✓	2.83 ✓	7.33 ✓	2.23 ✓	4.92 ✓	1.91 ✓	2.94 ✓	YEAR'S TOTAL 32.56 ✓
Rain Days.	11 ✓	9 ✓	16 ✓	14 ✓	10 ✓	9 ✓	12 ✓	26 ✓	10 ✓	17 ✓	14 ✓	13 ✓	161 ✓

W. 8,000, IX. 17.

W.C.

85

FORM A.
BRITISH RAINFALL.
6 - 1 - 19

REGISTER OF RAINFALL IN 1918

Kept at Brook House Ardingly

in the County of Sussex

by Harvey R. G. Clarke

Lat. Long. —

Time of Observation 9 A.M.

Nearest Railway Station Horsted Keynes

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04		·02			·04			·22	·10	1
2		·07						·28			·24	·28	2
3			·13	·13	·40			·03		·03	·34	·02	3
4		·15	·03	·03			[illegible]	·07	·15		·76		4
5		·05	·02		·04		[illegible]	·15		·09			5
6	·20	·18		·19	·21		~~·38~~	·12	·10	·05			6
7	·08	·11		·19	·05	·03	~~·12~~	·02	·10		·14		7
8		·05							·38		·11	·10	8
9	·03			·04		·10	·04		·50	·33		·37	9
10				·11		·11	·44		·56	·16		·22	10
11				·02			·38		·07	·16	·07	·13	11
12	[illegible]	·11			·18		·12		·07	·06			12
13	·21	·02			·07		·19		·14				13
14	·23		·05	·01	·02	·10	·12		·16	·35		·12	14
15	1·34			·44		·18	1·57		~~·16~~			·17	15
16	·31			·08		·26	·08		·24				16
17	·26			·09		·82	·62	·02				·22	17
18	·42					·35	·02		·61	·02		·09	18
19	·09			·04		·05	·04			·05		·04	19
20	·05	·16		·87		·02	·40		·15	·30			20
21	·22			·83			·17		·64	·12			21
22	·13				·06		·60		·54				22
23	·11			·04	·03		·45		·04				23
24		·29		·03		·05	·02	·04	·32		·07		24
25				·06			·05	·21		·04			25
26	·02						1·29		·03	·04	·15		26
27		·13		·09			·28	·21	·07		·12	·25	27
28			·29	·03				·02		·03	·16		28
29				·02					·79		·02		29
30			·52						·07	·13		·11	30
31										·08		·01	31
Total	3·70	1·32	1·08	3·34	1·08	2·07	6·88	1·21	5·73	2·04	2·46	2·23	YEAR'S TOTAL 33·08
Rain Days.	15	11	7	20	10	11	19	12	21	17	12	15	170

W, 6,500, VII. 18. w w c

A

44 Wilbury Road
Hove

Jan 4th 1919.

attached to A

Mr. Harvey Clarke regrets that he can not guarantee the measurement of rain is correct, as he has been away since the 8th of December, & the head gardener who has taken it usually has been ill with influenza.

Brook House
Haywards Heath

HAYWARDS HEATH
ST. WILFRID'S PARSONAGE

SUSSEX

1911 - 1918

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at St. Wilfri

in the County of

by J. E. Shir

jamba

in.

ound 1 ft. – in.

a Level 300 ft.

m.

ame Haywards Heath

istance ½ mile Direction N. W.

IMPORTANT he result entered to the previous day. If rsal rule, he is earnestly requested to add the reading ar in the space provided for it at the end of this paragraph. Full instructions ent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0·50				0·02			0·12		1
2	0·09		0·01	0·07	0·27						0·23	0·27	2
3	0·02	0·01			0·22			0·04			0·12	0·23	3
4	0·05	0·01		0·21						0·25	0·31	0·29	4
5		0·01		0·50						0·87	0·04	0·06	5
6	0·30		0·03	0·02								0·61	6
7	0·04		0·04							0·28	0·82	0·35	7
8	0·10		0·20								0·83	0·25	8
9	0·20		0·03								0·22	0·09	9
10		0·10	0·10	0·07							0·03	0·75	10
11	0·40		0·06		0·30						1·20		11
12	0·01		0·76		0·08						0·12	0·02	12
13			0·09		0·13				0·45	0·03		0·29	13
14		0·13			0·28							0·66	14
15		0·05	0·14								0·14	0·05	15
16			0·01			0·38					0·55	0·15	16
17			0·09			0·06					1·40	0·23	17
18		0·13	0·04			0·03					1·45	0·46	18
19				0·01					0·16	0·31	0·08	0·13	19
20			0·03	0·02		0·08		0·23	0·09	0·05		0·83	20
21	0·05	0·17						0·02	0·25	0·61		0·20	21
22	0·05	0·07	0·27			0·13		0·18		0·36		0·57	22
23		0·20				0·94			0·37	0·33	0·05	0·21	23
24	0·01	0·20				0·13	0·04	0·03		0·36		0·48	24
25		0·03	0·15	0·08		0·19		0·08	0·07	0·30	0·01		25
26			0·15	0·27	0·81	0·10					0·12	0·31	26
27		0·47	0·28	0·19					0·08	0·39	0·04	0·18	27
28		0·22		0·10				0·07			0·05	0·01	28
29				0·22		0·20	0·48		0·20	0·54			29
30				0·10		0·06		0·01	0·01	0·34		0·02	30
31													31
Total	1·32	1·80	2·48	2·36	2·09	2·30	0·52	0·68	1·68	5·02	7·93	7·70	TOTAL for year 35·88
No. of Rain Days.	12	14	18	14	7	11	2	9	9	14	21	26	35·82 157

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGIS

Kept at St. Wilfrids Parsonage Haywards Heath

in the County of Sussex E. 4

by J. E. Shirley

RAIN GAUGE
Pattern Jamber
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 300 ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Haywards Heath
Distance ½ mile Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0·50				0·02			0·12		1
2	0·09		0·01	0·07	0·27						0·23	0·27	2
3	0·02	0·01			0·22			0·04			0·12	0·23	3
4	0·05	0·01		0·21						0·25	0·31	0·29	4
5		0·01		0·50						0·87	0·04	0·06	5
6	0·30		0·03	0·02								0·61	6
7	0·04		0·04							0·28	0·82	0·35	7
8	0·10		0·20								0·83	0·25	8
9	0·20		0·03								0·22	0·09	9
10		0·10	0·10	0·07							0·03	0·75	10
11	0·40		0·06		0·30						1·20		11
12	0·01		0·76		0·08						0·12	0·02	12
13			0·09		0·13				0·45	0·03		0·29	13
14		0·13			0·28							0·66	14
15		0·05	0·14								0·14	0·05	15
16			0·01			0·38					0·55	0·15	16
17			0·09			0·06					1·40	0·23	17
18		0·13	0·04			0·03					1·45	0·46	18
19				0·01					0·16	0·31	0·08	0·13	19
20			0·03	0·02		0·08		0·23	0·09	0·05		0·83	20
21	0·05	0·17						0·02	0·25	0·61		0·20	21
22	0·05	0·07	0·27			0·13		0·18		0·36		0·57	22
23		0·20				0·94			0·37	0·33	0·05	0·21	23
24	0·01	0·20				0·13	0·04	0·03		0·36		0·48	24
25		0·03	0·15	0·08		0·19		0·08	0·07	0·30	0·01		25
26			0·15	0·27	0·81	0·10					0·12	0·31	26
27		0·47	0·28	0·19					0·08	0·39	0·04	0·18	27
28		0·22		0·10				0·07			0·05	0·01	28
29				0·22		0·20	0·48		0·20	0·64			29
30				0·10		0·06		0·01	0·01	0·34		0·02	30
31													31
Total	1·32	1·80	2·48	2·36	2·09	2·30	0·52	0·68	1·68	5·02	7·93	7·70	TOTAL for year 35·88
No. of Rain Days.	12	14	18	14	7	11	2	9	9	14	21	26	35·88 15

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

7 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at St Wilfrids Parsonage
Haywards Heath
in the County of East Sussex. 4
by J. E. Shirley.

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. — in.
	„ „ „ Sea Level	300 ft.

Time of Observation 9. a. m.

Nearest Railway Station: Name Haywards Heath; Distance ¼ mile; Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·10			0·25	0·14		0·02	0·90		0·25	1
2			0·60		0·07	0·05	0·22						2
3		0·06	0·04			0·24	0·01	0·46	0·02			0·02	3
4	0·29	0·03	0·73		0·03	0·14		0·02			0·21		4
5	0·21	0·07	0·17	0·01		0·01		0·19			0·12	0·04	5
6	0·36	0·13			0·04			0·54				0·06	6
7			0·03		0·29	0·41		0·47	0·02			0·09	7
8	0·35	0·48	0·27	0·02		0·24	0·09	0·05				0·03	8
9	0·01	0·09	0·03	0·05		0·17		0·21				0·13	9
10		0·09						0·39			0·07	0·36	10
11		0·44	0·30		0·01			0·02	0·01			0·20	11
12		0·11	0·04		0·12	0·05		0·22				0·05	12
13	0·05	0·01	0·03				0·04				0·11	0·11	13
14					0·11			0·14		0·05		0·03	14
15	0·02	0·06	0·11		0·15	0·60		0·02				0·29	15
16	0·28	0·01	0·21		0·12	0·17		0·08		0·09	0·03	0·19	16
17	0·37		0·30		0·03	0·11		0·09			0·20		17
18	0·06		0·43					0·10		0·05	0·02	0·15	18
19	0·05	0·09	0·25				0·03	0·27					19
20	0·04	0·01	0·68			0·03		0·09		0·57	0·04		20
21	0·01	0·09	0·30		0·03			0·13		0·18	0·04		21
22	0·05	0·52	0·05				0·02	0·30		0·01		0·04	22
23	0·40	0·36	0·43		0·05			0·49		0·10	0·20	0·08	23
24	0·09	0·05						0·28				0·13	24
25	0·10					0·28		1·17 ~~0·49~~			0·32	0·62	25
26		0·05				0·13		0·20		0·35	0·37	0·28	26
27						0·04	0·01	~~1·17~~		0·28	1·16	0·44	27
28		0·08				0·03	0·63	·08 0·~~88~~	0·22	0·99		0·23	28
29		0·05					0·18	0·35	2·20	0·10			29
30					0·55	0·37	0·01	0·42	1·31	0·41	0·02		30
31			0·06				0·34	0·27.					31
Total	2·74	2·88	5·16	0·08	1·60	3·32	1·72	7·05	3.80	4·08	2·91	3.82	TOTAL for year 39·16
No. of Rain Days.	17	21	21	3	13	18	12	27	7	13	14	22	188

W. 8,000, X. '11.

✓ corr 11·II·14

FORM A.
BRITISH RAINFALL.
9 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at St Wilfrids Parsonage # R

in the County of East Sussex 4

by J. E. Shirley

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Haywards Heath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	0·38	0·08	0·18	0·21	·		·	0·03	0·05	0·10	0·21	1
2	0·06	0·19	·	·	0·19	·	0·08	·	0·02	0·23	0·08	·	2
3	0·01	·	0·06	0·35	0·36	·	·	·	0·01	·	0·12	0·21	3
4	0·38	·	0·08	·	0·08	0·14	0·01	·	0·94	0·19	·	0·01	4
5	0·19	0·08	0·02	·	·	0·15	0·08	·	0·56	0·02	0·18	·	5
6	0·01	0·04	0·09	·	0·02	·	0·21	·	0·10	0·23	0·12	0·26	6
7	·	0·29	0·08	·	0·05	0·05	0·07	·	·	0·36	0·12	0·01	7
8	·	0·07	·	·	0·20	0·06	·	0·05	·	0·26	0·04	0·05	8
9	·	0·05	·	0·02	0·18	0·01	0·14	0·18	0·18	·	0·04	0·01	9
10	·	·	·	0·11	·	·	0·72	0·01	·	0·04	0·58	0·02	10
11	0·80	·	·	0·63	·	·	·	·	·	0·97	0·54	·	11
12	·	·	·	·	0·35	·	·	·	·	·	1·12	0·02	12
13	0·37	·	0·06	·	·	·	·	0·01	0·07	·	0·25	·	13
14	0·34	·	0·10	0·06	·	·	0·85	0·03	0·15	0·04	0·20	·	14
15	0·30	0·04	0·19	0·35	·	·	0·16	·	0·11	·	·	·	15
16	0·19	·	0·54	0·16	·	·	·	·	0·33	·	·	·	16
17	0·08	0·06	0·06	0·08	·	·	0·25	·	·	·	0·01	0·03	17
18	0·01	·	0·13	0·21	·	·	0·06	·	·	·	0·09	·	18
19	0·30	·	0·18	·	·	0·04	0·11	·	0·43	·	·	·	19
20	0·52	·	0·07	0·14	·	0·06	·	·	·	0·56	0·03	·	20
21	·	·	0·35	0·12	·	·	·	·	·	0·75	0·65	·	21
22	0·34	·	0·34	·	·	·	·	·	0·11	0·05	·	0·01	22
23	·	·	0·25	·	·	·	0·02	0·16	·	·	·	0·78	23
24	0·08	·	·	0·05	·	0·05	·	0·08	·	·	0·07	·	24
25	·	0·03	·	0·17	·	·	·	·	·	·	·	0·01	25
26	·	·	0·11	0·01	·	·	·	0·20		0·79	·	0·30	26
27	·	0·01	0·10	0·08	0·19	·	·	·	·	0·03	·	·	27
28	0·14	·	0·31	0·07	·	·	·	·	·	0·19	·	·	28
29	0·13		·	0·30	0·55	·	·	0·48	·	0·15	·	·	29
30	0·56		·	0·25		·	·	0·32	·	0·26	·	·	30
31			0·07				·	0·70		0·19		·	31
Total	4·85	1·24	3·27	3.34 3·34	2·38	0·56	2·76	2·22	3·04	5·36	4·34	1·93	YEAR'S TOTAL 35·29 35.29
Rain Days.	20	11	21	19	11	8	13	11	13	19	18	14	178

W. 7,500, XI. '12

Cx 9M

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

11 JAN 1915

Kept at St Wilfrids Parsonage.
Haywards Heath
in the County of Sussex. 4
by J. E. Shirley.

Lat. 51°
Long. 6' W. of Greenwich
Time of Observation 9. a. m.
Nearest Railway Station H. Heath
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·02	0·10				0·16			0·08	0·07	1
2				0·02		0·04	0·11	0·02			0·16	0·17	2
3			0·10	0·13	0·29		0·02	0·02			0·02	0·04	3
4			0·02	0·30	0·13		0·02	0·05			0·36	0·38	4
5	0·15		0·11	0·44	0·04	0·03	0·19	0·09			0·01		5
6		0·12	0·02	0·40	0·03	0·10	0·15	0·06			0·01	0·54	6
7		0·62	0·16	0·23	0·01	0·11	0·12	0·02				0·30	7
8	0·19	0·62	0·47	0·05	0·02	0·06		0·13				0·09	8
9	0·28		0·88	0·16					0·20			1·25	9
10	0·04	0·12		0·13	0·12				0·08			0·02	10
11		0·46	0·40	0·04	0·07	0·01			0·20		0·03	0·53	11
12		0·10	0·11				0·49		0·50	0·06	0·02	0·67	12
13		0·60	0·23			0·02			0·15	0·02	0·12	0·68	13
14		0·20	0·15				0·06			0·35	0·08	0·68	14
15		0·10	0·30					0·10			1·05	0·01	15
16		0·09					0·10		0·11			~~0·25~~	16
17		0·27	0·19				0·01		0·18			0·25	17
18		0·10	0·29									0·57	18
19		0·12	0·95				0·27			0·01	0·25	0·15	19
20		0·24	0·13			0·14						0·27	20
21		0·74	0·08					0·09		0·07		0·06	21
22		0·06	0·02		0·21	0·04	0·08	0·05		0·32			22
23			0·21		0·06	0·27	0·01			0·03			23
24			0·06								0·24		24
25	0·10		0·25					0·12		0·30	0·03		25
26			0·08				0·04	0·18		0·20	0·17	0·57	26
27			0·01								0·08	0·60	27
28	0·06	0·03	~~[illegible]~~				0·33			0·27	0·27	0·49	28
29	0·18		0·03		0·01					0·66	0·25	0·01	29
30	0·02	×	0·14							0·09	1·17	0·35	30
31	0·04	×		×	0·12	×			×		×	0·04	31
Total	1·06	4·59	5·41	2·00	1·11	0·82	2·00	1·09	1·42	2·38	4·40	8·73	YEAR'S TOTAL 35·01
Rain Days.	9	17	26	11	12	10	15	13	7	12	19	25	176

W. 8,000. X. 14.

595

FORM A.
BRITISH RAINFALL.
11 JAN 16

REGISTER OF RAINFALL IN 1915

Kept at St Wilfrids Parsonage Haywards Heath
in the County of East Sussex 4
by J. E. Shirley

Lat. 51° Long. 7' W of Greenwich
Time of Observation 9 a.m.
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·69	·28	·16					·2	·20	·3	·18	·36	1
2	·32	·17	·29	·18	·2			·12	·2	·11		·25	2
3	·32		·5	·22	·9			·8	·5			·60	3
4	·7			·1				·3		·2		·55	4
5	·7	·63		·2				·18		·1	·1	·51	5
6	·64	·24	·9	·75			·48	·2				·13	6
7	·22	·42	·9	·4		·7	·5	·1					7
8	·3	·70	·2				·5	·2			·8	·31	8
9	·2	·14		·31		·17		·4			·47	·81	9
10	·25											·56	10
11	·1		·2								·69	·2	11
12	·5	·19		·21	·37						·79		12
13	·2	·82			1·96				·5				13
14	·4	·5					·18	·3	·9			·50	14
15	·25	·4			·7		·29	·14			·14	·30	15
16	·1	·74		·1	·6		1·15	·37				·12	16
17		·41			1·43			·5					17
18	·1	·14	·1		·16						·4	·3	18
19		·4			·2								19
20	·23			·4	·5							·18	20
21	·15	·2					·4			·18		·3	21
22	·32		·6	·4			1·1					·17	22
23	·2	·10	·10				·6		·3	·36		·62	23
24			·6				·21		·40	·55		·58	24
25				·4			·19			·1		·39	25
26		·6				·4						·71	26
27		·4				·1	·31			·57		·7	27
28		·10				·22	·5		1·35	·24	·1		28
29		×				·15	·87	·35			·48	·2	29
30	·20	×				·24	·3			·23	·35	·5	30
31	·3	×		×		×		·30	×	·91	×	·30	31
Total	3·97	5·33	·95	1·87	4·23	·90	4·97	1·76	2·19	3·16	3·24	8·17	YEAR'S TOTAL 40·74
Rain Days.	23	20	11	12	10	7	15	15	8	12	11	25	169

W. 8,000. X. 15.

[illegible] [illegible] 585

FORM A. BRITISH RAINFALL.
24. JAN 19[illegible]

REGISTER OF RAINFALL IN 1916.

Kept at St Wilfrid's Parsonage Haywards Heath
in the County of E. Sussex
by J. E. Shirley

Lat. Long.
Time of Observation 8 a.m.
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·11	··2	·7		·14	··4			·31	··1	·35		1
2	·34	·10	·26		·35	··2	··4		·	··86	·9		2
3	·	·63	·29		·	·2	··5		·15	·52	·76		3
4	··25	·19	·		·	·57	·		·29	··4	·43		4
5	··5	·2	·		·25	·11	·			·9	·91		5
6	··2	·11	·5	·16	·3	·57	·27			·9	·66		6
7	··1	·1	·55	·	·27	·19	·			·2	·73	·4	7
8	·	·	·3	·	·27	·	·			·	·3	·49	8
9	·	·	·1	·	·26	·2	·			·1	·	·32	9
10	·	·37	·6	·7	·	·18	··8			·	·1	·30	10
11	··4	·29	·	·12	·	·11	·			·		·5	11
12	·5	·7	·2	·24	·13	·14	·14	··2		·13		·	12
13	·	·21	·54	··9	·10	·1	·	·4		·8		·	13
14	·	·40	·8	·	·14	·	·	·5		·3		·8	14
15	·	·10	·13	·2	·	·	·	·4		·2		·2	15
16	·2	·4	·28	·22	·	·	··9	·6		·		·	16
17	·26	·12	·	·17	·	·	·	·13	·44	1·13		·	17
18	··1	·19	·1	·5	·	·	·	·44	·34	·20	·80	·1	18
19	·21	·	·13	·37	·	·3	·	·8	·10	·	·64	·15	19
20	··9	·	·5	··5	·	·	·	·	·	·	·13	·41	20
21	··3	·	·22		·	·	··6	·	·26	·	·8	·38	21
22	·1	·2	·4		·	·1	·	·		·2	·1	·83	22
23	·2	·18	·4		·	·5	·	·2		·7	·4	·	23
24	·9	·	·1		··15	·4	·	·		·28	·9	·3	24
25	·3	·42	·19			·	·	·44		·17	··3	30	25
26	·3	·36	·1			·16	·	··2		·32		·4	26
27	·2	·8	·82			··5	·	··9	·10	·49			27
28	·	·54	·18			·41		·15	·14	·18		·22	28
29	·	·20	·2			··30		·55	·15	·47		37	29
30	·	X			··45	·		··4		·28		·1	30
31		X		X		X			X	·4	X	·1	31
Total	1·64	4·67	4·09	1·56	2·54	3·03	·73	2·17	2·28	5·55	5·79	4·06	YEAR'S TOTAL 38·11
Rain Days.	19	23	25	11	12	20	7	15	10	5·55 24	17	19	38·11 202

W. 8,000, VIII. 16

534

FORM A.
BRITISH RAINFALL.
18. JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at St. Wilfrids Parsonage
in the County of Haywards Heath Sussex.
by J. E. Shirley.

Lat. ______ Long. ______
Time of Observation 8 a.m.
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·1	·16				1·40	·8		·6	·2	1
2				·21				·6			·8		2
3				·7			·65	·21		·13	·3		3
4	·3	·15	·18				·8	·48		·42			4
5	·38		·5	·15		·1				·35	·4		5
6			·28	·7		·47			·59		·29		6
7	·26						·8		·25	·52		·7	7
8	·10			·9			·25	·33		·26	·28	·26	8
9			·7	·5			·12	·4			·3	·63	9
10	·15		·17	·4		·13							10
11	·24	·3	·14	·59				·9		·39			11
12	·4		·2	·6				19		·26			12
13	·3		·16		·9			·1	·5	·28			13
14			·2	·20				·9				·2	14
15	·3			·1	·25			·9		·24		·10	15
16	·6	·20		·14	·7		·3			·60		1·56	16
17		·2		·12	·13		·25		·30	·13			17
18	·3			·11	·7	·3	·26	·14	·27				18
19	·5	·20	·15		·3	·20		·10	·19				19
20	·2	·21	·6		·48			·3	·13		·3		20
21	·2		·4		·4		·10				·4	·3	21
22	·1		·2			·21		·16		·20			22
23		·18			·19			·15				·4	23
24		·7				·6	·6	·6		·20	·12	·1	24
25		·12	·3			·17	·5			·3			25
26			·7			·2		38	·9		·92	·2	26
27					·7			1·17					27
28		·1	·5			·67		·53				·8	28
29	·3		·2		·7		·14	·5		·75		·10	29
30		X	·35			·3	·48	·30		·14		·3	30
31	·6	X	·20	X		X	·18	·2	X	·2	X	·15	31
Total	1·54	1·19	2·09	2·07	1·49	2·00	2·73	6·08	1·95	4·92	1·92	3·12	YEAR'S TOTAL 31·10
Rain Days.	17	10	20	15	11	11	14	23	9	17	11	15	173

W. 8,000, IX. 17.

EX Cor. for W.D. in Jan. 78

REGISTER OF RAINFALL IN 1918. (Gower Road particulars)

FORM A. BRITISH RAINFALL 9. 1.

Kept at S. Wilfrid's Parsonage, Jan. 1 - Aug 31
69. Gower Road Sep: 1st - Dec: 31
Haywards Heath
in the County of Sussex (East)
by Messrs. J. E & J. F. Shirley

Lat. 50° 59' 35" N Long. 0° 5' 59" W.
Time of Observation 9 a.m.
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. - in.
" " " " Sea Level 242 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		~~·04~~	·05	·03	·03						·23	·07	1
2		·04	·01	·04				·37			·24	·14	2
3			·10	·12	·39			·27		·03	·39	·02	3
4		·12	·05	·05				·08	·17		·58		4
5		·04	·04		·04			·13		·06		·01	5
6	·20	·13		·16	·16			·22	·01	·05		·03	6
7		·09		·14	·11			·03	·15	·02	·06		7
8	·03	·05		·17					·16	·03	·07	·06	8
9				·05		·09			·41	·20		·26	9
10	·23					·05	·54		·51	·11	·05	·16	10
11				·02			·16		·31	·17		·12	11
12		·09			·10		·38		·10	·03		·01	12
13		·01			·16		·04		·17			·02	13
14	·23		·05		·02	·08	·20		·26	·37		·06	14
15	·22			·27		·10	·87					·10	15
16	1·62			·07		·21	·09		·55				16
17	·24			·19		·77	·53					·22	17
18	·33					·33			·67			·05	18
19	·34		·06	·04		·37	·03			·03			19
20	·07	·17		·53		·03	·41		·17	·18			20
21	·17			·86			·18		·44	·09		·03	21
22	·09				·05		·12	·05	·52			·25	22
23	·11			·04	·01		·86		·09			·03	23
24		·28		·03		·08	·17		·19		·07	·02	24
25	·01			·07			·08	·21		·04			25
26	·09						·41		·02	·03	·10	·11	26
27		·13	·01	·04			·10	·21	·10		·13	·05	27
28		·01	·29	·03	·12					·02	·16		28
29									·84		·02		29
30		X	·40						·02	·09		·07	30
31		X		X		X			X	·05	X	·01	31
Total	3·98	1·16	1·06	2·95	1·19	2·11	5·17	1·57	5·86	1·60	2·10	1·90	YEAR'S TOTAL (30·65)
Rain Days.	15	12	10	20	11	10	17	9	21	18	12	23	(178)

moved

W. 6,500, VII. 18. w w c

512

2 JAN 20

FORM A. 1. METEOROLOGIC IZATION.

REGIS

HAY WA~~RDS~~ HEATH
GOWER RD
SUSSEX
1919 - 20

Kept at 69, Gower Rd ' 59" W.

wards Heath.

in the County of Sussex uge 5 in.

round 3 ft 4 in.

by John F. Shirl ea Level ~~239~~ 242 ft.

IMPORTANT NOTE.—Rain ed to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·03	·02	·02	·04		·10			·11	·02	·67	1
2	·17		·02		·15		·02		·01	·09	·03	·13	2
3	·30		·47		·02		·56		·19		·03	·25	3
4	·22		·41			·05	·14	·03	·01		·05	·13	4
5		·33	·75				·08		·03		·29	·42	5
6	·18		·04									·07	6
7	·09		·30								·01		7
8	·25		·07								·03		8
9	·60		·06	·12	·07						·11		9
10	·41		·02	·02							·02	·11	10
11	·18		·23	·35	·05		·31					·12	11
12	·23		·02	·01			·07			·05	·06		12
13	·01	·01		·48									13
14	·33			·25			·09		·19			·10	14
15	·15	·01	·21	·03						·02		·58	15
16	·17	·39									·06	·02	16
17		·22	·01	·01							·16	·03	17
18		·08	·05					·02			·07	·02	18
19	·02	·26	·44			·11	·32	·07			·07		19
20	·30	·02	·05			·44	·10	·17				·02	20
21	·08	·38	·01				·01				·03	·05	21
22		·01	·01				·15		·47		·01	·22	22
23						·02	·01		·23		·03	·04	23
24		·02		·17		·01	·03			·10	·09	·15	24
25	·05				·01			·44				·04	25
26	·04	·15	·10	·03			·02	·03	·06		·26	·27	26
27	·70			·51				·59			·36	·03	27
28			·25	·02				·39			·57	·36	28
29	·02			·02				·79		·23	·05	·09	29
30	·01	X	·01	·20		·04		·80		·04	·20	·64	30
31	·04	X	·01	X		X	·03		X	·01	X	·14	31
TOTAL	4·79	1·91	3·56	2·24	0·34	0·67	2·04	3·33	1·19	0·65	2·61	4·70	YEAR'S TOTAL 28·03
Days with ·01 in. or more	24	13	23	15	6	6	16	10	8	8	23	25	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

572

9 JAN 20

Form A. 1. METEOROLOGICA IZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 69, Gower Rd, Haywards Heath
in the County of Sussex
by John F. Shirley

Lat 50° 59′ 35″ N Long 0° 5′ 59″ W.
Time of Observation 9 a.m.
Nearest Railway Station Haywards Heath.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft 4 in.
„ „ „ „ Sea Level ~~239~~ 242 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·03	·02	·02	·04		·10			·11	·02	·67	1
2	·17		·02		·15		·02		·01	·09	·03	·13	2
3	·30		·47		·02		·56		·19		·03	·25	3
4	·22		·41			·05	·14	·03	·01		·05	·13	4
5		·33	·75				·08		·03		·29	·42	5
6	·18		·04									·07	6
7	·09		·30								·01		7
8	·25		·07								·03		8
9	·60		·06	·12	·07						·11		9
10	·41		·02	·02							·02	·11	10
11	·18		·23	·35	·05		·31					·12	11
12	·23		·02	·01			·07			·05	·06		12
13	·01	·01		·48									13
14	·33			·25			·09		·19			·10	14
15	·15	·01	·21	·03						·02		·58	15
16	·17	·39									·06	·02	16
17		·22	·01	·01							·16	·03	17
18		·08	·05					·02			·07	·02	18
19	·02	·26	·44			·11	·32	·07			·07		19
20	·30	·02	·05			·44	·10	·17				·02	20
21	·08	·38	·01				·01				·03	·05	21
22		·01	·01				·15		·47		·01	·22	22
23						·02	·01		·23		·03	·04	23
24		·02		·17		·01	·03			·10	·09	·15	24
25	·05				·01			·44				·04	25
26	·04	·15	·10	·03			·02	·03	·06		·26	·27	26
27	·70			·51				·59			·36	·03	27
28			·25	·02				·39			·57	·36	28
29	·02			·02				·79		·23	·05	·09	29
30	·01	×	·01	·20		·04		·80		·04	·20	·64	30
31	·04	×	·01	×		×	·03		×	·01	×	·14	31
TOTAL	4·79	1·91	3·56	2·24	0·34	0·67	2·04	3·33	1·19	0·65	2·61	4·70	YEAR'S TOTAL 28·03
Days with ·01 in. or more	24	13	23	15	6	6	16	10	8	8	23	25	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Local 970 487

25 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 69, Gower Road, Haywards Heath

in the County of Sussex

by Mr John F. Shirley

Lat. 50° 59′ 35″ N. Long. 0° 5′ 59″ W

Time of Observation 9 a.m

Nearest Railway Station Haywards Heath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 4 in.

" " " " Sea Level 242 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·01	·06	·07		·29			·30	·02	·24	1
2			·10	·01	·03			·22	·06	·19		·07	2
3	·01								·01	·12		·03	3
4		·08		·06			·27	·12	·01	·12			4
5			·07	·01			·60	·04	·03				5
6			·12		·23		·35					·01	6
7	·04			·06	·01		·15						7
8				·04	·08		·56					·01	8
9	·13	·01		·01	·25	·03	·04						9
10	·59	·10	·12	·01	·02	·12	·34						10
11	·26	·01	·10	·14		·01	·27					·08	11
12	·03	·01		·19		·34							12
13	·27	·02	·20								·08		13
14	·01	·02	·38	·39		·02			·14	·16	·28		14
15	·02		·04	·18					·99	·42	·11		15
16			·01						·13				16
17	·01			·01	·17				1·00			·09	17
18	·03		·01		·08			·80	·37			·07	18
19	·09			·29		·01			·04		·01	·03	19
20	·08	·09		·06		·50			·11			·02	20
21				·01			·65		·14			·17	21
22				·32					·01			·36	22
23							·29	·06				·37	23
24			·07	·04								·09	24
25			·02		·01		·20						25
26	·02		·10	·05		·01	·12				·01	·05	26
27	·41	·01		·10		·03					·82	·27	27
28	·45	·01	·15	·05	·15		·15				·07	·03	28
29	·60		·09	·08							·11	·13	29
30	·01	✕				·02	·04		·27		·37	·15	30
31	·04	✕	·11	✕		✕			✕	·68	✕	·23	31
													YEAR'S TOTAL
TOTAL	3·15	0·36	1·70	2·17	1·10	1·09	4·32	1·24	3·31	1·99	1·88	2·50	24·81 ✓
Days with ·01 in. or more	20	10	17	22	11	10	15	5	14	7	10	20	161 ✓
Days with ·04 in. or more	12	3	13	16	7	3	15	5	10	7	7	14	112 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

13

62

REGI

HEATHFIELD

ANGOLA

SUSSEX

1916

FORM A.
BRITISH RAINFALL.

4 JAN. 19

Kept at "Angola"

in the County of Su

by Thos. B. Sim

50′ 30″E

A.M.

Heathfield L.B.S.C.R.

n Gauge 5 in.

ove Ground 1 ft. in.

Sea Level 400 ft.

IMPORTANT NOT … l the result entered to the previous day. If an Ob … iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·02	·02	–	·17	·04	–	–	·04	·03	·36	–	1
2	·59	·08	·91	–	·32	–	–	–	–	·62	·04	–	2
3	·03	·58	·22	–	·01	–	–	–	·06	·41	·47	–	3
4	·25	·14	·02	–	–	·47	–	–	·28	·06	·58	–	4
5	·03	·03	·01	·06	·23	·08	–	–	–	·16	·69	–	5
6	·02	·21	1·04	·41	·08	·42	·46	–	·02	·08	·40	–	6
7	·03	·01		·02	·35	·10	·05	–	–	·03	·35	·03	7
8	·01	–	–	–	–	–	–	–	–	·01	·03	·43	8
9	·01	–	·04	–	·46	·05	–	–	–	–	·01	·21	9
10	–	·37	·03	·09	–	·20	·03	–	·03	·02	·01	·32	10
11	·02	·31	·03	·25	–		–	–	–	–	·01	–	11
12	·05	·06	·13	·07	·17	·18	·27	–	–	·12	–	·01	12
13	–	·27	·10	·08	–	·04	·01	–	–	·04	–	·02	13
14	·01	·42	·02	–	·17	–	–	·12	–	·03	–	·30	14
15	–	·14	·11	–	–	–	–	–	–	–	–	·03	15
16	·01	·02	·15	·31	–	–	·13	·05	–	–	–	–	16
17	·34	·17	·03	·12	–	–	·04	–	·39	1·28	–	·01	17
18	·02	·12	·01	·02	–	–	–	·07	·31	·45	·75	·01	18
19	·42	·02	·06	·32	–	–	–	–	·26	·02	·96	·15	19
20	·09	–	·03	·02	–	–	–	·01	–	–	·06	·56	20
21	·03	–	·39	·03	–	–	·16	–	–	–	·03	·63	21
22	·01	·09	·14	–	–	·02	·01	–	–	·11	·12	·68	22
23	·01	·27	·08	·01	–	·19	·03	·06	–	·05		·05	23
24	–	·72	·05	–	·18	–	–	·01	–	·36	·22	·41	24
25	–		·13	–	–	–	–	2·05	–	·19	·06	·06	25
26	·03	·58	·02	–	–	·07	–	·22	·01	·22	·03		26
27	·02		·77	·14	–	·27	–	·04	·16	·39	–	·02	27
28	–	·66	·10	–	–	·07	–	·06	·22	·27	–	·77	28
29	–	·29	·01	–	–	·39	–	·74	·07	·86	–		29
30	–	✕	·01	–	·01	–	–	·05	–	·63	–	·01	30
31	–	✕	–	✕	–	✕	–	·01	✕	·17	✕	·01	31
Total	2·14	5·58	4·66 4·66	1·95	2·15 2·15	2·59 2·59	1·19	3·49	1·85	6·61 6·61	5·18	4·72	YEAR'S TOTAL 42·14 42·1
Rain Days.	22	25	29	15	11	16	10	13	12	25	20	23	221

W. 8,000, VIII. 16

REG

FORM A.
BRITISH RAINFALL.

4 JAN 191

Kept at "Angola" Heathfield
in the County of Sussex
by Thos. B. Simpson

50′ 30″E
Time of Observation 9 A.M.
Nearest Railway Station Heathfield L.B.S.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·02	·02	–	·17	·04	–	–	·04	·03	·36	–	1
2	·59	·08	·91	–	·32	–	–	–	–	·62	·04	–	2
3	·03	·58	·22	–	·01	–	–	–	·06	·41	·47	–	3
4	·25	·14	·02	–	–	·47	–	–	·28	·06	·58	–	4
5	·03	·03	·01	·06	·23	·08	–	–	–	·16	·69	–	5
6	·02	·21	1·04	·41	·08	·42	·46	–	·02	·08	·40	–	6
7	·03	·01		·02	·35	·10	·05	–	–	·03	·35	·03	7
8	·01	–	–	–	–	–	–	–	–	·01	·03	·43	8
9	·01	–	·04	–	·46	·05	–	–	–	–	·01	·21	9
10	–	·37	·03	·09	–	·20	·03	–	·03	·02	·01	·32	10
11	·02	·31	·03	·25	–		–	–	–	–	·01	–	11
12	·05	·06	·13	·07	·17	·18	·27	–	–	·12	–	·01	12
13	–	·27	·10	·08	–	·04	·01	–	–	·04	–	·02	13
14	·01	·42	·02	–	·17	–	–	·12	–	·03	–	·30	14
15	–	·14	·11	–	–	–	–	–	–	–	–	·03	15
16	·01	·02	·15	·31	–	–	·13	·05	–	–	–	–	16
17	·34	·17	·03	·12	–	–	·04	–	·39	1·28	–	·01	17
18	·02	·12	·01	·02	–	–	–	·07	·31	·45	·75	·01	18
19	·42	·02	·06	·32	–	–	–	–	·26	·02	·96	·15	19
20	·09	–	·03	·02	–	–	–	·01	–	–	·06	·56	20
21	·03	–	·39	·03	–	–	·16	–	–	–	·03	·63	21
22	·01	·09	·14	–	–	·02	·01	–	–	·11	·12	·68	22
23	·01	·27	·08	·01	–	·19	·03	·06	–	·05		·05	23
24	–	·72	·05	–	·18	–	–	·01	–	·36	·22	·41	24
25	–		·13	–	–	–	–	2·05	–	·19	·06	·06	25
26	·03	·58	·02	–	–	·07	–	·22	·01	·22	·03		26
27	·02		·77	·14	–	·27	–	·04	·16	·39	–	·02	27
28	–	·66	·10	–	–	·07	–	·06	·22	·27	–	·77	28
29	–	·29	·01	–	–	·39	–	·74	·07	·86	–		29
30	–	×	·01	–	·01	–	–	·05	–	·63	–	·01	30
31	–	×	–	×	–	×	–	·01	×	·17	×	·01	31
Total	2·14	5·58	4·66	1·95	2·15	2·59	1·19	3·49	1·85	6·61	5·18	4·72	YEAR'S TOTAL 42·14
Rain Days.	22	25	4·66 29	15	2·15 11	2·59 16	10	13	12	6·61 25	20	23	42·11 221

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

~~HEATHFIELD~~
HOLBAN'S FARM
SUSSEX
1914 - 15

REGI

Kept at Holban's
in the County of Suss
by G. M. Har

19' 20" E.
A.M.
Heathfield
5 in.
ve Ground ft. 11 in.
Sea Level 450 approx. ft.

IMPORTANT NOT the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·08	·03	·03							·08	·31	1
2							·36	·005			·17	·18	2
3			·20				·03	·03			·01	·02	3
4				·33	·31			·03			·43	·31	4
5	·10		·10	·43			·32	·12					5
6		·02	·02	·24	·05	·1		·03				·16	6
7		·55	·17	·06		·1	·16	·1				·29	7
8	·16	·39	·24		·03	·11	·12					·18	8
9	·33	·01	·64	·09		·09		·1	·15			1·88	9
10	·03	·59		·10	·15				·12			·03	10
11			·56	·06	·19				·27	·06		·5	11
12		·05	·08				·16		·53	·43	·02	·61	12
13	·01	·63	·48			·01			·15	·02	·04	·63	13
14		·25	·22						·01		·3	·57	14
15		·06	·48				·04	·03			·8	·02	15
16		·19	·08				·08		·13				16
17		·36	·06						·25			·18	17
18		·06	·23							·03		·57	18
19		·18	1·49				·13			·13		·28	19
20		·18	·17			·14	·03					·49	20
21		·92	·05					·03				·03	21
22		·05			·15		·18	·05				·09	22
23			·60		·03	·63	·005			·01			23
24			·06							01	·23	·01	24
25			·15					·1		·46	·08		25
26	·14		·06					·36		·1	av 3 day	·54	26
27								·02			·34	·72	27
28		·02			·01					·26		·54	28
29	·09		·005							·78	·27	·005	29
30	·16	X	·17			·16				·09	1·67	·19	30
31		X		X	·2	X			X		X	·11	31
Total	1·02	4·59	6·34	1·34	1·22	1·34	1·61	1·	1·61	2·38	4·44	9·44	YEAR'S TOTAL 36·33
Rain Days.	8	18	24	8	9	8	~~12~~ 11	13	8	12	15	~~27~~ 26	160

W. 8,000. X. 14.

REG

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at Holbarn's Farm Heathfield
in the County of Sussex
by G. M. Hay B.A.

Lat. 50 58' 30" Long. 19' 20" E.
Time of Observation 9. A.M.
Nearest Railway Station Heathfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 450 approx. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·08	·03	·03							·08	·31	1
2							·36	·005			·17	·18	2
3			·20				·03	·03			·01	·02	3
4				·33	·31			·03			·43	·31	4
5	·10		·10	·43			·32	·12					5
6		·02	·02	·24	·05	·1		·03				·16	6
7		·55	·17	·06		·1	·16	·1				·29	7
8	·16	·39	·24		·03	·11	·12					·18	8
9	·33	·01	·64	·09		·09		·1	·15			1·88	9
10	·03	·59		·10	·15				·12			·03	10
11			·56	·06	·19				·27	·06		·5	11
12		·05	·08				·16		·53	·43	·02	·61	12
13	·01	·63	·48			·01			·15	·02	·04	·63	13
14		·25	·22						·01		·3	·57	14
15		·06	·48				·04	·03			·8	·02	15
16		·19	·08				·08		·13				16
17		·36	·06						·25			·18	17
18		·06	·23							·03		·57	18
19		·18	1·49				·13			·13		·28	19
20		·18	·17			·14	·03					·49	20
21		·92	·05					·03				·03	21
22		·05			·15		·18	·05				·09	22
23			·60		·03	·63	·005			·01			23
24			·06							01	·23	·01	24
25			·15					·1		·46	·08		25
26	·14		·06					·36		·1	ov 3 days	·54	26
27								·02			·34	·72	27
28		·02			·01					·26		·54	28
29	·09		·005							·78	·27	·005	29
30	·16	✕	·17			·16				·09	1·67	·19	30
31		✕		✕	·2	✕			✕		✕	·11	31
Total	1·02	4·59	6·34	1·34	1·22	1·34	1·61	1·	1·61	2·38	4·44	9·44	YEAR'S TOTAL 36·33
Rain Days.	8	18	24	8	9	8	~~12~~ 11	13	8	12	15	~~27~~ 26	160

W. 8,000. X. 14.

[illegible] 24.11.16

643

FORM A.
BRITISH RAINFALL

15 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Holbans Farm, Heathfield
in the County of Sussex 6
by G. M. Hay

Lat. 50 58' 30" Long. 19 . 20 E.
Time of Observation 9 am.
Nearest Railway Station Heathfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·26						·03	·55	·02			1
2	·63	·25	·33	·17	·01			} ·36	·07	·03			2
3	·31	·01	·05	·28	·12				·05				3
4	·07			·005				·09					4
5	·66	·31		·21				·23		·005			5
6	·46	·28	·04	·65			·13						6
7	·42	·53	·04	·09			·15						7
8	·05	·41	·03	04			·23						8
9	·02	·31				·1		03					9
10	44	·005				·07							10
11		07	·01										11
12	·07	·17		·26									12
13	·02	1·08		·02	2·54		·3		·05				13
14	·07	03						·02	·11				14
15	·14	·005			·07		·24	·17					15
16		·76		05	·21		1·57	·37					16
17		·63			1·03								17
18		·2	03		23								18
19		·14	03				02						19
20	·33			·03	·13			·03					20
21	·12	·06		·03	·005		·01						21
22	·07 snow	·04	08	·03	·04		1·29						22
23	·03	·09	·25			·02	·02						23
24			·08	·03		·01	·32		·29				24
25				·03			·29		01				25
26		·06				·09							26
27		·02				·02	·14						27
28		·05	·06			·08	·15		1·91				28
29	·02					·15	·6	·34					29
30	·25	X				·45			·005				30
31	·05	X		X		X		·1	X		X		31
Total	4·24	5·765 5.77	1·03	1·865	4·385	·99	5·46	1·77	3·045				YEAR'S TOTAL
Rain Days.	21	~~22~~ 23	12	~~14~~ 13	9	9	15	~~11~~ 12	89				

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

HEATHFIELD

{SOUTH RIDGE}
SUSSEX

1915 - 17, 1920

REGI

Kept at Heathfiel

in the County of Su

by Thomas Grif

Gauge 8 in.

Ground 0 ft. 9 in.

Sea Level 565 ft.

IMPORTANT NOTE the result entered to the previous day. If an Obs to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·34	36	1
2										·04		22	2
3												51	3
4												49	4
5												56	5
6												12	6
7												38	7
8											·05	01	8
9											·51		9
10												95	10
11											·87	67	11
12											1·11	01	12
13													13
14												61	14
15											·21	44	15
16												01	16
17												13	17
18											·03	02	18
19													19
20												17	20
21										·10		06	21
22												17	22
23										·21		74	23
24										·66		82	24
25												32	25
26												68	26
27										·35		03	27
28										·40			28
29										·08	·56	02	29
30		☒									·39	02	30
31		☒		☒		☒			☒	1·24	☒	27	31
Total										3·08	4·07	8·79	YEAR'S TOTAL
Rain Days.										8	9	27	

W. 8,000. X. 15.

REGI

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Heathfiel
in the County of Sussex
by [illegible] Wright

Long.
Time of Observation 9 am
Nearest Railway Station Heathfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 0 ft. 9 in.
" " " " Sea Level 565 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·34	36	1
2										·04		22	2
3												51	3
4												49	4
5												56	5
6												12	6
7												38	7
8											·05	01	8
9											·51		9
10												95	10
11											·87	67	11
12											1·11	01	12
13													13
14												61	14
15											·21	44	15
16												01	16
17												13	17
18											·03	02	18
19													19
20												17	20
21										·10		06	21
22												17	22
23										·21		74	23
24										·66		82	24
25												32	25
26												68	26
27										·35		03	27
28										·40			28
29										·08	·56	02	29
30		X									·39	02	30
31		X		X		X			X	1·24	X	27	31
Total										3·08	4·07	8·79	YEAR'S TOTAL
Rain Days.										8	9	27	

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Heathfield Sussex
in the County of Sussex
by Plummer Wright

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Heathfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 560 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	09	02	1·15		26	04			06	02	39		1
2	44	08	02		29				01	58	03		2
3	01	34	66						08	36	44		3
4	22	14	23				04		26	05	51		4
5	01	04	01	06	22	39				13	45		5
6	01	13		38	04	06				05	32		6
7	03	~~01~~			35	47	44			03	36	03	7
8			13		15	11	02				01	36	8
9			07		27							16	9
10		41	44				04		02			31	10
11	03	28	30	08		14						03	11
12	04	07	10	23	16	10				15	02		12
13		21	10	07	01	16	13	10		04			13
14		33	13	06	14	03	01	04		02		27	14
15		13	02					07				02	15
16	02		13				12						16
17	28	17	13	26					42	1·23			17
18	02	08		15			04	16	47	47	74		18
19	27		01	03		01			14		86	14	19
20	08		06	29							05	52	20
21	03		02	03						01		62	21
22		31	45	02			21			11	01	63	22
23	01		10			02				19	09	04	23
24			07		16	22	03	05		33		39	24
25			03				04	1·55		21	13	01	25
26	04		12			09		31		15	02	05	26
27	02		05			26		03	17	37			27
28			83	27		10		13	25	21		25	28
29		44	05			36		63	06	76		47	29
30		X				01		05		59			30
31		X		X	02	X			X	13	X		31
Total	1·65	3·18	5·41	1·93	2·07	2·57	1·12	3·12	1·94	6·19	4·43	4·30	YEAR'S TOTAL 37·91
Rain Days.	18	16	26	13	12	17	11	11	11	23	16	17	191

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

23 JAN 1918

REGISTER OF RAINFALL IN 19

Kept at South Ridge Heathfield
in the County of Sussex
by P. Lennox Wright

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Heathfield L.B. & S.C.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 560 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				18				1·52	10		09	04	1
2			01	19				18			08	~~02~~	2
3				09			84	38		19	07		3
4			04				31	12		41			4
5	32		18	13		44		02	63	27	02		5
6		11	04	08					9	01	19	02	6
7	38						19			66		07	7
8	04			13			10	03		33	34	13	8
9	01		05	03			05				03	81	9
10	16		14	11		10		13					10
11	20		17	18				02		57			11
12	01		02	16				12		26	01		12
13	05	04	20		01			02		54	01	01	13
14	12		01	25				81		12		05	14
15					64			54	02	28		16	15
16				23	20				05	22			16
17		16		12	21		43						17
18	03			09	08	18	24	11					18
19		02	19		04				35				19
20		15	05		76				18		04		20
21		17		02					21	02	01	11	21
22		02	11			61		17	12	24		52	22
23		22			28			19					23
24		03				03	13	09		31	07	20	24
25		13	05			04	03	29		02	01		25
26			04			01		1·11	07		99		26
27						08		77					27
28			10			1·54	14	07				02	28
29					05	01	32	32		46		21	29
30		X	28			03	43	02		12	01	06	30
31	17	X		X		X	52		X	02	X	11	31
Total	1·49	1·05	1·68	1·99	2·27	3·07	3·73	7·03	1·82	5·05	1·97	2·52	YEAR'S TOTAL 33·67
Rain Days.	10	10	17	15	9	11	13	22	13	19	15	15	167

W. 8,000, IX. 17.

167

524

11 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at South Ridge Heathfield
in the County of East Sussex
by Henry Wright

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Heathfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15			14	07		29		~~10~~	1·02		29	1
2			38	03	03			32	·10	07		39	2
3		15								02		11	3
4				07			99	09				05	4
5			02				53	07	06			08	5
6		03	(39)		32		37					03	6
7	04			22	12		07						7
8				11	09		51					02	8
9	24	04		01	18	02	02						9
10	69	32	28	23		17	16				03	02	10
11	31	03	07	37	05	04	54					05	11
12	08		01	25		28							12
13	30	04	28						04				13
14		03	48	45		06			07	18	11	03	14
15	07	01	08	14					1·14	47	25	02	15
16	02		01	02	06				19		15		16
17				09	36				1·10			14	17
18	16		02	01	14			1·15	34			(16)	18
19	13			17					34			11	19
20	09	32	[illegible]	09		81			40			01	20
21				02			51		16			36	21
22				51					10			51	22
23				01			82					59	23
24	03		07	03					02			15	24
25				02			40						25
26	08		15	06								08	26
27	43	06	[illegible]	14		09	42				04	32	27
28	40	01	18		32		24				46	06	28
29	64		08	11	01		08				13	17	29
30	02	✕			12	02			23		18	22	30
31	03	✕	14	✕		✕			✕	35	✕	24	31
Total	3·91	1·04	2·64 ~~3·20~~	3·30	1·87	1·49	5·95	1·63	4·29	2·11	1·35	4·20	Year's Total 33·78
Days with ·01 in. or more	19	11	16 ~~24~~	24	13	8	15	4	14	6	8	25	163
Days with ·04 in. or more	15 ~~16~~	6	12 ~~20~~	16	11	6	14	4	13	5	7	19	128

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HEATHFIELD

{THE WHITE COTTAGE}

SUSSEX

1911-20

REGIS 911

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at The White Cottage

in the County of Su

by I. A. Leigh Clare

op 5 in.

above Ground 1 ft. in.

„ Sea Level 500 ft.

9 am

on { Name Heathfield (L.B.&S.C.) Distance 2460 yds Direction W 10° N true

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	—	—	.55	—	—	—	.21	—	—	.09	.01	1
2	.02	—	.01	—	.31	—	—	—	—	—	.33	.30	2
3	.03	.02	—	—	.1~~4~~5	—	—	—	—	—	.10	.34	3
4	.21	.02	.05	.25	—	.02	—	—	—	.29	.29	.18	4
5	.04	.02	—	.07	—	—	—	—	—	.85	—	.13	5
6	.21	—	.05	—	—	—	—	—	—	.05	—	.44	6
7	.05	—	.04	—	—	—	—	—	—	.49	.98	.38	7
8	.10	—	.18	—	—	—	—	—	—	—	.61	.25	8
9	.17	—	.02	.01	—	—	—	—	—	—	.32	.07	9
10	—	.08	.02	.13	—	—	—	—	—	—	.03	.67	10
11	.48	—	.04	—	trace	—	—	—	—	—	1.32	—	11
12	.02	—	.73	—	—	—	—	—	—	—	11	—	12
13	—	—	.04	—	.15	—	—	—	.43	.16	.02	.31	13
14	—	.10	—	—	.10	—	—	—	—	—	—	63	14
15	—	.04	.25	—	—	—	—	—	—	—	.14	.06	15
16	—	—	—	—	—	.58	—	—	—	—	.54	.16	16
17	—	—	—	—	—	tr.	—	—	—	—	.48	.13	17
18	—	.08	.06	—	—	.01	—	—	—	—	.87	.46	18
19	—	—	—	—	—	.08	—	—	.13	.30	.15	.11	19
20	.04	—	.02	—	—	.02	—	.46	.31	.10	—	.83	20
21	.03	.15	—	—	—	—	—	—	—	.90	—	.27	21
22	.03	.05	.43	—	—	.06	—	—	—	.51	—	.64	22
23	.01	.17	—	—	—	1.06	—	—	.37	1.03	.06	.29	23
24	—	.16	—	—	—	—	.10	—	—	.29	—	.43	24
25	—	.04	.44	.08	—	.16	—	—	.08	—	—	—	25
26	—	—	.26	.29	—	.38	—	—	—	.37	.23	.36	26
27	—	.40	.22	.15	—	—	—	—	.05	.50	.05	.08	27
28	—	.26	—	.15	—	—	—	.01	—	—	.01	.01	28
29	—	/	—	.04	—	.13	.15	.10	.25	.62	—	—	29
30	—	/	—	.03	—	.07	—	—	.04	.32	—	.02	30
31	—	/	—	/	.02	/	—	—	/	—	/	—	31
Total	1.51	1.59	2.86	1.75	.73	2.57	.25	.78	1.66	6.78	6.73	7.56	TOTAL for year 34·77
No. of Rain Days.	15	14	17	11	5	11	2	4	8	15	20	26	148

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The White Cottage Heathfield
in the County of Sussex 5
by J. F. Leigh Clare

Rain Gauge
Pattern ordinary
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 500 ft.
Time of Observation 9 am
Nearest Railway Station
Name Heathfield (L.B.S.C.)
Distance 2460 yds Direction W 10° N true

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	—	—	.55	—	—	—	.21	—	—	.09	.01	1
2	.02	—	.01	—	.31	—	—	—	—	—	.33	.30	2
3	.03	.02	—	—	.15	—	—	—	—	—	.10	.34	3
4	.21	.02	.05	.25	—	.02	—	—	—	.29	.29	.18	4
5	.04	.02	—	.07	—	—	—	—	—	.85	—	.13	5
6	.21	—	.05	—	—	—	—	—	—	.05	—	.44	6
7	.05	—	.04	—	—	—	—	—	—	.49	.98	.38	7
8	.10	—	.18	—	—	—	—	—	—	—	.61	.25	8
9	.17	—	.02	.01	—	—	—	—	—	—	.32	.07	9
10	—	.08	.02	.13	—	—	—	—	—	—	.03	.67	10
11	.48	—	.04	—	trace	—	—	—	—	—	1.32	—	11
12	.02	—	.73	—	—	—	—	—	—	—	〃	—	12
13	—	—	.04	—	.15	—	—	—	.43	.16	.02	.31	13
14	—	.10	—	—	.10	—	—	—	—	—	—	.63	14
15	—	.04	.25	—	—	—	—	—	—	—	.14	.06	15
16	—	—	—	—	—	.58	—	—	—	—	.54	.16	16
17	—	—	—	—	—	tr.	—	—	—	—	.48	.13	17
18	—	.08	.06	—	—	.01	—	—	—	—	.87	.46	18
19	—	—	—	—	—	.08	—	—	.13	.30	.15	.11	19
20	.04	—	.02	—	—	.02	—	.46	.31	.10	—	.83	20
21	.03	.15	—	—	—	—	—	—	—	.90	—	.27	21
22	.03	.05	.43	—	—	.06	—	—	—	.51	—	.64	22
23	.01	.17	—	—	—	1.06	—	—	.37	1.03	.06	.29	23
24	—	.16	—	—	—	—	.10	—	—	.29	—	.43	24
25	—	.04	.44	.08	—	.16	—	—	.08	—	—	—	25
26	—	—	.26	.29	—	.38	—	—	—	.37	.23	.36	26
27	—	.40	.22	.15	—	—	—	—	.05	.50	.05	.08	27
28	—	.26	—	.15	—	—	—	.01	—	—	.01	.01	28
29	—	/	—	.04	—	.13	.15	.10	.25	.62	—	—	29
30	—	/	—	.03	—	.07	—	—	.04	.32	—	.02	30
31	—	/	—	/	.02	/	—	—	/	—	/	—	31
Total	1.51	1.59	2.86	1.75	.73	2.57	.25	.78	1.66	6.78	6.73	7.56	TOTAL for year 34.77
No. of Rain Days.	15	14	17	11	5	11	2	4	8	15	20	26	148

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL
3 - JAN 1913

Kept at The White Cottage Heathfield

in the County of Sussex 5

by J. F. Leigh Clare

Lat. 50° 57′ 55″ N. Long. 0.17′ E.
Time of Observation 9 am
Nearest Railway Station Heathfield L.B.&S.C.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	—	.07	.02	.01	.17	.20	—	.06	.74	—	.23	1
2	—	.09	.25	tr.	—	—	.18	.02	—	—	—	.01	2
3	.01	.03	.04	—	—	.35	—	.20	.01	.01	.01	—	3
4	.40	—	.68	—	.02	.33	—	.15	tr.	—	.25	—	4
5	.20	.15	.15	—	—	.28	—	.17	—	—	.13	tr.	5
6	.52	.13	—	—	.02	—	—	.94	—	—	.01	.05	6
7	—	—	—	—	.27	.65	—	.65	—	—	—	.05 .15	7
8	.48	.26	.18	.01	—	.09	.07	.12	—	—	.01	.04 04	8
9	.12	.08	.02	.09	—	—	.10	.19	—	—	—	.07 .07	9
10	.01	—	—	—	—	—	—	.52	—	—	.11	.49 49	10
11	.03	.46	—	—	—	.05	—	—	.01	—	—	.20 .20	11
12	—	.21	.04	—	.04	.04	—	.36	—	—	.03	.05	12
13	—	—	.06	—	—	—	—	—	—	—	.17	.12	13
14	—	—	—	—	.02	—	—	.12	—	.10	tr.	.02	14
15	—	.04	.12	—	.13	.74	—	—	—	—	tr.	.34	15
16	.14	.01	.23	—	.24	.03	—	.20	—	.10	.02	—	16
17	.29	—	.39	—	—	.06	—	.08	—	—	.05	.09	17
18	.09	—	.42	—	—	—	—	.20	—	.06	.01	.56	18
19	.05	.20	.25	—	—	—	.01	.67	—	—	.03	.01	19
20	.03	.02	.82	—	—	—	.12 (12)	.20	—	.90	.06	—	20
21	.01	.14	.28	—	.06	—	—	.32	—	.46	.07	—	21
22	.06	.44	.23	—	.03	—	.05	.25	—	—	tr.	.02	22
23	.38	.28	.40	—	—	—	—	.58	tr.	.13	.20	.04	23
24	.09	.03	tr.	—	—	—	[illegible]	.32	—	—	—	.12	24
25	.16	.03	—	—	—	.30	—	.78	—	—	.37	.51	25
26	—	.04	—	—	—	—	—	.22	—	.36	.64	.35	26
27	—	tr.	tr.	—	—	—	.03	tr.	—	.21	—	.50	27
28	—	.06	—	—	—	.03	.16	.08	.05	.80	.48	.26	28
29	—	.02	—	.03	—	—	.18	.40	1.47	.18	.03	—	29
30	—	/	—	—	.41	—	.01	.34	1.53	.24	tr.	—	30
31	.01	/	.02	/	—	/	.35	.17	/	—	/	—	31
Total	3.09	2.72	4.65	.15	1.25	3.12	1.46	8.25	3.13	4.29	2.68	4.23	YEAR'S TOTAL 39.02
Rain Days.	20	20	19	4	11	13	12	26	6	13	19	22	185

W. 7,500, XI. '12

I made

FORM A.
BRITISH RAINFALL

2 - JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at The White Cottage, Heathfield
in the County of Sussex
by J. F. Leigh Clare

5

Lat. 50° 58′ Long. 0° 17′ E.
Time of Observation 9 a.m.
Nearest Railway Station Heathfield L.B.S.C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.41	.13	.17	—	.02	—	—	tr.	.07	.11	.08	1
2	.02	.17	—	—	—	—	.14	—	.05	.05	.12	.02	2
3	—	—	.06	.67	.24	—	—	—	—	—	—	.19	3
4	20	—	.06	.03	.02	—	.04	.02	.33	.06	.19	.01	4
5	.09	.08	.03	—	—	.09	.10	—	.56	.19	.29	.01	5
6	—	.02	.09	.06	.03	.10	.29	—	.01	.55	.31	.11	6
7	—	.23	.08	trace	.03	.06	.03	—	—	.18	.14	.02	7
8	—	.12	—	—	.10	.05	—	—	—	.20	.11	.01	8
9	—	.08	—	.02	.12	—	.03	—	.15	—	.04	(.01)	9
10	—	—	—	.01	—	—	1.02	—	—	—	.80	—	10
11	.88	—	—	.52	—	—	—	—	tr.	.76	.06	—	11
12	—	—	—	—	.21	—	—	—	—	—	.99	—	12
13	.68	—	.04	—	—	—	—	.01	.03	—	.20	—	13
14	.28	—	.19	.09	—	—	.86	.03	.13	.06	.25	—	14
15	.22	—	.29	.34	—	—	.29	—	tr.	—	—	—	15
16	.20	—	.49	.25	—	—	.02	—	.29	—	.01	—	16
17	.10	.08	.07	.19	—	—	.26	—	—	—	.03	.05	17
18	—	—	.08	.23	—	—	.06	—	—	—	.14	—	18
19	.30	—	.11	—	—	—	.09	—	.25	—	—	—	19
20	.75	—	.05	.19	.03	.67	—	—	—	.59	.05	tr	20
21	.03	—	.03	.18	—	—	—	—	.01	.75	.74	—	21
22	.32	—	.17	—	—	—	—	—	.08	.05	—	—	22
23	—	—	.03	—	—	.07	.05	.05	—	—	—	.73	23
24	.10	—	—	.03	—	—	—	.11	—	—	—	—	24
25	—	.03	—	.18	—	—	.02	—	—	tr.	.17	—	25
26	—	—	.13	—	—	—	.03	.25	—	1.18	.01	.22	26
27	.01	—	.03	—	.16	—	—	—	—	.20	—	—	27
28	.15	—	.27	.14	—	—	—	tr.	—	.38	—	—	28
29	.19		.08	.34	.14	—	—	.09	—	tr	tr	—	29
30	.59		—	.34	—	—	—	.20	.01	.10	—	.02 (s)	30
31	—		.11		.03		—	.75		.10		—	31
Total	5.15	1.22	2.62	3.98	1.11	1.26	3.33	1.51	1.90	5.47	4.76	1.48	YEAR'S TOTAL 33.79
Rain Days.	19	9	22	19	11	7	16	9	12	17	20	13	174

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
18 JAN 1915

Kept at The White Cottage Healthfield

in the County of Sussex 5

by J. A. Leigh Clare

Lat. 50° 58′ Long. 0° 17′ E

Time of Observation 9 am

Nearest Railway Station Heathfield L.B.S.C.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.03	02	—	—	.02	.02	—	—	.08	.20	1
2	.01	—	—	—	—	02	.30	.02	—	—	.16	.15	2
3	—	—	.22	02	.25	—	.02	.02	—	—	—	—	3
4	trace	—	.01	.31	.02	—	—	.09	—	—	.44	.35	4
5	.14	—	.12	.35	—	.01	.29	trace	—	—	trace	—	5
6	—	.06	.62	.31	.05	.09	trace	.06	—	—	—	.55	6
7	.01	.37	.22	.06	—	.05	.17	—	—	—	—	.34	7
8	.14	.36	47	trace	.02	.13	.12	.07	—	—	—	.17	8
9	25	—	.56	.05	11	.14	—	—	.12	—	—	2.06	9
10	.04	.09	.06	.11	.06	—	—	—	.08	—	.01	04	10
11	—	.41	.48	.07	—	—	—	—	.27	—	.03	.47	11
12	trace	.04	.11	—	—	.01	.25	—	.39	.02	.02	.55	12
13	01	.49	.29	—	—	.06	—	—	.15	.03	.15	.49	13
14	—	.17	.23	—	—	—	—	—	.01	.42	.14	.44	14
15	—	.05	41	—	—	—	.07	.03	—	—	.86	.01	15
16	—	.15	—	—	—	—	.07	—	.08	—	—	—	16
17	—	.33	.11	—	—	—	.02	—	.11	—	—	.22	17
18	—	06	.29	—	—	—	—	—	—	—	—	.43	18
19	—	.15	1.12	—	—	—	.45	—	—	17	.31	.24	19
20	—	.15	13	—	—	.04	—	—	—	—	—	.50	20
21	—	.90	.06	—	—	—	—	.02	—	.02	—	.05	21
22	—	07	—	—	08	.25	15	.04	—	27	—	trace	22
23	—	trace	.52	—	.01	.72	.01	—	—	—	—	.05	23
24	—	—	03	—	—	—	—	—	—	.03	.24	—	24
25	.16	—	15	—	—	—	—	.06	—	.31	.05	—	25
26	02	—	.05	—	—	—	.01	.28	—	.10	.11	.40	26
27	.02	—	—	—	—	—	—	.40	—	—	.14	.55	27
28	.04	02	—	—	—	—	—	—	—	.42	.32	.45	28
29	.13		.01	—	—	—	—	—	—	.81	14	—	29
30	.01		.11	—	—	—	—	—	—	.10	1.31	.17	30
31	.04		—		.29		—	—		—		.10	31
Total	1.02	3.87	5.81	1.30	.89	1.52	1.95	1.11	1.21	2.70	4.51	8.98	YEAR'S TOTAL 34.87
Rain Days.	14	17	.25	9	9	11	14	12	8	12	17	24	172

W. 8,000. X. 14.

Cnd by Obr. Hy Zottenworth 23.11.16 18.1.16 Mw^c

635

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 7 JAN 1916

Kept at The White Cottage Heathfield

in the County of Sussex 5

by J. F. Leigh Clare

Lat. 50.57.55 Long. 0.17 E

Time of Observation 9 am

Nearest Railway Station Heathfield LB&SC

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.46	.21	~~.21~~ –	–	–	–	–	–	.60	.03	.27	.25	1
2	.48	.17	~~.17~~ .27	.15	.02	–	–	.13	–	–	–	.20	2
3	.33	.01	~~.01~~ .03	.28	.11	–	–	.19	.06	–	–	.51	3
4	.09	–	–	tr.	–	–	–	.18	–	–	–	.43	4
5	.06	.31	–	.18	–	–	–	.22	–	.06	tr	.53	5
6	.54	.~~40~~31	.04	.56	–	–	.12	–	–	–	–	.08	6
7	.28	.~~36~~40	.05	.10	–	–	.13	–	–	–	–	.37	7
8	.04	.~~17~~36	.02	.06	–	–	.68	–	–	–	.01	–	8
9	.02	~~.~~17	–	.15	–	.08	–	.04	–	–	.45	.94	9
10	.33	–	–	–	–	.04	–	–	–	–	–	.68	10
11	–	.07	.02	–	–	–	–	–	–	–	.84	–	11
12	.06	.16	–	.20	.24	–	–	–	–	.03	.90	–	12
13	.02	.94	–	–	1.95	–	–	–	.05	–	–	–	13
14	.04	.02	–	–	–	–	.31	.06	.16	tr.	–	.60	14
15	.11	–	–	–	.08	–	.20	.02	–	–	.22	.37	15
16	–	.60	–	.07	(17) (.97)	–	1.34	.12	–	–	–	.02	16
17	–	.45	–	–	.94	–	–	.42	–	–	–	.17	17
18	–	.19	.02	–	.17	–	–	–	–	–	.04	.02	18
19	–	.12	–	–	–	–	.02	–	–	–	–	–	19
20	.30	–	–	.04	.19	–	–	–	–	–	–	.19	20
21	.12	–	–	–	–	–	–	–	–	.12	–	.06	21
22	.02	.05	.07	–	–	–	1.07	–	–	–	–	.19	22
23	.03	–	.11	–	–	tr.	.05	–	–	.18	–	.78	23
24	–	.10 5	.04	.01	–	–	.20	–	.24	.72 .72	–	.66	24
25	–	–	.02	.03	–	~~.07~~	.30	–	–	–	–	.30	25
26	–	.04	–	–	–	.0~~7~~3	tr	–	–	–	–	.62	26
27	–	–	–	–	–	.~~1~~03	.15	–	–	.35	–	.02	27
28	–	.09	.02	–	–	.~~2~~10	.01	–	1.62	(.40) (.40)	–	–	28
29	–	✕	–	–	.03	.21	.18	.32	–	–	.55	tr.	29
30	.24	✕	–	–	–	.79	–	–	–	.21	.23	.02	30
31	.03	✕	–	✕	–	✕	–	.10	✕	1.21	✕	26	31
Total	3.60	4.77	~~.80~~ .71	1.83	3.90 ✓	1.32	4.76	1.80	2.73	3.31 ✓	3.51	8.27	YEAR'S TOTAL ~~40.60~~ 40.51
Rain Days.	20	20	~~13~~ 12	12	10	7	14	11	6	10	9	24	~~156~~ 155 ✓

W. 8,000. X. 15.

r. Hy Tottingworth 23.11.16

16

EGISTER OF RAINFALL IN 19~~16~~15

FORM A. BRITISH RAINFALL.

tage Heathfield

Lat. 50.57.55 Long. 0.17 E

Time of Observation 9 am

IM
previous
requeste
for it at
the selec
Organiza
Dr. H. I

n.
t.
e
y
d

THE WHITE COTTAGE,
HEATHFIELD,
SUSSEX.

15 March 1916.

Dear Sir,

I have to thank you for your letter of 17 Jan: I have not replied before as I have waited to obtain copies of the daily records for last year of Mr. Masson and of another station near here to compare with my own.

I have now done this and the discrepancy to which I drew your attention is I think due to Thunder rain which I have always noted is heavier on the ridge to the north of me than here. I know Mr. Masson's exposure which is on the side of the hill and as far as I can judge I should prefer my own.

Apart from the days when Mr. Masson had considerably more rain than I had the three records seem quite consistent. The same remark applies to his and my records for January and February last.

Again thanking you, I am

Yours sincerely

J. F. Leigh Clare

Carle Salter Esq.

Date.	Jan.												
1	.46												1
2	.48												2
3	.33												3
4	.09												
5	.06												
6	.54												
7	.28												
8	.04												
9	.02												
10	.33												
11	—												
12	.06												
13	.02												
14	.04												
15	.11												
16	—												
17	—												
18	—												
19	—												
20	.30												
21	.12												
22	.02												
23	.03												
24	—	.10 5	.04	.01	—	—	.20	—	.24	~~.72~~ .72	—	.66	24
25	—	—	.02	.03	—	[illegible]	.30	—	—	—	—	.30	25
26	—	.04	—	—	—	.07	h	—	—	—	—	.62	26
27	—	—	—	—	—	.03	.15	—	—	.35	—	.02	27
28	—	.09	.02	—	—	.10	.01	—	1.62	(.40) (40)	—	—	28
29	—	X	—	—	.03	.21	.18	.32	—	—	.55	h.	29
30	.24	X	—	—	—	.79	—	—	—	.21	.23	.02	30
31	.03	X	—	X	—	X	—	.10	X	1.21	X	26	31
Total	3.60	4.77	~~.80~~ .71	1.83	3.90 ✓	1.32	4.76	1.80	2.73	3.31 ✓	3.51	8.27	YEAR'S TOTAL ~~40.60~~ 40.51
Rain Days.	20	20	~~13~~ 12	12	10	7	14	11	6	10	9	24	~~156~~ 155 ✓

W. 8,000. X. 15.

by Tottingworth 23.11.16

635

EGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

7 JAN 1916

ge Heathfield

Lat. 50.57.55 Long. 0.17 E
Time of Observation 9am
Station Heathfield LB&SC
nel of Rain Gauge 5 in.
Gauge above Ground 1 ft. in.
„ „ Sea Level 500 ft.

IM
previous
requeste
for it at
the sele
Organiza
Dr. H.

.m. and the result entered to the host universal rule, he is earnestly wing year in the space provided measurement of rain, the British Rainfall free on application to

Jan. 1, following.

---

18 JAN 1916

ackd 17.1.16

Correction

A

THE WHITE COTTAGE,
HEATHFIELD,
SUSSEX.

16.1.16.

Attached to

Write late

Dear Sir

In going over my Rainfall record again I find I made a stupid mistake in copying the figures for the first three days of March. These should be nil; .27"; .03"; not as entered. This will make the month's total .71" instead of .80" & the year's total 40.51" instead of 40.60" & days 155 instead of 156.

I am sorry to give you this ~~some~~ trouble.

I have now received the record from my neighbour Mr [illegible] at Tottingworth Park almost a mile to the NE of me on the

---

Date.	Jan.								pt.	Oct.	Nov.	Dec.	Date.
1	.46									.03	.27	.25	1
2	.48									—	—	.20	2
3	.33									—	—	.51	3
4	.09									—	—	.43	4
5	.06									.06	tr	.53	5
6	.54									—	—	.08	6
7	.28									—	—	.37	7
8	.04									—	.01	—	8
9	.02									—	.45	.94	9
10	.33									—	—	.68	10
11	—									—	.84	—	11
12	.06									.03	.90	—	12
13	.02									—	—	—	13
14	.04									tr.	—	.60	14
15	.11									—	.22	.37	15
16	—									—	—	.02	16
17	—	.45	—	—	.94	—	—	.42	—	—	—	.17	17
18	—	.19	.02	—	.17	—	—	—	—	—	.04	.02	18
19	—	.12	—	—	—	—	.02	—	—	—	—	—	19
20	.30	—	—	.04	.19	—	—	—	—	—	—	.19	20
21	.12	—	—	—	—	—	—	—	—	.12	—	.06	21
22	.02	.05	.07	—	—	—	1.07	—	—	—	—	.19	22
23	.03	—	.11	—	—	tr.	.05	—	—	.18	—	.78	23
24	—	.105	.04	.01	—	—	.20	—	.24	~~.72~~ .72	—	.66	24
25	—	—	.02	.03	—	~~.4~~	.30	—	—	—	—	.30	25
26	—	.04	—	—	—	.07	tr	—	—	—	—	.62	26
27	—	—	—	—	—	.~~4~~03	.15	—	—	.35	—	.02	27
28	—	.09	.02	—	—	.~~4~~10	.01	—	1.62	(.40) (.40)	—	—	28
29	—	✕	—	—	.03	.21	.18	.32	—	—	.55	tr.	29
30	.24	✕	—	—	—	.79	—	—	—	.21	.23	.02	30
31	.03	✕	—	✕	—	✕	—	.10	✕	1.21	✕	.26	31
Total	3.60	4.77	~~.80~~ .71	1.83	3.90 ✓	1.32	4.76	1.80	2.73	3.31 ✓	3.51	8.27	YEAR'S TOTAL ~~40.60~~ 40.51
Rain Days.	20	20	~~13~~ 12	12	10	7	14	11	6	10	9	24	~~156~~ 155 ✓

other side of the valley. I am on the ridge to the S, his gauge ~~[illegible]~~ almost half way up the side of the valley.

His return is 44.01' & the difference between that & 40.51" seems great. His monthly totals except June & October are all greater than mine.

Is there any reason to suspect either my or his return?

Yours faithfully

J. A. Leigh Clare

Dr H. R. Mill
Brit. Rainfall Organisation
62. Camden Square
NW

Even Yr

627

REGISTER OF RAINFALL ~~IN~~ 1916

FORM A. BRITISH RAINFALL.

30 JAN 1917

Kept at The White Cottage, Heathfield

in the County of Sussex

by J. F. Leigh Clare

Lat. 50° 57′ 55″ Long. 0.17 E

Time of Observation 9 am

Nearest Railway Station Heathfield L.B.S.C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	.02	—	—	.25	.04	—	—	.03	—	.37	—	1
2	.41	.05	.77	—	.26	—	—	—	tr	.57	.03	—	2
3	.02	.41	.18	—	—	—	.04	—	.05	.35	.46	—	3
4	.19	.08	.01	—	—	.35	—	—	.25	.04	.50	—	4
5	.02	.03	—	.09	.21	.08	—	—	—	.11	.38	—	5
6	tr	.12	.09^{s}	.40	.05	.43	.39	—	tr	.04	.33	—	6
7	.04	—	.87^{s}	—	.36	—	.02	—	—	—	.31	.03	7
8	—	—	—	—	.14	—	—	—	—	—	.02	.36	8
9	—	—	.05	—	.27	.11	tr	—	—	—	—	.18	9
10	—	.37	.03	.10	—	.18	.03	—	.03	—	tr	.35	10
11	.02	.30	.03	.22	—	.09	—	—	—	—	—	.07	11
12	.04	.06	.05	.02	.17	.16	.14	—	—	.11	tr	—	12
13	—	.19	.23	.06	.01	.05	.01	.06	—	.04	—	—	13
14	—	.36	.04	—	.15	—	—	.05	—	.02	—	.22	14
15	—	.10	.15	—	—	—	—	—	—	—	—	.02	15
16	.01	.01	.13	.28	—	—	.11	.13	—	—	—	—	16
17	.27	.14	tr	.11	—	—	.06	.01	.42	1.18	tr	—	17
18	.02	.11	.02	.02	—	—	—	.13	.39	.46	.76^{s}	.02	18
19	.22	tr	.06	.31	—	—	—	tr	.12	—	.86	.09	19
20	.07	—	.05	.03	—	—	—	—	—	—	.05	.53	20
21	tr	—	.43	.04	—	—	.04	—	—	—	tr	.59	21
22	tr	.07^{s}	.13	tr	—	.03	tr	—	—	.15	.01	.71	22
23	—	.20^{s}	.07	—	—	.15	.03	.05	—	.01	.08	.04	23
24	—	—	.03	—	.13	—	—	tr	—	.34	.13	.42	24
25	tr	.65^{s}	.12	—	—	—	—	2.03	—	.12	.04	tr	25
26	04	.55^{s}	—	—	—	.10	—	.18	—	.16	.01^{s}	—	26
27	.02	.05	.67	.17	—	.28	—	.04	.15	.36	—	—	27
28	tr	.67	.07	—	—	.14	—	.13	.22	.25	—	.28	28
29	—	.32	—	—	—	.29	—	.64	.07	.04	—	.47	29
30	—	X	—	—	tr	tr	—	.03	—	.57	—	—	30
31	—	X	—	X	—	X	—	—	X	.15	X	tr	31
Total	1.46	4.86	4.28	1.85	2.00	2.48	.87	3.48	1.73	5.67	4.34	4.38	YEAR'S TOTAL 37.40
Rain Days.	15	22	23	13	11	15	10	12	10	20	16	16	185

W. 8,000, VIII. 16

596

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

16. JAN

Kept at The White Cottage Heathfield

in the County of Sussex

by J. A. Leigh Clare

Lat. .... Long. ....

Time of Observation 9 am G.M.T.

Nearest Railway Station Heathfield L.B.S.C.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	tr	.02	.26	—	—	—	1.49	.06	—	.11	—	1
2	—	—	—	—	—	—	—	.17	—	—	.08	—	2
3	—	.05^5	—	.07	—	—	.94	.41	—	.15	.12	—	3
4	—	—	.20	—	—	—	.33	.27	—	.38	.02	—	4
5	.33	—	—	.14	—	.01	—	.05	.55	.23	—	—	5
6	—	—	.08	.08	—	.45	—	—	.08	tr.	.15	.03	6
7	.46	—	—	—	—	—	.23	—	—	.65	—	.08	7
8	.04	—	—	.12	—	—	.12	.04	—	.33	.30	.13	8
9	.01	—	.06	.02	—	—	.05	—	—	tr	.03	.78	9
10	.14	—	.15	.14	—	.21	—	.14	—	—	—	—	10
11	.23	.03^5	.21	.18^5	—	—	—	.03	—	.55	—	—	11
12	.03	—	.02	.07^5	—	—	—	.14	—	.26	—	—	12
13	.06	—	.22	—	.01	—	—	.02	.02	.55	—	tr.	13
14	.02	—	.01	.28	—	—	—	.76	.04	—	—	—	14
15	.01	—	—	.01	.25	—	—	.27	—	.12	—	.04	15
16	.06^5	.09	—	.26	.21	—	—	—	—	.24	—	.86^5	16
17	—	.02	—	.14	.18	—	.36	—	.29	.24	—	—	17
18	.04	.02	—	.14	.09	—	.27	.09	.17	—	—	—	18
19	—	.17	.19	tr	.18	.12	—	—	.21	tr	—	—	19
20	tr.	.20	.04^5	—	.80	tr.	tr	—	.04	—	.04	—	20
21	.02^5	.02	.03	—	—	—	—	—	—	—	.02	—	21
22	.01^5	tr	.07^5	—	—	.72	—	.14	—	.24	—	—	22
23	—	.24	—	—	.30	—	—	.10	—	—	—	.17	23
24	—	.05	—	—	—	.02	.14	.15	—	.34	.10	.04	24
25	—	13	.06	—	—	—	.03	—	—	.02	—	—	25
26	—	—	.04	—	—	—	—	.26	.08	—	1.06	tr	26
27	—	—	—	—	—	—	—	1.08	—	—	—	.02^5	27
28	—	—	.10	—	—	1.82	.14	.77	[illegible]	—	tr	.03^5	28
29	tr^5		tr.	—	.07	.02	.34	.07	—	.39	—	.14	29
30	.04^5		.18	—	—	.02	.42	.25	—	.10	—	.08	30
31	.02^5		—		—		.52	tr.		.04		.05^5	31
Total	1.52	1.02	1.68	1.91	2.09	3.39	3.89	6.70	1.54	4.83	2.03	2.45	YEAR'S TOTAL 33.051
Rain Days.	16	11	17	14	9	9	13	21	10	17	11	13	161

W. 8,000, IX. 17.

~~tt~~ E.F.E.

116

FORM A.
BRITISH RAINFALL.

18. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at The White Cottage, Heathfield
in the County of Sussex
by J. F[redacted]eigh Clare

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Heathfield, L.B.S.C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	.01	—	.05	—	—	.01	—	—	.15	.05	1
2	—	.02	tr	—	—	—	—	.27	.01	.01	.47	.24	2
3	—	—	.11	.12	.44	—	—	.04	—	.05	.40	.03	3
4	—	.09	.02	.03	.03	—	—	.11	.07	—	.57	—	4
5	—	.15	tr	—	.07	—	—	.28	.14	.09	—	.06	5
6	.17	.15	—	.20	.28	—	—	.18	.14	.02	.04	.06	6
7	.02	.11	—	.07	.04	—	—	1.04	.49	.01	—	—	7
8	—	.03	—	.01	—	—	—	—	.13	—	—	.21	8
9	.05	—	—	.05	—	.05	.10	⊥	.49	.32	[illegible]	.19	9
10	—	—	—	.05	—	—	.20	⊥	.45	.17	.02	.24	10
11	—	—	—	—	—	—	.06	—	.22	1.13	.14	.13	11
12	—	.16	—	—	(.21)	—	.34	—	.08	.17	—	.02	12
13	.19	tr	—	tr	.06	—	.15	—	.15	—	—	.03	13
14	.21	—	.03	—	.01	.13	.27	—	.33	.37	—	.07	14
15	1.70	—	—	.13	—	.05	—	—	—	—	—	.17	15
16	.34	—	—	.05	—	.13	.01	—	.05	—	—	—	16
17	.27	—	—	.12	—	.26	.64	.03	—	—	—	.33	17
18	.26	—	—	—	—	.25	—	—	.31	.08	—	.04	18
19	.08	—	.10	.04	—	.13	.01	—	—	.08	—	—	19
20	.04	.16	—	.85	—	.03	1.16	—	.41	.55	—	—	20
21	.24	—	—	.77	—	—	.09	—	.42	.13	—	.05	21
22	.15	—	—	.01	.18	—	.61	—	.01	—	—	.31	22
23	.13	—	—	.01	.03	—	.47	.03	.52	—	—	.08	23
24	—	.17	—	—	tr	.04	.10	—	.21	—	.09	.01	24
25	.01	—	—	—	—	.03	.01	.29	—	.03	.03	tr	25
26	—	—	—	—	—	—	.15	—	.02	.01	.08	.16	26
27	tr	.05	.02	.09	—	—	.03	.24	.19	.02	.13	.09	27
28	tr	—	.30	.02	.06	—	—	.02	—	.02	.23	.61	28
29	—		.01	.01	—	—	—	—	1.00	—	.01	—	29
30	—		.49	—	—	—	—	—	—	.14	—	.18	30
31	—		.02		—		—	—		.06		.03	31
Total	3.87	1.09	1.11	2.63	1.46	1.10	4.40	1.54	5.84	3.46	2.36	2.79	YEAR'S TOTAL 31.65
Rain Days.	16	10	10	18	12	10	17	12	22	20	13	24	184

W, 6,500. VII. 18. W W C

537

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at The White Cottage Heathfield

in the County of Sussex

by J. A. Leigh Clare

Lat. 50° 57′ 55″ Long. 0° 17′ E

Time of Observation 9 am

Nearest Railway Station Heathfield L B & S C

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	.05	tr	—	.07	—	.11	—	—	.05	.07	.76	1
2	.31	—	.08	—	.18	—	.08	—	—	.03	.20	.11	2
3	.29	—	.44	—	.04	—	.34	—	.21	—	.06	.31	3
4	.38	—	.37	—	—	.02	.03	.02	.02	—	.05	.09	4
5	.07	.48	1.03	—	—	—	.08	—	—	—	.14	.50	5
6	.10	—	.06	—	—	—	tr	—	—	—	.02	.08	6
7	.12	—	.42	—	—	—	—	—	—	—	.14	—	7
8	.26	—	.13	—	—	—	—	—	—	—	.03	—	8
9	.48	—	.07	.15	—	—	—	—	—	—	.31	—	9
10	.84	—	.08	.03	—	—	—	—	—	—	.01	.15	10
11	.31	—	.18	.52	.05	—	.16	—	—	—	—	.17	11
12	.09	—	.03	tr	.03	—	.20	—	—	.09	tr	—	12
13	—	—	.02	.30	—	—	—	—	—	—	.02	.04	13
14	.49	tr	—	.40	—	—	.08	—	.19	—	—	.13	14
15	.18	.03	tr	.07	—	—	—	—	—	—	—	.40	15
16	.16	.54	—	—	—	—	—	—	—	—	.13	.05	16
17	—	.33	—	.02	—	—	—	.05	—	—	.20	.07	17
18	—	.04	.04	—	—	—	—	.15	.03 ~~.35~~	—	.16	.06	18
19	.06	.37	.79	—	—	.06	.32	.16	—	—	.18	.01	19
20	.33	.10	.11	—	—	.53	.23	—	—	—	—	.02	20
21	.06	.49	.05	tr	—	—	.04	—	—	—	.03	.05	21
22	—	.03	03	—	—	—	.18	—	.08	—	.04	.22	22
23	—	—	—	—	—	.02	03	.05	.35	—	.04	.03	23
24	—	.02	—	.15	—	tr.	—	.16	.01	.04	.20	.14	24
25	.08	—	—	—	.01	—	—	.38	—	—	—	.03	25
26	.05	.17	.09	.17	—	—	.03	.08	.05	—	.10	.42	26
27	.37	—	.07	.86	—	—	—	.46	—	—	.69	.02	27
28	—	—	.28	.05	—	—	—	1.09	—	—	.61	.47	28
29	.07		—	.03	—	.02	—	.63	—	.24	.12	.19	29
30	tr		.06	.22	—	—	—	.59	—	.13	.26	.49	30
31	.12		.02		—		.02	—		.08		.02	31
TOTAL	5.48	2.65	4.45	2.97	.38	.65	1.93	3.82	.94 ~~1.26~~	.66	3.81	6.03	YEAR'S TOTAL 32.77 ~~33.09~~
Days with ·01 in. or more	23	12	22	13	6	5	15	12	8	7	24	27	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

556

5 MAR 20

THE WHITE COTTAGE,
HEATHFIELD,
SUSSEX.

4 March 1920.

S.

Dear Sir,

I am in receipt of your letter of the 2nd. inst. and much regret the trouble to which I have put you.

I was away at the date in question and on looking up the original entry I find my understudy had written .035 The .0 was written very small and in copying it afterwards into my book I carelessly put down .35.

The monthly and yearly totals should be as you say .94 & 32.77 inches.

Yours faithfully

J. H. Leighclare

Carle Salter Esq.
Superintendant,
British Rainfall Organization.

86

523

FORM A. 1. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Heathfield, The White Cottage
in the County of Sussex
by J. F. Leigh Clare

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·03	·11	~~·006~~	·18			·79		·30	1
2			·44	·02						·11		·12	2
3	·01							·38	·08			·05	3
4		·14		·03			·70					·09	4
5			·02				·44	·10				·04	5
6			·39				·30	·05	·05				6
7	·06			·18	27		·06					·05	7
8				·10	·09		·44						8
9	·23	·07		·01	·12	·07	·05						9
10	·66	·20	·17	·19	08	·14	·12				·03	·05	10
11	·28		·07	·29	·05	·08	·45						11
12	·08	·03		·19	·04	·29							12
13	·32	·04	·25								·09		13
14		·02	·42	·52		·09				·18	·35		14
15	·09		·08	·10					·06	·51	·17	·02	15
16			·02	·01					1·12	·01		·05	16
17	·04								·16			·10	17
18	·10			·09	·28				·95			·13	18
19	·12			·21	·10			·95	·18			·10	19
20	·09	·13		·09		·70			·11				20
21				·07			·49		·40			·34	21
22	·005			·51					·11			·42	22
23							·95		12			·47	23
24	·08		·07	·08								·11	24
25				·06			·18						25
26	·08		·13	·11			·10				·02	·06	26
27	·35	·03		·17			·32				·46	·27	27
28	·40	·01	·12	·07	·25		·18				·17	·07	28
29	·50		·07	·09	~~·25~~	·07					·18	·16	29
30	·05	X			·05	·06	·07		·17	·30	·28	·17	30
31	·04	X	·09	X	·06 ~~·05~~	X			X		X	·31	31
TOTAL	3·705	·67	2·34	3.22 ~~2·92~~	1·50 ~~1·29~~	1·50	5·03	1·48 ~~1·39~~	3·51 ~~2·98~~	1·90	1·75	3·48	YEAR'S TOTAL 30·08
Days with ·01 in. or more	20	9	14	23	~~12~~ 10	8	16	4	12	6	9	22	155
~~·04~~	19	5	12	18	12	8	16	4	12	5	7	21	139

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192.........

10 MAY 1921

Kept at Heathfield, The White Cottage

in the County of Sussex

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

The figures for this month have not been received

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·03	011		.18	-	-				1
2				·02	-		—	-	-				2
3				-	-		—	38 ✓	.08 ~~[illegible]~~				3
4				·03	-		·70	-	-				4
5				-	-		·44	010	~~·10~~				5
6				-	-		.30	05 ✓	·05 ✓				6
7				·16	·27		.06	-	-				7
8				·10	·09		.44	-	-				8
9				·01	·12		·05	-	-				9
10				·19	·08		.12	-	-				10
11				·29	005		·45	-	-				11
12				·19	·04		tr.	-	-				12
13				-	-		—	-	-				13
14				·52	-		—	-	-				14
15				·10	-		—	-	·06 ✓				15
16				·01	-		—	-	1·12 ✓				16
17				-	-		—	-	·16 ✓				17
18				·09	·28		—	-	·95 ✓				18
19				·21	·10		—	·95	·18 ✓				19
20				·09	-		—	-	·11 ✓				20
21				·07	-		·49	-	·40 ~~·04~~				21
22				·51	-		—	-	·11 ✓				22
23				-	-		·95	-	·12 ✓				23
24				008	-		—	-	-				24
25				006	-		.18	-	-				25
26				011	-		·10	-	-				26
27				·17	-		.32	-	-				27
28				·007	.25		.18	-	-				28
29				·09	~~·25~~		—	-	-				29
30				-	·05		·07	-	·17				30
31					.06 ~~·05~~		—	-					31
TOTAL				~~2·932~~	~~1·206~~			~~1·39~~	~~2·96~~				YEAR'S TOTAL
~~Days with ·01 in. or more~~	amounts given on Form B			3·22 correct	1·50 correct		5.03	1·48 correct	3·51 correct				
~~Days with ·04 in.~~ or more													

10 MAY 1921

THE WHITE COTTAGE,
HEATHFIELD,
SUSSEX.

8 May 1921.

Carle Salter Seq.
British Rainfall Organization,
62 Camden Square, N.W.1.

Dear Sir,

I have found your letter on my return home and am excedingly sorry you have been put to any trouble over the rainfall returns. I was away a good deal last year abroad and had to leave the returns to a substitute, our postmaster in fact. I noted some of the errors when I got back and satisfied myself as to the correct figures by cross examining him and by comparing them with a neighbour's figures.

I have corrected, in blue, the figures on the sheet you sent and filled in the column for July and return it.

I also enclose my return for April.

Please accept my apologies.

Yours faithfully

J. H. Leigh Clare

DL/

84

REGIST 11

HEATHFIELD

{TOTTINGWORTH PARK}
SUSSEX
~~KENT~~

1911–20

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Tottingworth
in the County of E. Suss
by Mr. J. Masson

5 in.
ove Ground 1 ft. - in.
„ Sea Level 580 ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·55				·20			·10		1
2	·02		·02	·01	·33						·33	·36	2
3	·05	·03			·17						·14	·23	3
4	·21	·03	·04	·22		·03				·26	·33	·19	4
5	·05	·03		·12						·80		·31	5
6	·23		·04							·53		·34	6
7	·06		·04								·93	·53	7
8	·08		·15					—			·60	·20	8
9	·17	·08	·08								·36	·08	9
10			·01	·15							·07	·65	10
11	·50	—	·07								1·36		11
12	·03		1·12								·16		12
13			·03		·15				·52	·16	·02	·25	13
14		·10	·24		·09							·55	14
15		·04								·01	·15	·06	15
16						·52					·62	·15	16
17						·01					·40	·14	17
18		·10	·09			·01					·98	·31	18
19						·08	—		·15	·35	·15	·09	19
20	·04		·02	·01		·01		·50	·22	·10		·76	20
21	·03	·16								·85		·24	21
22	·02	·06	·53			·09				·75		·58	22
23		·21				1·08			·35	·93	·08	·22	23
24		·17				·03	·10			·28		·38	24
25		·03	·52	·07		·14		·03	·10				25
26			·26	·30		·34			—	·43	·25	·34	26
27		·40	·21	·13					·08	·44	·01	·08	27
28		·30		·16				·02			·02	·01	28
29				·03		·15	·13	·09	·30	·62			29
30				·02		·07			·07	·32		·02	30
31					·42								31
Total	1·57	1·74	3·47	1·77	1·16	2·56	·23	·84	1·79	6·83	7·06	7·07	TOTAL for year 36·09
No. of Rain Days	14	14	17	12	5	13	2	5	8	15	20	25	150

9,000, IX. '10.

DL

84

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Tottingworth Park

in the County of E. Sussex 6

by Mr. J. Masson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 500 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·55				·20			·10		1
2	·02		·02	·01	·33						·33	·36	2
3	·05	·03			·17						·14	·23	3
4	·21	·03	·04	·22		·03				·26	·33	·19	4
5	·05	·03		·12						·80		·31	5
6	·23		·04							·53		·34	6
7	·06		·04								·93	·53	7
8	·08		·15								·60	·20	8
9	·17	·08	·08								·36	·08	9
10			·01	·15							·07	·65	10
11	·50		·07								1·36		11
12	·03		1·12								·16		12
13			·03		·15				·52	·16	·02	·25	13
14		·10	·24		·09							·55	14
15		·04								·01	·15	·06	15
16						·52					·62	·15	16
17						·01					·40	·14	17
18		·10	·09			·01					·98	·31	18
19						·08			·15	·35	·15	·09	19
20	·04		·02	·01		·01		·50	·22	·10		·76	20
21	·03	·16								·85		·24	21
22	·02	·06	·53			·09				·75		·58	22
23		·21				1·08			·35	·93	·08	·22	23
24		·17				·03	·10			·28		·38	24
25		·03	·52	·07		·14		·03	·10				25
26			·26	·30		·34				·43	·25	·34	26
27		·40	·21	·13					·08	·44	·01	·08	27
28		·30		·16				·02			·02	·01	28
29				·03		·15	·13	·09	·30	·62			29
30				·02		·07			·07	·32		·02	30
31					·42								31
Total	1·57	1·74	3·47	1·77	1·16	2·56	·23	·84	1·79	6·83	7·06	7·07	TOTAL for year 36·09
No. of Rain Days	14	14	17	12	5	13	2	5	8	15	20	25	150

9,000, IX. '10.

82

FORM A2.
BRITISH RAINFALL.
23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Tottingworth, Heathfield

in the County of Sussex 6

by J. Masson

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
„ „ „ Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08	·04		·10	·26		·03	·85		·27	1
2		·13	·26	·01		·03	·15						2
3			·04			·44		·21	·02				3
4	·40	·05	·66		·02	·33		·11			·13		4
5	·14	·14	·16		·02	·37		·22			·23	·02	5
6	·50	·11						1.18				·06	6
7					·25	·64		·61				·19	7
8	·39	·32	·19			·04	·07	·18				·03	8
9	·10	·08	·01	·08			·12	·10				·10	9
10		·08		·02				·61			·14	·47	10
11	·04	·39	·01			·06						·23	11
12		·21	·04		·06	·05		·38				·04	12
13			·05								·22	·09	13
14			·01		·04			·08		·10		·02	14
15		·03	·10		·12	·75						·37	15
16	·11		·21		·18	·01		·24		·10	·02		16
17	·31		·46			·07		·10			·06	·11	17
18	·06		·40		·01		·03	·16		·06	·01	·57	18
19	·06	·21	·30				·08	·69			·02		19
20	·03	·05	·77				·15	·20		·80	·06		20
21		·10	·40		·08			·34		·45	·06		21
22	·09	·50	·28		·01		·04	·15					22
23	·44	·31	·39			·03		·72		·14	·22	·06	23
24	·12	·03						·40				·13	24
25	·19	·03				·37		·80			·40	·36	25
26		·06				·01		·27		·39	·75	·59	26
27							·04			·20		·50	27
28		·07				·01	·22	·06	·05	·86	·37	·29	28
29		·04		·02			·20	·37	1·60	·15	·14		29
30					·37			·51	1·84	·29			30
31			·02				·47	·18					31
Total	2·98	2·94	4·84	·17	1·16	3·31	1·83	8·87	3·54	4·39	2·83	4·50	TOTAL for year 4136
No. of Rain Days.	15	20	21	5	11	16	12	25	5	12	15	20	177

W. 8,000, X. '11.

82.

REGISTER OF ~~Ex~~ D B RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
90
22 JAN 1914

Kept at Heathfield, Tottingworth Park
in the County of Sussex
by J. Masson
6

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·41	·12	·23		·03				·06	·11	·06	1
2	·05	·18					·14		·03	·05	·16	·05	2
3	·22		·06	·60	·24							·20	3
4			·05	·03	·02	·03	·05		·21	·03	·20	·01	4
5	·10	·07	·02		·03	·05	·12		·82	·17	·25	·01	5
6		·01	·10	·06		·13	·26			·58	·34	·10	6
7		·24	·08			·10	·15		·02	·11	·10		7
8		·15	·01		·12	·07				·29	·16	·03	8
9					·13		·03		·15	·01	·03		9
10	·04			·04			·64				·86		10
11	·81			·51						·71	·07		11
12	·56				·18						1·03		12
13			·03	·08					·04		·13		13
14	·40		·18				·97	~~·04~~	·10	·07	·32		14
15	·23		·29	·30			·25		·07				15
16	·27		·55	·34			·02		·54				16
17	·09	·12	·06	·22			·18				·02	·05	17
18	·01		·08	·26			·12				·16		18
19	·30		·12				·11		·25				19
20	·72		·03	·20	·03	·85				·53	·06		20
21	·04			·15						·80	·80		21
22	·34		·19				·02		·09	·10			22
23			·06			·07	·03	·06				·73	23
24	·10			·05				·19			·15		24
25				·19							·01		25
26			·13				·07	·25		1·21		·24	26
27			·01		·13					·17			27
28	·17		·29	·13						·42			28
29	·17		·10	·27	·17			·14		·12			29
30	·60			·37	·02			·23		·12			30
31			·01					·71				·03	31
Total	5·27	1·18	2·57	4·03	1·07	1·33	3·16	1·62	2·32	5·55	4·96	1·51	YEAR'S TOTAL 34·57
Rain Days.	20	7	22	18	10	8	16	7	11	18	19	11	167

W. 7,500, XI. '12

81/

73

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Tottingworth Park, Heathfield

in the County of Sussex 6

by J. Masson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03	.02				.03			.03	.23	1
2							.28				.22	.15	2
3			.22		.27			.05				.03	3
4			.01	.33	.02			.09			.45	.33	4
5	.13		.12	.40	.01		.31	.04					5
6		.06		.30	.05	.09		.10				.61	6
7		.40	.25	.07		.06	.18					.29	7
8	.16	.43	.55		.05	.15	.12	.11				.24	8
9	.32		.67	.07		.12			.12			2.02	9
10	.03		.02	.08	.15				.04			.04	10
11		.54	.51	.11	.23				.32		.05	.42	11
12			.09		.01		.16		.52			.46	12
13		.60	.39			.02			.14		.18	.62	13
14		.18	.29							.47	.14	.46	14
15		.08	.46				.06	.03			.92	.02	15
16		.15	.04				.11						16
17		.29	.13				.01		.33			.22	17
18		.12	.09									.48	18
19		.17	1.48				.22			.17	.30	.24	19
20		.17	.20			.07						.46	20
21		.95	.07									.03	21
22		.10			.10	.17	.11	.05		.30			22
23			.58		.02	.62	.01					.06	23
24			.03							.02	.23		24
25	.18		.15							.40	.05		25
26			.05					.44			.14	.47	26
27	.03							.04		.09	.13	.63	27
28	.05	.02			.01					.24	.33	.42	28
29	.13		.01							.81	.15		29
30			.14							.10	1.50	.14	30
31	.08				.28							.14	31
													YEAR'S TOTAL
Total	1.11	4.26	6.58	1.38	1.20	1.30	1.57	.98	1.47	2.60	4.82	9.21	3648
Rain Days.	9	15	25	8	12	8	11	10	6	9	15	25	153

W.7,000, XI. 13

8

642
10

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Tottingworth Park

in the County of Sussex

by J. Masson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·55	·24	·03						·75	·02	·35	·27	1
2	·54	·21	·27	·12	·02			·21	·02	·07		·15	2
3	·30		·05	·33	·13			·29	·04			·56	3
4	·09							·29				·48	4
5	·07	·31		·18				·23		·01		·54	5
6	·61	·36	·02	·61			·10	·01				·08	6
7	·32	·43		·10			·15					·39	7
8	·08	·31	·08	·05			44						8
9	·05	·37		·10		·08		·04			·52	·95	9
10	·38					·05						·64	10
11	·01	·08											11
12	·07	·16		·24	·15					·06	·87		12
13	·02	·98			2·25				·05		1·06		13
14	·05	·02					·31	·02	·14			·62	14
15	·15				·07		·26	·20			·25	·41	15
16		·61		·08	·18		1·66	·24				·04	16
17		·59			1·08							·18	17
18		·20	·04		·25						·04	·02	18
19		·14			·22		02			·01			19
20	·32			·04								·18	20
21	·15	·06										·06	21
22	·03	·01	·08				1·28			·11		·22	22
23	·06	·10	·11				·06			·20		·76	23
24			·08	·02			·38		·27	·60		·77	24
25			·01	·05			·28					·33	25
26		·04				·08	·15					·64	26
27		·02				·03				·36		·03	27
28		·07	·03			·10	·12		1·74	·50			28
29					·07	·08	·41	·34			·55		29
30	·26	X				·65				·21	·31	·03	30
31	·04	X		X		X		·02	X	1·09	X	·28	31
Total	4·15	5·31	·80	1·92	4·42	1·07	5·62	1·89	3·01	3·24	3·95	8·63	YEAR'S TOTAL 44.01
Rain Days.	21	21	11	12	10	7	14	11	7	12	8	24	158

W. 8,000. X. 14.

Dl

Exe Dl

633 ~~68~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Tottingworth Park

in the County of Sussex

by J. Masson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·03		·38	·04			·06		·40		1
2	·45	·08	·85		·22					·54	·05		2
3	·01	·37	·21				·03		·07	·40	·48		3
4	·20	·20				·51			·24	·05	·55		4
5		·03		·04	·21	·07				·15	·46		5
6	02	·14	·07	·40	·07	·43	·34			·06	·35		6
7	·02		1·00		·36	·10	·05			·04	·39	·03	7
8					·13							·36	8
9					·34	·02	·03					·23	9
10		·28	·06	·08		·24			·02			·48	10
11		·38	·03	·09		·07						·08	11
12	07	·09		·15	19	·17	·19			·14			12
13		·21	23			·10	·01			·04			13
14		·38	·04	·07	·17			·16				·20	14
15		·07	·14										15
16		·04	·11	·28			·10	·02					16
17	·30	·10	·02	·27			·07	·11	·38	1·36			17
18	·02	·16	·02	·02				·19	·32	·54	·78		18
19	·27		·08	·28					·18	·01	·86	·14	19
20	·07		·05								·05	·45	20
21	·02		·44	·07			·01					·60	21
22		·16	·18			·04				·11	·01	·68	22
23		·24	·06			·23	·03	·05			·09	·05	23
24	·02		·04							·39	·15	·42	24
25		·60	·11					1·74		·20	·05		25
26	·04	·82	·05		·14	·15		·48	·01	·20		·05	26
27			·56	·09		·15		·04	·16	·42			27
28		·81	·13			·20		·07	·22	·32	·02	·28	28
29	·02	·29				·37		·66	·07	·75		·42	29
30		X	·01		·01	·01		·06		·61			30
31		X		X		X			X	·13	X	·03	31
Total	1·63	5·45	4·52	1·84	2·22	2·90	·86	3·58	1·73	6·46	4·69	4·50	YEAR'S TOTAL 40·38
Rain Days.	15	20	24	12	11	17	10	11	11	20	15	16	182

W. 8,000. X. 15.

8 ✓ 604

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Tottingworth Park

in the County of Sussex

by J. Masson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·26				1·57	·09		·13	·05	1
2				·17				·22			·02		2
3				·08			·42	·40		·21	·09		3
4		·08	·28				·75	·32		·45			4
5	·35		·05	·17				·10	·52	·23	·02		5
6			·03	·08		·40			·07		·20		6
7	·48						·15			·65		·10	7
8	·05			·13			·21	·04		·38	·32	·14	8
9			·06	·03			·04				·03	·74	9
10	·16		·14	·06		·13		·18					10
11	·27		·19	·25				·02		·59			11
12	·02		·06	·11				·17		·27			12
13	·05		·21					·02	·02	·57		·01	13
14	·03		·01	·28				·41	·04				14
15	·01				·11			·82		·09		·05	15
16	·08	·13		·37	·12					·38		1·03	16
17				·10	·28		·38	·10	·35	·30			17
18	·04	·03		·10	·05		·34		·23				18
19		·12	·19		·05	·09			·23				19
20		·18	·04		·90				·09		·04		20
21			·03	·02	·01					·01	·01	·07	21
22	·05	·01	·09			·55		·16		·20			22
23		·26			·32			·15		·04			23
24		·05				·03	·02	·17		·33	·07	·06	24
25		·13	·05			·04	·13			·03			25
26			·03					·29	·10		1·07		26
27								1·17					27
28			·10			1·58		·88				·07	28
29					·03	·02	·48	·04		·46		·15	29
30	·06	X	·20			·01	·39	·30		·11		·07	30
31	·02	X	·03	X		X	·38		X	·04	X	·09	31
Total	1·67	·99	1·79	2·21	1·87	2·85	3·69	7·53	1·74	5·34	2·00	2·63	YEAR'S TOTAL 34·31
Rain Days.	14	9	18	15	9	9	12	21	10	19	11	13	160

3·44

W. 8,000, VIII. 16

Dl 123

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27.7.19

Kept at Tottingworth Park
in the County of Sussex
by J. Masson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03		·13						·15	·05	1
2			·01					·35	·05		·43	·35	2
3		·05	·11	·13	·46			·05		·04	·45	·01	3
4		·10	·02	·03				·07	·10		·67		4
5		·15			·10			·22		·13		·03	5
6	·15	·13		·22	·22			·33	·20	·02	·04	·06	6
7	·06	·11		·04	·05			·02	·45	·02			7
8		·07		·03					·26		·11	·21	8
9	·04			·06		·02			·63	·38		·16	9
10				·05			·24		·29	·14		·30	10
11							·07		·55	1·04	·05	·10	11
12		·18			·08		·29		·05	·20		·05	12
13	·15			·01	·19		·12		·08			·03	13
14	·23		·04			·16	·38		·45	·39		·08	14
15	1·70			·18		·03	·02					·18	15
16	·27			·08		·17	·03		·05			·35	16
17	·10			·14		·28	·72	·02				·04	17
18	·36					·28			·35	·13			18
19	·22		·10	·04		·09				·09			19
20	·04	·18		·88		·02	1·21		·40	·56			20
21	·24			·96			·09		·33	·17		·06	21
22	·15				·16		·26		·68			·15	22
23	·13			·01	·03		·78	·01					23
24		·19				·04	·04		·26		·11		24
25						·02	·06	·30		·04	·04		25
26	·01			·04			·21		·03		·07	·32	26
27		·06		·09			·05	·30		·04	·07	·11	27
28		·01	·02	·02	·06			·01	·21	·01	·28		28
29			·35						1·02		·03		29
30		X	·49							·16		·11	30
31		X		X		X			X	·07	X	·10	31
Total	3·85	1·23	1·17	3·01	1·48	1·11	4·57	1·68	6·44	3·63	2·50	2·85	YEAR'S TOTAL 33·52
Rain Days.	15	11	9	18	10	10	16	11	20	18	13	21	172

W. 8,000, VIII. 16

82

562

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Tottingworth Park

in the County of Sussex

by J. Masson

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·08			·21		·15			·09	·06	·80	1
2	·35		·10		·13		·07			·02	·22	·13	2
3	·29		·44		·02		·44		·19		·06	·30	3
4	·42	·10	·36			·02	·03		·04		·05	·09	4
5	·02	·38	·96				·02	·03			·15	·54	5
6	·12		·07								·01	·08	6
7	·15		·47							·01	·15		7
8	·32		·12								·05		8
9	·53		·07	·15							·30		9
10	1·01		·09	·05							·01	·14	10
11	·25		·15	·49	·07							·15	11
12	·10		·02	·02	·02		·40			·08	·02		12
13	·03		·02	·23								·07	13
14	·59			·55			·07		·14			·12	14
15	·19	·03		·06								·31	15
16	·16	·50									·13	·05	16
17		·33	·01	·02							·19	·07	17
18		·05	·04					·08	·02		·15	·05	18
19	·10	·33	·87				·23	·23			·22		19
20	·38	·13	·14			·70	·34	·25				·02	20
21	·05	·56	·04			·01	·04					·07	21
22		·04	·04				·16		·95		·09	·20	22
23						·03	·04		·37		·04	·04	23
24		·02		·18				·06	·02	·07	·20	·18	24
25	·04	·01			·01			·58				·03	25
26	·04	·14	·09	·12			·03	·09	·08		·10	·47	26
27	·41		·11	1·23				·31			·54	·03	27
28			·25	·06				1·29		·22	·63	·46	28
29	·10			·01		·01		·70			·10	·24	29
30	·01		·02	·05				·51		·13	·21	·55	30
31	·13		·03				·02			·08		·02	31
Total	6·13	2·70	4·51	3·22	·46	·77	2·04	4·13	1·81	·70	3·68	5·21	YEAR'S TOTAL 35·36
Rain Days.	25	14	23	14	6	5	14	11	8	8	23	26	177

176

W, 6,500, VII. 18. W W C

87 530

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sottingworth Park

in the County of Sussex

by J. Masson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·06		·22			·98		·38	1
2	·13		·44	·13	·02			·39	·08	·14		·15	2
3										·03		·08	3
4		·14		·05			·83	·18				·11	4
5			·01				·41	·07	·05			·05	5
6			·37		·30		·38						6
7	·05			·20	·06		·06					·05	7
8				·10	·06		·60						8
9	·27	·05		·01	·20		·03						9
10	·75	·17	·13	·18		·15	·16				·04		10
11	·32		·08	·27	·04	·03	·41						11
12	·09	·03		·22		·38							12
13	·31	·05	·26			·10					·11		13
14		·02	·46	·57		·05			·04	·17	·40		14
15	·08		·08	·12					1·20	·49	·19		15
16			·01	·02	·01				·27			·14	16
17	·02			·10	·30				1·08			·11	17
18	·11				·12			1·06	·23			·11	18
19	·11			·22					·25			·12	19
20	·08	·18		·11		·74			·45				20
21				·04			·49		·13			·37	21
22				·52					·11/			·44	22
23	·02						·91					·52	23
24	·03		·07						·03			·12	24
25				·03			·38					·07	25
26	·08		·15	·05			·24				·02		26
27	·44	·04		·13		·09					·41	·29	27
28	·37	·01	·09	·04	·25		·28				·14	·08	28
29	·62		·08	·07	·01	·02					·22	·21	29
30	·04	✕			·09	·02	·08		·17		·33	·19	30
31	·03	✕	·12	✕		✕			✕	·39	✕	·39	31
TOTAL	3·95	·69	2·35	3·18	1·52	1·58	5·48	1·70	4·09	2·20	1·86	3·98	YEAR'S TOTAL 32·58
Days with ·01 in. or more	20	9	14	21	13	8 9	15	4	13	6	9	20	153
04	16	6	12	18	10	6	14	4	12	5	8	20	131

(33,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

✓

REGISTE

HENLEY HOUSE

SUSSEX

1911-20

FORM A2. BRITISH RAINFALL.

8 - JAN 1912

ord 9.

Kept at Henley Lodge Fa

in the County of Sussex

by Eustace Mal

in.

ound 1 ft. in.

a Level 445 ft.

m Wadhurst

ame

M furlongs

istance 1·7 Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08			·79				·11			·04	·01	1
2	·05		·02	·02	·31	-	~~·02~~ ·01				·15	·20	2
3	·07	·01	-	-	·26						·14	·23	3
4	·25	·02	·06	·26						·78	·30	·12	4
5	·01	·01	-	·09						·75	·01	·12	5
6	·22		·03	trace						·01		·43	6
7	·02		·03	·01						·38	·69	·30	7
8	·11		·11	-							·80	·14	8
9	·18		·03	·03						·01	·11	·04	9
10	·01	·08	·07	·10							·03	·63	10
11	·54	—	·03	·01						·01	1·31	-	11
12	·02		·77						trace	~~·33~~	·05	-	12
13	-		·04		·16				·41	·33	·03	·26	13
14	-	·05	-		·47				trace	·01		·51	14
15	-	·02	·36				trace				·13	·02	15
16	-		-			·27					·79	·12	16
17	-		·01			·02				trace	·73	·19	17
18	-	·16	·05			·02				·01	·85	·43	18
19	-		-		·01	·06			·23	·25	·19	·10	19
20	·02		·02			trace		·31	·21	·23	trace	·67	20
21	·02	·19	-					·03		1·19		·13	21
22	·02	·02	·36			·06		·19		·29	-	·52	22
23	-	·27				1·01			·27	·26	·07	·15	23
24	-	·11				·06	·07			·39		·36	24
25		·02	·16	·06		·19		·22	·10	·02	·05	-	25
26			·26	·23		·15				·30	·23	·18	26
27		·24	·20	·15					·15	·48	·01	·05	27
28	·01	·25		·12					trace	-	·03	-	28
29				·22		·11	·27		·21	·38	trace	-	29
30				·01		·01			·04	·32	—	·01	30
31	-		-							trace		—	31
Total	1·63	1·45	2·61	2·10	1·21	1·96	·35	·86	1·62	6·40	6·74	5·92	TOTAL for year ✓
No. of Rain Days.	16	14	18	14	5	11	3	5	8	20	22	25	32·85

W. 8,000, X. '11.

161 ✓

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Hurley Lodge Farm

in the County of Sussex. 7

by Eustace Mulden

RAIN GAUGE
Pattern Casella Ord 9
Diameter of top 5" in.
Height of top above Ground 1 ft. in.
" " " Sea Level 445 ft.

Time of Observation 9 am

Nearest Railway Station
Name Wadhurst
Distance 1·7 M furlgs Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08			·79.				·11.			·04	·01	1
2	·05		·02	·02	·31		~~·02~~ ·01				·15	·20	2
3	·07	·01	-	-	·26						·14	·23	3
4	·25	·02	·06	·26						·78	·30	·12	4
5	·01	·01	-	·09						·75	·01	·12	5
6	·22		·03	trace						·01		·43	6
7	·02		·03	·01						·38	·69	·30	7
8	·11		·11	-							·80	·14	8
9	·18		·03	·03						·01	·11	·04	9
10	·01	·08	·07	·10							·03	·63	10
11	·54		·03	·01						·01	1·31	-	11
12	·02		·77						trace	~~·33~~	·05	-	12
13	-		·04		·16				·41	·33	·03	·26	13
14	-	·05	-	-	·47				trace	·01		·51	14
15	-	·02	·36				trace				·13	·02	15
16	-		-			·27					·79.	·12	16
17	-		·01			·02				trace	·73	·19.	17
18	-	·16	·05			·02				·01	·85	·43	18
19	-		-		·01	·06			·23	·25	·79	·10	19
20	·02		·02			trace		·31	·21	·23	trace	·67	20
21	·02	·19	-					·03		1·19		·13	21
22	·02	·02	·36			·06		·19		·29		·52	22
23	-	·27.				1·01			·27	·26	·07	·15	23
24	-	·11				·06	·07			·39		·36	24
25		·02	·16	·06		·19		·22	·10	·02	·05	-	25
26			·26	·23		·15				·30	·23	·18	26
27		·24	·20	·15					·15	·48	·01	·05	27
28	·01	·25		·12					trace	-	·03	-	28
29				·22		·11	·27.		·21	·38	trace	-	29
30				·01		·01.			·04	·32	—	·01	30
31			-							trace.		—	31
Total	1·63	1·45	2·61	2·10	1·21	1·96	·35	·86	1·62	6·40	6·74	5·92	TOTAL for year
No. of Rain Days.	16.	14.	18.	14	5.	11.	3.	5	8.	20	22.	25	32·85

161

H.

REGISTER OF RAINFALL IN 1912

Ex. H

BRITISH RAINFALL. FORM A.
JAN 13

Kept at Henley Lodge Frant

in the County of Sussex 7

by Eustace Malden.

Lat. 51. 5. 5. N Long. 0. 16. 50 E

Time of Observation 9. am

Nearest Railway Station Wadhurst

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·17	·02		·11	·19		·03	1·03		·24	1
2		·08	·33 ~~·17~~	·03		·01	·17		·01	·02		·01	2
3	·01	·13	·01 ~~·33~~		·09	·26	·01	·20	·03		·01	·05	3
4	·23	trace	·72 ~~·01~~		·04	·35		·01			·12	·01	4
5	·18	·10	·20 ~~·72~~			·12		·31			·15	·03	5
6	·46	·07	- ~~·20~~		·03	·01		·64	trace		·01	·18	6
7	·34		-		·14	·44		·41				·20	7
8	trace	·38	·25			·12		·27		·01	·01	·02	8
9	·01	·09	·01	·03		·01	·21	·28		trace		·24	9
10		·07						·19	trace	·01	·08	·36	10
11	·04	·47	·06		trace	·07			·01			·31	11
12		·16	·03		·11	·04		·23			·03	·02	12
13		·01	·04								·19	·14	13
14			trace		·03			·07	trace	·06	trace	·03	14
15	·01	·01	·13		·20	·67		·01		·01	trace	·35	15
16	·20		·16		·09	·33		·18		·09	·01		16
17	·42		·57			·03		·06			·15	·29	17
18	·08		·34				·09	·17		·06	·02	·32	18
19	·05	·22	·42				·07	·66	·01		·08		19
20	·03	·03	·80		trace	trace		·03		·57	·06		20
21	·01	·05	·71		·05			·09		·20	·06 ~~trace~~		21
22	·09	·68	·19		·01		·02	·18			trace		22
23	·53	·31	·30		·12	·08		·38		·16	·12	·07	23
24	·07	·02			·01			·21				·13	24
25	·16	·01				·31		·76			·42	·64	25
26		·05				·04		·43		·40	·38	·42	26
27							·02			·21		·45	27
28		·07	trace			·03	·23	·12	·03	·99	·49	·47	28
29		·04		·01			·24	·60	1·82	·14	·03		29
30					·26	trace	·06	·18	1·70	·47			30
31			·02				·34	·11					31
Total	2·92	3·05	5·46	·09	1·18	3·03	1·65	6·78	3·64	4·48	2·35	4·98	YEAR'S TOTAL 39·56
Rain Days.	18	21	20	4	13	18	12	26	8	16	19	23	198

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

Ex K36

REGISTER OF RAINFALL IN 1913

Kept at Henley House Frant

in the County of Sussex.

by Eustace Malden.

Lat. 51. 5.5 N. Long. 0. 16. 50 E

Time of Observation 9. am

Nearest Railway Station Wadhurst.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 440. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·34	·09.	·21	·09	·02	-	-	·01	·09.	·14	·09.	1
2	·07	·21	-	-	Trace	-	·21	-	·01	·07.	·14	·01	2
3	-	Trace	·04	·60	·27	-	-	-	-	·16	-	·20	3
4	·28	-	·06	·02	·01	·06	·04	-	·01	·05	·11	·01	4
5	·42	·07	·02	-	Trace	·11	·09.	-	·86	·21	·25	·04	5
6	·01	·01	·10	·03	·01	·08	·16	-	·03	·49	·16	·07.	6
7	Trace	·24	·03	·01	-	·08	·01	-	-	·26	·07	·01	7
8	-	·04	·04	-	·12	·07	-	·07	Trace	·38	·07.	·02	8
9	-	·04	Trace	·02	·10	-	·03	·92	·07.	Trace	·03	·02	9
10	·02	Trace	-	·05	-	-	·44	-	-	-	·79.	-	10
11	·68	-	-	·42	-	-	·01	-	-	·66	·35	-	11
12	-	-	-	-	·08	-	-	-	-	·01.	1·13	Trace	12
13	·46	·01	·04	-	-	-	-	·04	·03	-	·21	-	13
14	·33	·01	·15	·10	-	-	·95	·02	·17	·13	·13	-	14
15	·20	-	·18	·45	-	-	·50	-	·01	-	-	-	15
16	·26	Trace	·58	·31	-	-	-	-	·45	-	Trace	-	16
17	·09	·07.	·07	·13	-	-	·32	-	·01	-	·01.	·02	17
18	·04	-	·13	·19	Trace	-	·01	Trace	Trace	-	·13	-	18
19	·15	-	·16	Trace	Trace	Trace	·09.	-	·20	-	Trace	-	19
20	·50	-	·08	·12	Trace	·30	-	-	Trace	·46	·02	-	20
21	·01	Trace	·14	·16	Trace	Trace	-	-	Trace	·65	·82	-	21
22	·31	-	·19.	Trace	Trace	-	·05.	·02	·11	·01	·01	·01	22
23	-	-	·22	-	-	Trace	·03.	·05	·01	Trace	-	·71	23
24	·04	-	Trace	·03	-	·01	-	·04	-	·01	·02	Trace	24
25	-	Trace	Trace	·26	-	·01.	Trace	-	-	-	Trace	-	25
26	-	-	·15	-	-	-	·02	·22	-	1·15	-	·37.	26
27	·01	Trace	·03	·01	·26	-	·01	-	-	·20	-	Trace	27
28	·13	-	·26	-	-	-	Trace	-	·01	·32	-	Trace	28
29	·16		·09.	·40	·63	-	-	·23	-	·06	Trace	-	29
30	·61		-	·39.	·02	-	-	·21	Trace	·13	-.	-	30
31	Trace		·07.		-		-	·78		·08		-	31
Total	4·81.	1·04	2·92	3·91	1·59.	·74	2·97.	2·60	1·99	5·58	4·59.	1·58	YEAR'S TOTAL 34·32 ✓
Rain Days.	22.	10.	23.	20.	10.	9.	17.	11.	15.	21.	19.	13.	190 ✓

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Ex. WH

Kept at Henley House Frant
in the County of Sussex.
by Eustace Malden.

Lat. 51·5 5 N. Long. 0.16 50 E
Time of Observation 9. am
Nearest Railway Station Wadhurst. SE&CR
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	trace	-	·01	·11	-	trace	·01	·03	-	-	·05	·12	1
2	trace	-	-	·02	-	·01	·14	·04	-	-	·18	·29.	2
3	-	trace	·17	trace	·30	-	·01	·02	-	-	·01	·01	3
4	-	-	·01	·31	·04	-	-	·04	-	-	·33	·26	4
5	·12	-	·08	·52	·08	·04	·21	·03	-	-	trace	-	5
6	-	·08	·01	·16	·03	·14	trace	·09	-	-	·02	·58	6
7	trace	·62	·46	·44	·01	·06	·07	-	-	-	trace	·34	7
8	·11	·46	·45	trace	·01	·14	·04	·08	-	-	-	·10	8
9	·29	-	1·10	·14	-	trace	-	-	·11	-	·01	1·63	9
10	·01	·06	·03	·10	·08	-	-	-	trace	·01	trace	·04	10
11	-	·41	·54	·04	·02	·01	-	-	·24	-	·04	·42	11
12	trace	·06	·08	-	·01	trace	·18	-	·33	·01	-	·59.	12
13	·01.	·58	·29.	-	-	·05	-	-	·11	·06	·09.	·59.	13
14	-	·36	·23	-	-	-	·01	-	·01	·38	·16	·35	14
15	·01	·03	·37.	-	-	-	·44	-	-	trace	·58	·05	15
16	·02	·07	·04	-	-	-	·05	·01	·09.	-	trace	trace	16
17	-	·46	·28	-	-	-	·01	·01	·18	-	-	·19.	17
18	-	·19.	·17.	-	-	-	-	-	trace	trace	·01	·51	18
19	-	·13	1·21.	-	-	trace	·22	-	-	·11	·31	·16	19
20	·01	·22	·08	-	-	·07.	trace	-	-	·02	-	·29.	20
21	-	·93	·08	trace	-	-	-	·16	-	·02	-	·04	21
22	-	·05	trace	-	·13	·04	·11	·04	-	·59.	-	·01	22
23	-	·01	·37	-	·13	·22	·03	-	·01	trace	-	·03	23
24	trace	-	·06	-	·01	-	-	-	trace	trace	·14	-	24
25	·07.	-	·28	-	-	-	-	·03	trace	·33	·02	·03	25
26	-	-	·06	-	·01	-	·01	·25	-	·13	·25	·48	26
27	·01	trace	·01	-	-	-	-	·03	-	trace	·10	·62	27
28	·02	·02	-	-	·01	-	-	-	-	·10	·34	·54	28
29	·13		·01	-	trace	-	-	-	-	·83	·36	-	29
30	·01		·11	-	trace	-	-	-	-	·11	1·40.	·21	30
31	·04		-		·33.		·02	-		trace		·03	31
Total	·86	4·74	6·59	1·84	1·20	·78	1·56	·86	1·08	2·70	4·40	8·51	YEAR'S TOTAL 35·12
Rain Days.	14.	18.	27.	9.	15.	10.	16.	14.	8.	13.	19.	27	190.

W. 8,000. X. 14.

659

BRITISH RAINFALL FORM A.

3 JAN 16

REGISTER OF RAINFALL IN 1915.

Kept at Henley House Frant

in the County of Sussex. 7

by Eustace Malden.

Lat. 51·5·5 N. Long. 0 16 50 E

Time of Observation 9. am.

Nearest Railway Station Wadhurst Frant ½ M

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·55	·12	·04	-	·01	-	-	·10	·27	trace	·27	·33	1
2	·35	·17	·22	·13	trace	-	-	·19	·01	·05	-	·15	2
3	·34	trace	·02	·20	·13	-	-	·07	·11	-	·01	·51.	3
4	·03	-	-	-	-	-	-	·12	-	-	-	·64	4
5	·02	·31	-	·07	-	-	-	·16	-	·02	·05	·56	5
6	·48	·13	·02	·57	-	-	·12	·01	-	-	·01	·23	6
7	·32	·41	·06	·02	-	-	·06	trace	-	-	-	·34	7
8	·01	·52	·04	·02	-	-	·20	·02	-	-	·03	trace	8
9	·01	·31	trace	·19	-	·14	-	·05	-	-	·64	·89	9
10	·38	trace	-	trace	-	·03	-	trace	-	trace	trace	·68	10
11	·01	·03	·01	-	-	-	trace	-	-	-	·63	·09.	11
12	·04	·12	-	·28	·27	-	-	-	-	·01	1·09	trace	12
13	·01	·89	-	·01	2·11	-	-	-	·02	-	trace	-	13
14	·05	·02	-	-	-	-	·14	-	·06	-	-	·57	14
15	·19	-	-	-	·06	-	·06	·08	·01	-	·22	·46	15
16	·01	·58	-	·02	·11	-	1·43	·10	-	-	·01	·04	16
17	trace	·56	-	-	1·52	-	·02	·01	-	-	trace	·15	17
18	trace	·13	·01	-	·32	-	-	-	-	-	·02	·02	18
19	trace	·06	·01	-	trace	-	-	-	-	·02	·01	-	19
20	·21	·01	-	·07	·61	-	-	-	-	·01	-	·19	20
21	·15	·02	-	-	-	-	-	-	-	·04	-	·11	21
22	·08	·05	·03	-	-	-	1·22	-	-	·01	-	·30	22
23	·01	·12	·12	·01	-	·02	·08	-	·02	·31	-	·49.	23
24	-	trace	·10	·04	-	·01	·08	-	·25	·28	-	·67.	24
25	-	-	·02	·02	-	-	·30	-	trace	·01	-	·18	25
26	·01	·09	-	trace	-	·10	-	-	-	-	-	·64	26
27	-	·06	trace	-	-	·02	·04	-	-	·38	-	·05	27
28	trace	·17	·01	-	-	·12	-	-	1·71	·36	·01	trace	28
29	trace	X	-	-	·01	trace	·19	·30	-	·01	·80	-	29
30	·19.	X	-	-	-	·58	-	-	·01	·11	·48	·01	30
31	·04	X	-	X	-	X	-	·17.	X	1·00	X	·27.	31
Total	3·49.	4·88.	·71.	1·65	5·15	1·02	3·94	1·38	2·47	2·62	4·28	8·57	YEAR'S TOTAL 40·16
Rain Days.	23.	22.	14.	14.	10.	8.	13.	13.	10.	15.	15.	25.	182.

W. 8,000. X. 15.

Excl E3

650

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

3 JAN 1917

Kept at Henley House . Frant

in the County of Sussex

by Eustace Malden.

Lat. N. 51·5.5 Long. 0·16·50. E.

Time of Observation 9·a.m.

Nearest Railway Station Frant.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 440. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·01	·01	–	·64	·02	–	–	·17	·05	·33	–	1
2	·57	·12	·40	–	·26	–	–	–	trace	·36	trace	–	2
3	·01	·79	·23	–	trace	trace	·02	–	·05	·44	·56	–	3
4	·30	·06	trace	·01	–	·60	–	–	·18	·11	·59	·01	4
5	trace	·03	·01	trace	·16	·17	–	–	–	·18	·66	trace	5
6	·01	·19	·10	·46	·04	·22	·47	–	trace	·08	·62	–	6
7	·06	·03	1·02	–	·34	·09	·01	–	–	·03	1·00	·01	7
8	trace	–	·01	–	·16	–	–	–	–	trace	trace	·46	8
9	trace	–	·03	–	·38	·03	·01	–	–	–	–	·21	9
10	–	·25	·07	·05	trace	·51	·12	–	–	trace	–	·34	10
11	·03	·24	·02	·15	–	·30	–	–	–	–	–	·01	11
12	·04	·11	trace	·06	·22	·17	·15	–	–	·08	–	–	12
13	–	·27	·32	·10	·04	·03	·22	·06	–	·04	–	–	13
14	–	·47	·02	trace	·18	–	·01	·07	·01	·03	–	·25	14
15	–	·11	·20	·01	trace	–	–	·03	·01	trace	–	·08	15
16	·01	·02	·11	·13	–	–	·17	·04	–	–	–	–	16
17	·25	·12	trace	·09	–	–	·05	·01	·29	·93	–	–	17
18	·01	·10	·01	·03	–	–	–	·49	·18	·63	·69	–	18
19	·25	·04	·10	·25	–	·11	–	–	·21	·01	·89	·15	19
20	·12	trace	·01	·14	–	–	–	·01	–	–	·01	·58	20
21	·03	–	·58	·08	–	–	·11	–	–	–	·01	·34	21
22	·01	·01	·17	·01	–	·03	–	–	–	·05	trace	·70	22
23	·01	·25	·05	–	–	·17	·01	·01	–	·06	·08	·05	23
24	·01	–	·04	–	·08	trace	–	trace	–	·37	·10	·33	24
25	–	·66	·27	–	–	–	–	·65	trace	·10	·02	trace	25
26	·02	·54	·04	–	–	·16	–	·02	trace	·26	·03	–	26
27	·02	trace	·85	–	–	·50	–	·13	·13	·46	–	–	27
28	–	·53	·11	–	–	·68	–	·10	·13	·14	·01	·21	28
29	trace	·33	–	–	–	·39	–	·64	·06	·54	–	·35	29
30	–	X	–	–	·05	–	–	·14	–	·33	–	–	30
31	–	X	–	X	–	X	–	·04	X	·04	X	·02	31
Total	1·91	5·28	4·78	1·57	2·55	4·18	1·35	2·44	1·42	5·32	5·60	4·10	YEAR'S TOTAL 40·50
Rain Days.	19.	23.	25.	14.	12.	17.	12.	15.	11.	23.	15.	17.	203.

W. 8,000, VIII. 16

620

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917.

Kept at Henley House Frant
in the County of Sussex.
by Eustace Malden (the Revd)

Lat. 51. 5. 5 N. Long. 0. 16. 50. E.
Time of Observation 9 am.
Nearest Railway Station Frant.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 440. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·01	·15	–	–	–	1·61	·38	–	·08	·04	1
2	–	–	Trace	·23	–	–	–	·31	–	–	·03	–	2
3	·02	–	–	·20	–	–	·39	·84	–	·16	·12	–	3
4	–	·16	·17	–	–	–	·45	·02	–	·46	–	–	4
5	·24	Trace	·06	·22	–	·01	–	·08	·41	·20	·04	–	5
6	Trace	–	·04	·08	–	·28	–	–	·10	Trace	·17	Trace	6
7	·38	–	–	–	–	–	·32	–	–	·47	Trace	·05	7
8	·06	–	–	·12	–	–	·29	·03	Trace	·38	·42	·12	8
9	·03	–	·03	·10	–	–	·10	·02	–	–	·03	·94	9
10	~~·02~~ ·17	–	·12	·16	–	–	–	·15	–	–	–	Trace	10
11	·10	·02	·19	·40	–	–	Trace	·06	·05	·53	–	–	11
12	·06	·02	·04	·01	–	–	–	·13	–	·25	·01	–	12
13	·06	Trace	·15	–	Trace	–	–	·02	·01	·30	Trace	Trace	13
14	·02	–	·05	·18	–	–	–	·13	·01	·01	Trace	–	14
15	–	–	Trace	·01	·09	–	·08	·23	–	·20	–	·06	15
16	·11	·15	–	·34	·22	–	·07	Trace	–	·46	–	1·14	16
17	–	·01	–	·06	·42	–	·21	·02	·30	·33	Trace	·01	17
18	·05	·03	–	·11	·06	Trace	·24	·15	·21	·02	–	–	18
19	–	·10	·18	Trace	·05	·21	–	·03	·27	–	–	–	19
20	·02	·13	·06	–	1·09.	Trace	·05	–	·06	–	·02	–	20
21	·02	Trace	·01	·03	·01	·03	–	–	–	·01	·01	·03	21
22	·07	Trace	·10	–	–	·57	–	·14	–	·15	–	·01	22
23	Trace	·14	·01	–	·30	Trace	–	·26	–	·02	–	·06	23
24	Trace	·02	–	–	–	·03	·01	·04	–	·23	·06	·02	24
25	–	·11	·03	–	–	·04	–	–	–	Trace	·05	–	25
26	–	Trace	·02	–	–	Trace	–	·21	·03	–	·87	·01	26
27	–	–	–	–	–	·08	–	1·30	–	–	Trace	–	27
28	–	Trace	·05	–	–	1·28	·10	·51	–	–	–	·09	28
29	Trace	×	·01	–	·06	·02	·27	·04	Trace	·68	–	·18	29
30	·03	×	·34	–	–	·02	·51	·26	·01	·08	–	·05	30
31	·03	×	·05	×	–	×	·56	·02	×	·02	×	·12	31
Total	1·41	·89.	1·72	2·40	2·30	2·57	3·65	6·61	1·84	4·96	1·91	2·93	YEAR'S TOTAL 33·19
Rain Days.	17.	11.	21.	16.	9.	11.	15.	25.	12.	20	13.	16.	186

W. 8,000, IX. 17.

Recd

137

FORM A.
BRITISH RAINFALL

4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Henley House Frant

in the County of Sussex

by The Revd Eustace Malden

Lat. 51·5·5 N Long. 0·16·50 E

Time of Observation 9·am

Nearest Railway Station Frant

Diameter of Funnel of Rain Gauge ~~1 ft 6~~ 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	~~June.~~	July.	Aug.	~~Sept.~~	Oct.	~~Nov.~~	~~Dec.~~	Date.
			~~·05~~	~~·07~~									
1	-	-	~~trace~~ ·08	·01	·03	-	-	·01	-	-	·19	·05	1
2	-	·03	trace ~~·09~~	~~·09~~ -	-	-	-	·24	·01	trace	·50	·29	2
3	~~·04~~ -	·01	·09	~~trace~~ ·09	·46	-	-	trace	-	·05	·41	·02	3
4	·01	·12	~~trace~~ ·03	trace	·05	-	-	·07	·08	-	·82	·02	4
5	-	·12	trace	~~·25~~ -	·11	-	-	·22	trace	·14	-	·05	5
6	·13	·18	-	·26	·21	-	-	·19	·11	·02	·02	·06	6
7	·06	·10	trace	·09	·08	·01	-	·02	·31	·05	·03	-	7
8	-	·02	trace	·01	-	-	-	-	·17	-	·17	·14	8
9	·04	·01	+	·12	-	-	·15	-	·59	·25	trace	·30	9
10	-	-	-	·06	-	·03	·61	-	·56	·13	trace	·28	10
11	-	-	-	·01	·01	-	·16	-	·03	·60	·08	·10	11
12	trace	·08	-	-	·17	-	·10	-	·14	·13	-	·02	12
13	·15	·01	-	trace	·06	-	·11	-	·08	-	-	·02	13
14	·20	trace	·02	·01	-	·08	·17	-	·32	·31	-	·07	14
15	1·55	-	-	·28	-	·12	·03	-	·02	trace	·01	·23	15
16	·13	-	-	·08	-	·09	·09	-	·10	trace	trace	-	16
17	·29	-	-	·17	-	trace	·44	·03	trace	-	-	·34	17
18	·43	-	-	trace	-	·40	·01	-	·60	·09	-	·10	18
19	·13	-	·03	·04	-	·10	·03	-	-	·17	·01	·01	19
20	·05	·14	-	1·01	-	·02	·88	trace	·26	·50	·01	·02	20
21	·20	trace	-	·74	-	-	·17	-	·55	·12	·01	·02	21
22	·11	-	-	·01	·34	-	·54	-	1·13	-	trace	·15	22
23	·07	-	-	trace	·05	-	·45	·12	·02	-	trace	·05	23
24	trace	·26	-	·09	·01	·04	·33	-	·24	-	·04	·01	24
25	trace	trace	-	-	-	-	·16	·28	trace	·02	·03	-	25
26	-	-	-	·05	-	-	·71	·08	·07	·01	·05	·22	26
27	trace	·11	·02	·12	-		·12	·20	·04	-	·05	·04	27
28	·01	·01	·36	·12	·01	·09	-	trace	-	·01	·24	·03	28
29	·01		-	·13	-	-	-	-	1·20	-	·01	trace	29
30	·01		·36	-	-	-	-	-	·02	·08	trace	·18	30
31	·01		trace		-		-	-		·03		·02	31
Total	3·69 ✓	1·20 ✓	·99 ✓	3·50 ✓	1·59 ✓	·98 ✓	5·26 ✓	1·46 ✓	6·65 ✓	2·71 ✓	2·68 ✓	2·84 ✓	YEAR'S TOTAL 33·55 ✓
Rain Days.	19 ✓	14 ✓	8 ✓	21 ✓	13 ✓	10 ✓	19 ✓	11 ✓	23 ✓	18 ✓	18 ✓	27 ✓	201 ✓

W. 6,500, VII. 18. w w c

576

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Henley House Frant
in the County of Sussex
by The Revd Eustace Malden.

Lat. 51. 5.5 N. Long. 0. 16 50 E
Time of Observation 9 am
Nearest Railway Station Frant
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 440 circ. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·55	·04	trace	–	·03	–	·13	–	–	·10	·04	·75	1
2	·37	–	·07	–	·23	–	·20	–	–	·08	·30	·19	2
3	·29	–	·40	–	·02	–	·55	–	·17	trace	·13	·25	3
4	·25	·10	·48	–	·01	·03	·06	·04	·03	–	·06	·11	4
5	·02	·34	1·14	–	–	–	trace	·03	·06	–	·10	·37	5
6	·11	–	·06	–	–	–	–	·01	–	·01	·02	·02	6
7	·13	–	·73	–	–	–	–	–	–	·02	·10	–	7
8	·41	–	·08	–	–	–	–	–	trace	–	·02	–	8
9	·72	–	·04	·29?	·08	–	–	–	trace	–	·30	–	9
10	·80	–	·09	·03?	–	–	–	–	–	trace	·07	·09	10
11	·19	–	·24	·30?	·02	–	·27	–	–	–	–	·03	11
12	·18	–	·03	·01?	–	·01	·30	–	–	·02	·03	–	12
13	·03	·02	trace	·40?	–	–	trace	–	–	·01	–	·08	13
14	·80	trace	–	·54?	–	–	·07	–	·17	·04	trace	·06	14
15	·23	·02	trace	·07	–	–	–	–	–	trace	–	·16.	15
16	·21.	·43	–	·01	–	–	–	–	–	–	·09	·04	16
17	trace	·34	·02	·03	–	–	–	–	–	trace	·13	·07	17
18	–	·07	·06	–	–	–	–	·01	·03	trace	·08	·04	18
19	·02	·20	·54	–	–	·13	·22	·24	trace	·01	·11	·01	19
20	·24	·14	·12	–	–	·66	·20	·23	–	trace	trace	·01	20
21	·05	·53	·07	–	–	trace	·11	·01	–	·01	·02	·03	21
22	–	·03	·04	–	–	– ~~·02~~	·18	–	·45	trace	·04	·20	22
23	–	–	–	–	–	·02	·06	–	·26	–	·05	·02	23
24	–	–	–	·17	–	·01	·01	·06	–	·05	·13	·06	24
25	·04	–	–	–	·01	–	–	·50	trace	·01	trace	trace	25
26	·02	·11	·08	·20	–	–	·07	·03	·07	trace	·04	·53	26
27	·44	·01	·06	1·35	–	–	–	·36	–	–	·16	trace	27
28	–	–	·30	·04	–	–	trace	·81	–	trace	·58	·27	28
29	·10		–	·03	–	trace	–	·56	–	·27	·07	·20	29
30	trace		–	·23	–	·03	·01	·74	–	·09	·19	·74	30
31	·14		·03		–		·01	–		·04		·03	31
TOTAL	6·34	2·38	4·68	3·70	·40	·89.	2·45	3·63	1·24	·76.	2·86	4·36	YEAR'S TOTAL 33·69.
Days with ·01 in. or more	24.	14.	21.	15.	7.	7.	16.	14.	8.	14.	24	25	189.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

HENLEY HOUSE,
FRANT.

I have reason to believe that the total for the 6. days (marked in april ?) is correct. but that the daily totals may be inaccurate. I was away & my gardener omitted to take the rain on one day. S Mullens

Ex ML

543

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Henley House Frant

in the County of Sussex

by The Revd Eustace Malden

Lat. 51·55 N Long. 0·16 50 E

Time of Observation 9 am

Nearest Railway Station Frant

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6" in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	–	·01	·11	·06	–	·25	–	–	·56	trace	·24	1
2	–	–	·23	–	·03	–	–	·23	·04	·08	–	·15	2
3	–	–	trace	–	·03	trace	–	–	trace	·02	trace	·09	3
4	–	·10	–	·13	–	–	1·03	·10	–	·03	·01	·04	4
5	–	·01	·02	trace	·03	–	·41	·07	·05	trace	–	·12	5
6	–	trace	·24	trace	·17	–	·33	–	–	trace	–	·02	6
7	·07	trace	trace	·06	·10	–	·07	–	–	trace	–	·05	7
8	trace	trace	–	·03	·05	–	·17	–	–	·01	–	trace	8
9	·28	·03	–	·02	·11	trace	·07	trace	–	–	–	trace	9
10	·89	·19	·06	·21	–	·12	·24	–	–	–	·04	·04	10
11	·31	trace	·06	·27	·03	·03	·65	–	–	·01	·01	·04	11
12	·08	·06	·02	·23	–	·73	–	–	–	–	–	trace	12
13	·26	·03	·27	trace	–	–	–	–	trace	trace	·16	–	13
14	trace	·02	·43	·56	–	·04	·01	–	·07	·48	·48	–	14
15	·03	·02	·04	·25	–	–	–	–	·88	·25	·19	·01	15
16	trace	trace	·02	trace	·11	–	–	–	·11	trace	–	·01	16
17	·01	–	trace	·06	·28	–	–	–	·45	–	–	·13	17
18	·07	trace	·02	trace	·05	–	–	1·13	·48	–	trace	·08	18
19	·11	trace	–	·23	–	–	–	–	·05	–	trace	·06	19
20	·04	·21	–	·18	–	·44	–	–	·30	–	–	·01	20
21	–	trace	–	trace	–	–	·67	–	·20	–	–	·25	21
22	·03	·01	–	·25	–	–	·01	–	·06	·01	·01	·32	22
23	·01	trace	trace	–	–	–	·38	–	–	·01	–	·32	23
24	·03	·01	·07	trace	–	–	–	–	·02	·01	–	·11	24
25	trace	–	·01	·01	trace	–	·33	–	trace	trace	·01	trace	25
26	·07	–	·15	·03	–	trace	–	–	–	·01	·01	·09	26
27	·46	·07	·01	·15	–	·04	·09	–	trace	·01	·37	·29	27
28	·37	·01	·11	·01	·15	–	·17	–	–	trace	·32	·02	28
29	1·00	trace	·04	·19	·01	–	trace	–	trace	·01	·11	·26	29
30	·02		–	·01	– ~~trace~~	trace	·07	–	·15	–	·61	·33	30
31	·05		·04		trace		–	–		·38		·35	31
													YEAR'S TOTAL
TOTAL	4·27	·77	1·85	2·99	1·21	1·40	4·95	1·53	2·86	1·88	2·33	3·43	29·47 ✓
Days with ·01 in. or more	21	13	19.	20	14	6	17	4	13	15	13	25	180 ✓
Days with ·04 in. or more	15	5.	12	14	9	5	15.	4	12.	5.	8	20	124. ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

HERSTMONCEAUX
PLACE

SUSSEX

1911-15

REGIS 911

Kept at Herstmon
op 5 in.
above Ground 1 ft. 8 in.
„ Sea Level 83 ft.
in the County of Su
9 a.m.
by Henry Ashworth
on { Name Hellingly
Distance 4½ miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

*Gauge blocked by snow.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.	·01	·79	.	.	.	·22	.	.	·05	.	1
2	-	.	·02	·02	.	.	.	.	.	.	·27	·19	2
3	-	.	.	.	·22	.	.	.	.	.	·06	·26	3
4	·27	.	·07	*Snow ·31 }	·11	.	.	.	.	·44	·21	·09	4
5	·03	.	.	Snow ·07 }	.	.	.	.	.	·49	.	·06	5
6	·25	.	.	.	.	.	.	.	.	·12	.	·65	6
7	.	.	.	.	.	.	.	.	.	·71	1·16	·35	7
8	·12		·14	.	.	.	.	.	.	.	·91	·24	8
9	·17	.	.	·05	.	.	.	.	.	.	·56	·04	9
10	-	·20	·04	·12	.	-	.	.	.	.	·03	·58	10
11	·46	.	·05	.	.	.	.	.	.	.	1·25	.	11
12	.	.	slight snow ·92 }	.	.	.	.		.	.	·10	.	12
13	.	.	.	.	·19	.	.	.	·44	·29	.	·19	13
14	.	·07	Snow ·05 }	.	·06	.	.		.	.	.	·45	14
15	.	·02	Snow ·08 }	.	-	.	.	.	.	·01	·07	·10	15
16	.	.	.	.	.	·48	.	.		.	·28	·06	16
17	.	.	.	-	.	-	.	.	.	-	·24	·17	17
18	.	.	·08	.	.	.	.	.	.	.	·79	·32	18
19	.	.	.	.	.	·07	.	.	·04	·24	·08	·07	19
20	.	·10	.	.	.	.	.	·93	·17	·04	.	·54	20
21	.	.	.	.	.	.	.	.	·03	·44	.	·12	21
22	.	.	·33	.	.	·05	.	·08	.	·52	.	·56	22
23	·15	·20	·32	.	.	1·03	.		·30	·74	·05	·14	23
24	.	·11	.	.		·15	·07	·01	.	·23	.	·30	24
25	.	.	Snow ·31 }	·07		·06			·04	·05	.	·01	25
26	.	.	Snow ·26 }	·25	.	.			.	·35	·18	·29	26
27	.	·27	.	·02	.	·07			·05	·56	.	·10	27
28	.	.	.	·18	.	·08				.	.		28
29	.	.	.	.		.	·13	·01	·27	·32	.		29
30	.		.	.	.	·10	.		·01	·15	.	·05	30
31	.		.	.	·04	.	.						31
Total	1·45	·97	2·78	1·88	·62	2·09	·20	1·25	1·35	5·70	6·29	5·93	TOTAL for year 30·51
No. of Rain Days.	7	7	14	10	5	9	2	5	9	17	17	25	127

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Herstmonceux Place

in the County of Sussex 5

by Henry Ashworth James

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 8 in.
" " " Sea Level 83 ft.

Time of Observation 9 ~~30~~ a.m.

Nearest Railway Station
Name Hellingly
Distance 4½ miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.	·01	·79	.	.	.	·22	.	.	·05	.	1
2	-	.	·02	·02	.	.	.	.	.	.	·27	·19	2
3	-	.	.	.	·22	.	.	.	.	.	·06	·26	3
*Gauge blocked by snow. 4	·27	.	·07	*Snow ·31	·11	.	.	.	.	·44	·21	·09	4
5	·03	.	.	Snow ·07	.	.	.	.	.	·49	.	·06	5
6	·25	.	.	.	.	.	.	.	.	·12	.	·65	6
7	.	.	.	.	.	.	.	.	.	·71	1·16	·35	7
8	·12		·14	.	.	.	.	.	.	.	·91	·24	8
9	·17	.	.	·05	.	.	.	.	.	.	·56	·04	9
10	-	·20	·04	·12	.	.	.	.	.	.	·03	·58	10
11	·46	.	·05	.	.	.	.	.	.	.	1·25	.	11
12	.	.	slight snow ·92	.	.	.	.		.	.	·10	.	12
13	.	.	.	.	·19	.	.	.	·44	·29	.	·19	13
14	.	·07	Snow ·05	.	·06	.	.		.	.	.	·45	14
15	.	·02	Snow ~~0~~8	.	-	.			.	·01	·07	·10	15
16	.	.	.	.	.	·48	.	.	.	.	·28	·06	16
17	.	.	.	- .	.	-	.		.	-	·24	·17	17
18	.	.	·08	.	.	.	.	.	.	.	·79	·32	18
19	.	.	.	.	.	·07	.	.	·04	·24	·08	·07	19
20	.	·10	.	.	.	.	.	·93	·17	·04	.	·54	20
21	.	.	.	.	.	.	.	.	·03	·44	.	·12	21
22	.	.	·33	.	.	·05	.	·08	.	·52	.	·56	22
23	·15	·20	·32	.	.	1·03	.		·30	·74	·05	·14	23
24	.	·11	.	.		·15	·07	·01	.	·23	.	·30	24
25	.	.	Snow ·31	·07		·06			·04	·05	.	·01	25
26	.	.	Snow ·26	·25	.	.			.	·35	·18	·29	26
27	.	·27	.	·02	.	·07			·05	·56	.	·10	27
28	.	.	.	·18	.	·08				.	.		28
29	.	.	.	.		.	·13	·01	·27	·32	.		29
30	.		.	.	.	·10	.		·01	·15	.	·05	30
31	.	.	.	.	·04	.	.						31
Total	1·45	·97	2·78	1·88	·62	2·09	·20	1·25	1·35	5·70	6·29	5·93	TOTAL for year 30·51
No. of Rain Days.	7	7	14	10	5	9	2	5	9	17	17	25	127

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
16 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Hurstmonceux Place.

in the County of Sussex 5

by Henry Ashworth James

RAIN GAUGE:
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 8 in.
" " " Sea Level 83 ft.

Time of Observation 9 am

Nearest Railway Station: Name Hellingly
Distance 4¼ Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	·34	·15	–	·14	·63	–	·21	1
2	–	·10 Snow.	·19	–	–	·02	·17	–	–	–	–	·02	2
3	·03	–	·03	–	–	·31	–	·11	·02	–	·01	–	3
4	·17	–	·49	–	–	·50	–	–	–	–	·20	–	4
5	·19	·30	·07	–	–	·21	–	·16	–	–	·10	–	5
6	·54	·18	–	–	·28	–	–	·92	·04	–	–	–	6
7	–	·23	–	–	–	·63	–	·26	–	–	–	·04	7
8	·61	–	·31		–	·02	–	·03	–	–	–	·07	8
9	·05	·03	–	·08	–	–	·11	·15	–	–	–	·05	9
10	–	·05	–	–	–	–	–	·10	–	–	·18	·34	10
11	·04	·25	–	–	–	·10	–	·03	–	–	–	·20	11
12	–	·19	·04	–	–	–	–	·68	–	–	–	·11	12
13	–	·01	·01	–	–	–	–	–	–	–	·15	·13	13
14	–	–	·03	–	·05	–	–	–	–	·06	–	·02	14
15	–	·03	·07	–	–	·61	–	–	–	–	–	·18	15
16	·10	–	·16	–	·42	·03	–	·14	–	·05	–	–	16
17	·33	–	·32	–	·05	·03	–	·06	–	–	–	·06	17
18	·05	–	·36	–	·04	–	·05	·16	–	–	–	32	18
19	·08	·16	·31	–	–	–	–	·48	–	–	–	–	19
20	·03	·01	·62	–	–	–	–	·13	–	1·08	–	–	20
21		·08	·11	–	·07	–	–	·29	–	·49	–	–	21
22	·06	·28	·33	–	–	–	·09	·27	–	–	·07	–	22
23	·30	·24	–	–	–	–	–	·21	–	·42	–	·05	23
24	·05	–	–	–	–	–	–	·13	–	–	·10	·16	24
25	·20	·02	–	–	–	·29	–	·69	–	·05	·27	·36	25
26	–	–	–	–	–	–	–	·11	–	·09	·11	·36	26
27	–	–	–	–	–	–	·04	–	–	·32	–	·30	27
28	–	·08	–	–	–	–	·07	·05	·04	·51	·72	·12	28
29	–	·03	–	–	–	–	–	·16	1·23	·19	·09	–	29
30	–	–	–	–	·37	·02	–	·28	1·61	·21	–	–	30
31	–	–	–				23	·19	–	–	–	·02	31
Total	2·83	2·27	3·38	·08	1·28	3·11	·91	5·79	3·08	4·10	2·00	3·12	TOTAL for year 31·95
No. of Rain Days.	16	18	16	1	7	13	8	24	6	12	11	20	152

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
13 JAN. 19

REGISTER OF RAINFALL IN 1913

Kept at Herstmonceux Place

in the County of Sussex

by Henry Ashworth James

5

Lat. .... Long. ....

Time of Observation 9 oc a m

Nearest Railway Station 4 miles (Hailsham)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·43	·09	·12					·01	·10	·08	·06	1
2	·03	·12					·06		·10	·17	·11		2
3			·02	·64	·15				·04			·16	3
4	·14		·03				·03		·57	·20	·16		4
5			·02			·10			·53		·21	·02	5
6	·08	·02	·08		·03	·08	·41			·62	·42	·16	6
7		·19					·58			·17	·17		7
8		·03			·08	·05				·07	·07		8
9		·08			·10		·03		·14				9
10	·05						·43			·01	·69		10
11	·74			·64						·67	·02		11
12					·24						·67		12
13	·64		·09						·05		·13		13
14	·22						·58		·21	·04	·09		14
15	·12		·40	·40			·28						15
16	·21	snow ·09	·55	·15					·20		·03		16
17	·14						·24				·02		17
18	·02		·07	·13			·06				·08	·05	18
19	·13				·04	·18	·14		·18				19
20	·33		·07	·16					·02	·58	·01		20
21	·03		·03	·19						·92	·45		21
22	·28		·18				·04						22
23	·03							·05				·72	23
24	·03							·01			·03		24
25				·21									25
26			·14				·03	·21		1·15		·26	26
27			·04							·16			27
28	·09		·26							·30			28
29	·16		·11	·28	·09			·04					29
30	·54			·40	·06			·36		·06		snow ·02	30
31			·09					1·13		·15			31
Total	4·01	·96	2·27	3·32	·79	·41	2·91	1·80	2·05	5·37	3·44	1·45	YEAR'S TOTAL 28·78
Rain Days.	20	7	17	11	8	4	13	6	11	16	18	8	139

W.7,000, XI. 13

cnd 20.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
5 - JAN 1915

Kept at Herstmonceux Place
in the County of Sussex 5
by Henry Ashworth James

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Hellingly
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·08	·03	1
2							·40	·02			·13	·34	2
3			·21		·19							·01	3
4				·32				·10			·41	·34	4
5	·14		·11	·23	·01		·27						5
6		·03		·18	·01	·06		·04				·41	6
7	·07	·49	·13	·06		·13	·08					·30	7
8		·27	·21			·16	·04					·02	8
9	·20		·41	·06		·08			·09			1·16	9
10		·09		·09					·05			·03	10
11		·33	·36						·26			·43	11
12		·04	·13				·20		·37	·03		·44	12
13		·32	·22			·12	·02		·17	·05	·15	·41	13
14		·07	·09					·07	·01	·34	·21	·30	14
15	·04		·21						·05		·67		15
16		·28	·01				·06		·11				16
17		·32	·12				·19		·08			·15	17
18		·07	·23				·16					·25	18
19		·10	·87							·08		·36	19
20		·15	·18			·12	·02					·44	20
21		·61	·06							·05		·07	21
22			·07			·08	·37	·10		·28			22
23			·46			·45	·04			·05			23
24			·02		·01						·10		24
25	·08		·14					·09		·26	·02		25
26			·03				·03	·20		·09	·11	·49	26
27	·03		·01								·11	·38	27
28	·04	·02	·02							·41	·47	·38	28
29	·06						·02			·61	·10	·03	29
30		×	·07			·06					1·15	·14	30
31		×		×	·29	×			×	·10	×	·10	31
Total	·66	3·19	4·37	·94	·51	1·26 1·26	1·90	·62	1·19	2·35	3·71	7·01	YEAR'S TOTAL 27·71 27·71
Rain Days.	8	15	24	6	5	9	14	7	9	12	13	24	145

146

W. 8,000. X. 14.

625

FORM A.
BRITISH RAINFALL.
17. JAN. 1916

cwd by nun dots 23.11.16

REGISTER OF RAINFALL IN 1915

Kept at Hurstmonceux Place

in the County of Sussex. 5

by Henry A. James Esq.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Hellingly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·12	·07					·04	·93		·15	·31	1
2	·49	·12	·21	·13					·05	·09		·16	2
3	·24	·01	·02	·29	·13			·10	(03) ·33			·53	3
4	·09		·	·02								·23	4
5		·29		·18				·14				·58	5
6	·46	·22	·09	·38			·08					·13	6
7	·26	·33	·07									·36	7
8	·06	·26	·11								·09	·03	8
9		·31		·15		·18					·49	·81	9
10	·25					·16						·67	10
11		·07									·87	·04	11
12	·05			·17	·26					·07	·71		12
13	·02	·61			1·38				·08				13
14	·04	·04					·56		·04			·36	14
15	·13				·11		·31	·28			·26	·25	15
16		·71		·06	·19		1·22	·37				·02	16
17		·50			·69			·08				·21	17
18		·23			·11							·05	18
19		·07											19
20	·25				·10							·21	20
21	·05									·27		·05	21
22			·07				·73					·02	22
23		·11	·08				·04			·10		·87	23
24							·05		·25	·96		·55	24
25			·04	·07			·18					·34	25
26		·03				·18						·70	26
27						·34	·10			·34		·02	27
28		·05				·05		·35	·87	·49			28
29					·13		·03		·01	·03	·48		29
30	·33	X								·41	·19	·03	30
31		X		X		X		·03	X	·89	X	·26	31
Total	3·22	4·08	·76	1·45	3·10	·91	3·30	1·39	2·26 ✓	3·65	3·24	7·79	YEAR'S TOTAL 35·15 ✓
Rain Days.	15	18	9	9	9	5	10	8	8	10	8	26	✓ 135

W. 8,000. X. 15.

~~HH~~ HINDLEAP LODGE

SUSSEX

1911-20

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGIST 1

Kept at Hindleap L 5 in.

Ground 1 ft. 6 in.

in the County of Susse

Sea Level 620 ft.

a.m.

by Alexander Ac

Name Forest Row.

Distance 2¼ Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·34	·0	·0	·0	·0	·0	·0	·04	·0	·0	1
2	·05	·0	·0	·41	·0	·0	·0	·0	·0	·0	·10	·0	2
3	·0	·0	·02	·07	·38	·0	·0	·0	·0	·0	·19	·31	3
4	·0	·0	·0	·0	·29	·0	·0	·0	·0	·0	·17	·23	4
5	·14	·0	·03	·0	·0	·14	·0	·0	·0	·42	·30	·35	5
6	·0	·0	·0	·0	·0	·0	·0	·0	·0	·63	·0	·09	6
7	·24	·0	·05	·0	·0	·0	·0	·0	·0	·0	·0	·71	7
8	·07	·0	·0	·0	·0	·0	·0	·0	·0	·34	·64	·41	8
9	·0	·0	·13	·10	·0	·0	·0	·0	·0	·0	·67	·23	9
10	·37	·0	·08	·20	·0	·0	·0	·0	·0	·0	·13	·14	10
11	·0	·12	·0	·35	·0	·0	·0	·0	·0	·0	·01	·79	11
12	·46	·0	·18	·0	·65	·0	·0	·0	·0	·0	1·15	·01	12
13	·0	·0	·28	·0	·0	·0	·0	·0	·0	·0	·13	·02	13
14	·0	·0	·0	·0	·19	·0	·0	·0	·85	·08	·0	·29	14
15	·0	·11	·67	·0	·16	·0	·0	·0	·0	·0	·0	·71	15
16	·0	·0	·20	·0	·0	·0	·0	·0	·0	·01	·15	·05	16
17	·0	·0	·0	·0	·0	·17	·0	·0	·0	·0	·52	·20	17
18	·0	·0	·05	·0	·0	·04	·0	·0	·0	·0	1·26	·22	18
19	·0	·20	·08	·0	·0	·0	·0	·0	·0	·0	1·27	·45	19
20	·0	·0	·0	·0	·0	·10	·0	·0	·25	·0	·76	·27	20
21	·0	·0	·0	·0	·0	·0	·0	·30	·0	·10	·0	·65	21
22	·0	·26	·0	·0	·0	·05	·0	·10	·15	1·08	·0	·11	22
23	·08	·0	·52	·0	·0	·17	·0	1·01	·0	·38	·0	·50	23
24	·0	·29	·0	·0	·0	·40	·0	·0	·42	·09	·0	·17	24
25	·0	·19	·0	·0	·0	·60	·05	·01	·0	·49	·0	·48	25
26	·02	·05	·0	·08	·10	·10	·0	·0	·10	·0	·05	·0	26
27	·0	·0	·31	·24	·0	·0	·0	·09	·0	·22	·0	·31	27
28	·0	·45	·17	·0	·0	·0	·0	·0	·15	·48	·11	·13	28
29	·0	·	·0	·06	·0	·04	·0	·05	·0	·0	·09	·02	29
30	·0		·0	·36	·0	·20	·65	·11	·23	·55	·0	·0	30
31	·0		·0		·0		·0	·0		·34		·05	31
Total	1·43	1·67	3·11	1·87	1·77	2·01	0·70	1·67	2·15	5·25	7·10	7·90	TOTAL for year 36·63
No. of Rain Days.	8	8	15	9	6	11	2	7	7	15	18	27	133

✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
9 - JAN 1912

Kept at Hindleap Lodge

in the County of Sussex 7

by Alexander Adam

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 620 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Forest Row; Distance 2¼ Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·34	·0	·0	·0	·0	·0	·0	·04	·0	·0	1
2	·05	·0	·0	·41	·0	·0	·0	·0	·0	·0	·10	·0	2
3	·0	·0	·02	·07	·38	·0	·0	·0	·0	·0	·19	·31	3
4	·0	·0	·0	·0	·29	·0	·0	·0	·0	·0	·17	·23	4
5	·14	·0	·03	·0	·0	·14	·0	·0	·0	·42	·30	·35	5
6	·0	·0	·0	·0	·0	·0	·0	·0	·0	·63	·0	·09	6
7	·24	·0	·05	·0	·0	·0	·0	·0	·0	·0	·0	·71	7
8	·07	·0	·0	·0	·0	·0	·0	·0	·0	·34	·64	·41	8
9	·0	·0	·13	·10	·0	·0	·0	·0	·0	·0	·67	·23	9
10	·37	·0	·08	·20	·0	·0	·0	·0	·0	·0	·13	·14	10
11	·0	·12	·0	·35	·0	·0	·0	·0	·0	·0	·01	·79	11
12	·46	·0	·18	·0	·65	·0	·0	·0	·0	·0	1·15	·01	12
13	·0	·0	·28	·0	·0	·0	·0	·0	·0	·0	·13	·02	13
14	·0	·0	·0	·0	·19	·0	·0	·0	·85	·08	·0	·29	14
15	·0	·11	·67	·0	·16	·0	·0	·0	·0	·0	·0	·71	15
16	·0	·0	·20	·0	·0	·0	·0	·0	·0	·01	·15	·05	16
17	·0	·0	·0	·0	·0	·17	·0	·0	·0	·0	·52	·20	17
18	·0	·0	·05	·0	·0	·04	·0	·0	·0	·0	1·26	·22	18
19	·0	·20	·08	·0	·0	·0	·0	·0	·0	·0	1·27	·45	19
20	·0	·0	·0	·0	·0	·10	·0	·0	·25	·0	·76	·27	20
21	·0	·0	·0	·0	·0	·0	·0	·30	·0	·10	·0	·65	21
22	·0	·26	·0	·0	·0	·05	·0	·10	·15	1·08	·0	·11	22
23	·08	·0	·52	·0	·0	·17	·0	1·01	·0	·38	·0	·50	23
24	·0	·29	·0	·0	·0	·40	·0	·0	·42	·09	·0	·17	24
25	·0	·19	·0	·0	·0	·60	·05	·01	·0	·49	·0	·48	25
26	·02	·05	·0	·08	·10	·10	·0	·0	·10	·0	·05	·0	26
27	·0	·0	·31	·24	·0	·0	·0	·09	·0	·22	·0	·31	27
28	·0	·45	·17	·0	·0	·0	·0	·0	·15	·48	·11	·13	28
29	·0	-	·0	·06	·0	·04	·0	·05	·0	·0	·09	·02	29
30	·0		·0	·36	·0	·20	·65	·11	·23	·55	·0	·0	30
31	·0		·0		·0		·0	·0		·34		·05	31
Total	1·43	1·67	3·11	1·87	1·77	2·01	0·70	1·67	2·15	5·25	7·10	7·90	TOTAL for year 36·63
No. of Rain Days.	8	8	15	9	6	11	2	7	7	15	18	27	133

W. 8,000, X. '11.

Cor. HSL Cor'd for W.D. 6.11.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
8 - JAN 1913

Kept at Hindleap Lodge
in the County of Sussex
by Alexander Adam.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Forest Row.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·0	·05	·0	·0	·0	·36	·29	·20	2·04	·0	·0	1
2	·0	·0	·18	·0	·0	·11	·09	·0	·02	·91	·0	·22	2
3	·0	·0	·68	·0	·0	·0	·0	·0	·0	·0	·0	·01	3
4	·0	·0	·07	·0	·0	·18	·29	·30	·04	·0	·0	·0	4
5	·04	·0	·78	·0	·05	·17	·0	·0	·03	·0	·18	·0	5
6	·40	·11	·21	·0	·0	·01	·0	·31	·0	·0	·14	·06	6
7	·39	·06	·01	·0	·0	·0	·0	·29	·0	·0	·01	·08	7
8	·0	·0	·0	·0	·20	·44	·0	·36	·0	·0	·0	·13	8
9	·37	·33	·15	·04	·0	·19	·0	·30	·0	·0	·0	·07	9
10	·02	·12	·03	·04	·0	·29	·07	·0	·0	·0	·0	·23	10
11	·02	·10	·0	·0	·0	·0	·0	·46	·0	·0	·0	·0	11
12	·04	·61	·0	·0	·0	·03	·0	·0	·03	·0	·10	·65	12
13	·01	·17	·07	·0	·10	·03	·0	·20	·0	·0	·0	·0	13
14	·0	·02	·05	·0	·0	·0	·0	·0	·0	·0	·13	·13	14
15	·0	·0	·05	·0	·07	·0	·0	·07	·0	·05	·0	·0	15
16	·03	·03	·10	·0	·20	·75	·0	·03	·0	·0	·0	·33	16
17	·05	·0	·28	·0	·28	·0	·0	·15	·0	·10	·32	·0	17
18	·50	·0	·45	·0	·0	·0	·0	·08	·0	·0	·0	·10	18
19	·27	·0	·44	·0	·0	·09	·0	·09	·0	·05	·0	·0	19
20	·07	·12	·20	·0	·0	·0	·06	·23	·0	·01	·03	·0	20
21	·07	·07	·75	·0	·0	·06	·0	·19	·0	·54	·09	·0	21
22	·0	·08	·35	·0	·0	·0	·0	·15	·0	·18	·0	·0	22
23	·0	·73	·12	·0	·0	·0	·0	·29	·0	·04	·0	·11	23
24	·45	·30	·40	·0	·09	·01	·0	·54	·0	·05	·09	·06	24
25	·04	·04	·01	·0	·0	·0	·06	·03	·0	·0	·25	·16	25
26	·10	·03	·0	·0	·0	·36	·0	·84	·0	·0	·45	·62	26
27	·0	·06	·0	·0	·0	·04	·0	·58	·0	·41	·38	·26	27
28	·0	·01	·0	·0	·0	·0	·03	·0	·0	·23	·0	·45	28
29	·0	·07	·0	·0	·0	·0	·33	·14	·32	·75	1·23	·20	29
30	·0		·0	·0	·0	·0	·17	·42	1·10	·08	·16	·0	30
31	·0		·0		·44		·13	·27		·39		·0	31
Total	2·87 2·87	·05 3·06 3·11	5·43 5·38	0·08 ·08	1·43 1·43	·36 2·76 3·12	·29 1·59 1·52	·20 6·61 6·52	2·04 1·74 3·58	5·83 3·79	3·56 3·56	3·87 3·87	YEAR'S TOTAL 38·83
Rain Days.	17	~~19~~ 20	~~22~~ 21	2	8	~~15~~ 16	10	24	7	~~15~~ 14	14	18	171

W. 7,500, XI. 12

corr for W.D. 11.II.14

FORM A.
BRITISH RAINFALL.

13 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hindleap Lodge

in the County of Sussex.

by Alexander Adam,

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Forest Row
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·0	·0	·12	·13	·0	·0	·0	·99	·0	·21	·0	1
2	·0	·39	·20	·30	·12	·0	·0	·0	·04	·0	·11	·05	2
3	·0	·17	·0	·0	·0	·0	·10	·0	·05	·19	·12	·15	3
4	·10	·0	·12	·43	·47	·0	·0	·0	·04	·25	·0	·20	4
5	·40	·0	·09	·02	·01	·01	·0	·0	·22	·18	·14	·0	5
6	·16	·10	·03	·0	·0	·14	·15	·0	·62	·03	·09	·0	6
7	·05	·05	·15	·0	·0	·0	·12	·0	·10	·49	·11	·15	7
8	·0	·24	·04	·0	·04	·24	·0	·0	·0	·37	·09	·05	8
9	·0	·06	·0	·0	·17	·07	·0	·0	·0	·27	·04	·0	9
10	·0	·06	·0	·02	·11	·0	·0	·0	·10	·0	·03	·02	10
11	·0	·0	·0	·07	·0	·0	·44	·0	·0	·0	·63	·0	11
12	·60	·0	·0	·44	·11	·0	·0	·0	·0	·70	·43	·03	12
13	·0	·0	·0	·0	·0	·0	·0	·0	·0	·0	1·37	·0	13
14	·28	·0	·0	·0	·0	·0	·0	·09	·04	·0	·29	·0	14
15	·31	·0	·14	·11	·0	·0	1·99	·04	·15	·12	·21	·0	15
16	·26	·0	·21	·24	·0	·0	·27	·0	·0	·0	·01	·01	16
17	·23	·0	·61	·20	·0	·0	·0	·0	·29	·0	·0	·0	17
18	·09	·0	·07	·10	·0	·0	·35	·0	·0	·0	·02	·03	18
19	·04	·0	·17	·24	·0	·0	·0	·0	·0	·0	·12	·0	19
20	·22	·0	·11	·0	·0	·0	·0	·0	·62	·0	·0	·0	20
21	·61	·0	·09	·07	·0	·07	·0	·0	·0	·65	·04	·0	21
22	·03	·0	·31	·07	·0	·0	·20	·0	·0	·61	·68	·0	22
23	·26	·0	·40	·0	·01	·0	·0	·0	·15	·01	·0	·90	23
24	·0	·0	·76	·0	·0	·0	·0	·12	·0	·0	·0	·0	24
25	·08	·0	·0	·07	·0	·08	·0	·05	·0	·0	·04	·0	25
26	·0	·0	·0	·20	·0	·0	·0	·0	·0	·0	·0	·0	26
27	·0	·0	·13	·02	·0	·0	·0	·23	·0	·83	·0	·28	27
28	·01	·0	·04	·04	·50	·0	·0	·0	·0	·10	·0	·0	28
29	·10		·24	·09	·0	·0	·0	·0	·0	·17	·0	·0	29
30	·12		·0	·51	·0	·0	·0	·15	·0	·15	·02	·0	30
31	·60		·0		·14		·0	·31		·27 ·21		·0	31
Total	4·55	1·07	~~3·31~~ ·12 3·43	~~3·36~~ ·13 3·37	~~1·81~~ 1·68	·61	3·62	~~·99~~ ·99 1·98	~~3·41~~ 2·42	~~5·39~~ 5·60	~~4·80~~ 4·59	1·87 (–)	YEAR'S TOTAL 34·79
Rain Days.	20	7	~~19~~ 20	20	~~11~~ 10	6	8	~~7~~ 8	~~13~~ 12	~~17~~ 18	~~21~~ 20	11	160

W.7,000, XI. 13

W.D. wrote 20.II.15

cod for W.D. 26·11·15

572

FORM A. BRITISH RAINFALL.
12 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Hindleap Lodge

in the County of Sussex

by Alexander Adam

7 –

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Forest Row

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·07	·08	·0	·0	·0	·0	·02	·0	·0	·0	1·07	1
2	·0	·0	·0	·10	·0	·0	·0	·18	·0	·0	·10	·08	2
3	·02	·0	·0	·0	·0	·05	·36	·0	·0	·0	·12	·25	3
4	·0	·0	·09	·04	·34	·0	·02	·02	·0	·0	·0	·03	4
5	·0	·0	·05	·23	·08	·0	·0	·13	·0	·0	·42	·40	5
6	·10	·0	·10	·46	·15	·0	·0	·10	·0	·0	·0	·0	6
7	·0	·12	·0	·18	·07	·15	·26	·07	·0	·0	·03	·43	7
8	·01	·62	·40	·28	·03	·0	·25	·08	·0	·0	·0	·45	8
9	·12	·57	·50	·0	·0	·13	·06	·0	·0	·0	·0	·12	9
10	·37	·0	1·03	·18	·0	·0	·0	·0	·35	·0	·0	1·22	10
11	·04	·0	·0	·09	·10	·0	·0	·0	·0	·0	·0	·10	11
12	·0	·69	·53	·08	·0	·0	·0	·0	·25	·0	·05	·50	12
13	·0	·15	·05	·0	·0	·0	·39	·0	·46	·0	·0	·70	13
14	·0	·51	·23	·0	·0	·13	·0	·0	·17	·05	·19	·57	14
15	·0	·37	·20	·0	·0	·0	·15	·0	·0	·36	·24	·80	15
16	·0	·0	·09	·0	·0	·0	·08	·05	·0	·01	·76	·05	16
17	·0	·08	·21	·0	·0	·0	·0	·0	·14	·0	·0	·0	17
18	·0	·48	·23	·0	·0	·0	·07	·0	·0	·0	·0	·25	18
19	·0	·10	·05	·0	·0	·0	·0	·0	·0	·0	·0	·57	19
20	·0	·12	·90	·0	·0	·0	·50	·0	·0	·0	·22	·11	20
21	·0	·19	·10	·0	·0	·0	·01	·0	·0	·0	·0	·17	21
22	·0	·84	·25	·0	·0	·0	·0	·0	·0	·10	·0	·06	22
23	·0	·0	·03	·0	·0	·0	·11	·12	·0	·48	·0	·0	23
24	·0	·0	·09	·0	·0	·15	·0	·0	·0	·0	·0	·04	24
25	·0	·0	·15	·0	·15	·0	·0	·0	·0	·0	·21	·0	25
26	·10	·0	·35	·0	·0	·0	·05	·08	·0	·32	·20	·07	26
27	·0	·0	·0	·0	·0	·0	·0	·0	·0	·14	·09	·60	27
28	·0	·0	·0	·0	·0	·0	·0	·0	·0	·0	·28	·61	28
29	·0		·07	·0	·0	·0	·0	·0	·0	·23	·01	·59	29
30	·24	✕	·05	·0	·0	·0	·0	·0	·0	·0	·21	·05	30
31	·03	✕	·15	✕	·0	✕	·0	·0	✕	·82	✕	·35	31
Total	·07 ~~1·03~~ 1·10	·08 ~~4·91~~ 4·92	~~5·98~~ 5·90	1·64	·92	·61	·02 ~~2·37~~ 2·33	~~·85~~ ·83	1·37	2·51	1·07 ~~3·13~~ 4·20	·05 ~~10·24~~ 9·22	YEAR'S TOTAL ~~35·50~~ 35·55
Rain Days.	~~9~~ 10	14	~~25~~ 24	9	7	5	~~13~~ 14	~~10~~ 9	5	9	~~13~~ 16	27	148

W. 8,000. X. 14.

Hindleap Cottage
Forest Row
Feb. 21st 1915

FEB. 1915

Mr C. Salter
sir

I have just received your letter of Feb. 20th for which I thank you. The rain-fall I measured on Jan. 1st 1915 was ·05"

I remain
Yours Faithfully
A. Adam.

655

FORM A.
BRITISH RAINFALL.
6. JAN 1916

REGISTER OF RAINFALL IN 1915

Ex mo

Kept at Hindleap Lodge.

in the County of Sussex.

by Alexander Adam

7

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Forest Row

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·63	·23	·0	·0	·03	·0	·0	·04	·20	·0	·26	·34	1
2	·19	·0	·25	·18	·0	·0	·0	·21	·07	·10	·0	·14	2
3	·28	·0	·09	·19	·10	·0	·0	·16	·0	·0	·0	·75	3
4	·08	·09	·0	·0	·0	·0	·0	·06	·0	·04	·0	·63	4
5	·40	·70	·0	·0	·0	·0	·0	·23	·0	·0	·0	·42	5
6	·10	·24	·11	·60	·0	·0	·55	·06	·0	·0	·0	·10	6
7	·30	·33	·05	·0	·0	·02	·05	·02	·0	·0	·0	·48	7
8	·0	·51	·0	·03	·0	·0	·11	·0	·0	·0	·08	·0	8
9	·0	·12	·0	·18	·0	·39	·0	·10	·0	·0	·50	·84	9
10	·42	·0	·04	·0	·0	·03	·0	·0	·0	·0	·0	·58	10
11	·0	·0	·0	·0	·0	·0	·0	·03	·0	·0	·59	·27	11
12	·07	·10	·0	·22	·32	·0	·0	·0	·0	·03	·56	·0	12
13	·0	·55	·0	·02	2·19	·0	·0	·0	·05	·0	·0	·0	13
14	·04	·0	·0	·0	·0	·0	·18	·20	·09	·0	·0	·51	14
15	·16	·0	·0	·0	·07	·0	·06	·13	·02	·0	·11	·34	15
16	·0	·09	·0	·0	·10	·0	·83	·19	·0	·0	·08	·12	16
17	·0	1·01	·0	·0	1·34	·0	·0	·01	·0	·0	·0	·0	17
18	·0	·16	·0	·0	·30	·0	·0	·0	·0	·0	·11	·0	18
19	·0	·06	·0	·0	·0	·0	·0	·0	·0	·03	·01	·0	19
20	·40	·0	·0	·07	·07	·0	·01	·0	·0	·0	·0	·23	20
21	·0	·0	·0	·0	·03	·0	·02	·0	·0	·06	·0	·0	21
22	·0	·18	·07	·03	·0	·0	1·25	·0	·0	·0	·0	·25	22
23	·47	·0	·10	·0	·0	·02	·33	·0	·20	·33	·0	·46	23
24	·0	·0	·05	·04	·0	·0	·18	·0	·26	·56	·0	·75	24
25	·0	·09	·0	·02	·0	·0	·25	·0	·0	·06	·0	·36	25
26	·0	·12	·0	·0	·0	·03	·26	·0	·0	·0	·0	·0	26
27	·0	·07	·0	·0	·0	·03	·0	·0	·0	·53	·0	·03	27
28	·0	·04	·0	·0	·0	·06	·30	·0	1·35	·40	·0	·0	28
29	·0		·0	·0	·0	·06	·15	·21	·01	·0	·27	·03	29
30	·14	X	·0	·0	·0	·05	·0	·0	·0	·04	·43	·04	30
31	·09	X	·0	X	·0	X	·0	·94	X	·96	X	·25	31
Total	3·77	4·69	0·76	1·58	4·55	0·69	4·53	2·59	2·25	3·14	3·00	7·92	YEAR'S TOTAL 39·47
Rain Days.	15	18	8	11	10	9	15	15	9	12	11	22	155

W. 8,000. X. 15.

W DL [illegible]

645

FORM A. BRITISH RAINFALL.
15. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Windleap Lodge
in the County of Sussex
by Alexander Adam.

Lat. .... Long. ....
Time of Observation 9. A. M.
Nearest Railway Station Forest Row.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·02	·0	·0	·27	·04	·0	·0	·24	·13	·32	·0	1
2	·63	·07	·09	·0	·47	·0	·0	·0	·02	·50	·09	·0	2
3	·01	·43	·40	·0	·0	·0	·0	·0	·11	·48	·70	·0	3
4	·29	·06	·0	·10	·01	·56	·07	·0	·22	·06	·30	·0	4
5	·03	·05	·08	·09	·23	·50	·0	·0	·01	·13	·67	·0	5
6	·03	·11	·09	·36	·08	·22	·30	·0	·0	·07	·63	·0	6
7	·04	·03	·30	·0	·35	·34	·07	·0	·0	·11	·85	·0	7
8	·0	·0	·60	·0	·20	·0	·0	·0	·0	·0	·0	·0	8
9	·01	·0	·04	·0	·37	·0	·0	·0	·0	·0	·0	·58	9
10	·0	·25	·07	·08	·02	·18	·16	·0	·0	·02	·0	·10	10
11	·05	·19	·04	·10	·0	·10	·0	·0	·0	·0	·01	·22	11
12	·04	·17	·01	·15	·17	·18	·17	·0	·0	·11	·0	·0	12
13	·0	·29	·32	·08	·04	·04	·05	·0	·0	·11	·0	·0	13
14	·0	·57	·16	·0	·17	·0	·0	·04	·0	·04	·0	·0	14
15	·0	·10	·11	·0	·0	·0	·0	·06	·0	·0	·0	·0	15
16	·02	·04	·18	·22	·0	·0	·18	·22	·0	1·16	·0	·0	16
17	·33	·09	·0	·08	·0	·0	·0	·17	·32	·0	·0	·0	17
18	·0	·14	·0	·03	·0	·0	·0	·45	·30	·0	·20	·0	18
19	·27	·0	·12	·31	·0	·12	·0	·02	·13	·46	1·35	·05	19
20	·13	·0	·06	·29	·0	·0	·0	·0	·0	·0	·14	·70	20
21	·04	·0	·07	·0	·0	·0	·31	·0	·0	·0	·0	·0	21
22	·02	·0	·56	·0	·0	·10	·0	·0	·0	·04	·01	·82	22
23	·04	·0	·03	·0	·0	·06	·0	·02	·0	·06	·10	·0	23
24	·0	·0	·0	·0	·0	·0	·0	·0	·0	·28	·07	·23	24
25	·0	·0	·19	·0	·0	·0	·0	1·28	·0	·15	·05	·06	25
26	·07	·0	·05	·0	·0	·20	·0	·11	·04	·19	·0	·0	26
27	·03	·0	·70	·0	·0	·18	·0	·05	·10	·41	·01	·0	27
28	·0	1·40	·22	·0	·0	·06	·0	·02	·25	·20	·0	·25	28
29	·0	1·00	·01	·0	·0	·30	·0	·99	·09	·32	·0	·38	29
30	·0	X	·0	·0	·24	·0	·0	·09	·0	·0	·0	·01	30
31	·0	X	·0	X	·0	X	·0	·01	X	·22	X	·01	31
Total	2·22	~~4·21~~ 5·21	4·50	1·89	2·62	3·18	1·31	3·53	1·83	5·25	5·50	3·41	YEAR'S TOTAL ~~39·25~~ 40·25
Rain Days.	19	18	24	12	13	16	8	14	12	22	16	12	186

W. 8,000, VIII. 16

6·6

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Hindleap Lodge

in the County of Sussex.

by Alexander Adam

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Forest Row

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·0	·0	·0	·0	·0	1·71	·37	·0	·09	·02	1
2	·0	·0	·0	·34	·0	·0	·0	·18	·0	·0	·15	·0	2
3	·0	·0	·0	·11	·0	·0	·28	·30	·0	·12	·05	·0	3
4	·0	·0	·0	·0	·0	·0	·50	·41	·0	·51	·0	·0	4
5	·25	·0	·19	·30	·0	·01	·0	·28	·38	·32	·06	·0	5
6	·0	·0	·12	·09	·0	·31	·0	·0	·46	·0	·17	·0	6
7	·35	·0	·0	·10	·0	·0	·10	·0	·01	·34	·0	·10	7
8	·09	·0	·0	·0	·0	·0	·32	·56	·0	·43	·40	·28	8
9	·03	·0	·05	·0	·0	·0	·25	·04	·0	·0	·05	·71	9
10	·15	·0	·11	·09	·0	·0	·0	·18	·0	·0	·01	·0	10
11	·21	·0	·13	·23	·0	·0	·0	·37	·05	·47	·0	·0	11
12	·03	·0	·0	·30	·0	·0	·0	·33	·03	·19	·0	·0	12
13	·02	·0	·12	·0	·0	·0	·0	·03	·0	·23	·0	·0	13
14	·0	·0	·10	·17	·08	·0	·0	·04	·0	·0	·0	·0	14
15	·0	·0	·0	·0	·0	·0	·0	·18	·0	·20	·0	·0	15
16	·0	·35	·0	·28	·0	·0	·0	·01	·0	·68	·0	·0	16
17	·0	·13	·0	·18	·45	·0	·16	·0	·40	·20	·0	·0	17
18	·14	·16	·0	·10	·05	·0	·28	·17	·34	·05	·0	·0	18
19	·03	·14	·25	·0	·0	·07	·0	·34	·21	·01	·0	·0	19
20	·0	·10	·15	·0	·66	·25	·04	·04	·04	·02	·03	·0	20
21	·0	·02	·0	·0	·01	·0	·0	·01	·0	·02	·04	·87	21
22	·0	·0	·0	·0	·0	·52	·0	·13	·0	·18	·0	·0	22
23	·0	·17	·0	·0	·0	·0	·0	·15	·0	·0	·0	·05	23
24	·0	·07	·0	·0	·33	·09	·0	·05	·0	·20	·08	·10	24
25	·0	·12	·18	·0	·0	·0	·0	·0	·07	·02	·0	·0	25
26	·0	·0	·08	·0	·0	·18	·0	·50	·0	·0	·84	·0	26
27	·0	·0	·0	·0	·0	·0	·01	1·10	·0	·0	·0	·0	27
28	·0	·01	·08	·0	·0	1·07	·01	·57	·0	·0	·0	·0	28
29	·0		·04	·0	·29	·05	·28	·06	·0	·62	·0	·32	29
30	·0		·30	·0	·0	·10	·80	·40	·0	·09	·0	·05	30
31	·0		·17		·0		·42	·04		·01		·0	31
Total	1·30	1·27	2·07	2·29	1·87	2·65	3·45	8·18	2·36	4·91	1·97	2·50	YEAR'S TOTAL 34·82
Rain Days.	10	10	15	12	7	10	13	27	11	21	12	9	157

W. 8,000, IX. 17.

134

FORM A.
BRITISH RAINFALL.

7. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Hindleap Lodge

in the County of Sussex

by Alexander Adam

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Forest Row

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·0	·0	·0	·04	·0	·0	·0	·0	·0	·16	·07	1
2	·0	·06	·0	·04	·0	·0	·0	·23	·0	·0	·23	·30	2
3	·0	·0	·18	·06	·70	·0	·0	·23	·04	·05	·62	·02	3
4	·03	·17	·0	·09	·0	·0	·0	·08	·19	·0	·75	·04	4
5	·0	·04	·0	·0	·07	·0	·0	·14	·04	·14	·0	·04	5
6	·20	·30	·06	·25	·17	·0	·0	·15	·71	·07	·0	·06	6
7	·0	·16	·0	·10	·10	·0	·0	·03	·11	·0	·25	·0	7
8	·0	·06	·0	·0	·0	·0	·0	·0	·12	·0	·0	·18	8
9	·05	·01	·0	·0	·0	·05	·0	·0	·72	·27	·01	·49	9
10	·0	·0	·0	·15	·0	·13	·37	·0	·25	·16	·0	·33	10
11	·0	·0	·0	·03	·0	·0	·25	·0	·24	·28	·09	·16	11
12	·0	·15	·0	·0	·0	·0	·34	·0	·05	·06	·0	·03	12
13	·0	·02	·0	·0	·21	·0	·17	·0	·12	·0	·0	·05	13
14	·48	·0	·03	·0	·02	·12	·05	·0	·15	·36	·0	·14	14
15	1·34	·0	·0	·42	·0	·11	1·09	·0	·17	·0	·0	·22	15
16	·0	·0	·0	·09	·0	·48	·04	·0	·19	·0	·0	·0	16
17	·62	·0	·0	·12	·0	·34	·93	·06	·0	·0	·0	·31	17
18	·42	·0	·0	·0	·0	·24	·02	·0	·54	·13	·0	·10	18
19	·09	·0	·08	·05	·0	·12	·08	·0	·0	·30	·0	·0	19
20	·04	·18	·0	1·25	·0	·03	·45	·0	·25	·14	·0	·0	20
21	·25	·0	·0	·32	·0	·0	·21	·0	·53	·12	·0	·03	21
22	·20	·02	·0	·01	·37	·0	·21	·0	·80	·0	·0	·20	22
23	·04	·0	·0	·04	·04	·0	·75	·06	·06	·0	·0	·0	23
24	·0	·28	·0	·10	·0	·09	·0	·0	·37	·0	·05	·0	24
25	·0	·0	·0	·07	·0	·0	·10	·25	·0	·05	·07	·0	25
26	·0	·0	·0	·0	·0	·0	1·05	·0	·05	·05	·08	·28	26
27	·0	·24	·12	·12	·0	·0	·09	·23	·08	·01	·12	·08	27
28	·0	·01	·17	·04	·0	·0	·0	·06	·0	·02	·25	·0	28
29	·0		·0	·0	·0	·0	·0	·0	·84	·0	·0	·03	29
30	·0	X	·40	·03	·0	·0	·0	·0	·05	·13	·0	·12	30
31	·0	X	·0	X	·0	X	·0	·0	X	·10	X	·03	31
Total	3·89	1·70	1·04	3·38	1·72	1·71	6·20	1·52	6·67	2·44	2·68	3·31	YEAR'S TOTAL 36·26
Rain Days.	13	14	7	20	9	10	17	11	24	18	12	23	178

W, 6,500, VII. 18. W W C

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hindleap Lodge
in the County of Sussex.
by Alexander Adam

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Forest Row
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·0	·05	·01	·11	·0	·05	·0	·0	·23	·0	·84	1
2	·24	·0	·06	·0	·29	·0	·04	·0	·0	·12	·07	·07	2
3	·41	·0	·36	·0	·03	·0	·35	·02	·29	·0	·09	·40	3
4	·27	·30	·61	·0	·0	·07	·19	·0	·08	·0	·05	·14	4
5	·0	·14	1·36	·0	·0	·0	·07	·0	·05	·0	·25	·57	5
6	·09	·0	·06	·0	·0	·0	·0	·0	·0	·0	·0	·14	6
7	·09	·0	·50	·0	·0	·0	·0	·0	·0	·03	·05	·0	7
8	·27	·0	·09	·0	·0	·0	·0	·0	·0	·0	·04	·0	8
9	·69	·0	·06	·05	·03	·0	·0	·0	·0	·0	·23	·0	9
10	·55	·0	·09	·05	·0	·0	·08	·0	·0	·0	·05	·14	10
11	·23	·0	·48	·41	·06	·0	·0	·0	·0	·0	·0	·06	11
12	·12	·0	·02	·07	·01	·0	·67	·0	·0	·05	·0	·0	12
13	·01	·0	·0	·24	·0	·0	·10	·0	·0	·0	·0	·0	13
14	·79	·0	·0	·67	·0	·0	·0	·0	·26	·0	·0	·16	14
15	·29	·0	·0	·07	·0	·0	·0	·0	·0	·0	·0	·39	15
16	·24	·42	·04	·0	·0	·0	·0	·0	·0	·0	·15	·05	16
17	·0	·36	·0	·02	·0	·0	·0	·0	·0	·0	·25	·12	17
18	·0	·11	·08	·0	·0	·0	·0	·04	·0	·0	·10	·05	18
19	·0	·25	·59	·0	·0	·02	·27	·13	·04	·0	·13	·0	19
20	·22	·15	·10	·0	·0	·94	·30	·27	·0	·0	·0	·05	20
21	·07	·45	·04	·0	·0	·0	·04	·0	·0	·0	·0	·0	21
22	·0	·05	·0	·0	·0	·0	·24	·0	·57	·0	·01	·34	22
23	·0	·0	·01	·0	·0	·02	·02	·0	·27	·0	·10	·03	23
24	·0	·0	·0	·21	·0	·04	·05	·08	·0	·12	·13	·08	24
25	·05	·20	·0	·0	·0	·0	·02	·28	·02	·0	·0	·01	25
26	·04	·0	·05	·10	·0	·0	·0	·05	·13	·0	·09	·50	26
27	·95	·04	·10	·50	·0	·0	·0	·12	·0	·0	·08	·05	27
28	·0	·0	·0	·13	·0	·05	·0	·70	·0	·0	·40	·35	28
29	·08		·39	·02	·0	·0	·0	·55	·0	·32	·0	·17	29
30	·0		·0	·20	·0	·03	·03	·95	·0	·13	·45	·86	30
31	·0		·02		·0		·0	·0		·05		·09	31
TOTAL	6·20	2·47	5·16	2·75	0·53	1·17	2·52	3·19	1·71	1·05	2·72	5·66	YEAR'S TOTAL 35·13
Days with ·01 in. or more	21	11	22	15	6	7	16	11	9	8	19	24	169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W~~ Dt and [illegible]

539

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Kept at Windleap Lodge
in the County of Sussex
by Alexander Adam

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Forest Row
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·0	·0	·14	·09	·0	·0	·0	·0	·24	·0	·30	1
2	·0	·0	·20	·01	·04	·0	·05	·31	·07	·35	·0	·24	2
3	·04	·0	·0	·0	·03	·0	·0	·0	·0	·05	·0	·06	3
4	·0	·11	·0	·17	·0	·0	·74	·07	·0	·07	·0	·02	4
5	·0	·0	·0	·03	·02	·0	·85	·12	·0	·02	·0	·0	5
6	·02	·0	·24	·0	·23	·0	·14	·0	·0	·0	·0	·0	6
7	·09	·0	·0	·12	·11	·0	·52	·01	·0	·0	·0	·06	7
8	·0	·0	·0	·08	·09	·0	·09	·01	·0	·0	·0	·0	8
9	·25	·0	·0	·05	·10	·0	·10	·0	·0	·0	·0	·0	9
10	1·27	·25	·12	·04	·0	·0	·0	·0	·0	·0	·0	·0	10
11	·10	·0	·08	·13	·0	·0	·60	·0	·0	·0	·0	·0	11
12	·10	·0	·0	·30	·03	·39	·0	·0	·0	·0	·01	·0	12
13	·38	·08	·25	·0	·0	·0	·0	·0	·0	·0	·20	·0	13
14	·0	·03	·51	·26	·0	·05	·0	·0	·23	·10	·51	·0	14
15	·06	·0	·08	·31	·0	·0	·0	·0	·76	·61	·15	·0	15
16	·01	·0	·04	·01	·0	·0	·0	·0	·60	·0	·0	·0	16
17	·03	·0	·0	·0	·24	·0	·0	·0	1·12	·0	·0	·30	17
18	·09	·0	·01	·0	·14	·0	·0	1·30	·35	·0	·0	·11	18
19	·12	·0	·0	·39	·0	·0	·0	·0	·06	·0	·0	·08	19
20	·0	·15	·0	·26	·0	·53	·0	·0	·10	·0	·0	·05	20
21	·0	·0	·0	·0	·0	·0	·81	·0	·49	·0	·0	·0	21
22	·0	·0	·0	·31	·0	·0	·02	·0	·01	·0	·0	·76	22
23	·12	·0	·0	·0	·0	·0	·42	·01	·0	·0	·0	·52	23
24	·04	·0	·08	·01	·0	·0	·0	·0	·0	·0	·0	·13	24
25	·02	·0	·02	·03	·0	·0	·24	·0	·0	·0	·0	·0	25
26	·04	·0	·12	·0	·0	·03	·0	·0	·0	·0	·0	·07	26
27	·50	·04	·0	·18	·0	·10	·05	·0	·0	·0	·74	·38	27
28	·40	·0	·24	·05	·14	·0	·15	·0	·0	·0	·0	·06	28
29	·85	·0	·09	·13	·0	·0	·0	·0	·0	·0	·28	·45	29
30	·05		·0	·0	·0	·05	·12	·0	·29	·0	·49	·28	30
31	·05		·20		·0		·03	·0		·59		·54	31
TOTAL	4·71	0·66	2·28	~~2·91~~ 3·01	1·26	1·15	4·93	1·83	4·08	2·03	2·38	4·41	YEAR'S TOTAL ~~32·63~~ 32·73
Days with ·01 in. or more	23	6	15	21	12	6	16	7	11	8	7	18	150
Days with ·04 in. or more	19	~~4~~ 5	~~12~~ 13	16	9	5	14	4	10	7	6	17	~~122~~ 125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

[illegible]

FORM A.
BRITISH RAINFALL.
20 JAN 1914

REG

HOL~~LIN~~GBURY
CAMP
SUSSEX
1913 - 1915

Kept at Hollingb

in the County of

by G Berry

W 0° 8'

Weekly

Falmer

5 in. in.

ve Ground 1 ft. — in.

Sea Level 675 ft.

IMPORTANT NOT … the result entered to the previous day. If an Ob … versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·46	·11								·04		1
2								—					2
3					·27								3
4	·54									·26			4
5				·62			·21						5
6									1·20			·60	6
7						·64							7
8		·69	·67								·91		8
9													9
10					·56			? ·96					10
11	1·36			·73						2·63			11
12							2·33						12
13									·22			·06	13
14						trace							14
15		·04	·61										15
16								—			3·10		16
17					·68								17
18	1·48									·04			18
19				·85			2·21						19
20									·74			·04	20
21						·11							21
22		·01	1·08								1·30		22
23								·11					23
24					·15								24
25	1·40									1·49			25
26				·62			·04						26
27									·10			1·16	27
28		·04				—							28
29			·60								·08		29
30				·59		—		1·99	—				30
31	·98		—		·45		—			1·08	—	—	31
Total	5·76	1·24	3·07	3·41	2·11	·75	4·79	3·06	2·26	5·50	5·43	1·86	YEAR'S TOTAL 39·24
Rain Days.	✓	✓	✓	✓	✓	Weekly	✓	✓	✓	✓	✓	✓	✓

W. 7,500, XI. 12

Gauge Snowdon Pattern

FORM A.
BRITISH RAINFALL.
20 JAN 1914

REG

Kept at Hollingbury Camp
in the County of Sussex
by G Berry Hamlin

Lat. N 50 52 Long. W 0 8'
Time of Observation Weekly
Nearest Railway Station Falmer
Diameter of Rain Gauge 5 in in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 575 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·46	·11								·04		1
2								—					2
3					·27								3
4	·54									·26			4
5				·62			·21						5
6									1·20			·60	6
7						·64							7
8		·69	·67								·91		8
9													9
10					·56			? ·96					10
11	1·36			·73						2·63			11
12							2·33						12
13									·22			·06	13
14						trace							14
15		·04	·61										15
16								—			3·10		16
17					·68								17
18	1·48									·04			18
19				·85			2·21						19
20									·74			·04	20
21						·11							21
22		·01	1·08								1·30		22
23								·11					23
24					·15								24
25	1·40									1·49			25
26				·62			·04						26
27									·10			1·16	27
28		·04				—							28
29			·60								·08		29
30				·59		—		1·99	—				30
31	·98		—		·45		—			1·08	—	—	31
Total	5·76	1·24	3·07	3·41	2·11	·75	4·79	3·06	2·26	5·50	5·43	1·86	YEAR'S TOTAL 39·24
Rain Days.	✓	✓	✓	✓	✓	Weekly		✓	✓	✓	✓	✓	

W. 7,500, XI. ·12 Gauge Snowdon Pattern

FORM A.
BRITISH RAINFALL.

16 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Hollingbury Camp, Patcham
in the County of Sussex 3
by G Berry Hamlin

Lat. N 50°51' Long. W 0°8'
Time of Observation Weekly
Nearest Railway Station Falmer
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 575 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								? ·14					1
2					—								2
3	·02									—			3
4				·49			·14						4
5									—			1·10	5
6						·24							6
7		·50	·51								·71		7
8								? ·28					8
9					·52								9
10	·47									—			10
11				1·17			·53						11
12									1·04			4·20	12
13						·27							13
14		2·02	2·39								·53		14
15								·22					15
16					·34								16
17	·01									? ·54			17
18				—			·89						18
19									? ·57			1·98	19
20						·12							20
21		1·87	2·06								1·04		21
22								·03					22
23					·10								23
24	·07									? ·57			24
25				—			·48						25
26									—			1·09	26
27						·83							27
28		·20	1·06								·96		28
29								·37					29
30				·08	—	—			—		1·06		30
31	·40		·16		·15		—	—		1·71		1·53	31
Total	·97	4·59	6·18	1·74	1·11	1·46	2·04	1·04	1·61	2·82	4·30	9·90	YEAR'S TOTAL ? 37·76
Rain Days.						Weekly							

W.7,000, XI. 13

562

FORM A.
BRITISH RAINFALL.
13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hollingbury Camp Patcham
in the County of Sussex 3
by Mr G B Hamlin

Lat. N 50°51' Long. W 0°8'
Time of Observation weekly
Nearest Railway Station Falmer
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 575 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.02								1
2	1.22									.37			2
3				.49			.03						3
4									.90			1.47	4
5						.02							5
6		1.48	.60								.89		6
7								.47					7
8					.06								8
9	2.07									nil			9
10				.79			.81						10
11									nil			2.99	11
12						.22							12
13		1.71	.11								2.40		13
14								?.18					14
15					2.72								15
16	.72									nil			16
17				.35			2.10						17
18									.15			1.06	18
19						nil							19
20		1.23	nil								.17		20
21								?.28					21
22					1.59								22
23	.73									?.26			23
24				.15			1.23						24
25									.39			2.92	25
26						.06							26
27		.20	.36								nil		27
28		.05						nil					28
29					.01								29
30	.28	X		nil		.33			?1.04		.91		30
31	nil	X	nil	X	nil	X	.36	?.21	X	?1.90	X	1.30	31
Total	5.02	4.67	1.07	1.78	4.40	.63	4.53	?1.14	?2.48	?2.53	4.37	9.74	YEAR'S TOTAL 42.36?
Rain Days.						Weekly							

W. 8,000. X. 14.

J

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

HOLLYCOMBE

SUSSEX

1911 - ~~1915~~ 1920

REC

Kept at Hollyc

in the County of Sa

by J. C Hault

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					0.40								1
2				0.35	0.24							0.47	2
3											0.21		3
4											0.64		4
5				0.15								0.63	5
6	0.58		0.18									1.18	6
7										0.67	0.64		7
8											0.16	0.52	8
9			0.27									0.27	9
10	0.20		0.22								0.27	1.08	10
11	0.64										1.06		11
12			0.65								0.39		12
13					0.38				0.22			0.72	13
14												0.55	14
15			0.10								0.82		15
16						0.51					0.89	0.73	16
17												0.62	17
18		0.25				0.25							18
19									0.64				19
20			0.11			0.10				0.23		0.74	20
21		0.37								1.04	0.15		21
22			0.36			0.37						1.03	22
23		0.33				0.47				1.30		0.14	23
24										1.36		0.53	24
25						0.22		0.55					25
26				0.50	1.90					0.26	0.09	0.53	26
27		0.87	0.53										27
28													28
29				0.52		0.19				0.86			29
30				0.03				1.18	0.46	0.55			30
31													31
Total	1.42	1.82	2.42	1.55	2.92	2.11		1.73	1.32	6.27	5.32	9.74	TOTAL for year
No. of Rain Days.	3	3.24 4	5.66 8	7.21 5	10.13 4	12.24 7	12.24	13.97 2	15.29 3	21.56 8	26.80 11	36.62 15	✓ 70

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REC[illegible] IN 1911

Kept at Holleycomb

in the County of Saxon 2

by J. C Haultshaw

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					0.40								1
2				0.35	0.24							0.47	2
3											0.21		3
4											0.64		4
5				0.15								0.63	5
6	0.58		0.18									1.18	6
7										0.67	0.64		7
8											0.16	0.52	8
9			0.27									0.27	9
10	0.20		0.22								0.27	1.08	10
11	0.64										1.06		11
12			0.65								0.39		12
13					0.38				0.22			0.72	13
14												0.55	14
15			0.10								0.82		15
16						0.51					0.89	0.73	16
17												0.62	17
18		0.25				0.25							18
19									0.64				19
20			0.11			0.10				0.23		0.74	20
21		0.37								1.04	0.15		21
22			0.36			0.37						1.03	22
23		0.33				0.47				1.30		0.14	23
24										1.36		0.53	24
25						0.22		0.55					25
26				0.50	1.90					0.26	0.09	0.53	26
27		0.87	0.53										27
28													28
29				0.52		0.19				0.86			29
30				0.03				1.18	0.46	0.55			30
31													31
Total	1.42	1.82	2.42	1.55	2.92	2.11		1.73	1.32	6.27	5.32	9.74	TOTAL for year
No. of Rain Days.	3	3.24 4	5.66 8	7.21 5	10.13 4	12.24 7	12.24	13.97 2	15.29 3	21.56 8	26.88 11	36.62 15	✓ 40

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

14 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Hollycombe

in the County of Sussex 2

by J. C. Hawkshaw

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W..

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										0.80		0.14	1
2			0.45					0.15					2
3			0.67				0.34	0.86					3
4				0.05								0.05	4
5									0.04				5
6				0.23	0.67						0.21	0.07	6
7					0.09			0.46				0.25	7
8		0.88			0.07								8
9					0.06				0.16			0.33	9
10			1.04					0.17				0.31	10
11		0.38	0.23						0.27				11
12			0.45		0.25		0.10	0.30			0.22	0.27	12
13	0.08	0.66	0.18				0.23					0.26	13
14			0.16	0.03					0.35	0.05			14
15			0.22	0.05	0.71							0.67	15
16				0.14	0.05			0.33	0.07	0.09			16
17								0.20		0.04			17
18	0.94							0.35					18
19			0.92					0.57	0.10				19
20	0.16						0.26	0.15		0.56			20
21				0.29						0.35			21
22													22
23		1.00	0.62										23
24	0.90	0.40				0.90							24
25						0.15					0.95		25
26										0.70			26
27						0.07	0.04	0.34		0.48	0.50	0.93	27
28		0.15				0.11	0.67	0.07	0.30	1.06			28
29		0.27		0.22		0.05	0.17	0.10	2.39	0.83			29
30						0.72			1.00	0.22			30
31													31
Total	2.08	3.74	4.94	1.01	1.90	2.00	1.81	4.05	4.68	5.18	1.88	3.28	TOTAL for year
No. of Rain Days.	4	5.82 7	10.76 10	11.77 7	13.67 7	15.67 6	17.48 7	21.53 13	26.21 9	31.39 11	33.27 4	36.55 10	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19*13.*

FORM A.
BRITISH RAINFALL.

13 FEB 1914

2x. H.S.

Kept at *Hollycombe*

in the County of *Sussex* 2

by *J. C. Hawkshaw*

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.05				0.05				0.61				1
2	0.15			0.17							0.36		2
3										0.08			3
4	0.47			0.30	0.97					0.46			4
5		0.08							1.94	0.18		0.43	5
6					0.22	0.06	0.10		0.20		0.26		6
7	0.51				0.04	0.12				0.91	0.10		7
8					0.42		0.37	0.93		0.54	0.15		8
9		0.42											9
10		0.52				0.12				0.97	0.40		10
11	1.24										0.54		11
12				0.46			0.80						12
13					0.74						0.65		13
14		0.57							0.11				14
15				0.05			1.19				0.24		15
16				0.52									16
17									0.42				17
18											0.07		18
19						0.09							19
20				0.22					0.17				20
21													21
22											1.03		22
23				0.30					0.21	1.60			23
24		0.64						0.33					24
25													25
26		0.44						0.05					26
27				0.12						0.73		0.96	27
28		0.45		0.15				0.06		0.05	0.34		28
29				0.10						0.26			29
30				0.48						0.46			30
31								1.21					31
Total	~~2.42~~	~~3.12~~	—	2.87	2.44	0.39	2.46	2.58	3.66	6.24	4.14	1.39	YEAR'S TOTAL Pail-bad
Rain Days.		~~5.54~~	~~5.54~~	~~8.41~~	~~10.85~~	~~11.24~~	~~13.70~~	16.28	~~19.44~~	~~26.18~~	30.32	~~31.71~~	

W. 7,500, XI. 12

Days under

See DSS

FORM A.
BRITISH RAINFALL.

8 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Hollycombe

in the County of Sussex

by E. C. Hawtrey

Lat. Long.

Time of Observation

Nearest Railway Station Liphook

Diameter of Rain Gauge 7½ in.

Height of top of Gauge above Ground ab 550 ft. in.

" " " " Sea Level ab 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.14										1
2		0.04						0.10			0.24		2
3											0.46	0.41	3
4					0.45								4
5			0.06	0.38	0.22	0.20	1.20	~~0.28~~				0.40	5
6				0.41			0.50	0.40					6
7			0.04	0.09	0.12	0.35						0.49	7
8		1.65	0.23	~~0.48~~				0.36					8
9		0.58	0.43									0.53	9
10	0.18		1.18	0.48				0.14				2.43	10
11					0.23				0.36			0.86	11
12		0.47	0.64				1.61	0.30	0.28			1.03	12
13		0.41										1.10	13
14		0.22	0.61				0.41		0.23	0.20	0.25		14
15		0.71	0.34								0.27	0.40	15
16		0.82	0.20							0.45			16
17													17
18			0.12									1.00	18
19		0.81	0.34									0.45	19
20			0.48				1.00						20
21		0.66	0.27					0.14				0.44	21
22		0.77									0.87		22
23					0.26		0.43			0.20	[illegible]		23
24			0.23										24
25							0.20			0.68	0.84		25
26			0.20										26
27							0.35	0.38		0.15		1.16	27
28									0.40	0.24	1.00	0.47	28
29			0.10							0.28		0.71	29
30		✕	0.19	0.12	0.10					0.30	1.43		30
31	0.45	✕		✕		✕			✕	0.26	✕	0.76	31
Total	.63	7.14	5.80	1.48	1.38	0.55	5.60	1.82	1.27	2.76	5.36	12.64	YEAR'S TOTAL 46.43
Rain Days.		7.77	13.57	15.05	16.43	16.98	22.58	24.40	25.67	28.43	33.79	46.43	
W. 8,000. X.2.14.		11	18	5	6	2	8	7	4	9	8	16	~~96~~

Ex JL

538

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL. 4. JAN. 1916

Kept at Hollycombe

in the County of Sussex

2

by J. C. Hawkshaw

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.95		.93	.03	.26	.53	1
2	.92	.53								.07		.25	2
3	.86		.43	.07								.40	3
4	.24					.07						.63	4
5	.32		.02									.68	5
6		.74										.38	6
7	.80	.24					.27					.44	7
8	.39	.55					.14						8
9	.12	1.05									.48	.95	9
10												.31	10
11	.23										.84		11
12										.03	.56		12
13	.25				1.30								13
14		1.43			.95		.86					.86	14
15							.45				.04	.48	15
16	.15				1.15							.11	16
17		1.64			.77				.66				17
18				.04					1.27		.02		18
19		.65	.03										19
20	.10						.03					.10	20
21										.27		.07	21
22												.28	22
23	1.90						.07			.45		.44	23
24			.07							.47		.40	24
25						.35						.24	25
26		.53				.40						1.10	26
27		.05								.50		.10	27
28		.06						.18		.21			28
29				.02		1.27					.53	.44	29
30		X					.11		1.00	.46	.81	.33	30
31	.18	X		X		X		.19	X	1.91	X	.53	31
Total	6.46	7.47	.55	.13	4.17	2.09	2.88	.37	3.86	4.40	3.54	10.05	YEAR'S TOTAL 45.97
Rain Days.	13	11	4	3	4	4	8	2	4	10	8	23	94

End. 872

524

FORM A.
BRITISH RAINFALL.

07 FEB 191

REGISTER OF RAINFALL IN 1916

Kept at Hollycombe

in the County of Sussex

by J. C. Hawkshaw

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.22	0.04			0.09				0.48	1.40	0.47		1
2	0.49	0.10	0.10		0.61				0.24	0.90	0.05		2
3	0.02	1.02	0.21						0.03		0.73		3
4	0.23	0.11				0.48			0.23	0.02	0.50		4
5	0.02	0.04			0.23	0.10				0.17	1.03		5
6	0.01	0.15		0.02	0.02	0.09	0.55			0.24	0.96		6
7			15 0.34		0.07	0.03					1.25	0.01	7
8					0.37		0.03					0.42	8
9					0.27	0.04	0.20			0.02		0.14	9
10		0.43	0.31	0.03		0.27						0.13	10
11	0.06	0.09	0.02	0.11	0.05	0.20						0.01	11
12	0.03	0.06		0.07		0.04	0.12						12
13		0.35	0.15	0.01		0.04		0.05		0.08		0.05	13
14		0.51	0.09	0.11	0.06			0.14					14
15		0.16	0.65					0.72		0.05		0.11	15
16	0.02	0.04	0.40	0.14			0.08	0.63					16
17	0.26	0.20		0.07				0.24	0.43	1.10			17
18	0.09	0.10	0.01					0.38	0.06	0.02	0.39		18
19	0.28		0.12	0.03					0.29		0.70		19
20	0.18		0.70	0.24								1.20	20
21			0.33	0.02 3			0.08					0.08	21
22			0.03			0.02				0.13		0.78	22
23		15 0.25				0.26		0.02		0.03	0.12		23
24										0.39	0.15	0.35	24
25		15 1.00	0.13		0.06	0.04		0.23	0.20	0.03	0.03		25
26		15 0.25	0.02						0.23	0.60	4		26
27	0.02	15 0.08	15 0.94					0.46	0.05	0.52			27
28	6	Sleet 0.45	15 0.02					1.19	0.28			0.25	28
29		0.29	4			0.46			0.11	0.63		0.38	29
30		8				5		0.04	5	0.59		5	30
31								0.07		0.21			31
Total	1.93	5.72	4.57	0.85	1.83	2.07	1.06	4.17	2.63	7.13	6.38	3.94	YEAR'S TOTAL 42.25
Rain Days.		7.65	12.22	13.07	14.90	16.97	18.03	22.20	24.83	31.96	38.34	42.25	8
	14	21	18	11	10	13	6	12	12	19	12	13	161

W. 8,000, VIII. 16

505

End

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Hollycombe

in the County of Sussex

by J. C. Hawkshaw

Lat. Long.

Time of Observation

Nearest Railway Station

2 FEB 1918

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.12	.25				1.94	.09				1
2				.17					.40				2
3				.14				.04			.30		3
4		.25	.04			.05	.91	.59		.37	.03		4
5	.42			.45			.16	.57	.19		.10		5
6			.40			.75				.54	.11		6
7	.33											.06	7
8	.16						.61	.13		.38	.23	.75	8
9				.06			.08		.09	.34			9
10	.21		.31	.24				.15		.49			10
11	.09		.29	.19				.06		.44			11
12				.13				.03					12
13	.14							.12	.06				13
14			.16					.16					14
15							.07	.01		.36			15
16		.26		.18				.15		1.24	.03	.04	16
17				.11	.32		.27		.68			.26	17
18	.04						.28		.45				18
19		.34	.18					.02	.25	.16			19
20					.68				.06				20
21													21
22								.30		.01	.07		22
23		.19			.06					.09	.12		23
24		.07					.05	.16		.42		.26	24
25			.05				.06			.05			25
26		.04				.10		.58	.09		.23		26
27					.05			1.88					27
28						.09							28
29			.10		.55	2.21	.17	.53		.54			29
30		✕	.40			.14	1.60	.03				.19	30
31		✕		✕		✕	.12	.18	✕		✕		31
Total	1.39	1.15	2.05	1.92	1.66	3.34	4.38	7.63	2.36	5.43	1.22	1.58	YEAR'S TOTAL 34.09
Rain Days.		2.54	4.59	6.51	8.17	11.51	15.89	23.52	25.88	31.31	32.53	34.09	
	7	6	10	10	5	6	12	20	10	14	9	6	115

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
7. 1. 19

Kept at Hollycombe
in the County of Sussex
by J. C. Hawkshaw

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Liphook
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
					·12								
1										·04	·61	·08	1
2		·31					~~·44~~	·41				·32	2
3				·09		·09		·05		·02	·80		3
4		·10	·14	·12	·10	·08		·02	·09		1·01	·01	4
5		·08	·05		·14			·10					5
6		·15		·35				·04		·25		·17	6
7	·15	·31			·36			·02			·41		7
8		·40							·38			·07	8
9		·12		·30	·10				·68	·28		·78	9
10										·11		·25	10
11						·16	·45			·38	·07		11
12				·09			·10						12
13		·03					·16		·43				13
14	51 ·54	·04				·09	·23		·20	·13		·12	14
15	1·51		·10		·23		·43					·34	15
16				·35			·27						16
17	51 ·67						·19		·60			·20	17
18	·76		·06			·03	·09		·75			·30	18
19	·05						·43		·04			·12	19
20		·03					·17		·39	·15			20
21	·54				·11		·43		·40				21
22	·25								·20			·26	22
23	·10			·08			·78	·03					23
24		·12					·73		·19		·18		24
25							·53	·20					25
26							·15		·09	·02	·08		26
27		·25		·11	·19		·05	·20			·09	·16	27
28		·01	·41										28
29			·60						1·06			·03	29
30		X	·09	·45						·04		·06	30
31		X		X		X			X	·22	X		31
Total	4·57	1·95	1·45	1·94	1·35	·45	5·19	1·07	5·50	1·64	3·25	3·27	YEAR'S TOTAL 31·63
Rain Days.		6·52	7·97	9·91	11·26	11·71	16·90	17·97	23·47	25·11	28·36	31·63	~~125~~
	9	13	7	9	8	5	16	9	14	11	8	16	

W. 8,000, IX. 17.

477

15 JUN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hollycombe

in the County of Sussex

by J. C. Hawkshaw

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48											1.41	1
2	.68		.05		.08		.26		.02		.03		2
3	50		.75				.18		.18		.08	.37	3
4	33		.51				.16	.06	007			.07	4
5		15' 26	1.27				.06		30		.77	.28	5
6	50		.13		.14							.10	6
7	05		.66										7
8	35			.004									8
9	16		.26	.18	.10						.13		9
10	1.17		.23										10
11	.09		.03	.32			.22					.25	11
12			.02		.07		.20						12
13				1.04									13
14	.70			.28					.90			.11	14
15	.25											1.21	15
16		1.42									.02		16
17											.10	.03	17
18		55' .58	.36					.14			.11		18
19		.433	1.27			.65	.40	.25					19
20	78						.02	.21					20
21	.03.	.66					.02					.04	21
22									.68			.19	22
23							.19		.02		.14	.25	23
24										.35	.13		24
25		.11						.32					25
26	.07	.23							.12			.44	26
27	8 .75		.13	.55 52		.01							27
28			55' .28			.03		1.52			.52	59	28
29								.49		.10		.11	29
30				.25				.49			.75	.96	30
31												.09	31
TOTAL	6.89	3.61	5.95	263	.39	.69	1.79	3.48	2.29	.45	2.20	6.50	YEAR'S TOTAL 36.87
Days with ·01 in. or more	16	7	14	7	4	3	10	8	8	2	11	17	107

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

452

1 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hollycombe

in the County of Sussex

by J. C. Hawkshaw

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·08		·27	·22		·52			·23		·46	1
2			·06					·25	·08	·07		·16	2
3	·14				·38		·10			·43		·06	3
4		·13		·16			1·43	·21		·40		·11	4
5			·25	·10			·93	·58			·09	·04	5
6			·23	·06	·29		·42				·15	·05	6
7				·25			·26				1·25		7
8				·05									8
9	·23			·10	·11		·10						9
10	·27	·35	·05			·10	·52						10
11	·96	·08	·06	·38		·22	·25						11
12	·10			·56		·61							12
13	·02		·21	·03									13
14	·13		·45	·49					·25				14
15		·05		·23					·79	·16			15
16	·14			·18	·23				·03	·19			16
17									1·49			15	17
18	·10							·97	·22			16	18
19				·27					·03				19
20	·08			·29		·80						·21	20
21				·18								·20	21
22							·98	·13	·19			·52	22
23	·03		·17				·47				·06	·49	23
24				·03								·17	24
25				·04			·03						25
26	·09		·65									·12	26
27	·90		·17	·12		·05	·11				·23	·27	27
28	·54					·01					·33		28
29			·09		·03		·12					·47	29
30		X			·04				·73			·28	30
31	·58	X		X		X			X	1·26	X	·29	31
TOTAL	4·46	·69	2·39	3·79	1·30	1·87	6·24	2·14	3·81	2·74	2·11	4·04	YEAR'S TOTAL 35·58
Days with ·01 in. or more		5·15	7·54	11·33	12·63	14·50	20·74	22·88	26·69	29·43	31·54	35·58	
Days with ·04 in. or more	16	5	11	19	7	6	14	5	9	7	6	18	~~123~~
	4	5	11	17	6	5	13	5	7	7	6	16	112

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGI 1911

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

HOREHAM ROAD

{COXLOW}

SUSSEX

1911, 13-20

rowdon

Kept at Horeham M

in the County of ~~Kent~~

by Phoebe C. Har

top 5 in.

above Ground 1 ft. — in.

„ Sea Level 250 ft.

9.15 A.M.

tion { Name Waldron L.B.& S.C.R.
Distance 350 yds Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	—	·01	·71	—	—	—	·22	—	—	·09	·01	1
2	·03 (Snow)	—	·02	·01	·30	—	—	—	—	—	·31	·25	2
3	·03	—	—	—	·18	—	—	—	—	—	·14	·32	3
4	·20	·02	·03	·22 (Snow)	—	·04	—	—	—	·29	·36	·20	4
5	·03	·02	—	·03 (Snow)	—	—	—	—	—	·67	·01	·09	5
6	·24	—	·06	—	—	—	—	—	—	—	—	·64	6
7	·05	—	·03	—	—	—	—	—	—	·77	1·05	·29	7
8	·11	—	·17	—	—	—	—	—	—	—	·70	·22	8
9	·14	—	·01	·01	—	—	—	—	—	—	·38	·06	9
10	—	·04	·04	·16	—	—	—	—	—	—	·02	·63	10
11	·52	—	·04	—	—	—	—	—	—	—	1·36	—	11
12	·03	·02	·83	—	—	—	—	—	—	—	·12	·03	12
13	—	—	·08	—	·17	—	—	—	·68	·20	—	·20	13
14	—	·05	·02 (Snow)	—	·16	—	—	—	—	—	—	·53	14
15	—	·03	·23 (Snow)	—	—	—	—	—	—	—	·17	·06	15
16	—	—	—	—	—	·49	—	—	—	—	·62	·15	16
17	—	·02	—	—	—	—	—	—	—	—	·44	·14	17
18	—	·04	·06	—	—	·03	—	—	—	—	·68	·40	18
19	—	—	—	—	—	·06	—	—	·08	·51	·12	·08	19
20	·03	·02	·02	—	—	·01	—	·69	·19	·03	—	·70	20
21	·02	·30	—	—	—	—	—	—	—	·87	—	·19	21
22	·05	·04	·35	—	—	·04	—	·01	—	·73	—	·56	22
23	·02	·19	—	—	—	1·03	—	—	·43	1·21	·03	·23	23
24	·01	·19	—	—	—	—	·07	·02	—	·22	—	·46	24
25	—	·01	·33 (Snow)	·09	—	·11	—	—	·11	·02	—	—	25
26	—	—	·29	·25	—	·16	—	—	—	·41	·15	·32	26
27	—	·53	·19	·11	—	—	—	—	·05	·59	·03	·11	27
28	—	·25	·01	·20	—	—	—	—	—	—	·01	·01	28
29	—		—	·05	—	·11	·29	—	·32	·65	—	—	29
30	—		—	·03	—	·09	—	—	·04	·31	·01	·03	30
31	—		—		—		—	—		—		—	31
Total	1·60	1·77	2·82	1·87	·81	2·17	·36	·94	1·90	7·48	6·80	6·91	TOTAL for Year 35·43
No. of Rain Days	16	16	20	12	4	11	2	4	8	15	21	27	106 156

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Horeham Manor

in the County of ~~Kent~~ Sussex 5

by Phœbe C. Harrison (Miss)

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 250 ft.

Time of Observation 9.15 A.M.

Nearest Railway Station
Name Waldron L.B.&S.C.R.
Distance 350yds Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	–	·01	·71	–	–	–	·22	–	–	·09	·01	1
2	·03 (Snow)	–	·02	·01	·30	–	–	–	–	–	·31	·25	2
3	·03	–	–	–	·18	–	–	–	–	–	·14	·32	3
4	·20	·02	·03	·22 (Snow)	–	·04	–	–	–	·29	·36	·20	4
5	·03	·02	–	·03 (Snow)	–	–	–	–	–	·67	·01	·09	5
6	·24	–	·06	–	–	–	–	–	–	–	–	·64	6
7	·05	–	·03	–	–	–	–	–	–	·77	1·05	·29	7
8	·11	–	·17	–	–	–	–	–	–	–	·70	·22	8
9	·14	–	·01	·01	–	–	–	–	–	–	·38	·06	9
10	–	·04	·04	·16	–	–	–	–	–	–	·02	·63	10
11	·52	–	·04	–	–	–	–	–	–	–	1·36	–	11
12	·03	·02	·83	–	–	–	–	–	–	–	·12	·03	12
13	–	–	·08	–	·17	–	–	–	·68	·20	–	·20	13
14	–	·05	·02 (Snow)	–	·16	–	–	–	–	–	–	·53	14
15	–	·03	·23 (Snow)	–	–	–	–	–	–	–	·17	·06	15
16	–	–	–	–	–	·49	–	–	–	–	·62	·15	16
17	–	·02	–	–	–	–	–	–	–	–	·44	·14	17
18	–	·04	·06	–	–	·03	–	–	–	–	·68	·40	18
19	–	–	–	–	–	·06	–	–	·08	·51	·12	·08	19
20	·03	·02	·02	–	–	·01	–	·69	·19	·03	–	·70	20
21	·02	·30	–	–	–	–	–	–	–	·87	–	·19	21
22	·05	·04	·35	–	–	·04	–	·01	–	·73	–	·56	22
23	·02	·19	–	–	–	1·03	–	–	·43	1·21	·03	·23	23
24	·01	·19	–	–	–	–	·07	·02	–	·22	–	·46	24
25	–	·01	·33 (Snow)	·09	–	·11	–	–	·11	·02	–	–	25
26	–	–	·29	·25	–	·16	–	–	–	·41	·15	·32	26
27	–	·53	·19	·11	–	–	–	–	·05	·59	·03	·11	27
28	–	·25	·01	·20	–	–	–	–	–	–	·01	·01	28
29	–		–	·05	–	·11	·29	–	·32	·65	–	–	29
30	–		–	·03	–	·09	–	–	·04	·31	·01	·03	30
31	–		–		–		–	–		–		–	31
Total	1·60	1·77	2·82	1·87	·81	2·17	·36	·94	1·90	7·48	6·80	6·91	TOTAL for Year 35·43
No. of Rain Days	16	16	20	12	4	11	2	4	8	15	21	27	106 15

9,000, IX. '10.

W. 11·II·14 ~~XX~~ 7 6

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8- JAN 1914

Kept at Coxlow, Horeham Road
in the County of Sussex
by P. C. Harrison (Miss)

Lat. 50° 55' N Long. 0° 15' E
Nearest Railway Station Waldron L.B.&S.C.R.
Time of Observation 9.15 A.M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 260 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·40	·12	·15	—	·03	—	—	·01	·11	·15	·09	1
2	·04	·16	—	—	·04	—	·10	—	·04	·06	·13	·02	2
3	—	—	·04	·80	·14	—	—	—	·05	·01	—	·21	3
4	·17	—	·06	·01	·01	·01	·01	—	1·17	·19	·13	—	4
5	·05	·05	·01	·02	—	·12	·07	—	·51	·06	·37	·01	5
6	—	·01	·07	·06	·04	·10	·31	—	—	·66	·25	·15	6
7	—	·31	·05	—	·02	·04	·34	—	—	·17	·18	·01	7
8	—	·11	·01 (Rain & Snow)	—	·10	·04	—	—	—	·18	·04	·03	8
9	—	·07	—	·01	·09	—	·06	—	·12	·06	·03	·01	9
10	·02	—	—	·05	—	—	·73	—	—	·02	1·15	—	10
11	·71	—	—	·65	—	—	—	—	—	·74	·01	—	11
12	·01	—	—	—	·21	—	—	—	—	·01	·82	—	12
13	·63 (Rain & Snow)	—	·03	—	—	—	—	·02	·03	—	·22	·01	13
14	·23	—	·15	·10	—	—	1·10	·01	·10	·04	·26	—	14
15	·19	—	·34	·51	—	—	·33	—	·03	—	·01	—	15
16	·16	—	·64	·15	—	—	·01	—	·22	—	—	—	16
17	·09	·06 (Sleet & Snow)	·05 (Rain & Snow)	·18	—	—	·30	—	—	—	·02	·04	17
18	·01	—	·11	·22	—	—	·06	—	—	—	·24	—	18
19	·32	—	·06	—	—	—	·09	—	·27	—	—	—	19
20	·48	—	·05	·11	·02	—	—	—	—	·55	·06	—	20
21	·02	—	·02	·23	—	—	—	—	·07	·70	·72	—	21
22	·28	—	·19	—	—	·22	·01	—	·07	·01	·01	—	22
23	—	—	·05	—	—	—	·01	·05	—	—	—	·72	23
24	·13	—	—	·03	—	—	—	·05	—	·01	·21	—	24
25	—	·01	—	·22	—	·04	·01	—	—	—	·01	·01	25
26	—	—	·11	—	—	·05	·01	·17	—	1·07	—	·29	26
27	·01	—	·06	—	·11	—	—	—	—	·11	—	·01	27
28	·15	—	·23	·09	—	—	—	·05	—	·28	—	—	28
29	·19		·03	·51	·06	—	—	·03	—	—	—	—	29
30	·65		—	·31	·01	—	—	·24	—	·08	—	·01 (Snow)	30
31	—		·12		—		—	1·11		·13		—	31
Total	4·5~~8~~7	1·18	2·60	4·41	·85	·65	3·55	1·73	2·69	5·25	5·02	1·62	TOTAL for year 34·12 34·12
No. of Rain Days	4·57 22	9	23	20	12	9	17	9	13	22	21	15	192

1,000, IX. '10.
EDWARD STANFORD. 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

✓

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Coxlow, Horeham Road
in the County of E Sussex
5
by P. C. Harrison (Miss)

Lat. 50° 55' N Long. 0° 15' E
Time of Observation 9.15 A.M
Nearest Railway Station Waldron & Horeham Rd.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	·03	—	—	·02	·02	—	—	·10	·10	1
2	—	—	·01	—	—	·01	·22	·02	—	—	·12	·22	2
3	—	—	·17	·03	·26	—	·02	·05	—	—	·01	·01	3
4	·01	—	·01	·27	·01	—	—	·07	—	—	·36	·36	4
5	·13	·01	·11	·31	·03	—	·21	·01	—	—	—	—	5
6	—	·04	·02	·29	·04	·07	—	·05	—	—	—	·63	6
7	·01	·46	·15	·07	·02	·02	·15	—	—	—	·01	·26	7
8	·20	·37	·37	·01	—	·09	—	·05	—	—	—	·15	8
9	·22	·01	·49	·06	—	·10	—	—	·16	—	—	1·35	9
10	·03	·12	·03 Snow.	·12	·08	—	—	—	·16	—	·02	·02	10
11	—	·32	·43	·04	·02	—	—	—	·15	—	·07	·41	11
12	—	·05	·13	—	—	·08	·20	—	·36	·03	·01	·44	12
13	·03 (Snow)	·56	·49	—	—	·25	—	—	·17	·02	·14	·57	13
14	—	·16	·14	—	—	—	—	—	·02	·37	·17	·48	14
15	—	·05	·32	—	—	—	·01	·04	—	—	·79	·01	15
16	—	·17	·01	—	—	—	·06	—	·10	—	·01	—	16
17	—	·35	·07	—	—	—	·01	—	·18	—	—	·32	17
18	—	·06	·24	—	—	—	—	—	—	—	—	·46	18
19	—	·09	1·19 Snow	—	—	—	·33	—	—	·08	·28 S & R.	·24	19
20	—	·13	·10	—	—	·02	·02	—	—	—	·01 S.	·36	20
21	—	·71 R & S.	·05	—	—	—	—	·02	—	·02	—	·02	21
22	—	·08	·05	—	·04	·19	·27	·09	—	·35	—	—	22
23	—	·01	·44	—	·01	·97	—	—	—	·01	—	·03	23
24	—	—	·07	—	·01	—	—	—	—	·02	·14	·01	24
25	·16	—	·13	—	·01	—	—	·09	—	·30	·05	·01	25
26	·02	—	·02	—	—	—	—	·25	—	·10	·18	·51	26
27	—	—	—	—	—	—	—	·08	—	—	·22	·59	27
28	·04	·03	—	—	—	—	—	—	—	·41	·37	·43	28
29	·16		·01	—	—	—	—	—	—	·67	·19	·01	29
30	·01		·10	—	—	—	—	—	—	·10	1·45	·19	30
31	·04		—		·26		—	—		—		·09	31
Total	1·06	3·78	5·37	1·23	·79	1·80	1·52	·84	1·30	2·48	4·70	8·28	YEAR'S TOTAL 33·15
Rain Days.	13	20	28	10	12	10	12	13	8	13	21	28	188

W. 8,000. X. 14.

632

FORM A.
BRITISH RAINFALL.

20 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Coxlow, Horeham Road

in the County of Sussex 5

by Phœbe C. Harrison (Miss)

Lat. 50° 55′ N Long. 0° 15′ E

Time of Observation 9.15 A.M

Nearest Railway Station Waldron L.B. & S.C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·44	·20	·03	—	—	—	—	·03	·81	·05	·26	·31	1
2	·54	·20	·29	·18	—	—	—	·12	—	·05	—	·17	2
3	·32	—	·02	·26	·09	—	—	·14	·05	—	—	·52	3
4	·06	—	—	·02	—	—	—	·19	—	—	—	·40	4
5	·04	·38	—	·31	—	—	—	·16	—	—	—	·59	5
6	·45	·29	·06	·56	—	—	·33	—	—	—	—	·06	6
7	·36	·38	·05	·05	—	—	·11	—	—	—	·01	·40	7
8	·03	·34	·02	—	—	—	·49	—	—	—	·03	—	8
9	·02	·13	—	·13	—	·16	—	·02	—	—	·50	·97	9
10	·30	·01	—	—	—	·02	—	—	—	—	—	·73	10
11	—	·04	·03	—	—	—	—	—	—	—	·85	·01	11
12	·08	·21	—	·20	·26	—	—	—	—	·03	·99	—	12
13	·01	·81	—	—	1·74	—	—	—	·07	—	·01	—	13
14	·12	·01	—	—	—	—	·31	·08	·05	—	—	·49	14
15	·17	·02	—	—	·06	—	·24	·04	—	—	·21	·40	15
16	—	·67	—	·03	·15	—	1·29	·21	—	—	—	·01	16
17	—	·43	—	—	·98	—	—	·01	—	—	—	·14	17
18	—	·21	—	—	·16	—	·03	—	—	—	·03	·01	18
19	—	·11	—	—	—	—	—	—	—	—	—	—	19
20	·24	—	—	·01	·19	—	—	—	—	~~·15~~	—	·21	20
21	·13	·01	—	—	—	—	—	—	—	·15	—	·05	21
22	·04	·02	·06	—	—	—	1·09	—	—	—	—	·19	22
23	·04	·08	·09	—	—	·01	·16	—	—	·19	—	·93	23
24	—	·01	·01	·02	—	—	·09	—	·21	·67	—	·47	24
25	—	—	·01	·01	—	—	·28	—	—	·01	—	·33	25
26	—	·07	—	—	—	·08	—	—	—	—	—	·60	26
27	—	·01	—	—	—	·08	·15	—	—	·30	—	·02	27
28	—	·08	—	—	—	·11	—	—	1·55	·42	—	—	28
29	—	X	—	—	·04	·02	·10	·34	—	·05	·45	·01	29
30	·26	X	—	—	—	·11	—	—	·01	·16	·25	·03	30
31	·01	X	—	X	—	X	—	·07	X	·88	X	·29	31
Total	3·66	4·72	·67	1·78	3·67	·59	4·67	1·41	2·75	2·96	3·59	8·34	YEAR'S TOTAL 38·81
Rain Days.	20	24	11	12	9	8	13	12	7	12	11	26	165

W. 8,000. X. 15.

549

FORM A.
BRITISH RAINFALL.
13. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Coxlow, Horeham Road
in the County of Sussex
by P. C. Harrison (Miss)

Lat. 50° 55' N Long. 0° 15' E
Time of Observation 9.15 a.m.
Nearest Railway Station Waldron, L.B.&S.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·02	·03	—	·13	—	—	—	·02	·03	·34	—	1
2	·47	·06	·47	—	·33	·02	—	—	—	·69	·01	—	2
3	·01	·48	·21 (Pour Snow)	—	—	·02	·03	—	·06	·38	·46	—	3
4	·19	·09	—	—	—	·45	—	—	·27	·09	·49	—	4
5	·02	·03	—	·03	·16	·07	—	—	—	·11	·49	·01 (Snow)	5
6	—	·11	·07 (Snow)	·33	·06	·43	·38	—	—	·04	·35	—	6
7	—	—	·72 (Snow)	—	·28	·10	·01	—	—	·03	·21	·03	7
8	—	·01	—	—	·27	—	—	—	—	—	·14	·34	8
9	—	—	·03 (Snow)	—	·25	·13	—	—	—	—	—	·28	9
10	—	·38	·01 (Snow)	·09	—	·10	·07	—	·01	·01	·01	·29	10
11	·03	·18	·03	·19	—	·06	—	—	—	—	—	·04	11
12	·07	·07	·09	·06	·19	·17	·17	—	—	·08	—	—	12
13	—	·21	·10	·06	·01	·01	·14	·03	—	·03	—	·02	13
14	—	·54	·01	—	·23	—	—	·06	—	·02	—	·22	14
15	—	·11	·06	—	—	—	—	·02	—	—	—	·01	15
16	—	·01	·17	·25	—	—	·14	·02	—	—	—	·02 (Snow)	16
17	·29	·17	—	·16	—	—	·03	·22	·46	·99	—	—	17
18	·02	·10	—	—	—	—	—	·16	·30	·30	·86	·01 (Snow)	18
19	·28	·01	·06	·34	—	—	—	—	·11	·01	·94	·12 (Snow)	19
20	·08	—	·06	·04	—	·01	—	·09	—	—	·07	·45	20
21	·04	—	·35	·05	—	—	·11	—	—	—	·07	·55	21
22	·01	·11 (Snow)	·07	—	—	·02	—	—	—	·11	·02	·52	22
23	·01	·27 (Snow)	·05 (Snow)	—	—	·13	·02	·04	—	·01	·09	·53	23
24	—	—	·02 (Snow)	—	·18	—	—	—	—	·27	·10	·31	24
25	—	·56 (Snow)	·10	—	—	—	—	·76	—	·14	·06	·01	25
26	·02	·37 (Snow)	—	—	—	·19	—	·25	—	·17	—	·05	26
27	·01	·17 (Snow)	·58 R & S	—	—	·75	—	·01	·12	·48	—	—	27
28	—	·58 (Snow)	·08 R & S.	—	—	·26	—	·11	·16	·56	·02	·21	28
29	—	·22 (Snow)	—	—	—	·36	—	·48	·08	·69	—	·59	29
30	—		—	—	·02	·02	—	·01	—	·38	—	—	30
31	—		—		—		—	—		·26		—	31
Total	1·63	4·86	3·37	1·60	2·11	3·30	1·10	2·26	1·59	5·88	4·73	4·61	YEAR'S TOTAL 37·04
Rain Days.	16	24	22	11	12	19	10	14	10	24	18	21	201

W. 8,000, VIII. 16

/

592
549

FORM A.
BRITISH RAINFALL.

31 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Coxlow, Horeham Road

in the County of Sussex

by P. C. Harrison (Miss)

Lat. 50° 55′ N Long. 0° 15′ E.

Time of Observation 9.15 a.m (10 Summertime)

Nearest Railway Station Waldron

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·23 (Snow)	—	—	—	1·54	·06	—	·06	·03	1
2	— ~~·02~~	—	—	·15 (Snow)	—	—	—	·19	—	—	·08	—	2
3	·02	—	—	·06 (Snow)	—	—	·44	·50	—	·20	·02	—	3
4	— ~~·34~~	·09 (Snow)	·09 (Snow)	—	—	—	·14	·14	—	·29	—	—	4
5	·34	—	·03	·10 (R ~ S.)	—	—	—	—	·59	·23	·02	—	5
6	— ~~·39~~	—	·05	·05 (R ~ S)	—	·47	—	—	·29	—	·14	·01	6
7	·39 ~~·23~~	—	—	—	—	—	·10	—	—	·73	—	·11	7
8	·03	—	—	·13	—	—	·13	·07	—	·33	·28	·12	8
9	·01	—	·03 (S + R.)	·03 (Snow)	—	—	·03	—	—	—	·01	1·01	9
10	·21 ~~·18~~	—	·14	·09 (Snow)	—	·54	—	·10	—	—	—	—	10
11	·18	·03 (Snow)	·20	·09 (Snow)	—	—	—	·02	—	·40	—	—	11
12	·01	—	·01	·09 (Snow)	—	—	—	·12	—	·34	—	—	12
13	·05 (Snow)	—	·22	—	·01	—	—	·01	·03	·66	·01	—	13
14	·01 (Snow	—	·01	·26	—	—	∟	·09	·13	·01	—	—	14
15	·01 (Snow)	—	—	—	·10	—	—	·11	—	·09	—	·05	15
16	·04 (Snow)	·08	—	·20	·20	—	—	—	—	·20	—	·77 (Snow)	16
17	·02 (Snow)	·01	—	·14	·11	—	·35	—	·32	·28	—	—	17
18	·02	·02	—	·05	·07	— ~~·16~~	·28	·09	·18	·01	—	—	18
19	—	·16	·17	—	·06	·16 ~~[illegible]~~	—	—	·15	—	—	—	19
20	—	·18	·06 (R ~ S.)	—	·71	·01	—	—	—	—	·02	—	20
21	—	·01	·01 (Snow)	—	—	— ~~·55~~	—	—	—	—	·01	·05	21
22	·02 (Snow)	—	·07 (Snow)	—	—	·55	—	·14	—	·21	—	—	22
23	—	·21	—	—	·34	—	—	·09	—	—	—	·04	23
24	—	·03	—	—	—	·01	·24	·06	—	·28	·03	·04	24
25	—	·11	·06	—	—	·02	·05	—	—	—	—	—	25
26	—	—	·02 (Snow)	—	—	—	—	·31	·08	—	·95	—	26
27	—	—	—	—	—	·05	—	1·02	—	·01	—	·01 (Snow)	27
28	—	—	·08	—	—	·99	·12	·55	—	—	—	·05 (Snow)	28
29	—	╳	·04	—	—	—	·34	—	—	·49	—	·09	29
30	·03 (Snow)	╳	·20 (R + S.)	—	—	·01	·32	·34	—	·08	—	·03	30
31	·04 (Snow)	╳	·02	╳	—	╳	·36	·02	╳	·02	╳	·07 (Snow)	31
Total	1·43	·93	1·51	1·67	1·60	2·81	2·90	5·51	1·83	4·86	1·63	2·48	YEAR'S TOTAL 29·16
Rain Days.	17	11	19	14	8	10	13	20	9	19	12	15	167

W. 8,000, IX. 17.

3·25

E+d E F.E. 113

549

FORM A. BRITISH RAINFALL.

14.1.19

REGISTER OF RAINFALL IN 1918

Kept at Coxlow, Horeham Road

in the County of Sussex

by P. C. Harrison (Miss)

Lat. 50° 55′ N Long. 0° 15′ E

Time of Observation 9.15 a.m.

Nearest Railway Station Waldron, L.B. & S.C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	—	·01	—	—	·02	—	—	·12	·10	1
2	—	·02	—	—	·01	—	—	·27	—	—	·58	·16	2
3	—	·01	·06	·05	·42	—	—	·05	—	·03	·32	·03	3
4	—	·05	·01	·05	·01	—	—	·09	·06	—	·62	—	4
5	—	·14	—	—	·03	—	—	·15	·06	·08	—	·04	5
6	·12	·17	—	·19	·22	—	—	·17	·19	·01	·05	·06	6
7	·03	·09	—	·03	·03	—	—	·02	·44	—	·05	—	7
8	—	·01	—	—	—	—	—	—	·16	·02	·07	·16	8
9	—	—	—	·04	—	·02	·23	—	·55	·43	—	·18	9
10	—	—	—	·02	—	·01	·18	—	·42	·12	—	·22	10
11	—	—	—	—	—	—	·03	—	·13	1·21	·05	·09	11
12	—	·14	—	—	·15	—	·09	—	·04	·03	—	·02	12
13	·22	—	—	—	·06	—	·12	—	·18	—	—	·03	13
14	·19	—	·02	—	—	·08	·20	—	·45	·32	—	·04	14
15	1·67	—	—	·10	—	·08	—	—	—	—	—	·20	15
16	·26	—	—	·03	—	·06	—	—	·05	·02	—	—	16
17	·28	—	—	·11	—	·19	·77	·01	—	—	—	·35	17
18	·26	—	—	—	·05	·23	—	—	·27	·09	—	·02	18
19	·08	—	·07	·04	—	·50	—	—	—	·06	—	—	19
20	·04	·15	—	·95	—	·04	1·46	—	·34	·43	·01	—	20
21	·21	—	—	·91	—	—	·28	—	·37	·07	—	·03	21
22	·16	—	—	·01	·31	—	·61	—	·59	—	—	·22	22
23	·11	—	—	—	·01	—	·36	·01	—	—	—	·06	23
24	—	·16	—	—	—	—	·20	—	·21	—	·06	·01	24
25	·01	—	—	—	—	·02	—	·29	—	·03	—	·01	25
26	—	—	—	·02	—	—	·10	—	·04	·03	·08	·19	26
27	·01	·05	·04	·03	—	—	·24	·22	·25	·02	·12	·09	27
28	—	—	·31	·01	·07	—	—	—	—	·03	·22	·01	28
29	·01		·02	·01	—	—	—	—	1·34	—	·01	—	29
30	·01		·44	—	—	—	—	—	·01	·10		·09	30
31	—		·02		—		—	—		·06		·01	31
Total	3·67 ✓	·99 ✓	1·01 ✓	2·60 ✓	1·38 ✓	1·23 ✓	4·87 ✓	1·30 ✓	6·15 ✓	3·19 ✓	2·36 ✓	2·42 ✓	YEAR'S TOTAL 31·17 ✓
Rain Days.	17 ✓	11 ✓	10 ✓	17 ✓	13 ✓	10 ✓	14 ✓	11 ✓	21 ✓	20 ✓	14 ✓	25 ✓	183 ✓

W. 8,000, IX. 17.

Sx. H5b

583

549

26 JAN

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~1~~19.

Kept at Coxlow, Horeham Road

in the County of Sussex

by Phoebe C Harrison (Miss)

Lat. 50° 55' N Long. 0° 15' E

Time of Observation 9.15 a.m.

Nearest Railway Station Waldron

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	·06	·02	—	·07	—	·02	—	—	·04	·03	·74	1
2	·30	—	·03	—	·05	—	·04	—	—	·07	·20	·14	2
3	·23	—	·47	—	·03	—	·03	—	·32	—	·04	·28	3
4	·34	·07	·29	—	—	·02	·02	·04	·03	—	·08	·11	4
5	·01	·23	·80	—	—	—	·18	—	—	—	·11	·46	5
6	·13	—	·07	—	—	—	—	—	—	—	—	·08	6
7	·09	—	·38	—	—	—	—	—	—	—	·09	—	7
8	·26	—	·12	—	—	—	—	—	—	—	·01	—	8
9	·56	—	·07	·14	·04	—	—	—	—	—	·28	—	9
10	·82	—	·08	·03	—	—	—	—	—	—	·01	·21	10
11	·39	—	·11	·43	·06	—	·08	—	—	—	—	·13	11
12	·03	—	·04	—	·03	—	·12	—	—	·08	·01	—	12
13	·02	·02	·01	·28	—	—	—	—	—	—	—	·04	13
14	·56	·01	—	·46	—	—	·11	—	·15	—	—	·10	14
15	·18	·02	·01	·10	—	—	—	—	—	—	—	·33	15
16	·30	·49	—	—	—	—	—	—	—	—	·11	·02	16
17	·01	·25	·02	·01	—	—	—	—	—	—	·20	·06	17
18	·01	·03	·04	—	—	—	—	·05	·01	—	·13	·04	18
19	·06	·30	·60	—	—	·04	·34	·21	—	—	·11	·02	19
20	·27	·06	·09	—	—	·49	·23	·15	—	—	—	—	20
21	·10	·48	·04	—	—	·06	·03	—	—	—	·04	·06	21
22	—	·02	·03	—	—	—	·14	—	·88	—	·03	·20	22
23	—	—	—	—	—	—	·01	—	·25	—	·03	·05	23
24	—	·01	—	·12	—	·01	—	—	·01	·03	·20	·06	24
25	·06	—	—	—	·02	—	—	·27	—	—	·01	—	25
26	·04	·14	·16	·16	—	—	·05	·05	·07	—	·12	·42	26
27	·48	—	—	·92	—	—	—	·39	—	—	·66	·01	27
28	—	—	·22	·08	—	—	—	1·04	—	—	·46	·38	28
29	·05		—	·02	—	·01	—	·61	—	·25	·15	·14	29
30	—		·05	·24	—	—	—	·61	—	·09	·25	·47	30
31	·07		·04		—		·02	—		·05		·03	31
TOTAL	5·79	2·19	3·79	2·99	·30	·63	1·42	3·42	1·72	·61	3·36	4·58	YEAR'S TOTAL 30·82
Days with ·01 in. or more	26	15	24	13	7	6	15	10	8	7	24	25	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

520
549
8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Coxlow, Horeham Road
in the County of Sussex
by P. C. Harrison (Miss)

Lat. 50° 55′ N Long. 0° 15′ E
Time of Observation 9 15 a.m
Nearest Railway Station Waldron
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	–	·02	·06	·07	–	·17	·02	–	·96	–	·30	1
2	–	–	·39	·01	·02	–	–	·46	·08	·08	–	·14	2
3	–	–	·01	–	–	–	–	·02	–	·02	–	·02	3
4	–	·16	–	·02	–	–	·68	·11	–	–	–	·10	4
5	–	–	·02	–	·01	–	·37	·03	·08	–	–	·04	5
6	–	–	·40	–	·25	–	·28	–	–	–	–	–	6
7	·09	–	–	·13	·08	–	·06	–	–	–	–	·03	7
8	–	–	–	·13	·04	–	·41	–	–	–	–	–	8
9	·27	·05	–	–	·08	·03	–	–	–	–	–	–	9
10	·77	·21	·17	·26	–	·16	·10	–	–	–	·03	·05	10
11	·30	·03	·05	·27	·05	·04	·56	–	–	–	–	·02	11
12	·08	·03	–	·15	–	·32	–	–	–	–	–	–	12
13	·29	·03	·26	–	–	–	–	–	–	–	·07	–	13
14	·01	·02	·42	·46	–	·02	–	–	·03	·24	·38	–	14
15	·11	–	·05	·12	–	–	–	–	·94	·55	·10	–	15
16	·01	–	·02	·01	–	–	–	–	·24	–	–	·06	16
17	·04	–	–	·03	·24	–	–	–	1·44	–	–	·08	17
18	·09	–	–	–	·07	–	–	·76	·15	–	·01	·10	18
19	·12	–	–	·19	–	–	–	–	·04	–	–	·07	19
20	·11	·10	–	·09	–	·80	–	–	·34	–	–	·01	20
21	–	–	–	–	–	–	·39	–	·05	–	–	·40	21
22	–	–	–	·45	–	–	–	–	·08	–	–	·51	22
23	–	–	–	·01	–	–	·65	–	–	–	–	·45	23
24	·03	–	·07	·01	–	–	–	–	–	–	·01	·16	24
25	–	–	–	·01	–	–	·25	–	–	–	·01	–	25
26	·08	–	·14	·04	·02	–	–	–	–	–	·01	·05	26
27	·40	·01	·01	·18	–	·05	·27	–	–	–	·38	·24	27
28	·30	·02	·16	·08	·31	–	·17	–	–	–	·06	·06	28
29	·58	–	·08	·03	·01	–	–	–	–	–	·21	·16	29
30	·03		–	–	–	·01	·09	–	·18	–	·25	·28	30
31	·03		·14		·01		–	–		·36		·34	31
													YEAR'S TOTAL
TOTAL	3·83	·66	2·41	2·74	1·26	1·43	4·45	1·40	3·65	2·21	1·52	3·67	29·23 ✓
Days with ·01 in. or more	21	10	17	22	14	8	14	6	12	6	12	23	165 ✓
Days with ·04 in. or more	16	4	12	14	9	5	14	3	11	5	7	19	119 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HOREHAM ROAD

{HOLLYCROFT}

SUSSEX

1911-20

REGIS 9 11

FORM A2. BRITISH RAINFALL

9 JAN 1912

Kept at Hollycroft-Cottage
Horeham-Road
in the County of
by John Ham

rard. Pastorelli

op 5 in.
above Ground one ft. in.
Sea Level 300 ft.
Eight o'c
on { Name Horeham-Road Waldron and
Distance one mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	...	...	·73	...	...	...	·24	...	...	·07	...	1
2	·02	...	·03	·02	·32	...	...	...	...	...	·41	·21	2
3	·04	·02	...	...	·20	...	...	...	...	...	·10	·27	3
4	·21	·03	·04	·18	...	...	...	...	...	·31	·33	·18	4
5	·03	...	...	·04	...	·06	...	...	...	·68	·02	·20	5
6	·23	...	·03	...	...	...	...	...	...	...	...	·46	6
7	·05	...	·04	...	...	...	...	...	...	·65	·86	·56	7
8	·07	...	·11	...	...	...	...	...	...	...	·80	·21	8
9	·15	...	·08	·02	...	...	...	...	...	...	·26	·06	9
10	...	·11	·04	·15	...	...	...	...	...	...	·07	·70	10
11	·49	...	·04	...	...	...	...	...	...	...	1·42	...	11
12	·04	...	·77	...	...	...	...	...	...	...	·13	...	12
13	...	...	·07	...	·17	...	...	...	·69	·19	·01	·33	13
14	...	·10	...	...	·17	...	...	...	...	...	...	·56	14
15	...	·05	·25	...	...	...	...	...	...	...	·15	·06	15
16	...	·01	·01	...	...	...	...	...	...	...	·60	·17	16
17	...	...	...	...	...	·62	...	...	...	·01	·40	·14	17
18	...	·10	·05	...	...	·03	...	...	...	...	·80	·41	18
19	...	...	...	...	...	·02	...	...	·11	·26	·12	·07	19
20	·03	...	·02	...	...	·09	...	·64	·19	·25	...	·73	20
21	·02	·18	...	...	...	...	...	·02	...	1·02	...	·23	21
22	·03	·03	·30	...	...	...	...	...	...	·73	...	·58	22
23	·03	·23	...	...	...	·06	...	...	·41	·94	...	·24	23
24	·01	·18	...	...	...	·97	·10	...	...	·37	...	·46	24
25	...	·02	·40	·08	...	·04	...	...	·09	·02	...	...	25
26	...	...	·25	·28	...	·22	...	...	...	·41	·12	·31	26
27	...	·45	·23	·13	...	·24	...	...	·04	·56	·05	·10	27
28	...	·30	...	·15	...	...	...	·03	...	...	...	·02	28
29	...		...	·03	...	·12	·34	·02	·26	·68	...	...	29
30	...		·01	·03	...	·09	...	...	·04	·33	...	·04	30
31	...		...		...		...	...		...		·01	31
Total	1·55	1·81	2·77	1·84	0·86	2·56	·44	·95	1·83	7·41	6·72	7·31	TOTAL for year 36·05
No. of Rain Days.	16	14	19	12	4	12	2	5	8	16	19	26	153

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.
9 JAN 1912

Kept at Hollycroft Cottage
Horsham-Road
in the County of Sussex 5
by John Hamlin

Rain Gauge
Pattern Howard. Pastorelli & Rapkin
Diameter of top 5 in.
Height of top above Ground one ft. in.
" " Sea Level 300 ft.
Time of Observation Eight o'c
Nearest Railway Station
Name Maldron and Horsham-Road
Distance one mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	...	...	·73	...	...	...	·24	...	...	·07	...	1
2	·02	...	·03	·02	·32	...	...	...	...	...	·41	·21	2
3	·04	·02	...	...	·20	...	...	...	...	...	·10	·27	3
4	·21	·03	·04	·18	...	...	...	...	...	·31	·33	·18	4
5	·03	...	...	·04	...	·06	...	...	...	·68	·02	·20	5
6	·23	...	·03	...	...	...	...	...	...	...	...	·46	6
7	·05	...	·04	...	...	...	...	...	...	·65	·86	·56	7
8	·07	...	·11	...	...	...	...	...	...	...	·80	·21	8
9	·15	...	·08	·02	...	...	...	...	...	...	·26	·06	9
10	...	·11	·04	·15	...	...	...	...	...	...	·07	·70	10
11	·49	...	·04	...	...	...	...	...	...	...	1·42	...	11
12	·04	...	·77	...	...	...	...	...	...	...	·13	...	12
13	...	...	·07	...	·17	...	...	...	·69	·19	·01	·33	13
14	...	·10	...	...	·17	...	...	...	...	...	...	·56	14
15	...	·05	·25	...	...	...	...	...	...	...	·15	·06	15
16	...	·01	·01	...	...	...	...	...	...	...	·60	·17	16
17	...	...	...	...	...	·62	...	...	...	·01	·40	·14	17
18	...	·10	·05	...	...	·03	...	...	...	...	·80	·41	18
19	...	...	...	...	...	·02	...	...	·11	·26	·12	·07	19
20	·03	...	·02	...	...	·09	...	·64	·19	·25	...	·73	20
21	·02	·18	...	...	...	...	...	·02	...	1·02	...	·23	21
22	·03	·03	·30	...	...	...	...	...	...	·73	...	·58	22
23	·03	·23	...	...	...	·06	...	...	·41	·94	...	·24	23
24	·01	·18	...	...	...	·97	·10	...	...	·37	...	·46	24
25	...	·02	·40	·08	...	·04	...	...	·09	·02	...	...	25
26	...	...	·25	·28	...	·22	...	...	...	·41	·12	·31	26
27	...	·45	·23	·13	...	·24	...	...	·04	·56	·05	·10	27
28	...	·30	...	·15	...	...	...	·03	...	...	...	·02	28
29	...		...	·03	...	·12	·34	·02	·26	·68	...	...	29
30	...		·01	·03	...	·09	...	...	·04	·33	...	·04	30
31	...		...		...		...	...		...		·01	31
Total	1·55	1·81	2·77	1·84	0·86	2·56	·44	·95	1·83	7·41	~~6·02~~ 6·72	7·31	TOTAL for year 36·05
No. of Rain Days.	16	14	19	12	4	12	2	5	8	16	19	26	153

W. 8,000, X. '11.

Ex M L

FORM A21 2.

BRITISH RAINFALL
6 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Hollycroft Cottage Horeham Road

in the County of Sussex 5

by John Hamlin

RAIN GAUGE
Pattern Howard Pastorelli
Diameter of top 5 in.
Height of top above Ground one ft. — in.
" " " Sea Level 300 ft.

Time of Observation 9 oc a.m.

Nearest Railway Station
Name Waldron & Horeham Rd
Distance one mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	· · ·	·11	· · ·	·01	·23	·05	· · ·	·02	·65	· · ·	·31	1
2	· · ·	·02	·27	· · ·	· · ·	·01	·15	· · ·	· · ·	· · ·	· · ·	· · ·	2
3	·02	· · ·	·04	· · ·	· · ·	·23	·02	·21	·02	· · ·	· · ·	· · ·	3
4	·31	· · ·	·83	· · ·	·02	·31	· · ·	·21	· · ·	· · ·	·24	· · ·	4
5	·13	·11	·13	· · ·	· · ·	·26	· · ·	·16	· · ·	· · ·	·13	·02	5
6	·58	·11	· · ·	· · ·	·03	· · ·	· · ·	1·14	· · ·	· · ·	·02	·03	6
7	· · ·	· · ·	·01	· · ·	·30	·55	· · ·	·47	· · ·	· · ·	· · ·	·16	7
8	·43	·25	·20	· · ·	· · ·	·06	·04	· · ·	· · ·	· · ·	· · ·	·05	8
9	·10	·08	· · ·	·03	· · ·	· · ·	·11	·25	· · ·	· · ·	· · ·	·07	9
10	· · ·	·06	·03	· · ·	· · ·	· · ·	· · ·	·62	· · ·	· · ·	·10		10
11	·03	·32	· · ·	· · ·	· · ·	·15	· · ·	·01	·01	· · ·	· · ·	two days ·68	11
12	·01	·25	·02	· · ·	·03	·03	· · ·	·35	· · ·	·01	·03	·05	12
13	· · ·	· · ·	·06	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	· · ·	·21	·13	13
14	· · ·	· · ·	· · ·	· · ·	·05	· · ·	· · ·	·10	· · ·	·06	· · ·	·03	14
15	· · ·	·05	·12	· · ·	·13	·64	· · ·	· · ·	· · ·	· · ·	· · ·	·31	15
16	·08	· · ·	·25	· · ·	·52	· · ·	· · ·	·19	· · ·	·13	·02	· · ·	16
17	·22	· · ·	·43	· · ·	· · ·	·06	· · ·	·08	· · ·	· · ·	· · ·	·09	17
18	·08	·02	·46	· · ·	· · ·	· · ·	· · ·	·20	· · ·	·03	· · ·	·64	18
19	·07	·16	·31	· · ·	· · ·	· · ·	·02	·45	· · ·	· · ·	·05	· · ·	19
20	·02	· · ·	·85	· · ·	· · ·	· · ·	·10	·04	· · ·	·85	·06	· · ·	20
21	·01	·12	·30	· · ·	· · ·	· · ·	· · ·	·32	· · ·	·47	·07	· · ·	21
22	·03	·49	·20	· · ·	·05	· · ·	·04	·28	· · ·	· · ·	· · ·	·02	22
23	·31	·25	·40	· · ·	· · ·	· · ·	· · ·	·48	·01	·13	·22	·03	23
24	·07	·02	· · ·	· · ·	· · ·	· · ·	·02	·26	· · ·	· · ·	· · ·	·12	24
25	·16	·03	· · ·	· · ·	· · ·	·38	· · ·	·93	· · ·	· · ·	·33	·65	25
26	· · ·	·05	· · ·	· · ·	· · ·	· · ·	·01	·15	· · ·	·34	·57	·40	26
27	· · ·	·01	· · ·	· · ·	· · ·	· · ·	·02	· · ·	· · ·	·30	·01	·45	27
28	· · ·	·06	· · ·	· · ·	· · ·	·02	·13	·09	·03	·86	·50	·29	28
29	· · ·	·02	· · ·	·03	· · ·	· · ·	·19	·42	1·85	·20	·04	· · ·	29
30	· · ·		·03	· · ·	·46	· · ·	·01	·30	1·60	·37	· · ·	· · ·	30
31	· · ·		· · ·		· · ·		·38	·23		· · ·		· · ·	31
Total	2·68	2·48	5·05	0·06	1·60	2·93	1·29	7·94	3·54	4·40	2·60	4·53	TOTAL for year 39·10
No. of Rain Days.	19	20	20	2	10	13	15	25	7	13	16	21	181

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

19 JAN 1914

#4 DS

cor? 11-II-14

REGISTER OF RAINFALL IN 1913

Kept at "Hollycroft Cottage" Horeham Road

in the County of Sussex

by John Hamlin

5

Lat. 50° 56' 40" N Long. 0° 14' 30" E

Time of Observation 9 a.m.

Nearest Railway Station Horeham Road

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground one ft. – in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·44	·13	·16	...	·03	...	...	...	·10	·12	·10	1
2	·03	·20	...	...	·02	...	·12	...	·03	·05	·11	·02	2
3	...	...	·05	·85	·20	...	...	...	·02	...	·01	·26	3
4	·21	...	·08	·01	·02	...	·03	...	1·05	·11	·13	...	4
5	·06	·08	·03	...	...	·12	·09	...	·52	·11	·31	·01	5
6	...	·03	·10	...	·02	·11	·35	...	...	·62	·36	·14	6
7	...	·33	·07	·05	...	·11	·23	...	·01	·16	·14	·01	7
8	...	·12	·02	...	·13	·07	...	·01	·01	·19	·10	...	8
9	...	·06	...	·02	·12	...	·08	...	·12	·04	·02	...	9
10	·02	...	...	·05	...	...	·97	...	...	...	1·07	...	10
11	·84	...	...	·60	...	...	...	...	...	·81	·07	...	11
12	...	...	...	...	·25	...	...	...	...	...	1·04	·01	12
13	·58	...	·05	...	...	...	...	·02	·03	·02	·22	...	13
14	·30	...	·19	·10	...	...	·85	·02	·12	·04	·23	·01	14
15	·15	...	·31	·47	...	...	·39	...	·02	...	·01	...	15
16	·21	...	·56	·28	...	...	·01	...	·25	...	...	·03	16
17	·10	·07	·05	·16	...	...	·31	...	...	...	·03	...	17
18	·01	...	·10	·28	...	...	·05	...	·01	...	·20	...	18
19	·26	...	·10	...	·01	...	·11	...	·29	...	...	...	19
20	·81	...	·04	·13	·03	...	...	...	·01	·60	·06	...	20
21	·02	...	·04	·22	...	·29	·01	...	·04	·73	·71	...	21
22	·33	...	·20	...	...	...	·03	...	·08	·03	·01	...	22
23	...	...	·05	...	...	...	·03	·07	...	...	...	·70	23
24	·12	~~·07~~	...	·02	...	·04	...	·08	·01	...	·18	...	24
25	...	·01	...	·19	...	·03	...	...	...	...	·01	·01	25
26	...	...	·10	...	...	...	...	·12	...	1·10	...	·28	26
27	·01	...	·05	...	·18	...	·01	...	...	·12	...	...	27
28	·15	...	·32	·11	...	...	...	...	...	·29	·01	...	28
29	·15		·04	·53	·08	...	...	·23	...	·01	...	...	29
30	·72		...	·32	·01	...	...	·19	·02	·09	...	·02	30
31	...		·09		...		...	·82		·10		...	31
Total	5·11	1·34	2·79 2·77	4·55	1·07	0·80	3·67	1·56	2·64	5·32 5·32	5·15	1·60	YEAR'S TOTAL 35·58 35·58
Rain Days.	Twenty-one 21	9	23	19	12	8	17	9	18	20	23	13	192 192

W.7,000, XI, 13

√

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 FEB 1915

Kept at Dollycroft Cottage Horeham-Road
in the County of Sussex 5
by John Hamlin

Lat. 50° 56' 40" Long. 0° 14' 30" E
Time of Observation 9 o'c AM
Nearest Railway Station Waldron & Horeham Road
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	·03	—	—	·03	·03	—	—	·09	·19	1
2	—	—	—	—	—	·01	·22	·03	—	—	·14	·17	2
3	—	—	·17	·02	·27	—	·02	·04	—	—	·01	—	3
4	—	·01	·01	·33	·01	—	—	·11	—	—	·39	·44	4
5	·15	—	·10	·36	·03	—	·20	·01	—	—	—	—	5
6	—	·07	·01	·26	·05	·10	—	·07	—	—	—	·80	6
7	·01	·52	·19	·06	·01	·04	·15	—	—	—	·01	·28	7
8	·18	·43	·49	—	—	·10	·10	·10	—	—	—	·15	8
9	·20	—	·60	·08	—	·15	—	—	·15	—	—	1·69	9
10	·04	—	·02	·13	·09	—	—	—	·06	—	·02	·05	10
11	—	·53	·52	·05	·03	—	—	—	·27	—	·06	·42	11
12	—	·06	·11	—	—	·06	·22	—	·44	—	·01	·61	12
13	·01	·72	·41	—	—	·17	—	—	·15	·03	·15	·55	13
14	—	·24	·30	—	—	—	—	—	·01	·34	·20	·48	14
15	—	·06	·38	—	—	—	·02	·04	—	—	·90	—	15
16	—	·19	·01	—	—	—	·11	—	·08	—	—	—	16
17	—	·41	·07	—	—	—	·01	—	·20	—	—	·32	17
18	—	·05	·21	—	—	—	—	—	—	·01	—	·58	18
19	—	·14	1·25	—	—	—	·19	—	—	·09	·36	·26	19
20	—	·18	·08	—	—	·02	·01	—	—	·02	—	·36	20
21	—	·91	·05	—	—	—	—	·03	—	·03	—	·02	21
22	—	·08	·03	—	·06	·27	·22	·08	—	·28	—	—	22
23	—	—	·53	—	·01	·66	·01	·01	—	·02	—	·03	23
24	·02	—	·03	—	—	—	—	—	—	·02	·20	—	24
25	·13	—	·16	—	—	—	—	·08	—	·33	·06	—	25
26	·01	—	·03	—	—	—	01	·32	—	·11	·15	·57	26
27	—	·01	—	—	—	—	—	·09	—	—	·15	·63	27
28	·05	·02	—	—	—	—	—	—	—	·35	·32	·53	28
29	·14		·01	·01	—	—	—	—	—	·78	·20	—	29
30	·01	X	·12	—	—	—	—	—	—	09	1·60	·20	30
31	·05	X	—	X	·27	X	·01	—	X	—	X	·09	31
Total	1·00	4·63	5·91	1·33	0·83	1·58	1·53	1·04	1·36	2·50	5·02	9·42	YEAR'S TOTAL 36·15
Rain Days.	13	18	27	10	10	10	16	14	8	14	19	23	182

√

W. 8,000. X. 14.

634

FORM A.
BRITISH RAINFALL.

3 - JAN

REGISTER OF RAINFALL IN 1915

Exc D.

Kept at Dollycroft Cottage
in the County of Horeham-Road . Sussex 5
by John Hamlin

Lat. N 50° 56' 40" Long. E 0. 14. 30
Time of Observation 9-oc AM
Nearest Railway Station Horeham - Road
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·53	0·22	0·03	...	...	...	...	...	0·63	...	0·16	0·36	1
2	·54	·21	·30	·20	...	...	...	·01	...	·09	...	·20	2
3	·38	...	·02	·29	·09	...	...	·07	·06	...	...	·28	3
4	·06	...	...	...	...	...	...	·11	...	...	...	·56	4
5	·05	·40	...	·35	...	...	...	·12	...	·01	...	·60	5
6	·53	·31	·07	·62	...	...	·29	·21	...	...	...	·10	6
7	·29	·42	·04	·07	...	...	·14	...	...	...	...	·43	7
8	·03	·41	·02	...	...	...	·25	...	...	...	·03	...	8
9	·02	·18	...	·14	...	·09	...	·03	...	...	·56	1·00	9
10	·34	...	...	...	...	·06	...	·06	...	...	...	·74	10
11	...	·06	...	...	...	...	...	...	...	...	·82	...	11
12	·07	·15	...	·17	·24	...	...	...	...	·02	·97	...	12
13	·01	1·08	...	...	1·86	...	...	...	·07	...	...	...	13
14	·07	·03	...	...	...	...	·27	·20	·05	...	...	·59	14
15	·21	...	...	...	·06	...	·25	·04	...	...	·16	·43	15
16	...	·71	...	·03	·10	...	1·56	·11	...	...	·02	·01	16
17	...	·55	...	...	·91	...	...	...	...	...	...	·16	17
18	...	·22	·03	...	·15	...	...	...	...	...	·02	·02	18
19	...	·14	...	...	...	...	·02	...	...	...	·02	...	19
20	·27	...	...	·01	·24	...	...	...	...	...	...	·21	20
21	·11	·01	...	...	...	...	...	...	...	·15	...	·05	21
22	·06	...	·08	...	...	...	1·22	...	...	...	...	·21	22
23	·04	·05	...	...	...	...	·10	...	...	·19	...	·85	23
24	...	...	·10	...	...	...	·07	...	·20	·65	...	·56	24
25	...	...	...	·02	...	...	·40	...	...	...	...	·28	25
26	...	·09	...	...	...	·10	...	...	...	...	...	·66	26
27	...	·02	...	...	...	·05	·13	...	...	·34	...	·03	27
28	...	·10	...	...	...	·10	·01	...	1·40	·45	...	...	28
29	...	✗	...	...	·01	·31	·10	·35	...	·03	·56	...	29
30	·24	✗	...	...	...	·46	...	...	...	·13	·28	·03	30
31	·01	✗	...	✗	...	✗	...	...	✗	·96	✗	·31	31
Total	3·86	5·36	0·69	1·90	3·66	1·17	4·81	1·31	2·41	3·02	3·60	8·67	YEAR'S TOTAL 40·46
Rain Days.	20	20	9	10	9	7	14	11	6	11	11	24	15·2

W. 8,000. X. 15.

625

[illegible] ~~[illegible]~~ [illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at Horeham-Road

in the County of Sussex

by John Hamlin

Lat. 50° 56' 40" Long. 0° 14' 30" E

Time of Observation 9 o'c

Nearest Railway Station one mile

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·01	—	—	·13	·04	—	—	·03	·02	·35	—	1
2	·52	·07	·68	—	·38	—	—	—	—	·59	·02	—	2
3	·01	·59	·21	—	—	·01	·02	—	·06	·38	·48	—	3
4	·26	·16	—	—	—	·41	—	—	·27	·04	·57	—	4
5	·02	03	—	02	·17	·07	—	—	—	·13	(57)	—	5
6	—	·17	·05	·30	·06	·30	·38	—	—	·07	39	—	6
7	02	—	·71	—	·27	·09	·01	—	—	·02	·31	·03	7
8	—	—	—	—	·19	—	—	—	—	—	·06	·39	8
9	—	—	·03	—	·29	05	—	—	—	—	—	·34	9
10	—	·41	·01	·08	—	·10	·05	—	·03	—	—	·27	10
11	·02	·25	·02	17	·01	·07	—	—	·02	—	—	03	11
12	·06	·05	·08	·08	·12	·15	·23	—	—	·09	·01	—	12
13	—	·23	·13	·08	·02	·01	·13	·07	·01	·02	—	·01	13
14	—	·50	—	—	·20	—	—	·07	—	—	—	·19	14
15	—	12	·10	—	—	—	—	·02	—	—	—	·02	15
16	·01	·01	·16	·29	—	—	·14	·02	—	·02	—	—	16
17	·32	·16	—	·16	—	—	·02	·02	·42	1·17	—	—	17
18	·02	·10	·07	·01	—	—	—	·13	·39	·35	·71		18
19	·35	·02	—	·35	—	·01	—	—	·11	—	·96	·21	19
20	·09	—	·03	·03	—	—	—	·09	—	—	·06	·44	20
21	·05	—	·34	·04	—	—	·16	—	—	—	·03	·65	21
22	·01	—	·09	—	—	—	—	—	—	·09	·02	·57	22
23	·01	·13	·04	—	—	·20	·02	·06	—	·04	·10	·04	23
24	—	—	·02	—	·78	—	—	—	—	·27	·18	·33	24
25	—	·40	·12	—	—	—	—	1·67	·01	·16	·05	—	25
26	·03	18	—	—	—	·09	—	·17	—	·16	·02	·04	26
27	·01	·20	·67	·08	—	·70	—	·04	·14	·38	—	—	27
28	—	·50	·05	—	—	·16	—	·10	·14	·40	—	23	28
29	—	25	02	—	—	·36	—	·55	·06	·77	—	·52	29
30	—	×	—	—	·03	·02	—	·02	—	·43	—	—	30
31	—	×	—	×	—	×	—	—	×	·24	×	—	31
Total	1·91	4·54	3·6~~2~~ 3·63	1·69	2·05	2·84	1·16	3·03	1·69	5·84	4·89	4·36 4·36	YEAR'S TOTAL 37·6~~2~~ 37·63
Rain Days.	18	22	21	13	13	18	10	14	13	22	18	17	199

W. 8,000, VIII. 16

594

FORM A.
BRITISH RAINFALL.

9 - JA 18

REGISTER OF RAINFALL IN 1917

Kept at "Hollycroft" Horeham-Road

in the County of Sussex

by John Hamlin

Lat. N 50° 56' 40" Long. E 0° 14' 30"
Time of Observation 9 a.m.
Nearest Railway Station Waldron & Horeham-Road
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	. .	. .	. .	0.25	. .	. .	. .	1.55	.05	.01	.05	. .	1
2	. .	. .	. .	.17	. .	. .	. .	.19	. .	. .	.07	. .	2
3	. .	. .	. .	.08	. .	. .	.47	.56	. .	.23	.06	. .	3
4	. .	.07	.09	. .	. .	. .	.20	.15	. .	.44	. .	. .	4
5	.34	. .	. .	.09	. .	. .	. .	. .	.57	23	.02	. .	5
6	. .	. .	12	.05	. .	.40	. .	. .	.21	.	.15	. .	6
7	.45	. .	. .	. .	. .	. .	.13	. .	. .	1.11	. .	.18	7
8	.03	. .	. .	.13	. .	. .	.09	.05	. .	.32	.28	.13	8
9	. .	. .	.04	.02	. .	. .	.05	. .	. .	.01	.02	1.01	9
10	.18	. .	.13	.13	. .	.45	. .	.14	. .	. .	. .	. .	10
11	.22	.05	.17	.22	. .	. .	. .	.02	. .	.51	. .	. .	11
12	.01	. .	. .	.08	. .	. .	. .	.11	. .	.28	.01	. .	12
13	.06	. .	.26	. .	. .	. .	. .	.02	.02	.66	.01	.01	13
14	. .	. .	. .	.27	. .	. .	. .	.70	.02	. .	. .	. .	14
15	.01	. .	. .	. .	.16	. .	. .	.15	. .	.09	. .	.07	15
16	.04	.11	. .	.30	.19	. .	. .	. .	. .	.29	. .	.49	16
17	. .	.02	. .	.14	.15	. .	.37	. .	.32	.29	. .	. .	17
18	.03	.02	. .	.05	.07	. .	.38	.09	.21	. .	. .	. .	18
19	. .	.16	.19	. .	.08	.17	. .	. .	.18	. .	.02	. .	19
20	. .	.18	.05	. .	.64	.01	. .	01	.04	.01	.03	. .	20
21	.01	.01	.01	. .	. .	. .	. .	. .	. .	. .	.01	.16	21
22	. .	. .	.05	. .	. .	.59	. .	.15	. .	.25	. .	. .	22
23	. .	.22	. .	. .	.34	. .	. .	.17	. .	. .	. .	.04	23
24	. .	.03	. .	. .	. .	.02	.20	.08	~~.07~~	.34	.15	. .	24
25	. .	.12	.06	. .	. .	.02	.04	. .	.01	. .	~~1.01~~	. .	25
26	. .	. .	.04	. .	. .	.01	. .	.34	.09	. .	1.01	. .	26
27	. .	. .	. .	. .	. .	.06	. .	1.12	. .	. .	~~.07~~	. .	27
28	. .	. .	.08	. .	. .	.98	.11	.73	. .	. .	.01	. .	28
29	. .	×	. .	. .	. .	. .	.34	.02	. .	.54	. .	.17	29
30	.03	×	.24	. .	. .	.01	.46	.30	. .	.13	. .	.03	30
31	.01	×	.02	×	. .	×	.51	.01	×	.02	×	.04	31
Total	1.42	0.99	1.55	1.98	1.63	2.72	3.35	6.66	1.72	5.76	1.90	2.33	YEAR'S TOTAL 32.01
Rain Days.	13	11	15	14	7	11	13	22	11	19	15	11	162

W. 8,000, IX. 17.

10.11.19

125

~~W.~~ E.R.E.

REGISTER OF RAINFALL IN 19~~19~~18.

FORM A.
BRITISH RAINFALL.

Kept at Hollycroft Cottage

in the County of Horeham-Road Sussex

by John Hamlin

Lat. N 50° 56′ 40″ Long. E 0° 14′ 32″

Time of Observation 9-0c AM

Nearest Railway Station Waldron & Horeham Road

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	...	·01	...	...	...	...	...	...	...	...	·12	·12	1
2	...	·02	...	...	...	...	...	·28	...	...	·53	·20	2
3	...	...	·08	·06	·43	...	...	·06	...	·05	·29	·02	3
4	...	·07	...	·03	·03	...	...	·10	·09	...	·79	...	4
5	...	·12	...	...	·02	...	...	·27	·04	·12	...	·06	5
6	0·17	·20	...	·20	·25	...	...	·18	...	·01	...	·07	6
7	·02	·09	...	·04	·03	...	...	·03	·54	·03	·06	...	7
8	...	·02	...	...	...	...	...	...	·15	...	·09	·21	8
9	...	...	...	...	...	·04	·28	...	·73	·50	...	·13	9
10	·03	...	...	·06	...	·02	·23	...	·41	·15	...	·32	10
11	...	...	...	...	...	...	·08	...	·26	1·01	·05	·10	11
12	...	·15	...	...	·28	...	·14	...	·12	·14	...	·02	12
13	·47	...	...	...	·06	...	·16	...	·16	...	...	·02	13
14	·22	...	·03	...	...	·09	·20	...	·47	·33	...	·06	14
15	1·71	...	...	·12	...	·07	·01	...	...	...	...	·20	15
16	·48	...	...	·04	...	·12	...	...	·04	·04	...	...	16
17	·15	...	...	·10	...	·17	·80	·02	...	...	...	·41	17
18	·30	...	...	...	...	·25	...	...	·40	·09	...	·02	18
19	·08	...	·09	·04	...	·43	·01	...	...	·06	...	...	19
20	·04	·17	...	1·02	...	·04	1·22	...	·37	·40	·02	...	20
21	·24	...	...	1·04	...	...	·25	...	·42	·10	...	·03	21
22	·16	...	...	...	·33	...	·70	...	·52	...	...	·33	22
23	·14	...	...	...	·03	...	·39	...	...	...	...	·07	23
24	...	·17	...	...	...	·03	·11	...	·29	...	·13	...	24
25	·01	...	...	...	...	·03	·01	·38	...	·03	...	...	25
26	...	...	...	·05	...	...	·13	...	·04	·03	·08	·22	26
27	·01	·06	...	·08	...	...	·14	·26	·18	...	·10	·09	27
28	...	...	·40	·01	·08	...	...	...	...	·01	·22	·01	28
29	...		...	...	...	...	...	...	1·14	...	·01	...	29
30	·02	X	·50	...	...	...	...	...	...	·14	...	·09	30
31	...	X	·01	X	...	X	...	...	X	·06	X	·01	31
Total	4·25	1·08	1·11	2·89	1·54	1·29	4·86	1·58	6·[illegible]	3·30	2·49	2·81	YEAR'S TOTAL 33·57 ~~33·93~~
Rain Days.	17	11	6	14	10	11	17	9	19	19	13	23	169

6.37

W. 8,000, IX. 17.

PLEASE fill in name of place and month.

RAINFALL at Hollycroft Cottage *in the Month of* Sept 1918

FORM C.
BRITISH RAINFALL.
W. 8,000. IX. 17.

14 MAR 19

DATE	Inches	REMARKS ON THE DAYS.
1		
2		
3		
4	·09	
5	·04	
6		
7	·54	
8	·15	
9	·73	Copy
10	·41	
11	·26	
12	·12	
13	·16	
14	·47	
15		
16	·04	
17		
18	·40	
19		
20	·37	
21	42	adds to
22	52	
23		6 37
24	29	
25		
26	04	
27	·18	
28		
29	1·14	
30		
31	6·37	
TOTAL	~~6·73~~	No. of Days with Rain

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

POST CARD.

ADDITIONAL REMARKS.

Daily readings correct. grand total transposed. should be 6·37

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the

Min. ,, ,, ,, ° on the

Temp. in shade, at or below 32° on days.

,, on grass, ,, ,, 32° on days.

SIGNED..

No writing on this side of the line.

½ POSTAGE REVENUE ½

HALFPENNY

OREHA

Dr. H. R. MILL,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W. 1.

6 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at "Hollycroft" Horeham Road

in the County of Sussex

by John Hamlin

Lat. N 50° 56' 40" Long. E 0° 14' 30"

Time of Observation 9. AM

Nearest Railway Station Waldron & Horeham Road

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground one ft — in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44	·02	—	—	·07	-	·04	-	-	·05	·04	·93	1
2	·29	—	·07	—	·15	-	·04	-	-	·07	·22	·15	2
3	·28	—	·45	—	·03	-	·13	-	·25	-	·03	·26	3
4	·39	·07	·42	—	-	·02	·03	·05	·04	-	·08	·07	4
5	·01	·20	·79	—	-	-	·13	-	-	-	·13	·49	5
6	·14	·15	·06	—	-	-	-	-	-	-	·01	·07	6
7	·12	—	·48	—	-	-	-	-	-	-	·08	-	7
8	·33	—	·11	—	-	-	-	-	·02	-	·01	-	8
9	·55	—	·06	·20	·05	-	-	-	-	-	·28	-	9
10	·73	—	·10	·04	-	-	-	-	-	-	-	·20	10
11	·38	—	·13	·50	·05	-	·16	-	-	-	-	·19	11
12	·06	—	·04	—	—	-	·10	-	-	·09	·02	-	12
13	—	—	·01	·35	—	-	-	-	-	-	-	·05	13
14	·68	—	—	·62	—	-	·17	-	·17	-	-	·08	14
15	·21	·04	—	·05	—	-	-	-	-	-	-	·35	15
16	·19	·50	—	—	—	-	-	-	-	-	·12	—	16
17	—	·29	—	—	—	-	-	-	-	-	·19	·09	17
18	—	·03	·06	—	—	—	-	·07	·02	-	·15	·08	18
19	·06	·35	·78	—	-	·06	·32	·18	-	-	·15	·02	19
20	·34	·07	·10	—	-	·58	·21	·18	—	—	-	·02	20
21	·10	·53	·04	—	-	-	·03	-	-	-	·03	·05	21
22	—	·04	·03	—	-	-	·16	-	·81	-	·03	·20	22
23	—	—	—	—	—	—	·02	-	·43	-	·03	·04	23
24	—	—	—	·14	-	·04	-	-	·02	·06	·21	·14	24
25	·08	—	—	—	·02	-	-	·37	-	-	·01	-	25
26	·04	·12	·11	·10	-	-	·03	·06	·06	-	·10	·51	26
27	·42	—	·05	1·01	-	-	-	·48	-	-	·22	·02	27
28	—	—	·04	·04	-	-	-	1·06	-	-	·86	·46	28
29	·10		·10	·03	-	-	-	·40	-	·24	·16	·14	29
30	—		·05	·23	-	-	-	·38	-	·12	·25	·57	30
31	·11		·02		-		·02	-		·07		·03	31
TOTAL	6·05	2·41	4·10	3·31	0·37	0·70	1·59	3·23	1·82	·70	3·41	5·21	YEAR'S TOTAL 32·90
Days with ·01 in. or more	23	13	23	12	6	4	15	10	9	7	24	25	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CX ML 522

JAN

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at "Hollycroft" Horsham-Road
in the County of Sussex.
by John Hamlin

Lat N 50° 56' 40" Long E 0° 14' 30"
Time of Observation 9 o'c AM
Nearest Railway Station Horsham-Road
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. ... in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11		·02	·05	·08		·22	Trace		1·05		·26	1
2			·42					·41	·08	·10		·14	2
3									·01	·06		·07	3
4		·13	·01	·04			·74	·18				·07	4
5			·01				·39	·03	·08				5
6			·35		·28		·39						6
7	·08			·14	·11		·04					·06	7
8				·10	·07		·44						8
9	·23	·05		·01	·17	·03							9
10	·84	·21	·20	·28		·20	·12				·03	·07	10
11	·45	·05	·06	·27	·06	·04	·45					Trace	11
12	·08	·04	·01	·17		·33					·01		12
13	·29	·04	·30								·09		13
14		·02	·48	·55		·03			·05	·22	·43		14
15	·11	·01	·06	·11					1·12	·55	·17		15
16			·02	·02	·02				·14			·07	16
17	·02			·03	·29				1·23			·09	17
18	·11				·07			·70	·32			·09	18
19	·10			·19					·05			·06	19
20	·10	·11		·11		·83			·35			·01	20
21							·51		·06			·41	21
22	·01			·57					·05			·46	22
23				·01			·79		Trace			·48	23
24			·08	·02								·17	24
25					·02		·34						25
26	·13	#	·15	·06							·03	·07	26
27	·60	·02		·18		·08	·25				·35	·24	27
28	·36	·02	·18	·05	·31		·22				·07	·06	28
29	·74		·07	·14							·23	·19	29
30	·03	✕					·09		·76		·30	·28	30
31	·03	✕	·12	✕	·01	✕			✕	·32	✕	·40	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	4·42	·70	2·54	3·10	1·49	1·54	4·99	1·32	3·70	2·30	1·71	3·75	31·56
Days with ·01 in. or more	19	11	17	21	12	7	14	4	13	6	10	21	155
Days with ·04 in. or more	15	7	12	16	9	5	14	3	12	6	7	20	126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2/3/51

REG

HORL~~EY~~

SUSSEX

1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Hurstpie ... 0 ... am ... Horley

in the County of W. Su ... 5 in.

by Arthur Eliot ... ove Ground 7 ~~xx~~ inches in.

Sea Level ... ft.

IMPORTANT NOT ... d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(·05)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·00	·92	1
2											·07	·08	2
3											·14	·11	3
4											·01	·00	4
5											·36	·30	5
6											·05	·00	6
7											·02	·30	7
8											·00	·31	8
9											·01	·05	9
10											·00	1·52	10
11											·00	·09	11
12											·07	·35	12
13											·00	·40	13
14											·15	1·37	14
15											·07	·58	15
16											1·12	·02	16
17											·00	·00	17
18											·03	·14	18
19											·00	·48	19
20											·19	·36	20
21											·00	·03	21
22											·00	·04	22
23											·00	·01	23
24											·00	·01	24
25											·20	·00	25
26											·01	·00	26
27										·09	·23	·65	27
28										·00	·07	·52	28
29										·19	·76	·58	29
30										·47	·04	·00	30
31										·08		·45	31
Total											·92 ~~3·60~~	(·05) ~~9·67~~	YEAR'S TOTAL
Rain Days.											4·52✓	8·79	

19 25

2/3/51

REG

0

FORM A. BRITISH RAINFALL. 12 JAN 1915

Kept at Hendspreen House
in the County of W. Crawley Sussex
by Arthur Eliot Robinson

Time of Observation 9 am
Nearest Railway Station Horley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 inches in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·05)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·00	·92	1
2											·07	·08	2
3											·14	·11	3
4											·01	·00	4
5											·36	·30	5
6											·05	·00	6
7											·02	·30	7
8											·00	·31	8
9											·01	·05	9
10											·00	1·20	10
11											·00	·03	11
12											·07	·55	12
13											·00	·40	13
14											·15	1·37	14
15											·07	·58	15
16											1·12	·02	16
17											·00	·00	17
18											·03	·14	18
19											[illegible]	·48	19
20											·19	·36	20
21											·00	·03	21
22											·00	·04	22
23											·00	·01	23
24											·00	·01	24
25											·20	·00	25
26											·01	·00	26
27										·09	·23	·65	27
28										·00	·07	·52	28
29										·19	·96	·58	29
30										·47	·77	·00	30
31										·08		·45	31
											·92	(·05)	YEAR'S TOTAL
Total											~~3·60~~	~~0·67~~	
Rain Days.											4·52	8·79	
											19	25	

W.7,000, XI. 13

467

HORSHAM. CHRISTS HOSPITAL
SUSSEX
1914 – 20

~~19[illegible]~~

McC.

FALL IN 19 14

FORM A.
BRITISH RAINFALL.
21 JAN 15

Lat. 51° 3′ Long. 0·22′ W.
Time of Observation 9 a.m.
Nearest Railway Station Christs' Hospital, West Horsham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 170 ft.

sured daily at 9 a.m. and the result entered to the nform to this almost universal rule, he is earnestly uary of the following year in the space provided uctions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01	·015	—	—	—	·36	—	—	·10	·09	1
2	—	—		—	—	·01	·10	—	—	—	·30	·19	2
3	—	—	·06	·025	·325	—	·01	—	—	—	—	·01	3
4	·03	—	—	·315	·19	—	·005	·32	—	—	·27	·28	4
5	·095	—	·06	·415	·13	·035	·20	·03	—	—	·24	—	5
6	—	·17	·01	·165	·06	·11	—	·30	—	—	—	·41	6
7	·02	·69	·13	·195	·005	·01	·135	—	—	—	—	·35	7
8	·095	·70	·35	·18	·005	·065	·04	—	—	—	—	·06	8
9	·23	—	·99	·20	—	·04	—	·14	·25	—	—	1·54	9
10	·04	·13	—	·13	·085	—	—		—	—	—	·04	10
11	—	·63	·41	·02	—	·005	—		·32	—	·04	·42	11
12	—	·14	·095	—	—	—	·58		—	~~·037~~ ·04	·02	·67	12
13	—	·60	·16	—	—	·03	—		·32	—	·08	·22	13
14	—	·41	·21	—	—	—	·005		·14	·27	·21	·36	14
15	—	·03	·18	—	—	—	·015		—	—	·76	·01	15
16	—	·01	·02	—	—	—	·06	·07	—	—	—	—	16
17	—	·28	·16	—	—	—			·18	—	—	·19	17
18	—	·04	·25	—	—	—	—			—	—	·42	18
19	—	·10	·68	—	—	—	·20		—	—	·14	·12	19
20	—	·25	·22	—	—	·01	—			—	—	·26	20
21	—	·84	·075	—	—	—	—		—	·13	—	·09	21
22	—	·03	·035	—	·185	·02	·04		—	·22	—		22
23	—	·01	·17	—	·23	·035	—	·04	—	—	—	—	23
24	—	—	·06	—	—	—	—		—	—	·25	—	24
25	·02	—	·21	—	—	—	—		—	·28	·01	·04	25
26	—	—	·025	—	—	—	·01	·27	—	·09	·09	·65	26
27	·03	—	—	—	—	—	—		—	—	·10	·465	27
28	·015	·01	—	—	·025	—	—		—	·06	·63	·42	28
29	·09	X	·035	—	—	—	—		—	·33	·24	·02	29
30	—	X	·015	·04	—	—	—		—	·08	·89	·47	30
31	·02	X	—	X	·14	X	·015		X	·03	X	—	31
Total	·69 ·685	5·07	4·62	1·70	1·38	·370	1·42 1·415	1·53	1·21	1·53	4·37	8·80	YEAR'S TOTAL 32·69
Rain Days.	11	18	25	11	10	11	~~14~~ 13	8	5	10	17	25	164

W. 8,000. X. 14.

McC.

FALL IN 19 14

FORM A.
BRITISH RAINFALL.
21 JAN 1915

Kept at Christs Hospital

in the County of Sussex 2

by A. G. Johnson M.A.

Lat. 51° 3′ Long. 0·22′ W.
Time of Observation 9 a.m.
Nearest Railway Station Christs' Hospital, West Horsham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·015	—	—	—	·36	—	—	·10	·09	1
2	—	—		—	—	·01	·10	—	—	—	·30	·19	2
3	—	—	·06	·025	·325	—	·01	—	—	—	—	·01	3
4	·03	—	—	·315	·19	—	·005	·32	—	—	·27	·28	4
5	·095	—	·06	·415	·13	·035	·20	·03	—	—	·24	—	5
6	—	·17	·01	·165	·06	·11	—	·30	—	—	—	·41	6
7	·02	·69	·13	·195	·005	·01	·135	—	—	—	—	·35	7
8	·095	·70	·35	·18	·005	·065	·04	—	—	—	—	·06	8
9	·23	—	·99	·20	—	·04	—	·14	·25	—	—	1·54	9
10	·04	·13	—	·13	·085	—	—		—	—	—	·04	10
11	—	·63	·41	·02	—	·005	—		·32	—	·04	·42	11
12	—	·14	·095	—	—	—	·58		—	~~·037~~ ·04	·02	·67	12
13	—	·60	·16	—	—	·03	—		·32	—	·08	·22	13
14	—	·41	·21	—	—	—	·005		·14	·27	·21	·36	14
15	—	·03	·18	—	—	—	·015		—	—	·76	·01	15
16	—	·01	·02	—	—	—	·06	·07	—	—	—	—	16
17	—	·28	·16	—	—	—			·18	—	—	·19	17
18	—	·04	·25	—	—	—	—			—	—	·42	18
19	—	·10	·68	—	—	—	·20		—	—	·14	·12	19
20	—	·25	·22	—	—	·01	—			—	—	·26	20
21	—	·84	·075	—	—	—	—		—	·13	—	·09	21
22	—	·03	·035	—	·185	·02	·04		—	·22	—		22
23	—	·01	·17	—	·23	·035	—	·04	—	—	—	—	23
24	—	—	·06	—	—	—	—		—	—	·25	—	24
25	·02	—	·21	—	—	—	—		—	·28	·01	·04	25
26	—	—	·025	—	—	—	·01	·27	—	·09	·09	·65	26
27	·03	—	—	—	—	—	—		—	—	·10	·465	27
28	·015	·01	—	—	·025	—	—		—	·06	·63	·42	28
29	·09	X	·035	—	—	—	—		—	·33	·24	·02	29
30	—	X	·015	·04	—	—	—		—	·08	·89	·47	30
31	·02	X	—	X	·14	X	·015		X	·03	X	—	31
Total	~~·685~~ ·69	5·07	4·62	1·70	1·38	·370	~~1·415~~ 1·42	1·53	1·21	1·53	4·37	8·80	YEAR'S TOTAL 32·69
Rain Days.	11	18	25	11	10	11	13	8	5	10	17	25	164

W. 8,000. X. 14.

W 948 adjusted 23.11.16 541

REGISTER OF RAINFALL IN 1915 As before

FORM A. BRITISH RAINFALL. 3 JAN 1916

Kept at Christ's Hospital
in the County of Sussex 2
by A. E. Johnson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Conform to usual ~~non~~ rule

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·72	·19	·01	—	·02	—	·08	—	·38	trace	·08	·52	1
2	·45	·16	·17	·10	—	trace	—	·12	trace	·15	—	·12	2
3	·42	trace	·08	·20	·08	—	—	·01	·03	—	—	·56	3
4	·07	—	—	trace	—	—	—	·09	—	—	—	·65	4
5	·02	·53	trace	trace	—	trace	—	·12	—	trace	—	·52	5
6	·60	·20	·11	·62	—	—	·68	·01	—	—	—	·06	6
7	·18	·42	·03	~~·01~~	—	—	·04	—	—	—	—	·37	7
8	·03	·69	trace	—	—	—	·18	·04	—	—	·01	trace	8
9	·04	·12	trace	·18	—	·09	—	·01	—	—	·44	·65	9
10	·25	·04	—	—	—	—	—	—	—	—	—	·37	10
11	·03	—	·05	—	—	—	—	—	—	·02	·64	·04	11
12	·05	·14	trace	·17	·32	—	—	·05	—	—	·58	—	12
13	·01	·76	trace	—	1·34	—	—	—	·08	—	—	—	13
14	·01	·02	—	—	—	—	·08	·11	·04	—	—	·43	14
15	·13	·04	—	—	·04	—	·34	·09	~~·31~~ —	—	·09	·37	15
16	—	·68	—	—	·09	—	·78	·08	~~·26~~ —	—	—	·04	16
17	—	·45	—	—	1·13	—	—	—	—	—	—	—	17
18	—	·11	·05	—	·16	—	—	—	—	—	·07	—	18
19	—	·10	·01	—	·01	—	·06	—	—	trace	—	—	19
20	·30	—	—	·02	·01	—	—	—	—	—	—	·16	20
21	·08	·01	—	—	trace	—	·60	—	—	·18	—	·03	21
22	·94	·05	·05	·01	—	—	·15	—	—	trace	—	·15	22
23	—	·03	·07	—	—	·01	·24	—	·01	·29	—	·45	23
24	trace	—	·02	·03	—	trace	·25	—	·26	·30	—	·79	24
25	—	—	—	·04	—	trace	·29	—	trace	trace	—	·11	25
26	trace	·07	—	—	—	·08	·08	—	—	—	—	·71	26
27	—	·07	—	—	—	·01	·12	—	—	·52	—	·02	27
28	—	·07	—	—	—	·08	·04	—	·91	·30	·01	—	28
29	—	X	—	—	—	·32	·12	·32	—	—	·50	·02	29
30	·13	X	—	—	—	·69	·01	—	trace	·41	·78	·04	30
31	·02	X	—	X	—	X	—	·50	X	1·05	X	·48	31
* Total	4·48	4·95	0·65	1·37 ✓	3·20	1·28	4·14	1·54 ✓	1·71	3·22	3·20	7·66	YEAR'S TOTAL 37·40 ✓
Rain Days.	20	22	11	9 ✓	10	7	18	13	7	9	10	24	160 ✓

W. 8,000. X. 15. * These numbers as here given add up to 4·50" but 4·48" is more correct, as a few measurements had been recorded to 3 places. However in this column they have been stated to nearest ·01" A. E. J.
instead of nearest ·01

26 ✓

endby B. ~~W~~ CJE

528

REGISTER OF RAINFALL IN 1916 As before

FORM A.
BRITISH RAINFALL.

12 JAN 1917

Kept at Christ's Hospital, West Horsham

in the County of Sussex

by A. E. Johnson

Lat. Long.

Time of Observation 9 a.m. (Greenwich)

Nearest Railway Station Christ's Hospital

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	trace	·03	–	·12	·01	~~·03~~	–	·30	·04	·32	–	1
2	·38	·13	·08	–	·21	–	·01	–	·12	·85	·06	–	2
3	·04	·74	·13	–	trace	–	·04	–	·22	·51	·78	–	3
4	·23	·08	trace	–	–	·43	–	–	·20	·01	·34	trace	4
5	·04	·05	trace	–	·23	·15	–	–	trace	·09	·76	–	5
6	trace	·09	·06	·02	} ·31	·22	~~·05~~ ·50	–	"	·09	·77	–	6
7	"	·01	·45	–		·01	·02	–	–	·02	1·05	·03	7
8	–	–	·01	–	·26	·05	–	–	–	–	–	·48	8
9	–	–	–	–	·31	·04	·01	–	–	–	–	·12	9
10	–	·40	·07	·07	·02	·01	·10	–	–	–	trace	·21	10
11	·06	·10	·01	·17	trace	·20	–	–	–	–	"	·06	11
12	·04	·08	·05	·05	·10	·08	·06	·02	–	·08	"	–	12
13	–	·23	·26	·07	·12	·08	–	·11	trace	·03	–	–	13
14	–	·54	·17	trace	·09	trace	–	trace	–	·03	–	·04	14
15	trace	·07	·15	"	–	–	–	·25	–	–	–	–	15
16	·01	·03	·25	·15	–	–	·07	·12	–	–	–	–	16
17	·18	·19	–	·08	–	–	·01	·19	·50	·96	–	–	17
18	trace	·07	–	·02	–	–	–	·12	·15	·09	·76	·17	18
19	·26	–	·12	·28	–	·08	–	trace	·07	–	·50	–	19
20	–	–	·24	·23	–	–	–	–	–	–	·12	·75	20
21	·13	–	·23	–	–	–	·20	–	–	–	–	·20	21
22	trace	trace	·01	–	–	–	–	–	–	·05	·01	·65	22
23	"	·13	·01	–	–	·05	trace	·02	–	·05	·05	trace	23
24	–	·01	–	–	·15	·02	–	·02	–	·29 ·24	·12	·36	24
25	–	·68	·12	–	–	–	–	·50	·04	trace	·06	·03	25
26	·05	1·21	·04	–	–	·11	–	·13	·19	·37	–	–	26
27	·01	·05	·88	·16	–	·01	–	·47	·07	·81	–	–	27
28	trace	·43	·10	–	–	·18	–	·11	·28	·15	–	·15	28
29	–	·20	trace	–	–	·33	–	·60	·06	·48	–	·25	29
30	–	X	–	–	·15	–	–	·02	–	·39	–	–	30
31	–	X		X	–	X	–	trace	X	·11	X	trace	31
Total	1·52	5·52	3·47 ✓	1·30	2·07	2·76 ✓	1·02 ✓	2·68 ✓	2·20 ✓	5·50 ✓	5·70 ✓	3·50 ✓	YEAR'S TOTAL 37·24 ✓
Rain Days.	13	22.	22.	11	13.	18.	10. ✓	14.	12.	21.	14.	14.	184 ✓

W. 8,000, VIII. 16

508

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Christ's Hospital form 36

in the County of Sussex

by A. E. Johnson.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Christ's Hospital (L.B.&S.C.R.)
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	trace	·19	–	–	–	1·31	·27	trace	·03	trace	1
2	–	–	–	·54	–	–	–	·04	–	trace	·21	–	2
3	–	–	trace	·16	–	–	1·47	·24	–	·14	·02	–	3
4	–	·15	·12	–	–	–	·01	·19	–	·26	–	–	4
5	·33	–	·11	·29	–	·01	–	·29	·14	·31	·08	–	5
6	–	–	·24	·02	–	·05	trace	–	·23	–	·13	–	6
7	·25	–	–	–	·01	–	·11	–	–	·31	–	·03	7
8	·16	–	–	·09	–	–	·26	·21	–	·28	·18	·34	8
9	–	–	·06	·03	trace	–	·06	·07	–	trace	·01	·40	9
10	·23	–	·18	·12	–	·05	–	·15	–	trace	trace	trace	10
11	·05	–	·29	·36	–	–	–	trace	·02	·41	–	–	11
12	·03	–	·05	·04	–	–	–	–	–	·25	trace	trace	12
13	·10	–	·18	trace	trace	–	–	·07	·04	·23	trace	trace	13
14	–	–	trace	·21	–	trace	–	·08	trace	–	trace	trace	14
15	·04	–	–	trace	·02	–	trace	·03	–	·14	trace	·09	15
16	·02	·10	–	·08	·06	–	·16	·01	–	·71	trace	·98	16
17	–	–	–	·15	·09	–	·20	·10	·27	·10	–	–	17
18	·02	·03	–	·08	·10	·03	·11	·02	·33	trace	–	–	18
19	trace	·23	·12	–	trace	·02	–	·16	·12	trace	trace	–	19
20	trace	·14	·02	trace	·26	–	trace	·58	·01	–	·03	–	20
21	–	trace	trace	–	trace	–	–	–	–	trace	·02	–	21
22	trace	–	–	–	trace	·16	–	·14	–	·14	–	–	22
23	–	·24	–	–	·15	trace	–	·15	–	·01	–	·05	23
24	–	·06	–	–	–	·13	·01	–	trace	·12	·20	–	24
25	–	·05	·02	–	–	–	–	–	trace	·01	–	–	25
26	–	–	·04	–	–	·01	–	·32	·06	trace	·64	–	26
27	–	–	–	–	trace	–	–	1·32	trace	–	–	–	27
28	–	trace	·01	–	–	1·25	–	·19	–	–	trace	–	28
29	–		·02	–	·75	·07	·02	·01	–	·63	trace	·15	29
30	trace		·45	–	–	·02	·78	·18	–	·02	trace	trace	30
31	·05		·05		–		·35	·05		trace		·03	31
Total	1·28	1·00	1·96	2·36	1·44	1·80	3·54	5·91	1·49	4·07	1·55	2·07	YEAR'S TOTAL 28·47
Rain Days.	11	8	16	14	8	10	12	24	10	17	11	8	~~149~~ 150

2·74

W. 8,000, IX. 17.

Exp 8 1

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
9. 1. 19

Kept at Christ's Hospital
in the County of SUSSEX
by Arthur E Johnson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Christ's Hospital
Diameter of Funnel of Rain Gauge — in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	trace	—	—	—	—	—	·07	—	trace	·35	·11	1
2	—	·03	—	·04	—	—	—	·26	trace	trace	·28	·18	2
3	—	trace	·06	·05	·46	—	—	·67	—	·04	·40	·02	3
4	—	·18	·04	·03	—	—	—	·04	·33	—	·73	·02	4
5	—	·02	·07	—	·05	—	—	·17	·27	·15	—	·03	5
6	·15	·14	—	·18	·21	—	—	·07	·02	·01	—	·06	6
7	·02	·11	—	·18	·05	·01	—	·02	·12	·03	·06	·02	7
8	—	·08	trace	—	—	—	—	—	·10	·04	·14	·08	8
9	·02	trace	—	·07	—	·15	·27	—	·48	·19	trace	·46	9
10	—	—	—	·06	—	·02	·60	—	·41	·18	·01	·23	10
11	—	—	—	trace	—	—	·17	—	trace	·30	·06	·12	11
12	—	·05	—	—	·22	—	·22	—	·05	trace	—	trace	12
13	·19	·01	—	—	·05	—	·09	—	·20	—	—	·03	13
14	·24	trace	·07	—	·01	·08	·06	—	·22	·18	trace	·07	14
15	1·31	—	trace	·38	trace	·24	·23	—	trace	—	—	·18	15
16	·37	—	·01	·11	trace	·42	trace	—	·20	trace	—	trace	16
17	·18	—	trace	·11	—	trace	1·04	·01	trace	trace	—	·27	17
18	·41	trace	trace	—	—	·37	trace	—	·65	—	trace	·05	18
19	·09	trace	·06	·03	—	·04	·08	—	—	trace	—	·01	19
20	·05	·15	trace	·71	—	·02	·21	—	·21	·12	trace	—	20
21	·20	trace	trace	·84	—	—	·21	—	·33	·20	trace	·02	21
22	·14	trace	—	—	·73	—	·62	—	·43	—	—	·17	22
23	·04	trace	—	·03	·05	trace	·25	·06	·14	—	trace	·01	23
24	trace	·27	—	·05	—	·05	·02	—	·25	trace	·07	—	24
25	do	trace	—	·57	—	—	·03	·19	—	·04	trace	—	25
26	do	—	—	—	—	—	·85	—	·02	·02	·12	·13	26
27	do ?	·15	·03	·07	—	—	trace	·12	·06	trace	·13	·01	27
28	do	·01	·21	·04	—	·06	—	trace	—	trace	·13	·01	28
29	do		·03	trace	—	—	—	—	·86	—	trace	·03	29
30	do		·46	—	—	—	—	trace	·08	·07	·05	·02	30
31	do		·01		—		—	—		·06		—	31
Total	3·41	1·20	1·05	3·55	1·83	1·46	4·95	1·68	5·43	1·63	2·53	2·34	YEAR'S TOTAL 31·06
Rain Days.	14	12	11	18	9	11	16	11	21	15	13	25	176

W. 8,000, IX. 17.

480

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Christ's Hospital

in the County of SUSSEX

by A. E. Johnson.

Lat. 51° 3' N. Long. 0° 21' W.

Time of Observation 9 a.m. (Greenwich)

Nearest Railway Station Christ's Hospital.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	·03	·02	·05	—	—	·16	—	trace	·03	·07	·86	1
2	·14	—	·01	trace	·07	—	·06	—	·23	·06	·02	·20	2
3	·36	trace	·44	—	·02	—	·13	—	·02	—	·02	·21	3
4	·20	·05	·52	—	trace	·03	·21	·08	·02	—	·05	·18	4
5	—	·37	·64	—	trace	—	trace	—	trace	—	·04	·29	5
6	·34	·01	·05	—	—	—	—	—	—	trace	trace	·08	6
7	·06	—	·31	—	—	—	—	—	—	—	·02	—	7
8	·29	—	·15	trace	—	—	—	—	—	—	trace	—	8
9	·36	—	·07	·16	·04	—	—	—	·01	—	·15	trace	9
10	·43	trace	·05	·01	—	—	—	—	—	trace	trace	·26	10
11	·43	—	·10	·26	·06	—	·48	—	—	—	trace	·07	11
12	·03	—	trace	·10	trace	—	·02	—	—	·03	trace	trace	12
13	·04	·01	·01	·42	—	—	—	—	—	trace	·01	trace	13
14	·40	·01	—	·20	—	—	·14	—	·53	trace	trace	·15	14
15	·21	·04	·14	·03	—	—	—	—	—	—	trace	·96	15
16	·07	·64	—	—	—	—	—	—	—	trace	·07	·01	16
17	—	·25	trace	trace	—	—	—	—	—	—	·09	·03	17
18	—	·08	·11	—	—	—	—	·02	·01	—	·05	·02	18
19	·04	·34	·69	—	—	·19	·53	·06	·02	trace	·04	nil	19
20	·46	·05	·05	—	—	·46	·02	·20	—	trace	trace	·04	20
21	·12	·48	·01	—	—	·08	·06	—	trace	trace	·01	·02	21
22	—	·01	trace	—	—	—	·12	trace	·41	—	trace	·20	22
23	trace	—	trace	—	trace	·02	trace	—	·08	trace	·03	trace	23
24	—	·03	—	·18	—	·03	·04	trace	—	·18	·21	·08	24
25	·03	·03	—	—	—	trace	—	·36	trace	trace	trace	·02	25
26	—	·15	·08	·06	—	—	·02	·01	·06	—	·16	·36	26
27	·46	trace	trace	·61	—	—	—	·62	trace	—	·15	·04	27
28	·01	—	·27	trace	—	—	—	·50	—	—	·46	·41	28
29	·05		—	trace	—	trace	—	·44	trace	·17	·01	·12	29
30	·01		trace	·25	—	·05	—	·81	—	·01	·23	·79	30
31	·07		·01		—		·02	—		trace		·08	31
TOTAL	4·93	2·58	3·73	2·33	·19	·86	2·01	3·10	1·39	·48	1·89	5·48	YEAR'S TOTAL 28·97
Days with ·01 in. or more	24	17	20	12	4	7	14	10	10	6	20	~~23~~ 24	~~167~~ 168

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

655

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Christ's Hospital
in the County of Sussex
by Gabriel Green (Major.)

Lat. 51° 3' 20" N Long. 0° 21' 45
Time of Observation 9.0. a.m.
Nearest Railway Station C. H.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 160 ft.

18 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	-	·01	·07	·11	-	·37	-	-	·26	·01	·28	1
2	·04	-	·03	-	·05	-	·01	·18	·07	·07	-	·11	2
3	·05	-	-	-	·06	-	-	-	·01	·24	-	·08	3
4	-	·09	-	·10	-	-	1·31	·19	-	·36	-	·02	4
5	-	-	·17	-	-	-	·51	·24	-	-	-	-	5
6	-	-	·17	-	·15	-	·23	-	-	-	-	·01	6
7	·05	-	-	·16	-	-	·10	-	-	-	-	-	7
8	-	-	-	·02	·06	-	·28	-	-	-	-	-	8
9	·17	-	-	·07	·01	·04	·07	-	-	-	-	-	9
10	·76	·13	·12	·08	-	·13	·23	-	-	-	-	-	10
11	·22	·01	·09	·27	-	-	·45	-	-	-	-	·23	11
12	·04	·04	-	·30	-	·56	-	-	-	-	·01	-	12
13	·12	·03	·21	·02	-	-	-	-	-	-	·05	-	13
14	-	·04	·50	·43	-	·02	-	-	·15	·06	·44	-	14
15	·01	·01	·03	·23	-	·40	-	-	1·31	·37	·15	-	15
16	-	·02	·02	·22	-	-	-	-	·18	-	-	-	16
17	-	-	-	-	·14	-	-	-	1·24	-	-	·07	17
18	·03		-	-	·05	-	-	·81	·20	-	-	·09	18
19	·03	-	-	·35	-	·01	-	-	·02	-	-	·02	19
20	·09	·11	-	·21	-	·63	-	-	·04	-	-	·03	20
21	-	-	-	·05	-	-	1·02	-	·24	-	-	·18	21
22	·02	-	-	·27	-	-	-	-	-	-	-	·34	22
23	-	-	-	-	-	-	·47	·14	-	-	-	·43	23
24	-	·02	·10	·03	-	-	-	-	-	-	-	·11	24
25	-	·04	·01	-	-	-	·22	-	-	-	-	-	25
26	·03	-	·11	·03	-	-	·09	-	-	-	-	·06	26
27	·62	·01	-	·13	-	·05	·06	-	-	-	·70	·28	27
28	·46	-	·09	·03	·19	-	·09	-	-	-	·01	·02	28
29	·72	-	·02	·05	-	-	-	-	-	-	·20	·23	29
30	·03		-	-	-	·04	·04	-	·23	-	·22	·24	30
31	·05		·15		-		-	-		1·12		·23	31
													YEAR'S TOTAL
TOTAL	3·63	·55	1·83	3·12	·82	1·88	5·55	1·56	3·69	2·48	1·79	3·06	29·96
Days with ·01 in. or more	20	12	16	21	9	9	17	5	11	7	9	20	15~~4~~6
Days with ·04 in. or more	14	6	10	16	8	7	16	5	9	7	6	15	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

made

REG

HORSHAM
DENNE PARK GDNS
SUSSEX
1911

Form A2.
British Rainfall.
3 - JAN 1912

Kept at Denne Park G
in the County of Susse
by F Manners Hea

nowden Gauge
in.
Ground 4 ft. in.
Sea Level 240 ft.
n.
Name Horsham
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	0.36	–	–	–	0.02	–	–	–	–	1
2	0.16	–	–	0.14	0.33	–	–	–	–	–	0.25	0.26	2
3	–	0.0.2	–	–	0.19	–	–	–	–	–	0.05	0.19	3
4	–	–	–	0.10	–	–	–	–	–	0.10	0.26	0.20	4
5	–	–	–	0.07	–	–	–	–	–	.53 0.33	0.02	–	5
6	0.42	–	0.08	–	–	–	–	–	–	–	–	1.00	6
7	–	–	–	–	–	–	–	–	–	0.21	0.60	–	7
8	0.15	–	0.17	–	–	–	–	–	–	–	–	0.43	8
9	0.20	–	–	–	–	–	–	–	–	–	–	–	9
10	0.52	0.16	0.16	0.04	–	–	–	–	–	–	–	0.22	10
11	–	–	–	–	–	–	–	–	–	–	1.52 1.52	0.62	11
12	–	–	0.60	–	–	–	–	–	–	–	0.10	–	12
13	–	–	0.15	–	–	–	–	–	0.25	0.08	–	0.38	13
14	–	0.15	–	–	0.43	–	–	–	–	–	–	0.62	14
15	–	–	–	–	–	–	–	–	–	–	0.08	0.03	15
16	–	–	–	–	–	0.63	–	–	–	–	0.76	0.15	16
17	–	–	0.10	–	–	–	–	–	–	–	0.85	0.23	17
18	–	0.12	–	–	–	–	–	–	–	–	0.72	0.47	18
19	–	–	0.04	–	–	0.18	–	–	0.11	0.10	0.05	0.18	19
20	–	0.15	–	–	–	–	–	–	–	0.26	–	0.90	20
21	–	–	–	–	–	–	–	0.78	0.25	1.01	–	0.24	21
22	0.10	–	0.18	–	–	0.23	–	0.89	–	0.24	–	0.54	22
23	–	0.20	–	–	–	0.80	–	–	–	0.30	–	0.17	23
24	–	0.19	–	–	–	–	–	0.08	–	0.90	–	0.30	24
25	–	–	–	0.04	0.05	0.11	–	–	–	–	–	–	25
26	–	–	0.14	0.20	–	–	0.08	–	–	0.25	–	0.32	26
27	–	0.32	0.15	0.07	–	–	–	–	0.37	0.24	0.32	0.22	27
28	–	0.23	–	0.16	–	–	–	0.10	–	–	–	–	28
29	–		–	0.10	–	0.18	0.35	–	0.17	0.46	–	–	29
30	–		–	0.02	–	–	–	0.13	–	0.40	–	–	30
31	–		–					–		–		–	31
Total	1.55	1.54	1.77	1.30	1.00	2.13	0.43	2.00	1.15	5.08	5.58.	7.67.	TOTAL for year
~~No. of Rain~~ Days.		3.09.	4.86.	6.16	7.16	9.29.	9.72	11.72	12.87	17.95	23.53	31.20.	✓
W. 8,000, X. '11	6	9	10	11	4	6	2	6	5	14	13	21	107

✓ made

REC

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Denne Park Gardens Horsham.

in the County of Sussex. 2

by F Manners Head Gardener.

RAIN GAUGE
Pattern New Snowden Gauge
Diameter of top 5 in.
Height of top above Ground 4 ft. in.
" " " Sea Level 240 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Horsham
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0.36	—	—	—	0.02	—	—	—	—	1
2	0.16	—	—	0.14	0.33	—	—	—	—	—	0.25	0.26	2
3	—	0.02	—	—	0.19	—	—	—	—	—	0.05	0.19	3
4	—	—	—	0.10	—	—	—	—	—	0.10	0.26	0.20	4
5	—	—	—	0.07	—	—	—	—	—	·53 0.33	0.02	—	5
6	0.42	—	0.08	—	—	—	—	—	—	—	—	1.00	6
7	—	—	—	—	—	—	—	—	—	0.21	0.60	—	7
8	0.15	—	0.17	—	—	—	—	—	—	—	—	0.43	8
9	0.20	—	—	—	—	—	—	—	—	—	—	—	9
10	0.52	0.16	0.16	0.04	—	—	—	—	—	—	—	0.22	10
11	—	—	—	—	—	—	—	—	—	—	1.52 1.52	0.62	11
12	—	—	0.60	—	—	—	—	—	—	—	0.10	—	12
13	—	—	0.15	—	—	—	—	—	0.25	0.08	—	0.38	13
14	—	0.15	—	—	0.43	—	—	—	—	—	—	0.62	14
15	—	—	—	—	—	—	—	—	—	—	0.08	0.03	15
16	—	—	—	—	—	0.63	—	—	—	—	0.76	0.15	16
17	—	—	0.10	—	—	—	—	—	—	—	0.85	0.23	17
18	—	0.12	—	—	—	—	—	—	—	—	0.72	0.47	18
19	—	—	0.04	—	—	0.18	—	—	0.11	0.10	0.05	0.18	19
20	—	0.15	—	—	—	—	—	—	—	0.26	—	0.90	20
21	—	—	—	—	—	—	—	0.78	0.25	1.01	—	0.24	21
22	0.10	—	0.18	—	—	0.23	—	0.89	—	0.24	—	5 0.34	22
23	—	0.20	—	—	—	0.80	—	—	—	0.30	—	0.17	23
24	—	0.19	—	—	—	—	—	0.08.	—	0.90	—	0.30	24
25	—	—	—	0.04	0.05	0.11	—	—	—	—	—	—	25
26	—	—	0.14	0.20	—	—	0.08	—	—	0.25	—	0.32	26
27	—	0.32	0.15	0.07	—	—	—	—	0.37	0.24	0.32	0.22.	27
28	—	0.23	—	0.16	—	—	—	0.10	—	—	—	—	28
29	—		—	0.10	—	0.18	0.35	—	0.17	0.46	—	—	29
30	—		—	0.02	—	—	—	0.13	—	0.40	—	—	30
31	—		—					—		—		—	31
Total	1.55	1.54	1.77.	1.30	1.00	2.13	0.49	2.00	1.15	5.08	5.58.	7.67.	TOTAL for year
~~No. of Rain~~ Days.		3.09.	4.86.	6.16	7.16	9.29.	9.72	11.72.	12.87	17.95	23.53	31.20.	✓
	6	9	10	11	4	6	2	6	5	14	13	21	107

W. 8,000, X. '11.

✓

REG

HORSHAM GRANGE

SUSSEX

1911 - 1920

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Horsham G

in the County of Suss

by E. F. Beaufort

in.

Ground 1 ft. 2 in.

Sea Level 266 ft.

Name Horsham Road

Distance ¼ mile Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	-		·70				·24			·08	·01	1
2	·01	-	·02	·01	·34						·31	·25	2
3	·03	-		~~-~~	·23						·14	·33	3
4	·20	·03	·04	·15		·04				·30	·39	·15	4
5	·03	·02		·02						·60	·01	·19	5
6	·25	-	·04							·70		·47	6
7	·04	-	·06								·99	·50	7
8	·09	-	·18								·74	·20	8
9	·16	-	·01	·01							·44	·07	9
10	-	·10	·03	·16							·09	·71	10
11	·53	-	·05		·02						1·38		11
12	·03	-	·80								·11	·01	12
13	-	-	·09		·16				·49	·20		·23	13
14	-	·12	·01		·16							·51	14
15	-	·05	·23								·17	·08	15
16	-					·43					·66	·16	16
17	-	·01				·01					·31	·15	17
18	-	·12	·05			·01					·82	·42	18
19	-					·07			·15	·52	·11	·09	19
20	·03		·02					·74	·21	·04		·67	20
21	·03	·24						·01		·90		·23	21
22	·03	·02	·36			·06		·01		·76		·56	22
23	·05	·27	·01			·97			·43	·83	·02	·24	23
24	-	·18				·03	·09	·01		·51	~~·02~~	·50	24
25	-		·30	·10		·13			·12	·01			25
26	-		·20	·31		·12				·45	·14	·32	26
27	-	·57	·17	·10					·04	·31	·03	·11	27
28	-	·27	·01	·21							·01	·01	28
29	-			·04		·12	·31		·33	·67			29
30	-			·04		·11			·03	·31		·04	30
31	-				·02								31
Total	1·61	2·00	2·68	1·85	·93	2·10	·40	1·01	1·80	7·31	6·95	7·21	TOTAL for year ✓ 35·85
No. of Rain Days.	15	13	20	12	6	12	2	5	8	15	20	27	155

W. 8,000, X. '11.

✓

REC

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Horeham Grange

in the County of Sussex 5

by G. F. Beaufort Esqre

RAIN GAUGE { Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 266 ft.

Time of Observation 9. a.m.

Nearest Railway Station { Name Horeham Road
Distance ¼ mile Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	-		·70				·24			·08	·01	1
2	·01	-	·02	·01	·34						·31	·25	2
3	·03	-		-*	·23						·14	·33	3
4	·20	·03	·04	·15		·04				·30	·39	·15	4
5	·03	·02		·02						·60	·01	·19	5
6	·25	-	·04							·70		·47	6
7	·04	-	·06								·99	·50	7
8	·09	-	·18								·74	·20	8
9	·16	-	·01	·01							·44	·07	9
10	-	·10	·03	·16							·09	·71	10
11	·53	-	·05		·02						1·38		11
12	·03	-	·80								·11	·01	12
13	-	-	·09		·16				·49	·20		·23	13
14	-	·12	·01		·16							·51	14
15	-	·05	·23								·17	·08	15
16	-					·43					·66	·16	16
17	-	·01				·01					·31	·15	17
18	-	·12	·05			·01					·82	·42	18
19	-					·07			·15	·52	·11	·09	19
20	·03		·02					·74	·21	·04		·67	20
21	·03	·24						·01		·90		·23	21
22	·03	·02	·36			·06		·01		·76		·56	22
23	·05	·27	·01			·97			·43	·83	·02	·24	23
24	-	·18				·03	·09	·01		·51	~~·02~~	·50	24
25	-		·30	·10		·13			·12	·01			25
26	-		·20	·31		·12				·45	·14	·32	26
27	-	·57	·17	·10					·04	·31	·03	·11	27
28	-	·27	·01	·21							·01	·01	28
29	-			·04		·12	·31		·33	·67			29
30	-			·04		·11			·03	·31		·04	30
31	-				·02								31
Total	1·61	2·00	2·68	1·85	·93	2·10	·40	1·01	1·80	7·31	6·95	7·21	TOTAL for year ✓ 35·85
No. of Rain Days.	15	13	20	12	6	12	2	5	8	15	20	27	155

W. 8,000, X. '11.

cord for arith 6.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3 FEB 1913

Kept at The Grange Horsham Road

in the County of Sussex 5

by E. F. Beaufort

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Horsham Road

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·07		·04	·34	·02		·03	·57		·31	1
2		·09	·32				·15					·02	2
3	·04		·03	·01		·23	·03	·21	·03		·01	·01	3
4	·27		·82		·01	·36		·40			·24		4
5	·22	·08	·15			·36		·16			·10		5
6	·52	·12			·02			1·30			·01	·03	6
7			·01		·32	·45		·32				·14	7
8	·44	·23	·20			·02	·04					·03	8
9	·11	·09	·02	·03			·09	·32				·08	9
10	·01	·06						·76			·07	·44	10
11	·03	·30				·13		·01	·01			·21	11
12		·30	·02			·03		·35		·01		·08	12
13			·08								·23	·17	13
14			·01		·05			·08		·05		·03	14
15		·04	·11		·11	·78		·20			·01	·34	15
16	·11	·01	·27		·57	·01				·14	·01		16
17			·36			·04		·07			·03	·14	17
18	·22		·39			·01		·23		·03		·68	18
19	·07	·16	·29				·03	·55			·02		19
20	·02	·02	·94				·06	·06		·90	·07		20
21	·01	·11	·28		·04			·30		·51	·07		21
22	·04	·53	·15		·03		·04	·30				·03	22
23	·30	·23	·39					·43	·01	·17	·24	·04	23
24	·08	·02	·01				·02	·23				·15	24
25	·16	·01				·42		·92			·37	·53	25
26	·01	·07					·01	·15		·30	·29	·32	26
27		·01								·27	·02	·40	27
28		·06				·01	·23	·13	·03	·79	·39	·26	28
29		·03		·03			·16	·39	1·66	·21	·03		29
30			·06		·45			·24	1·57	·29	·01		30
31							·32	·23					31
Total	2·66	2·57	4·98	·07	1·64 1·64	3·19	1·20	8·34	3.34	4.24	2.22	4.44	YEAR'S TOTAL 38·89 38·89
Rain Days.	18	21	22	3	10	14	13	25	7	13	19	22	187

W. 7,500, XI. ·12

Cnd. 11·II·14 ~~W 1/100~~

REGISTER OF RAINFALL IN 19/3

FORM A.
BRITISH RAINFALL.
19 JAN 1914

Kept at The Grange, Horeham Road

in the County of Sussex

by W. F. Beauford

5

Lat. .... Long. ——

Time of Observation 9 a.m

Nearest Railway Station Horeham Road

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·39	·14	·15	-	·03	-	-	-	·11	·16	·09	1
2	·05	·21	·01	-	·03	-	-	-	·03	·06	·14	·02	2
3	-	·01	·05	·66	·16	-	·10	-	·04	·01	-	·24	3
4	·20	-	·09	-	·01	-	·02	-	1·07	·18	·14	-	4
5	·05	·05	·03	-	-	·12	·08	-	·52	·07	·34	·01	5
6	-	·02	·09	·09	·04	·14	·31	-	-	·68	·27	·15	6
7	-	·38	·06	-	·02	·04	·33	-	-	·17	·17	·01	7
8	-	·13	·01	-	·10	·05	-	-	-	·19	·06	·03	8
9	-	·06	-	·01	·12	-	·07	-	·13	·05	·03	·01	9
10	·02	·04	-	·06	-	-	·73	-	-	-	1·08	-	10
11	·79	-	-	·66	-	-	-	-	-	·78	·05	-	11
12	-	-	-	-	·25	-	-	-	-	-	·84	-	12
13	·65	-	·03	-	-	-	-	·01	·03	-	·20	-	13
14	·25	-	·18	·10	-	-	1·20	·01	·10	·04	·27	-	14
15	·21	-	·34	·43	-	-	·32	-	·03	-	·01	-	15
16	·19	-	·69	·18	-	-	·01	-	·22	-	-	-	16
17	·08	-	·04	·05	-	-	·29	-	-	-	·02	·05	17
18	·01	-	·09	·42	-	-	·07	-	-	-	·24	-	18
19	·33	-	·10	-	-	-	·09	-	·29	-	-	-	19
20	·52	-	·07	·12	-	·23	-	-	-	·53	·06	-	20
21	·02	-	·02	·25	·02	-	-	-	·06	·72	·73	-	21
22	·31	-	·21	-	-	-	-	-	·08	·01	-	-	22
23	·01	-	·04	-	-	·05	·02	·04	-	-	-	·70	23
24	·14	-	-	·03	-	·04	-	·04	-	-	·20	-	24
25	·15	·01	-	·24	-	-	·01	-	-	-	·01	·01	25
26	·16	-	·10	-	-	-	·01	·16	-	1·07	-	·30	26
27	-	-	·06	-	·12	-	-	-	-	·12	-	-	27
28	-	-	·25	·10		-	-	·03	-	·29	-	-	28
29	-		·04	·50	·05	-	-	·08	-	-	-	-	29
30	·75		-	·31	·01	-	-	·24	-	·09	-	·01	30
31	-		·13		-		-	1·06		·12		-	31
Total	4·92	1·30	2·87	4·36	·93	·70	3·66	1·67	2·60	5·29	5·02	1·63	YEAR'S TOTAL 34·95 34·95
Rain Days.	21	10	24	18	12	8	16	9	12	19	20	13	182

W.7,000, XI. 13

6X 9¼

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at The Grange, Horeham Road
in the County of Sussex 5
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	·02	·03	–	–	·11	·13	1
2	–	–	–	–	–	·01	·25	·02	–	–	·15	·22	2
3	–	–	·18	·04	·27	–	·02	·05	–	–	·01	·01	3
4	–	–	·01	·30	·01	–	·22	·08	–	–	·41	·35	4
5	·13	·01	·10	·32	·03	–	–	·01	–	–	–	–	5
6	–	·04	–	·25	·05	·08	–	·06	–	–	–	·68	6
7	·02	·48	·17	·07	·03	·02	·13	–	–	–	–	·27	7
8	·19	·34	·38	·01	–	·09	·10	·05	–	–	–	·14	8
9	·20	–	·53	·08	–	·10	–	–	·17	–	–	1·45	9
10	·03	·11	·03	·12	·08	–	–	–	·08	–	·02	·05	10
11	–	·35	·45	·04	·02	–	–	–	·25	–	·07	·48	11
12	–	·05	·12	–	–	·08	·21	–	·36	·03	·01	·54	12
13	·01	·60	·48	–	–	·24	–	–	·17	·01	·14	·51	13
14	–	·17	·22	–	–	–	–	–	·02	·37	·23	·48	14
15	–	·05	·34	–	–	–	·02	·05	–	–	·77	–	15
16	–	·18	·01	–	–	–	·07	–	·10	–	–	–	16
17	–	·36	·10	–	–	–	·01	–	·18	–	–	·30	17
18	–	·06	·26	–	–	–	–	–	–	–	–	·52	18
19	–	·11	1·21	–	–	–	·43	–	–	·09	·30	·24	19
20	–	·15	·09	–	–	–	·02	–	–	–	–	·38	20
21	–	·83	·05	–	–	·02	–	·02	–	·02	–	·02	21
22	–	·07	·03	–	·04	·24	·26	·09	–	·34	–	–	22
23	–	–	·49	–	·01	·94	–	–	–	·01	–	·04	23
24	–	–	·06	–	·01	–	–	–	–	–	·15	–	24
25	·17	–	·15	–	·01	–	–	·10	–	·31	·05	–	25
26	–	–	·02	–	–	–	·01	·26	–	·09	·21	·51	26
27	·02	–	–	–	–	–	–	·08	–	–	·20	·66	27
28	·05	·03	–	–	–	–	–	–	–	·41	·37	·44	28
29	·04		·01	–	–	–	–	–	–	·70	·19	–	29
30	·01	X	·11	–	–	–	–	–	–	·10	1·53	·19	30
31	·04	X	–	X	·26	X	–	–	X	–	X	·11	31
Total	1·01	3·99	5·60	1·23	·82	1·82	1·77	·90	1·33	2·48	4·92	8·72	YEAR'S TOTAL 34·59
Rain Days.	12	18	25	9	12	10	14	13	8	12	18	23	176

24 175

W. 8,000. X. 14.

633

FORM A.
BRITISH RAINFALL.
6 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Horeham Grange

in the County of Sussex 5

by W. F. Beaufort Esqre

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Horeham Road L.B.S.C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·49	·19	·04	·16	—	—	—	·03	·80	·03	·27	·30	1
2	·54	·19	·28	·28	—	—	—	·13	—	·07	—	·18	2
3	·34	—	·02	·02	·10	—	—	·18	·05	—	—	·54	3
4	·08	—	—	·32	—	—	—	·20	—	—	—	·42	4
5	·05	·39	—	·55	—	—	—	·15	—	—	—	·59	5
6	·54	·29	·07	·05	—	—	·33	—	—	—	—	·07	6
7	·29	·39	·04	—	—	—	·12	—	—	—	·04	·40	7
8	·02	·32	·03	—	—	—	·48	—	—	—	—	—	8
9	·02	·17	—	·13	—	·15	—	·02	—	—	·54	1·02	9
10	·30	·01	—	—	—	·04	—	—	—	—	—	·73	10
11	·01	·03	·03	—	—	—	—	—	—	—	·85	·01	11
12	·07	·17	—	·22	·27	—	—	—	—	·02	·98	—	12
13	·01	·97	—	—	1·84	—	—	—	·07	—	—	—	13
14	·09	·02	—	—	—	—	·31	·08	·05	—	—	·48	14
15	·28	—	—	—	·06	—	·20	·04	—	—	·15	·39	15
16	—	·67	—	·03	·15	—	1·35	·20	—	—	—	·01	16
17	—	·48	—	—	1·05	—	—	·01	—	—	—	·15	17
18	—	·23	—	—	·18	—	—	—	—	—	·02	·02	18
19	—	·11	—	—	—	—	·03	—	—	·01	—	—	19
20	·24	—	—	—	·20	—	—	—	—	—	—	·20	20
21	·10	—	—	—	—	—	—	—	—	·15	—	·06	21
22	·07	·02	·07	—	—	—	1·12	—	—	—	—	·20	22
23	·03	·09	—	—	—	—	·14	—	—	·19	—	·87	23
24	—	—	·02	·02	—	—	·07	—	·23	·69	—	·46	24
25	—	—	·01	·02	—	—	·28	—	—	—	—	·35	25
26	—	·06	—	—	—	·11	—	—	·01	—	—	·61	26
27	—	·01	—	—	—	·05	·15	—	—	·33	—	·02	27
28	—	·09	—	—	—	·11	—	—	1·58	·37	·01	—	28
29	—		—	—	—	·02	·10	·34	—	·04	·44	·01	29
30	·24	X	—	—	·04	·15	—	—	·01	·23	·37	·03	30
31	·01	X	—	X	—	X	—	·07	X	·96	X	·27	31
Total	3·82	4·90	·61	1·80	3·89	·63	4·68	1·45	2·80	3·09	3·67	8·39	YEAR'S TOTAL 39·73 ✓
Rain Days.	21	21	10	11	9	7	13	12	8	12	10	26	160 ✓

624

FORM A.
BRITISH RAINFALL.

13 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Grange
in the County of Horeham Road - Sussex
by W. F. Beauford

Lat. 50·55 N. Long. 0·15 E
Time of Observation 9 a.m.
Nearest Railway Station Horeham Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·02	·02			·03				·03	·36		1
2	·43	·05	·54		·14				·01	·72	·01		2
3		·55	·22		·33	·01	·04		·06	·37	·45		3
4	·20	·10	·01			·40			·28	·10	·54		4
5	·02	·07		·03	·17	·12				·12	·54	·01	5
6		·12	·11	·33	·01	·39	·41			·04	·37		6
7	·01		·71		·31	·11	·01			·03	·23	·03	7
8		·02			·32						·10	·36	8
9			·03		·20	·12						·29	9
10		·40	·01	·10		·11	·07		·02			·29	10
11	·03	·21	·03	·19		·08				·01		·04	11
12	06	·06	·09	·06	·20	·16	·19			·08		·02	12
13		·21	·10	·07	·01	·01	·13	·03		·03			13
14		·53	·01		·23			·07				·22	14
15		·09	·07					·02		·02		·01	15
16	·01	·01	·17	·25			·14	·02				·02	16
17	·28	·17		·15			·03	·20	·40	1·01			17
18	·02	·10	·01	·01				·16	·31	·36	·88	·01	18
19	·29	·01	·06	·35					·11		·91	·13	19
20	·08		·06	·05		·01		·10			·06	·48	20
21	·03		·38	·06			·12				·07	·53	21
22	·01	·12	·08		·01	·02				·12	·01	·59	22
23	·01	·10	·05			·14	·03	·04		·01	·08	·03	23
24			·07		·20					·27	·11	·34	24
25		·47	·11					·77		·15	·06	·01	25
26	·02	·45				·19		·22		·18		·05	26
27	·01	·06	·61			·74		·01	·13	·47			27
28		·61	·09			·21		·11	·16	·58	·02	·21	28
29		·25				·36		·50	·08	·76		·54	29
30					·02	·02		·02		·39			30
31										·26			31
Total	1·59	4·78	3·58	1·65	2·15	3·23	1·17	2·27	1·56	5·97	4·80	4·21 4·21	YEAR'S TOTAL 36·96
Rain Days.	17	24	24	12	13	19	10	14	10	23	17	21	204

W. 8,000, VIII. 16

✓ 593

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

28 JAN 1918

Kept at The Grange Horsham Road

in the County of Sussex

by W. F. Blanford

Lat. 50·55 N Long. 0·15 E

Time of Observation 9 a.m.

Nearest Railway Station Horsham Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·01	·29	-	-	-	1·55	·08	-	·07	·04	1
2	-	-	-	·17	-	-	-	·19	-	·01	·08	-	2
3	·02	-	-	·07	-	-	·48	·50	-	23	-	-	3
4	-	·10	·12	-	-	-	·16	·15	-	·34	-	-	4
5	·34	-	·03	·10	-	·01	-	·01	·56	·24	·05	-	5
6	-	-	·05	·06	-	·47	-	-	·28	-	·15	·01	6
7	·39	-	-	-	-	-	·12	·07	-	·79	-	·11	7
8	·03	-	-	·13	-	-	·12	-	-	·34	·27	·14	8
9	·01	-	·04	·08	-	-	·04	-	-	-	-	1·05	9
10	·22	-	·15	·07	-	·53	-	·11	-	-	-	-	10
11	·18	·04	·20	·12	-	-	-	·02	-	·44	-	-	11
12	·01	-	·01	·10	-	-	-	·12	·01	·38	-		12
13	·06	-	·22	-	·01	-	-	·01	-	·62	·02	·01	13
14	·04	-	-	·26	-	-	-	·14	·02	·01	-	-	14
15	·01	-	-	-	·11	-	-	·11	·12	·08	-	·06	15
16	·05	·09	-	·23	·20	-	-	-	-	·22	-	·83	16
17	·02	·01	·01	·14	·12	~~·01~~	·39	-	·35	·27	-	-	17
18	·02	·03	-	·06	·06	-	·29	·09	·18	·02	-	-	18
19	-	·16	·15	-	·06	·17	-	-	·16	-	·01	-	19
20	-	·19	·06	-	·71	·01	-	-	·01	-	·03	-	20
21	·02	·01	·01	·01	·01	-	-	-	-	-	·01	-	21
22	-	-	·07	-	~~·34~~	·55	-	·14	-	·22	-	-	22
23	-	·21	-	-	·34	-	-	·09	-	·-	-	·09	23
24	-	·03	-	-	-	·02	·24	·09	-	·30	·04	·04	24
25	-	·11	·07	-	-	·02	·04	-	-	-	-	-	25
26	-	-	·02	-	-	·01	-	·31	09	-	·94	·01	26
27	-	·01	-	-	-	·06	-	1·09	-	·01	-	-	27
28	-		·08	-	-	1·02	·15	·59	-	-	-	·05	28
29	-		·05	-	·01	-	·32	-	-	·47	-	·11	29
30	-	X	·20	-	-	·02	·33	·35	-	·13	-	-	30
31	-	X	·02	X	-	X	·38	·01	X	·03	X	·10	31
Total	1·42 ✓	·99 ✓	1·57 ✓	1·84 ✓	1·63 ✓	2·89 ✓	3·06 ✓	5·74 ✓	1·86 ✓	5·15 ✓	1·67 ✓	2·65 ✓	YEAR'S TOTAL 30·47 ✓
Rain Days.	15 ✓	12 ✓	20 ✓	15 ✓	~~9~~ 10 ✓	12 ✓	13 ✓	21 ✓	11 ✓	20 ✓	11 ✓	14	175 4 ✓

W. 8,000, IX. 17.

Exa EFE

114

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

14
18

Kept at The Grange, Horeham Road
in the County of Sussex
by W. J. Beauford

Lat. 50°·55′ N Long. 0° 15′ E
Time of Observation 9 a.m
Nearest Railway Station Waldron L.B.S.C.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04	·02					·02			·19	·10	1
2		·02						·29			·58	·19	2
3		·01	·07	·06	·43			·05		·03	·30	·02	3
4	·01	·06	·02	·05	·02			·10	·08		·70		4
5	~~[illegible]~~	·14			·03			·20		·10		·05	5
6	·14	·17		·21	·23			·14	·29		·06	·07	6
7	·02	·10		·04	·03	·01			·48	·04	·06		7
8		·01		·01				·03	·17		·08	·19	8
9				·04		·04	·25		·63	·46		·18	9
10	·04			·03		·01	·20		·43	·16		·27	10
11							·03		·15	1·08	·06	·09	11
12		·15			·21		·11		·06	·16			12
13	·22 snow				·06		·15		·19			·34	13
14	·18		·03		·01	·09	·23		·50	·34		·04	14
15	1·67			·12		·07			·01			·22	15
16	·37			·04		·13	·01		·05	·03			16
17	·17			·11		·22	·71					·41	17
18	·29				·03	·25			·29	·11		·02	18
19	·08		·09			·44	·01	·01		·07			19
20	·05	·16		1·11		·04	1·34		·33	·46			20
21	·22			·90			·28		·40	·08		·05	21
22	·27			·01	·35		·64		·59			·23	22
23	·13				·01		·39	·02	·01			·07	23
24		·18				·03	·18		·25		·08	·01	24
25	·01					·03		·32		·04		·02	25
26	·01			·03			·11		·04	·03	09	·21	26
27		·06	·02	·10			·25	·25	·24	·04	14 ~~·04~~	·10	27
28		·01	·34	·01	·06					·03	·19 ~~·10~~	·02	28
29				·01					1·38		·01 ~~·19~~	·01	29
30		X	·26						·02	·10	~~·01~~	·09	30
31		X	·02	X		X			X		X		31
Total	3·86 ✓	1·11 ✓	1·07 ✓	2·88 ✓	1·47 ✓	1·36 ✓	4·89 ✓	1·43	6·59 ✓	3·36 ✓	2·36 ✓	2·70 ✓	YEAR'S TOTAL 33·30 ✓
Rain Days	17 ✓	13 ✓	9 ✓	17 ✓	12 ✓	12 ✓	16 ✓	11	22 ✓	18 ✓	13 ✓	24 ✓	184 ✓

W. 6,500, VII. 18. W W & S

534

15 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Grange Horeham Road
in the County of Sussex
by W. F. Beauford

Lat. 50·55 Long. 0·15
Time of Observation 9 a.m.
Nearest Railway Station Horeham Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·12	-	-	·08	-	·02	-	-	·04	-	·69	1
2	·31	·04	·06	-	·06	-	·04	-	·32	·09	·25	·22	2
3	·27	-	·47	-	·04	-	·04	-	-	-	·04	·26	3
4	·38	·07	·31	-	-	·02	·03	·05	·04	-	·10	·09	4
5	·02	·32	·82	-	-	-	·22	-	-	-	·11	·45	5
6	·15	·01	·06	-	-	-	-	-	-	-	-	·08	6
7	·11	-	·46	-	-	-	-	-	-	-	·10	-	7
8	·34	-	·13	·14	-	-	-	-	-	-	·01	-	8
9	·62	-	·06	-	-	-	-	-	-	-	·29	-	9
10	·82	-	·09	·05	·04	-	-	-	-	-	·01	·17	10
11	·40	-	·13	·45	-	-	·08	-	-	-	-	·21	11
12	·03	-	·05	-	·06	-	·12	-	-	·11	·02	-	12
13	·01	·01	·01	·32	·03	-	-	-	-	-	-	·04	13
14	·65	-	-	·50	-	-	·12	-	·18	-	-	·11	14
15	·19	·02	-	·10	-	-	-	-	-	-	·12	·38	15
16	·30	·52	-	-	-	-	-	-	-	-	-	·03	16
17	·01	·28	-	·02	-	-	-	-	-	-	·18	·05	17
18	·01	·03	·07	-	-	-	-	·06	·01	-	·14	·05	18
19	·06	·34	·70	-	-	·05	·36	·21	·01	-	·12	-	19
20	·31	·07	·09	-	-	·52	·23	·17	-	-	-	·03	20
21	·11	·51	·04	-	-	·06	·03	-	-	-	·04	·05	21
22	-	·03	·04	-	-	-	·15	-	·88	-	·03	·19	22
23	-	-	-	-	-	-	·02	-	·27	-	·03	-	23
24	-	·01	-	·17	-	·01	-	-	·02	·06	·21	-	24
25	·08	-	-	-	·01	-	-	·29	-	-	-	-	25
26	-	·13	·12	·18	-	-	·06	·07	·07	-	·13	·55	26
27	·50	-	·08	1·13	-	-	-	·44		-	·69	·02	27
28	-	-	·15	·03	-	·01	-	1·04		-	·50	·41	28
29	·06		-	·02	-	·01	-	·57		·24	·17	·13	29
30	-	╳	·06	·24	-	-	-	·59		·10	·23	·28	30
31	-	╳	·04	╳	-	╳	·03	-	╳	·06	╳	·03	31
TOTAL	6·22	2·51	4·04	3.35	·32	·68	~~1·35~~ 1·55	3·49	1·80	·70	3·52	4·72	YEAR TOTAL ~~32·70~~ 32·90
Days with ·01 in. or more	24	16	22	13	7	7	15	10	9	7	22	23	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

55 WD
4

521

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Gauge Horeham Road
in the County of Sussex
by L. F. Beaufred Esqre

Lat. 50·65 Long. 0·15
Time of Observation 9. a.m
Nearest Railway Station Horeham Road L.B.&S.C.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	·02	·06	·07	-	·18	·02	·	·97	-	·38	1
2	·02	-	·39	·01	·02	-	·	·46	·	·08	-	·15	2
3	-	-	-	·	-	-	·	·01	·09	·02	-	·05	3
4	-	·17	·01	·03	-	-	·70	·14	·	·	·	·12	4
5	-	-	·02	-	-	-	·39	·03	·09	·	-	·04	5
6	-	-	·42	-	·24	-	·33	-	·	·	·	·	6
7	·09	-	-	·14	·08	·	·04	-	-	·	-	·03	7
8	~~·23~~	-	-	·13	·02	-	·44	-	·	·	-	·	8
9	·23	·05	-	-	·10	·03	·11	-	-	-	-	·	9
10	·80	·20	·16	·28	·	·21	·56	-	·	·	·04	·06	10
11	·35	·05	·07	·29	·04	·04	·	·	-	·	-	·03	11
12	·07	·03	-	·17	-	·36	-	-	-	·	·01	·	12
13	·29	·04	·27	-	-	·	-	-	-	-	·08	-	13
14	·	·02	·46	·48	-	·02	-	-	·07	·25	·44	·	14
15	·11	-	·04	·14	·	·	-	·	1·10	·51	·11	·03	15
16	·01	-	·02	·02	·01	-	-	-	·23	-	·	·04	16
17	·02	·	-	·	·27	·	·	-	1·50	-	-	·08	17
18	·10	-	-	·02	·05	-	-	·79	·16	-	-	·09	18
19	·12	-	-	·20	-	·	-	·	·04	-	·01	·08	19
20	·11	·11	-	·09	·	·78	-	-	·37	-	·	·01	20
21	-	-	-	·	·	·	·41	-	·05	·	·	·42	21
22	·01	-	-	·48	·	·	·	·	·08	-	-	·54	22
23	·	-	-	·	·	·	·69	·01	·	-	·	·48	23
24	·03	-	·07	·02	-	-	·		·01	·	·01	·77	24
25	-	-	·	·01	·02	-	·29			-	·	-	25
26	-	·01	·15	·04	·	·	-			-	·02	·06	26
27	·50	·02	·	·19	·	-	·28			-	·44	·28	27
28	·33	·02	·18	·08	·32	·	·18			-	·05	·07	28
29	·59		·09	·05	·01	-	·			-	·23	·18	29
30	·03	×	-	·	-	·02	·09		·19	-	·27	·30	30
31	·03	×	·15	×	·01	×			×	·38	×	·38	31
Total	3·94	·72	2·52	2·93	1·26	1·46	4·68	1·46	3·98	2·21	1·71 ~~[illegible]~~	4·07	Year's Total 30·94
Days with ·01 in. or more	21 ~~7~~	11 ~~5~~	16 ~~4~~	21 ~~8~~	14 ~~6~~	7	14	7	13	6 ~~x~~	12 ~~[illegible]~~	24 ~~4~~	154 ~~[illegible]~~
Days with ·04 in. or more	14	6	12	15	8	4	14	3	12	5	8	20	121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

√√

HORSHAM MANOR

SUSSEX

1912

FORM A. BRITISH RAINFALL.

8 - JAN 1913

RE 2

Kept at Horsham Manor g. 0° 15' E

in the County of Sus 7.15 A.M.

by P C Harriso Waldron & Horsham Rd B.S.C.R.

5 in.

above Ground 1 ft. in.

„ Sea Level 260 ft.

IMPORTANT N and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·07	—	—	·27	·03	—	·04	·55	—	·30	1
2	—	·08 (Snow)	·30	—	—	·01	·14	—	—	—	—	·01	2
3	·04	—	·04	—	—	·22	·02	·21	·02	·01	—	—	3
4	·30	—	·72	—	·01	·33	—	·31	—	—	·22	—	4
5	·24	·15	·13	—	—	·31	—	·15	—	—	·10	—	5
6	·45	·13	—	—	·03	·01	—	1·35	—	—	·01	·03	6
7	—	·01	·01	—	·28	·43	—	·28	—	—	—	·13	7
8	·43	·24	·19	—	—	·02	·04	·02	—	—	—	·04	8
9	·14	·09	·02	·02	—	—	·10	·29	—	—	—	·08	9
10	—	·06	—	—	—	—	—	·65	—	—	·06	·42	10
11	·03	·32	—	—	—	·13	—	·01	·01	—	—	·22	11
12	—	·25	·02	—	—	·02	—	·34	—	·01	·03	·05	12
13	—	—	·07	—	—	—	—	—	—	—	·20	·16	13
14	—	—	·01	—	·05	—	—	·05	—	·05	·01	·04	14
15	—	·04	·10	—	·11	·80	—	—	—	—	—	·35	15
16	·14	·01	·26	—	·55	·01	—	·18	—	·12	·01	·01	16
17	·17	—	·34	—	·01	·05	—	·07	—	—	·03	·09	17
18	·08	—	·41	—	—	—	—	·22	—	·03	—	·68	18
19	·07	·16	·26	—	—	·01	·01	·51	—	—	·02	—	19
20	·02	·01	·89	—	—	—	·07	·06	—	·92	·06	—	20
21	·03	·11	·26	—	·03	—	·01	·31	—	·50	·07	—	21
22	·03	·47	·16	—	·02	—	·03	·31	—	·01	—	·02	22
23	·32	·22	·38	—	—	—	—	·43	·01	·16	·23	·04	23
24	·06	·02	·01	—	—	—	·02	·23	—	·01	—	·15	24
25	·16	·03	—	—	—	·37	—	·96	—	·01	·35	·56	25
26	·01 (Snow)	·06	—	—	—	—	·01	·17	—	·27	·29	·31	26
27	—	·01	—	—	—	—	—	—	—	·28	·02	·39	27
28	—	·06	—	—	—	—	·16	·17	·03	·79	·40	—	28
29	—	·03	—	·02	—	—	·12	·37	1·93	·21	·04	—	29
30	—		·05	—	·46	—	—	·20	1·52	·28	—	—	30
31	·01 (Snow)		—		—		·34	·22		—		—	31
Total	2·74	2·56	4·70	·04	1·55	2·99	1·10	8·07	3·46	4·21	2·15	4·08	YEAR'S TOTAL ~~37·65~~ √
Rain Days.	20	22	22	2	10	15	14	26	7	17	18	21	~~194~~

W. 7,500, XI. ·12

√√

RE 2

FORM A.
BRITISH RAINFALL

8 - JAN 1913

Kept at Horeham Manor till Oct 4th; then at Coelow Horeham Road
in the County of Sussex 5
by P. C. Harrison (Miss)

Lat. 50° 55' N. Long. 0° 15' E.
Time of Observation 9.15 A.M.
Nearest Railway Station Waldron & Horeham Rd. L.B.&S.C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01	—	·07	—	—	·27	·03	—	·04	·55	—	·30	1
2	—	·08 (Snow)	·30	—	—	·01	·14	—	—	—	—	·01	2
3	·04	—	·04	—	—	·22	·02	·21	·02	·01	—	—	3
4	·30	—	·72	—	·01	·33	—	·31	—	—	·22	—	4
5	·24	·15	·13	—	—	·31	—	·15	—	—	·10	—	5
6	·45	·13	—	—	·03	·01	—	1·35	—	—	·01	·03	6
7	—	·01	·01	—	·28	·43	—	·28	—	—	—	·13	7
8	·43	·24	·19	—	—	·02	·04	·02	—	—	—	·04	8
9	·14	·09	·02	·02	—	—	·10	·29	—	—	—	·08	9
10	—	·06	—	—	—	—	—	·65	—	—	·06	·42	10
11	·03	·32	—	—	—	·13	—	·01	·01	—	—	·22	11
12	—	·25	·02	—	—	·02	—	·34	—	·01	·03	·05	12
13	—	—	·07	—	—	—	—	—	—	—	·20	·16	13
14	—	—	·01	—	·05	—	—	·05	—	·05	·01	·04	14
15	—	·04	·10	—	·11	·80	—	—	—	—	—	·35	15
16	·14	·01	·26	—	·55	·01	—	·18	—	·12	·01	·01	16
17	·17	—	·34	—	·01	·05	—	·07	—	—	·03	·09	17
18	·08	—	·41	—	—	—	—	·22	—	·03	—	·68	18
19	·07	·16	·26	—	—	·01	·01	·51	—	—	·02	—	19
20	·02	·01	·89	—	—	—	·07	·06	—	·92	·06	—	20
21	·03	·11	·26	—	·03	—	·01	·31	—	·50	·07	—	21
22	·03	·47	·16	—	·02	—	·03	·31	—	·01	—	·02	22
23	·32	·22	·38	—	—	—	—	·43	·01	·16	·23	·04	23
24	·06	·02	·01	—	—	—	·02	·23	—	·01	—	·15	24
25	·16	·03	—	—	—	·37	—	·96	—	·01	·35	·56	25
26	·01 (Snow)	·06	—	—	—	—	·01	·17	—	·27	·29	·31	26
27	—	·01	—	—	—	—	—	—	—	·28	·02	·39	27
28	—	·06	—	—	—	—	·16	·17	·03	·79	·40	—	28
29	—	·03	—	·02	—	—	·12	·37	1·93	·21	·04	—	29
30	—		·05	—	·46	—	—	·20	1·52	·28	—	—	30
31	·01 (Snow)		—		—		·34	·22		—		—	31
Total	2·74	2·56	4·70	·04	1·55	2·99	1·10	8·07	3·46	4·21	2·15	4·08	YEAR'S TOTAL ~~37·65~~ √
Rain Days.	20	22	22	2	10	15	14	26	7	17	18	21	~~194~~ √

W. 7,500, XI. ·12

Df

RE

HORSHAM
RICH~~MOND~~ RD
SUSSEX
1911 – 1916

L

by obr.

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

78

Kept at Horsham
in the County of W. S
by Miss L. E.

in.
Ground ft. in.
Sea Level ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·36				·05			·02		1
2	·03			·15	·34						·15	·30	2
3	·11	·01			·19			·02			·13	·19	3
4	·05	·02	·01	·14					·02	·21	·26	·24	4
5	·02	·01		·11						·42	·04	·05	5
6	·45		·10	·03							·02	·70	6
7	·10			·01						·17	·67	·43	7
8	·10		·17							·04	·38	·46	8
9	·22		·03	·02							·04	·15	9
10	·01	·14	·15	·02								·71	10
11	·34		·05		·02						1·01		11
12	·02	·01	·60		·03				·06		·14	·04	12
13			·10		·14				·18	·07		·43	13
14		·11			·28					·01		·81	14
15		·04	·11								·10	·03	15
16			·01			·63					·65	·20	16
17			·07			·04					·85	·28	17
18		·12	·04			·02					·67	·59	18
19					·02	·19			·17	·25	·06	·18	19
20	·03		·01					·07	·09	·09		1·07	20
21	·03	·16						·48	·28	1·12		·25	21
22	·06	·04	·20			·20		·41		·10		·63	22
23	·01	·19				·82		·01	·22	·24	·02	·21	23
24	·01	·19				·07		·03		1·27		·35	24
25		·04		·04	·07	·11	·03	·08	·05	·03		·01	25
26		·02	·04	·22	·01	·16	·17			·31		·34	26
27		·37	·27	·10				·01	·15	·38	·21	·23	27
28		·23	·01	·26				·09		·02	·04	·02	28
29				·09		·10	·62		·18	·46			29
30				(·05)		·03		·05	·02	·40	·02	·01	30
31													31
Total	1·64 1·64	1·70	1·97	1·60	1·10	2·37	·82	1·30	1·42	5·59	5·48 5·48	8·91	TOTAL for year 33·90
No. of Rain Days	17	16	17	~~13~~ 14	9	11	3	11	11	18	20	27	174

9,000, IX. '10.

3 obr.

78

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

RE 1

Kept at Horsham

in the County of W. Sussex 2

by Miss L. E. Whiting

in.

Height of top above Ground ft. in.

" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·36				·05			·02		1
2	·03			·15	·34						·15	·30	2
3	·11	·01			·19			·02			·13	·19	3
4	·05	·02	·01	·14					·02	·21	·26	·24	4
5	·02	·01		·11						·42	·04	·05	5
6	·45		·10	·03							·02	·70	6
7	·10			·01						·17	·67	·43	7
8	·10		·17							·04	·38	·46	8
9	·22		·03	·02							·04	·15	9
10	·01	·14	·15	·02								·71	10
11	·34		·05		·02						1·01		11
12	·02	·01	·60		·03				·06		·14	·04	12
13			·10		·14				·18	·07		·43	13
14		·11			·28					·01		·81	14
15		·04	·11								·10	·03	15
16			·01			·63					·65	·20	16
17			·07			·04					·85	·28	17
18		·12	·04			·02					·67	·59	18
19					·02	·19			·17	·25	·06	·18	19
20	·03		·01					·07	·09	·09		1·07	20
21	·03	·16						·48	·28	1·12		·25	21
22	·06	·04	·20			·20		·41		·10		·63	22
23	·01	·19				·82		·01	·22	·24	·02	·21	23
24	·01	·19				·07		·03		1·27		·35	24
25		·04		·04	·07	·11	·03	·08	·05	·03		·01	25
26		·02	·04	·22	·01	·16	·17			·31		·34	26
27		·37	·27	·10				·01	·15	·38	·21	·23	27
28		·23	·01	·26				·09		·02	·04	·02	28
29				·09		·10	·62		·18	·46			29
30				(·05)		·03		·05	·02	·40	·02	·01	30
31													31
Total	1·64 1·64	1·70	1·97	1·60	1·10	2·37	·82	1·30	1·42	5·59	5·48 5·4~~5~~8	8·91	TOTAL for year 33·90
No. of Rain Days	17	16	17	1~~3~~4	9	11	3	11	11	18	20	27	174

9,000, IX. '10.

8L

~~W~~ mL

76

FORM A2.
BRITISH RAINFALL.

23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at 19 Richmond Rd, Horsham

in the County of Sussex 2

by Miss L. E. Whiting

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·15	·04		·10	·10		·03	·75		·32	1
2			·42		12	·03	·23					·01	2
3	·01	·03	·07			·27	·01	·38	·01			·02	3
4	·17	·01	·73		·14	·12		·06			·20		4
5	·15	·03	·32					·65			·15	·02	5
6	·45	·17			·04			·24	·03			·05	6
7	·01	·01	·02		·23	·44		·25				·06	7
8	·42	·59	·33		·01	·11		·23				·05	8
9	·01	·11	·09	·03		·11	·06	·11				·12	9
10		·11	·01			·01		·38		·01	·07	·37	10
11	·04	·42	·01			·01		·02	·01	·01	·01	·21	11
12	·02	·09	·06		·16	·12	·01	·27		·01	·03	·01	12
13	·01	·02	·02					·01			·10	·06	13
14			·02		·08	·01		·04		·03		·01	14
15	·02	·04	13 ·13		·11	·68		·01				·39	15
16	·24	·02	·19		·19	·07		·10		·06	·07		16
17	·44		·48			·08		·13			·06	·07	17
18	·09		·29					·30		·06	·03	·15	18
19	·04	·09	·17				·06	·41			·01	·01	19
20	·04	·02	·53			·02		·10		·39	·02		20
21	·01	·10	·25		·09			·05		·19	·10		21
22	·05	·44	·04					·24		·01	·01	·01	22
23	·42	·17	·37		·01	·06		·38		·11	·19	·07	23
24	·10	·05				·07		·21		·04	·01	·20	24
25	·09					·32		·81			·26	·67	25
26	·01	·04				·03		·92		·42	·41	·31	26
27		·01	·01			·04	·09			(·25)		·36	27
28		·06				·06	·15	·14	·17	·70	·47	·15	28
29		·04				·03	·09	·41	2·01	·16	·03		29
30					·34	·03	·05	·50	1·40	·38			30
31			·07				·30	·22		·01			31
Total	2·86	2·67	4·78	·07	1·52	2·82	1·15	7·57	3·66	3·59 (3·59)	2·23	3·70	TOTAL for year 3662 64
No. of Rain Days.	23	23	24	2	12	23	11	28	7	18 17	19	24	214

W. 8,000, X. '11.

82

82

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Horsham, 19 Richmond Road

2

in the County of Sussex

by Miss L. E. Whiting

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·43	·08	·24	·03				·23	·02	·16	·25	1
2	·03	·16		·01			·10		·05	·07	·07	·02	2
3	·03		·07	·28	·52				·01	·05		·17	3
4	·65		·08		·13				·01	·08	·08	·01	4
5	·50	·03	·02			·09	·12		·43		·16	·02	5
6	·10	·07	·11		·03	·10	·29		·02	·45	·05	·25	6
7		·32	·03		·08	·03	·18			·37	·08		7
8		·08	·03		·19	·05		·21		·17	·05	·03	8
9		·07		·03	·12		·12	·01	·09	·02	·03	·01	9
10				·03			·24	·01	·01		·48		10
11	·82			·46	·01					·49	·23	·02	11
12		·01		·01	·37						·63	·01	12
13	·35		·03					·01	·26	·02	·20		13
14	·30		·09	·08			1·80	·02	·10	·05	·24		14
15	·37	·12	·23	·25			·36		·20				15
16	·18		·51	·18			·02		·21				16
17	·07	·01	·10	·05			·26				·02	·01	17
18	·01		·17	·15			·05				·07		18
19	·27		·13		·01	·02	·12		·43				19
20	·49		·21	·10		·15				·63	·02		20
21	·01		·18	·08						·46	·81		21
22	·35		·16	·21			·02	·02		·03			22
23			·19			·03		·19				·79	23
24	·05			·04				·02		·01	·04	·02	24
25		·02		·26							·01	·01	25
26			·13	·08				·04		·70		·17	26
27			·07	·10	·25					·04			27
28	·15		·44	·09			·01			·11	·01		28
29	·06		·08	·36	·48			·08		·12	·02		29
30	·43			·14				·22		·23			30
31			·10					·60		·15			31
Total	5·24	1·32	3·24	3·23	2·22	·47	3·69	1·43	2·05	4·27	3·46	1·79	YEAR'S TOTAL 32·41
Rain Days.	21	11	23	22	12	7	14	12	13	21	21	15	192

W. 7,500, XI. 12

cnd 17.11.15

67

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at 19 Richmond Road, Horsham

in the County of Sussex 2

by Miss L. E. Whitting

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03			·01	·39			·06	·09	1
2						·04	·09	·03			·25	·16	2
3			·09	·02	·30		·04	·03				·01	3
4			·02	·31	·11		·02	·06			·27	·26	4
5	·01	·01	·09	·42	·25	·04	·16	·20			·13		5
6		·17		·11	·05	·09	·02	·01			·01	·34	6
7	·01	·63	·18	·19	·04	·02	·12				·01	·37	7
8	·07	·73	·32	·03		·05	·07	·14				·08	8
9	·32	·01	1·01	·20		·02		·01	·20			1·60	9
10	·07	·10		·13	·09				·30			·03	10
11		·74	·50	·02					·03		·06	·47	11
12	·01	·12	·08				·67		·31	·04	·03	·78	12
13		·46	·17			·04			·14	·04	·10	1·30	13
14		·33	·23				·02			·25	·15	·37	14
15		·05	·23				·07	·06			·90	·04	15
16	·01	·02	·02				·03		·05		·01		16
17		·44	·17				·01		·16			·12	17
18		·12	·22									·40	18
19		·08	·65				·23				·17	·15	19
20		·24	·31			·04	·01		·02	·01	·01	·37	20
21		·86	·09					·0[illegible]		·11		·04	21
22		·05	·02		·09	·02	·07	·04		·23			22
23		·02	·21	·01	·35	·02				·01		·01	23
24			·07								·24		24
25	·05		·2[illegible]					·11		·30	·02	·04	25
26	·01		·16				·05	·15		·10	·23	·70	26
27	·04		·01								·11	·48	27
28	·04	·02			·03					·10	·75	·44	28
29	·10		·05							·37	·25	·02	29
30	·02		·12	·08						·07	·89	·48	30
31	·02				·16		·02			·02		·03	31
Total	·78	5·20	5·22	1·55	1·47	·38	1·71	1·24	1·21	1·65	4·65	9·18 9·18	YEAR'S TOTAL 34·24
Rain Days.	14	20	25	12	10	10	18	13	8	13	21	27	191

W.7,000, XI, 13

81

Cnd. 23.11.16

543
64

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Richmond Road, Horsham

in the County of Sussex

2

by L. E. Whiting

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.80	.25	.03		.02		.02	.02	.29	.02	.07	.50	1
2	.34	.18	.21	.08	.02			.13	.04	.23		.11	2
3	.40	–	.09	.20	.03	.02		.03	.04	.01		.46	3
4	.07							.53				.61	4
5	.02	.62						.10		.02		.53	5
6	.47	.20	.12	.65			.71	.03				.10	6
7	.20	.50	.05	.01			.06	.01				.47	7
8	.02	.80					.14	.05			.02	.01	8
9	.02	.11		.27		.09	–	.02			.40	.66	9
10	.22	.02									.01	.38	10
11	.02		.05					–		.02	.68	.02	11
12	.04	.13		.16	.33			.22		.02	.55		12
13	.02	.87			1.27			.02	.03				13
14	.01	.04					.06	.10	.05	.01		.43	14
15	.14	.01			.04		.02	.08			.11	.41	15
16		.65			.04		.82	.10			.01	.10	16
17		.56			1.08			.08				.01	17
18		.09	.03		.16						.05		18
19	.01	.10			.03		.05			.03	.01		19
20	.30	.01		.02	.04					.01		.16	20
21	.10						.02			.10		.03	21
22	1.28	.08	.05	.05			.78			.02		.15	22
23	.02	.06	.06			.03	.08		.03	.30		.38	23
24	.03		.04	.01			.19		.32	.30		.69	24
25				.12			.10			.02		.32	25
26	.01	.07				.08	.03					.62	26
27		.06				.03	.09		.02	.45		.03	27
28		.13				.11			1.03	.40	.01	.01	28
29					–	.12	.29	.13		.01	.65	.01	29
30	.10	✕				.35	.02		.04	.43	.70	.03	30
31	.04	✕		✕		✕		.38	✕	1.14	✕	.35	31
													YEAR'S TOTAL
Total	4.68	5.54	.73	1.57	3.06	.83	3.46	2.03	1.89	3.54	3.27	7.58	38.18
Rain Days.	24	22	10	10	11	8	16	17	10	19	13	27	188

W. 8,000. X. 14.

8L
Exe 8L
570
63

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Horsham 19 Richmond Road

in the County of Sussex

by L. E. Whiting

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.16	.02	.04		.09	.02			.27	.04	.33		1
2	.30	.14	.05		.27	.01	.01		.02	.85	.02		2
3	.02	.68	.17				.04		.21	.51	.76		3
4	.20	.22	.01			.39			.22	.05	.38		4
5	.06	.05	.02		.21	.09				.10	.75		5
6	.02	.09	.12	.04	.02	.19	.44			.06	.79		6
7		.02	.56		.35	.09	.06			.03	1.08		7
8			.01		.22	.03					.02		8
9		.01	.01		.32	.03							9
10		.30	.08	.06	.03	.38	.19				.01		10
11	.03	.19	.02	.21	.02	.17							11
12	.05	.09	.01	.06	.18	.18	.09	.02		.06	.01		12
13		.23	.43	.12	.08	.06		.09		.05	.01		13
14		.54	.23		.10			.01		.03			14
15		.06	.15	.04				.22					15
16	.02	.02	.34	.16			.09	.29					16
17	.21	.18		.04			.04	.14	.24	1.15			17
18	.02	.09	.02	.04				.29	.46	.14	.61		18
19	.23	.01	.12	.16		.02		.07	.15		.76		19
20	.13		.18	.01							.10		20
21	.02		.23	.01			.12						21
22	.02	.02	.02			.01				.04	.02		22
23	.02	.21	.02			.02		.01		.10	.04		23
24	.01	.10			.12	.05		.02		.27	.14		24
25		1.05	.13					.41		.08	.08		25
26	.04	.26	.06			.12		.01	.20	.39			26
27	.02	.02	.93	.45		.09		.50	.08	.75			27
28		.44	.16			.05		.05	.04	.10	.01		28
29		.17	.01			.38		.82	.18	.50			29
30		X			.28	.01		.03		.31			30
31		X		X		X		.02	X	.10	X		31
Total	1.58	5.21	4.13	1.40	2.29	2.39	1.08	3.00	2.07	5.71	5.92		YEAR'S TOTAL
Rain Days.	19	26	27	13	14	21	9	17	11	22	19		

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

11 JUN 1913

REG

HOVE
TOWN HALL
SUSSEX
1912 - 1920

Kept at The Hove ... 9 a.m.

in the County of Sus ... Hove

by Dr A. Gr ... 8 in.

…ove Ground 1 ft. — in.

Sea Level 25 ft.

IMPORTANT NOT… the result entered to the previous day. If an Ob… …iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·03	·00	·08	·25	·10	·00	·02	·67	·00	·24	1
2	·00	·00	·36	·00	·00	·03	·16	·00	·00	·00	·00	·01	2
3	·02	·00	·06	·00	·00	·16	·00	·56	·02	·00	·00	·00	3
4	·21	·08	·55	·00	·00	·20	·00	·06	·00	·00	·20	·00	4
5	·28	·10	·10	·00	·00	·17	·00	·30	·00	·00	·09	·01	5
6	·61	·00	·00	·00	·03	·00	·00	·44	·00	·00	·01	·20	6
7	·00	·00	·42	·00	·26	·72	·00	·27	·00	·00	·00	·04	7
8	·66	·38	·14	·00	·01	·04	·03	·09	·00	·00	·00	·03	8
9	·00	·04	·04	·00	·00	·19	·08	·09	·00	·00	·00	·06	9
10	·07	·06	·01	·00	·00	·00	·00	·37	·00	·00	·06	·40	10
11	·03	·48	·00	·00	·01	·00	·00	·00	·00	·00	·00	·15	11
12	·00	·08	·03	·00	·06	·05	·00	·37	·00	·01	·00	·05	12
13	·00	·07	·01	·00	·00	·00	·23	·02	·00	·00	·04	·24	13
14	·00	·00	·00	·00	·07	·00	·00	·02	·00	·07	·00	·03	14
15	·00	·09	·10	·00	·09	·55	·00	·00	·00	·00	·01	·21	15
16	·15	·00	·19	·00	·14	·08	·00	·15	·00	·05	·00	·00	16
17	·40	·00	·23	·00	·26	·10	·00	·07	·00	·00	·09	·24	17
18	·08	·00	·39	·00	·03	·06	·00	·10	·00	·02	·06	·67	18
19	·04	·10	·28	·00	·00	·07	·04	·30	·00	·00	·04	·00	19
20	·03	·03	·71	·00	·00	·00	·00	·03	·00	·46	·02	·00	20
21	·00	·18	·69	·00	·09	·00	·07	·18	·00	·34	·04	·00	21
22	·08	·55	·03	·00	·00	·00	·00	·25	·00	·02	·00	·04	22
23	·28	·16	·29	·00	·00	·00	·00	·29	·00	·06	·14	·11	23
24	·04	·09	·01	·00	·00	·00	·00	·19	·00	·17	·00	·17	24
25	·06	·00	·00	·00	·00	·26	·00	·81	·00	·05	·30	·46	25
26	·00	·05	·00	·00	·00	·00	·00	·06	·00	·33	·30	·25	26
27	·00	·01	·00	·00	·00	·04	·00	·00	1·00	·19	·02	·53	27
28	·00	·08	·00	·00	·00	·02	·34	·04	·20	·72	·75	·27	28
29	·00	·02	·00	·00	·00	·00	·20	·80	1·25	·11	·00	·02	29
30	·00		·00	·00	·34	·00	·01	·15	1·07	·28	·02	·00	30
31	·00		·02		·00		·25	·20		·00		·00	31
Total	2·98	2·59	4·29	·00	1·47	2·87	1·35	6·21	2·56	3·55	2·13	4·43	YEAR'S TOTAL 34·43
Rain Days.	16	19	22	nil	13	16	11	26	5	16	16	23	183

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

11 JUN 1913

REG [redacted] 1

Kept at The Hove [redacted] 9 a.m.

in the County of Sussex. 3

by Dr. A. Griffith M.O.H.

Nearest Railway Station Hove

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·03	·00	·08	·25	·10	·00	·02	·67	·00	·24	1
2	·00	·00	·36	·00	·00	·03	·16	·00	·00	·00	·00	·01	2
3	·02	·00	·06	·00	·00	·16	·00	·56	·02	·00	·00	·00	3
4	·21	·08	·55	·00	·00	·20	·00	·06	·00	·00	·20	·00	4
5	·28	·10	·10	·00	·00	·17	·00	·30	·00	·00	·09	·01	5
6	·61	·00	·00	·00	·03	·00	·00	·44	·00	·00	·07	·20	6
7	·00	·00	·02	·00	·26	·72	·00	·27	·00	·00	·00	·04	7
8	·66	·38	·14	·00	·07	·04	·03	·09	·00	·00	·00	·03	8
9	·00	·04	·04	·00	·00	·19	·08	·09	·00	·00	·00	·06	9
10	·07	·06	·01	·00	·00	·00	·00	·37	·00	·00	·06	·40	10
11	·03	·48	·00	·00	·07	·00	·00	·00	·00	·00	·00	·15	11
12	·00	·08	·03	·00	·06	·05	·00	·37	·00	·07	·00	·05	12
13	·00	·07	·07	·00	·00	·00	·23	·02	·00	·00	·04	·24	13
14	·00	·00	·00	·00	·07	·00	·00	·02	·00	·07	·00	·03	14
15	·00	·09	·10	·00	·09	·55	·00	·00	·00	·00	·01	·21	15
16	·15	·00	·19	·00	·14	·08	·00	·15	·00	·05	·00	·00	16
17	·40	·00	·23	·00	·26	·10	·00	·07	·00	·00	·09	·24	17
18	·08	·00	·39	·00	·03	·06	·00	·10	·00	·02	·00	·67	18
19	·04	·10	·28	·00	·00	·07	·04	·30	·00	·00	·04	·00	19
20	·03	·03	·71	·00	·00	·00	·00	·03	·00	·46	·02	·00	20
21	·00	·18	·69	·00	·09	·00	·07	·18	·00	·34	·04	·00	21
22	·08	·55	·03	·00	·00	·00	·00	·25	·00	·02	·00	·04	22
23	·28	·16	·29	·00	·00	·00	·00	·29	·00	·06	·14	·11	23
24	·04	·09	·01	·00	·00	·00	·00	·19	·00	·17	·00	·17	24
25	·06	·00	·00	·00	·00	·26	·00	·81	·00	·05	·30	·46	25
26	·00	·05	·00	·00	·00	·00	·00	·06	·00	·33	·30	·25	26
27	·00	·07	·00	·00	·00	·04	·00	·00	·00	·19	·02	·53	27
28	·00	·08	·00	·00	·00	·02	·24	·04	·20	·72	·75	·27	28
29	·00	·02	·00	·00	·00	·00	·20	·80	1·25	·11	·00	·02	29
30	·00		·00	·00	·34	·00	·07	·15	1·07	·28	·02	·00	30
31	·00		·02		·00		·25	·20		·00		·00	31
Total	2·98	2·59	4·29	·00	1·47	2·87	1·35	6·21	2·56	3·55	2·13	4·43	YEAR'S TOTAL 34·43
Rain Days.	16	19	22	nil	13	16	11	26	5	16	16	23	183

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
21 JAN 1914

Kept at Hove

in the County of Sussex 3

by Dr. A. Griffith MOH

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·38	·10	·19	·00	·04	·00	·00	·03	·03	·04	·11	1
2	·03	·13	·02	·01	·00	·00	·04	·00	·00	·35	·15	·02	2
3	·07	·00	·06	·25	·15	·00	·00	·00	·00	·00	·00	·13	3
4	·27	·00	·09	·00	·01	·00	·04	·00	·66	·13	·09	·00	4
5	·31	·04	·04	·00	·00	·21	·07	·00	·11	·09	·24	·01	5
6	·01	·03	·10	·07	·15	·13	·55	·00	·00	·26	·19	·26	6
7	·00	·26	·15	·00	·06	·06	·03	·00	·00	·20	·11	·00	7
8	·00	·14	·02	·00	·15	·03	·00	·29	·00	·29	·10	·03	8
9	·00	·09	·00	·01	·21	·07	·04	·00	·10	·01	·09	·01	9
10	·03	·00	·00	·03	·00	·04	·53	·00	·00	·29	1·20	·00	10
11	·75	·00	·00	·51	·00	·00	·00	·00	·00	·72	·27	·01	11
12	·00	·00	·00	·00	·82	·00	·00	·00	·00	·00	·95	·00	12
13	·50	·00	·03	·00	·00	·00	·00	·02	·07	·00	·17	·00	13
14	·29	·01	·11	·02	·00	·00	·72	·00	·06	·03	·22	·01	14
15	·34	·00	·37	·32	·00	·00	·26	·00	·04	·00	·05	·00	15
16	·18	·00	·53	·18	·00	·00	·02	·00	·04	·00	·00	·02	16
17	·08	·04	·00	·13	·00	·00	·26	·00	·00	·00	·07	·07	17
18	·02	·00	·05	·16	·00	·00	·18	·00	·00	·00	·13	·00	18
19	·23	·00	·08	·00	·06	·03	·08	·00	·42	·00	·00	·00	19
20	·85	·00	·05	·20	·00	·22	·00	·00	·00	·45	·07	·00	20
21	·00	·00	·14	·19	·00	·00	·00	·00	·00	·58	·68	·00	21
22	·32	·00	·18	·00	·00	·00	·00	·03	·11	·03	·00	·00	22
23	·00	·00	·07	·00	·00	·00	·00	·08	·00	·00	·00	·66	23
24	·15	·00	·00	·03	·00	·00	·00	·13	·00	·00	·06	·00	24
25	·00	·02	·00	·16	·00	·00	·00	·00	·00	·00	·00	·02	25
26	·00	·00	·08	·00	·00	·00	·00	·05	·00	·78	·03	·22	26
27	·00	·03	·08	·05	·00	·00	·00	·00	·00	·03	·07	·00	27
28	·08	·00	·31	·08	·00	·00	·00	·07	·00	·10	·00	·00	28
29	·11		·05	·35	·50	·00	·00	·10	·00	·04	·02	·00	29
30	·58		·00	·16	·00	·00	·00	·42	·00	·10	·00	·00	30
31	·00		·07		·00		·00	1·42		·35		·00	31
Total	5·18	1·17	2·78	3·04	2·11	·77	2·82	2·55	1·64	4·76	4·80	1·52	YEAR'S TOTAL 33·14
Rain Days.	21.	11	23	20	9	9	13	10	10	20	22	14	182

W.7,000, XI. 13

At DJJ cordly mm stats 17.11.15

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
12 FEB 1915

Kept at Hove

in the County of Sussex 3

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·00	·05	·00	·00	·10	·10	·00	·00	·18	·18	1
2	·00	·00	·00	·02	·30	·00	·03	·00	·00	·00	·12	·17	2
3	·00	·00	·09	·04	·00	·00	·01	·03	·00	·00	·01	·00	3
4	·00	·01	·00	·33	·00	·00	·00	·05	·00	·00	·25	·45	4
5	·16	·00	·14	·34	·02	·00	·22	·00	·00	·00	·00	·00	5
6	·00	·09	·02	·18 ·18	·04	·03	·00	·02	·00	·00	·00	·51	6
7	·03	·35	·22	·15	·03	·02	·10	·00	·00	·00	·00	·22	7
8	·06	·53	·32	·06	·03	·20	·14	·03	·00	·00	·01	·25	8
9	·07	·00	·59	·06	·00	·01	·00	·01	·13	·00	·00	1·12	9
10	·15	·07	·00	·15	·18	·00	·00	·00	·02	·00	·02	·10	10
11	·00	·40	·44	·07	·02	·00	·00	·00	·30	·00	·04	·61	11
12	·00	·17	·13	·00	·00	·00	·55	·00	·47	·01	·02	·61	12
13	·01	·35	·30	·00	·00	·10	·00	·00	·18	·03	·10	·45	13
14	·00	·15	·15	·00	·00	·00	·03	·00	·01	·42	·24	·47	14
15	·00	·13	·25	·00	·00	·00	·00	·20	·02	·03	·61	·01	15
16	·00	·15	·00	·00	·00	·00	·26	·00	·11	·00	·00	·00	16
17	·00	·53	·12	·00	·00	·00	·01	·00	·10	·00	·00	·23	17
18	·00	·08	·35	·00	·00	·00	·00	·00	·00	·00	·00	·35	18
19	·00	·22	1·05	·00	·00	·00	·34	·00	·00	·01	·20	·26	19
20	·00	·10	·03	·00	·00	·04	·01	·00	·00	·00	·00	·32	20
21	·00	·50	·08	·00	·00	·00	·00	·00	·00	·09	·00	·00	21
22	·00	·15	·03	·00	·04	·13	·06	·00	·00	·45	·00	·00	22
23	·00	·07	·28	·01	·00	·39	·02	·00	·00	·06	·00	·01	23
24	·00	·00	·06	·02	·00	·00	·00	·00	·00	·00	·14	·00	24
25	·07	·00	·22	·00	·00	·00	·07	·13	·00	·36	·02	·10	25
26	·00	·00	·22	·00	·00	·00	·00	·15	·00	·11	·10	·54	26
27	·03	·00	·00	·00	·00	·00	·00	·00	·00	·00	·21	·46	27
28	·02	·03	·00	·00	·07	·00	·30	·00	·00	·39	·45	·43	28
29	·13		·06	·00	·00	·00	·00	·00	·00	·50	·11	·03	29
30	·02	X	·10	·18	·00	·00	·00	·00	·00	·09	1·06	·25	30
31	·02	X	·00	X	·12	X	·02	·00	X	·01	X	·08	31
Total	·77	4·02	5·25	1·66 ✓	·79	·92	2·11	·72	1·34	2·56	3·89	8·21	YEAR'S TOTAL 32·24
Rain Days.	12	19	23	14	10	8	17	9	9	14	19	25	179

W. 8,000. X. 14.

551

FORM A.
BRITISH RAINFALL.
8. JAN. 1916

REGISTER OF RAINFALL IN 1915.

Kept at Hove

in the County of Sussex 3

by Medical Officer of Health

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Hove

Diameter of Funnel of Rain Gauge Eight in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.43	.22	.00	.00	.00	.00	.01	.00	.53	.15	.07	.31	1
2	.42	.15	.25	.13	.01	.01	.00	.09	.01	.25	.00	.21	2
3	.26	.01	.13	.26	.09	.00	.00	.02	.01	.02	.00	.61	3
4	.14	00	.00	.04	.00	.00	.00	.31	.00	.00	.00	.35	4
5	.18	.40	.00	.05	.00	.00	.00	.12	.00	.00	.03	.59	5
6	.73	.39	.02	.39	.00	.00	.42	.00	.00	.00	.00	.06	6
7	.49	.29	.04	.05	.00	.03	.07	.00	.00	.00	.00	.24	7
8	.10	.41	.00	.01	.00	.00	.31	.00	.00	.00	.05	.05	8
9	.01	.24	.00	.13	.00	.10	.00	.11	.00	.00	.47	.94	9
10	.30	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.66	10
11	.02	00	.09	.00	.00	.00	.00	.00	.00	.24	.77	.03	11
12	.03	.15	.00	.13	.32	.00	.00	.00	.00	.00	.61	.00	12
13	.04	.60	.00	.00	1.75	.00	.00	.00	.06	.00	.00	.00	13
14	.05	.02	.00	.00	.00	.00	.20	.00	.05	.00	.00	.46	14
15	.12	.02	.00	.00	.08	.00	.34	.84	.00	.00	.10	.24	15
16	.01	.64	.00	.00	.09	.00	.89	.30	.00	.00	.00	.27	16
17	.00	.40	.00	.00	1.04	.00	.03	.03	.00	.00	.00	.03	17
18	.00	.19	.00	.00	.10	.00	.00	.00	.00	.00	.04	.00	18
19	.00	.03	.00	00	.00	.00	.00	.00	.00	.00	00	.00	19
20	.25	.00	.00	.03	.06	.00	.00	.00	.00	.01	.00	.10	20
21	.12	.00	.00	00	.00	.00	.00	.00	.00	.54	.00	.07	21
22	.31	.05	.08	.06	.00	.00	.82	.00	.00	.10	.00	.18	22
23	.00	.05	.19	.00	.00	.00	.01	.00	.01	.21	.00	1.05	23
24	.00	.00	.01	.00	.00	.00	.00	.00	.29	.65	.00	.82	24
25	.00	.00	.03	.00	.00	.00	.28	.00	.00	.00	.00	.39	25
26	.00	.14	.00	.00	.00	.07	.01	.00	.01	.00	.00	.87	26
27	.00	.05	.00	.00	.00	.10	.10	.00	.00	.36	.00	.03	27
28	.00	.11	.00	.00	.00	.29	.01	.00	.99	.22	.00	.00	28
29	.00	×	.00	.00	.07	.00	.00	.19	.00	.08	.34	.04	29
30	.23	×	.00	.00	.00	.00	.00	.00	.05	.35	.32	.03	30
31	.02	×	.00	×	.00	×	.00	.23	×	.61	×	.23	31
Total	4.26	4.56	0.84	1.28	3.61	0.60	3.5	2.24	2.01	3.79	2.80	8.86	YEAR'S TOTAL 38.35
Rain Days.	21	21.	9.	11.	10.	6.	14.	10.	10.	14.	10.	26.	162

579

and for month

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Hove
in the County of Sussex
by The Medical Officer of Health

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·04	·02	·00	·06	·02	·00	·00	·04	·06	·42	·00	1
2	·30	·04	·32	·00	·22	·02	·01	·00	·00	·87	·03	·00	2
3	·02	·15	·06	·00	·00	·01	·03	·00	·13	·36	·55	·00	3
4	·12	·07	·00	·00	·02	·37	·00	·00	·15	·04	·25	·00	4
5	·06	·00	·00	·00	·16	·06	·00	·00	·00	·03	·34	·00	5
6	·01	·04	·02	·06	·01	·06	·30	·00	·00	·02	·19	·00	6
7	·00	·02	·54	·00	·23	·08	·00	·00	·00	·07	·44	·02	7
8	·00	·01	·05	·00	·20	·00	·00	·00	·00	·00	·00	·43	8
9	·01	·00	·00	·00	·14	·00	·00	·00	·00	·00	·00	·07	9
10	·00	·40	·03	·05	·00	·31	·04	·00	·00	·00	·01	·41	10
11	·02	·15	·01	·13	·00	·30	·00	·00	·00	·00	·00	·13	11
12	·05	·06	·04	·07	·10	·11	·05	·00	·02	·02	·00	·00	12
13	·00	·16	·18	·02	·02	·04	·01	·00	·00	·00	·00	·02	13
14	·00	·74	·09	·03	·15	·00	·00	·03	·00	·00	·00	·11	14
15	·00	·20	·11	·00	·00	·00	·00	·00	·00	·00	·00	·00	15
16	·02	·01	·21	·20	·00	·00	·06	·02	·00	·00	·00	·00	16
17	·36	·20	·00	·06	·00	·00	·00	·00	·23	·65	·00	·00	17
18	·02	·07	·00	·02	·00	·00	·00	·10	·16	·11	·63	·08	18
19	·10	·00	·16	·24	·00	·00	·00	·04	·03	·00	1·10	·09	19
20	·09	·00	·09	·11	·00	·04	·00	·00	·00	·00	·16	·53	20
21	·02	·00	·25	·00	·00	·02	·13	·00	·00	·00	·01	·64	21
22	·01	·00	·01	·00	·00	·00	·00	·00	·00	·07	·00	·63	22
23	·01	·12	·03	·00	·00	·01	·00	·05	·00	·08	·01	·01	23
24	·00	·00	·00	·00	·08	·09	·00	·02	·00	·21	·03	·35	24
25	·00	·47	·11	·00	·00	·00	·00	·37	·02	·23	·03	·00	25
26	·03	·42	·00	·00	·00	·00	·00	·04	·25	·17	·00	·06	26
27	·07	·19	·78	·00	·00	·40	·00	·01	·10	·19	·00	·00	27
28	·00	·60	·03	·00	·00	·04	·00	·06	·50	·43	·00	·29	28
29	·00	·25	·00	·00	·00	·09	·00	·50	·12	·46	·00	·44	29
30	·00	✕	·00	·00	·12	·18	·00	·03	·00	·27	·00	·00	30
31	·00	✕	·00	✕	·00	✕	·00	·03	✕	·05	✕	·00	31
Total	1·29	4·41	3·14	·99	1·51	2·25	·63	1·30	1·35 1·75	4·39	4·20	4·31	YEAR'S TOTAL ~~29·99~~ 30·17
Rain Days.	19	22	21	11	13	19	8	13	12	20	15	17	190

W. 8,000, VIII. 16

517

REGISTER OF RAINFALL IN 1917

BRITISH RAINFALL FORM
2 JAN 1918

Kept at H O V E.
in the County of Sussex.
by C. RAWDON WOOD, M.A., M.D., D.P.H.,

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Portslade
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ? ft. in.
" " " " Sea Level about 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.00	.13	.00	.00	.00	1.18	.09	.00	.12	.02	1
2	.00	.00	.00	.09	.00	.00	.00	.04	.01	.00	.09	.00	2
3	.00	.00	.00	.05	.00	.00	.72	.12	.00	.01	.01	.00	3
4	.00	.10	.25	.00	.00	.00	.04	.18	.00	.15	.00	.00	4
5	.35	.00	.02	.10	.00	.00	.00	.00	.23	.21	.02	.00	5
6	.00	.00	.29	.03	.00	.46	.00	.00	.13	.00	.15	.00	6
7	.30	.00	.00	.00	.00	.00	.30	.00	.02	.25	.00	.06	7
8	.08	.00	.00	.08	.00	.00	.12	.08	.00	.26	.20	.35	8
9	.00	.00	.13	.03	.01	.00	.04	.00	.00	.02	.05	.30	9
10	.15	.00	.11	.02	.00	.37	.00	.10	.00	.00	.00	.00	10
11	.10	.00	.14	.36	.00	.01	.00	.02	.00	.35	.00	.00	11
12	.03	.00	.05	.04	.00	.00	.00	.16	.00	.25	.00	.00	12
13	.02	.00	.21	.00	.23	.00	.00	.02	.02	.26	.01	.01	13
14	.00	.00	.00	.16	.00	.00	.00	.01	.01	.00	.00	.00	14
15	.00	.00	.00	.00	.00	.00	.00	.01	.00	.18	.00	.04	15
16	.01	.22	.00	.08	.08	.00	.00	.00	.00	.19	.01	.82	16
17	.00	.04	.00	.10	.18	.00	.41	.00	.26	.13	.00	.00	17
18	.00	.03	.00	.07	.08	.00	.14	.12	.24	.00	.00	.00	18
19	.00	.38	.07	.00	.00	.31	.00	.00	.10	.00	.00	.00	19
20	.00	.17	.00	.00	.34	.01	.00	.02	.00	.00	.00	.00	20
21	.02	.00	.02	.00	.03	.02	.00	.00	.00	.00	.02	.02	21
22	.00	.00	.00	.00	.00	.08	.00	.16	.00	.24	.00	.00	22
23	.00	.24	.00	.00	.21	.00	.00	.04	.00	.00	.00	.05	23
24	.00	.11	.00	.00	.00	.01	.22	.01	.00	.16	.03	.00	24
25	.00	.14	.03	.00	.00	.03	.14	.00	.00	.00	.00	.00	25
26	.00	.00	.02	.00	.00	.00	.00	.57	.06	.00	.79	.00	26
27	.00	.00	.00	.00	.07	.00	.00	.86	.00	.00	.00	.00	27
28	.00	.00	.05	.00	.00	1.48	.00	.33	.00	.00	.00	.04	28
29	.00	------	.05	.00	.05	.00	.07	.03	.00	.27	.01	.09	29
30	.00		.27	.00	.00	.02	.27	.55	.00	.09	.00	.02	30
31	.00		.00		.00		.08	.00		.04		.08	31
Total	1.06	1.43	1.17 1.71	1.34	1.28	2.80	2.55	4.61	1.17	3.06	1.51	1.90	YEAR'S TOTAL ~~23.88~~ 24.42
Rain Days.	9	9	15	14	10	10	12	21	11	17	13	13	155

W. 8 000, IX. 17.

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

2. 1. 19

Kept at Hove.
in the County of E. Sussex.
by Dr C Rawdon Hood

Lat. Long.
Time of Observation 9 Am.
Nearest Railway Station Portslade
Diameter of Funnel of Rain Gauge 8 ins.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	(Snow) ·15	·00	·00	·00	·00	·01	·00	·00	·15	·10	1
2	·00	·04	·00	·00	·00	·00	·00	·44	·00	·00	·26	·19	2
3	·00	·01	·07	·03	·34	·00	·00	·02	·00	·01	·25	·02	3
4	·00	·03	·01	·00	·00	·00	·00	·05	·09	·00	·47	·02	4
5	·00	·08	·05	·00	·03	·00	·00	·08	·00	·02	·00	·01	5
6	·21	·11	·00	·14	·08	·00	·00	·73	·03	·00	·00	·02	6
7	·00	·03	·00	·14	·15	·00	·00	·03	·11	·03	·07	·00	7
8	·00	·01	·00	·00	·00	·00	·00	·00	·16	·03	·07	·04	8
9	·02	·00	·00	·08	·00	·12	·01	·00	·41	·15	·02	·32	9
10	·00	·00	·00	·04	·00	·01	·17	·00	·26	·19	·01	·21	10
11	·04	·00	·00	·01	·00	·00	·10	·00	·08	·17	·06	·07	11
12	·00	·06	·00	·00	·18	·00	·00	·00	·02	·00	·00	·03	12
13	(Snow) ·30	·02	·00	·00	·11	·00	·13	·00	·29	·00	·00	·01	13
14	·13	·00	·08	·00	·01	·08	·15	·00	·37	·35	·00	·05	14
15	1·56	·00	·00	·08	·00	·02	·11	·00	·00	·00	·00	(·15)	15
16	·34	·00	·00	·03	·00	·00	·04	·00	·23	·00	·00	·00	16
17	·25	·00	·00	·12	·00	·00	·71	·00	·00	·00	·00	·24	17
18	·23	·00	·00	·00	·00	·34	·01	·00	·85	·02	·00	·08	18
19	·07	·00	·19	·00	·00	·45	·01	·02	·00	·03	·00	·00	19
20	·03	·16	·00	·50	·00	·06	·54	·01	·14	·05	·00	·00	20
21	·18	·00	·01	·68	·00	·00	·00	·00	·31	·07	·00	·04	21
22	·14	·00	·00	·00	·25	·00	·19	·00	·61	·00	·00	·15	22
23	·06	·00	·00	·03	·00	·00	·69	·07	·00	·00	·00	·03	23
24	·00	·20	·00	·00	·00	·02	·14	·00	·21	·00	·12	·00	24
25	·02	·00	·00	·02	·00	·00	·02	·30	·00	·04	·00	·03	25
26	·01	·00	·00	·00	·00	·00	·16	·00	·04	·03	·09	·08	26
27	·01	·04	·01	·02	·00	·00	·04	·14	·39	·01	·09	·05	27
28	·02	·07	·11	·01	·02	·06	·00	·00	·00	·03	·15	·02	28
29	·01	✕	·00	·00	·00	·00	·00	·00	1·15	·01	·01	·00	29
30	·00	✕	·50	·00	·00	·00	·00	·00	·01	·11	·00	·07	30
31	·01	✕	·00	✕	·00	✕	·00	·00	✕	·09	✕	·00	31
Total	3·64	·86	1·18	1·93	1·17	1·16	3·22	1·90	5·76	1·44	1·82	2·04	YEAR'S TOTAL 26·12
Rain Days.	20	13	10	15	9	9	17	12	20	19	14	21	182

W, 6,500, VII. 18. w w c

W.Dh 488

9 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hove
in the County of E. Sussex
by Dr. A. Griffith.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Portslade
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	·02 (SNOW)	·00	·00	·03	·00	·20	·00	·00	·12	·02	·65	1
2	·10	·00	·03	·00	·00	·00	·01	·00	·00	·05	·04	·08	2
3	·25	·00	·58	·00	·06	·00	·00	·00	·08	·00	·02	·29	3
4	·20	·09	·32	·00	·01	·03	·07	·06	·00	·00	·05	·04	4
5	·00	·38	·84	·00	·00	·00	·01	·00	·03	·00	·27	·37	5
6	·24	·00	·07	·00	·00	·00	·00	·00	·00	·00	·01	·06	6
7	·08	·00	·46	·00	·00	·00	·00	·00	·00	·00	·00	·00	7
8	·22	·00	·08	·00	·00	·00	·00	·00	·00	·00	·00	·00	8
9	·53	·00	·12	·02	·05	·00	·00	·00	·00	·00	·25	·00	9
10	·57	·00	·06	·04	·00	·00	·00	·00	·00	·00	·00	·12	10
11	·18	·00	·22	·47	·08	·00	·02	·00	·00	·00	·00	·06	11
12	·06	·00	·00	·00	·01	·00	·05	·00	·00	·09	·02 (SNOW)	·00	12
13	·01	·01	·10	·18	·00	·00	·00	·00	·00	·00	·00	·01	13
14	·31	·00	·00	·43	·00	·00	·05	·00	·19	·02	·00	·34	14
15	·12	·04	·15	·07	·00	·00	·00	·00	·00	·00	·00	·82	15
16	·15	·54	·00	·00	·00	·00	·00	·00	·00	·00	·07	·03	16
17	·00	·25	·00	·00	·00	·00	·00	·00	·00	·00	·10	·03	17
18	·00	·02	·08	·00	·00	·00	·00	·02	·00	·00	·09	·02	18
19	·03	·50	·78	·00	·00	·00	·64	·28	·00	·00	·13	·02	19
20	·55	·05	·05	·00	·00	·61	·05	·12	·00	·01	·00	·02	20
21	·06	·42	·00	·00	·00	·00	·03	·00	·00	·00	·02	·02	21
22	·00	·02	·00	·00	·00	·00	·16	·00	·64	·00	·01	·18	22
23	·00	·00	·00	·00	·00	·00	·00	·00	·29	·00	·03	·03	23
24	·00	·02	·00	·14	·00	·03	·05	·00	·00	·19	·12	·08	24
25	·03	·00	·00	·00	·00	·00	·00	·39	·00	·00	·00	·02	25
26	·02	·19	·05	·07	·00	·00	·01	·03	·04	·00	·78	·39	26
27	·62 (SNOW)	·00	·09	·44 (SNOW)	·00	·00	·01	·29	·00	·00	·48	·03	27
28	·00	·00	·44 (SNOW)	·00	·00	·00	·00	·56	·00	·00	·56 (SNOW)	·47	28
29	·04 (SNOW)	X	·00	·02	·00	·01	·00	·84	·00	·18	·08	·05	29
30	·01 (SNOW)	X	·00	·30	·00	·02	·00	1·03	·00	·04	·17	·64	30
31	·00	X	·05 (SNOW)	X	·00	X	·00	·00	X	·03	X	·29	31
TOTAL	4·78	2·55	4·57	2·18	·24	·70	1·39	3·62	1·27	·73	3·32	5·16	YEAR'S TOTAL 30·51
Days with ·01 in. or more	23	14	19	11	6	5	14	10	6	9	21	27	30·51 inches.

4,865,582 tons of Rain fell in Hove. 1919

165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex [illegible]

46

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hove

in the County of Sussex (East)

by Dr. A. Griffith - M.O.H

Lat. 50-50 Long. 11'

Time of Observation 9 a.m.

Nearest Railway Station Portslade

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·00	·02	·02	·08	·00	·24	·00	·00	·28	·00	·21	1
2	·00	·00	·18	·03	·04	·00	·00	·23	·14	·09	·00	·08	2
3	·04	·00	·00	·00	·00	·00	·00	·00	·00	·11	·00	·03	3
4	·00	·19	·00	·02	·00	·00	1·04	·12	·00	·10	·00	·01	4
5	·00	·00	·08	·01	·00	·00	·48	·02	·02	·00	·00	·03	5
6	·00	·00	·08	·00	·34	·00	·29	·00	·00	·00	·00	·00	6
7	·04	·00	·00	·15	·03	·00	·30	·00	·00	·01	·00	·00	7
8	·02	·01	·00	·09	·06	·00	·49	·00	·00	·00	·00	·00	8
9	·21	·03	·01	·00	·01	·05	·00	·00	·00	·00	·00	·00	9
10	·81	·17	·14	·08	·00	·08	·11	·00	·00	·00	·01	·00	10
11	·32	·00	·15	·18	·02	·03	·21	·00	·00	·00	·00	·02	11
12	·09	·01	·02	·26	·02	·54	·00	·00	·00	·00	·00	·00	12
13	·22	·02	·37	·00	·00	·00	·00	·00	·00	·00	·08	·00	13
14	·00	·02	·45	·42	·00	·01	·02	·00	·03	·18	·36	·00	14
15	·10	·00	·01	·23	·00	·04	·00	·00	·66	·48	·10	·00	15
16	·01	·00	·07	·03	·00	·00	·00	·00	·24	·01	·02	·00	16
17	·03	·00	·00	·04	·20	·00	·00	·00	·20	·00	·00	·06	17
18	·05	·00	·00	·01	·05	·01	·00	·65	·64	·00	·00	·05	18
19	·06	·00	·00	·14	·00	·01	·00	·00	·03	·00	·00	·04	19
20	·13	·05	·00	·07	·00	·83	·00	·00	·06	·00	·00	·01	20
21	·00	·00	·00	·03	·00	·00	·58	·00	·26	·00	·00	·24	21
22	·00	·00	·00	·38	·00	·00	·00	·00	·00	·00	·00	·54	22
23	·00	·00	·00	·00	·00	·00	·28	·15	·00	·00	·00	·56	23
24	·01	·00	·07	·02	·00	·00	·22	·00	·00	·00	·00	·10	24
25	·00	·02	·00	·01	·01	·00	·00	·00	·00	·00	·00	·00	25
26	·07	·00	·12	·05	·00	·00	·02	·00	·00	·00	·03	·05	26
27	·31	·01	·00	·10	·00	·16	·07	·00	·00	·00	·99	·27	27
28	·36	·02	·08	·04	·19	·00	·10	·00	·00	·00	·08	·07	28
29	·69	·00	·05	·10	·02	·02	·00	·00	·00	·00	·18	·09	29
30	·03	✕	·01	·00	·00	·00	·03	·00	·30	·00	·28	·22	30
31	·00	✕	·09	✕	·00	✕	·00	·00	✕	·77	✕	·24	31
TOTAL	3·82	0·55	2·00	2·51	1·07	1·78	4·38	1·17	2·58	2·03	2·13	2·92	YEAR'S TOTAL 26·94
Days with ·01 in. or more	21	11	18	24	13	11	16	5	11	~~8~~ 9	10	20	~~168~~ 169
Days with ·04 in. or more	16	~~4~~ 3	13	~~13~~ 15	7	6	13	4	8	~~6~~ 7	7	15	~~112~~ 114

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

6 JAN 1913

REG

HURST ~~GREEN~~ GREEN

SUSSEX

1912 - 1920

Kept at Boarzell. 0° 27′ 25″ E

in the County of Sussex a.m.

by Sir Fredrick Etchingham (S.E.

8 inches

bove Ground 1 ft. = in.

, Sea Level *270 ft.

IMPORTANT NO nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. *Checked by 2 Ordnance Bench Marks

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	~~Oct.~~ Nov.	~~Nov.~~ Dec.	~~Dec.~~ Oct.	Date.
1			0.10	0.01		0.15	0.45		0.05	Trace.	0.20	0.88	1
2			0.25	0.01	0.01	0.01	0.18						2
3	0.03		0.02			0.34	Trace	0.18	0.02	0.02	0.02		3
4			0.77		0.04	0.58		0.06		0.20	0.04	0.01	4
5	0.31	0.29	0.12			0.25		0.25		0.10	0.02		5
6	0.52	0.10			0.02			0.96		0.01	0.02		6
7			0.01		0.14	0.68		0.34			0.14		7
8	0.38	0.40	0.24	0.01		0.13	0.08	0.55		Trace	0.01		8
9	0.02	0.04	0.01	0.04			0.08	0.20			0.06		9
10	0.01	0.07						0.25	0.03	0.04	0.32	—	10
11	0.03	0.26	0.02		Trace	0.12		0.01	0.04		0.22		11
12		0.27	0.01		0.06	0.05		0.43 ~~0.10~~		0.02	0.05	0.01	12
13		0.01	0.01				0.01	0.01		0.21	0.05		13
14		0.01			0.03			0.10		0.01	0.01	0.02	14
15		0.01	0.06		0.12	0.61		0.01		0.01	0.23		15
16	0.11	0.01	0.18		0.11	0.15		0.07		Trace	—	0.03	16
17	0.43		0.51			0.04		0.05		0.04	0.13		17
18	0.04	0.01	0.30				0.09	0.30		Trace	0.41	0.05	18
19	0.05	0.20	0.23				0.01	0.45		Trace		Trace	19
20	0.02	0.03	0.85		0.01	0.01	0.10	0.06		0.05		0.77	20
21	0.01	0.04	0.24		0.02			0.22		0.11		0.32	21
22	0.08	0.44	0.08		0.01		0.03	0.09			0.01	0.01	22
23	0.50	0.22	0.32			0.01		0.45		0.16	0.01	0.20	23
24	0.03	0.01			Trace			0.07			0.12		24
25	0.15	0.01				0.37		0.73		0.34	0.36	Trace	25
26		0.02				0.10		0.22		0.49	0.61	0.34	26
27							0.15				0.34	0.18	27
28					Trace	Trace	0.14	0.09	0.09	0.79	0.17	0.78	28
29		0.04		0.01		Trace	0.07	0.28	1.74	0.12		0.31	29
30					0.10	Trace	0.30	0.20	1.85	0.02		0.25	30
31			0.01		Trace			0.16					31
Total	2.72	2.49	4.34	0.08	0.67	3.60	1.69	6.79	3.82	2.74	3.55	4.16	YEAR'S TOTAL 36.65
Rain Days.	17	23	21	5	12	16	13	28	7	18	23	15	198

Nov. Dec. Oct.

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

6 JAN 1913

REC

0° 27' 25" E

Kept at Boarzell, Hurst Green

in the County of Sussex. 6

by Sir Fredrick Fison Bart.

Time of Observation 9 a.m.

Nearest Railway Station Etchingham (S.E.R.)

Diameter of Rain Gauge 8 inches

Height of top of Gauge above Ground 1 ft. = in.

" " " " Sea Level * 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. *Checked by 2 Ordnance Bench Marks

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	~~Oct.~~ Nov.	~~Nov.~~ Dec.	~~Dec.~~ Oct.	Date.
1			0.10	0.01		0.15	0.45		0.05	Trace.	0.20	0.88	1
2			0.25	0.01	0.01	0.01	0.18						2
3	0.03		0.02			0.34	Trace	0.18	0.02	0.02	0.02		3
4			0.77		0.04	0.58		0.06		0.20	0.04	0.01	4
5	0.31	0.29	0.12			0.25		0.25		0.10	0.02		5
6	0.52	0.10			0.02			0.96		0.01	0.02		6
7			0.01		0.14	0.68		0.34			0.14		7
8	0.38	0.40	0.24	0.01		0.13	0.08	0.55		Trace	0.01		8
9	0.02	0.04	0.01	0.04			0.08	0.20			0.06		9
10	0.01	0.07						0.25	0.03	0.04	0.32		10
11	0.03	0.26	0.02		Trace	0.12		0.01	0.04		0.22		11
12		0.27	0.01		0.06	0.05		0.43 ~~0.10~~		0.02	0.05	0.01	12
13		0.01	0.01				0.01	0.01		0.21	0.05		13
14		0.01			0.03			0.10		0.01	0.01	0.02	14
15		0.01	0.06		0.12	0.61		0.01		0.01	0.23		15
16	0.11	0.01	0.18		0.11	0.15		0.07		Trace		0.03	16
17	0.43		0.51			0.04		0.05		0.04	0.13		17
18	0.04	0.01	0.30				0.09	0.30		Trace	0.41	0.05	18
19	0.05	0.20	0.23				0.01	0.45		Trace		Trace	19
20	0.02	0.03	0.85		0.01	0.01	0.10	0.06		0.05		0.77	20
21	0.01	0.04	0.24		0.02			0.22		0.11		0.32	21
22	0.08	0.44	0.08		0.01		0.03	0.09			0.01	0.01	22
23	0.50	0.22	0.32			0.01		0.45		0.16	0.01	0.20	23
24	0.03	0.01			Trace			0.07			0.12		24
25	0.15	0.01				0.37		0.73		0.34	0.36	Trace	25
26		0.02				0.10		0.22		0.49	0.61	0.34	26
27							0.15				0.34	0.18	27
28					Trace	Trace	0.14	0.09	0.09	0.79	0.17	0.78	28
29		0.04		0.01		Trace	0.07	0.28	1.74	0.12		0.31	29
30					0.10	Trace	0.30	0.20	1.85	0.02		0.25	30
31			0.01		Trace			0.16					31
Total	2.72	2.49	4.34	0.08	0.67	3.60	1.69	6.79	3.82	2.74	3.55	4.16	YEAR'S TOTAL 36.65
Rain Days.	17	23	21	5	12	16	13	28	7	18	23	15	198

W. 7,500, XI. '12

Nov. Dec. Oct.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
3 - JAN 1914

Kept at Boarzell, Hurst Green.
in the County of Sussex
by Sir Frederick Frson Bart.

Lat. 51° 2′ 15″ N. Long. 0° 27′ 25″ E.
Time of Observation 9 a.m.
Nearest Railway Station Etchingham (S.E.&C.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. —— in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.36	0.04	0.14		0.01				0.04	0.07	0.04	1
2	0.06	0.18			0.01		0.23			0.01	0.07	Trace	2
3	Trace.	Trace.	0.05	0.65	0.21					Trace		0.16	3
4	0.18		0.02	—		0.09	0.02		0.11	0.11	0.10		4
5	0.15	0.05				0.02	0.06		0.81	0.10	0.21	0.02	5
6	Trace	0.01	0.08	0.03	Trace	0.02	0.65			0.47	0.18	0.06	6
7		0.23	0.02		Trace	0.02	Trace			0.09	0.07		7
8	Trace	0.02	0.01	Trace	0.11	0.03		0.20		0.14	0.10	0.01	8
9	Trace	0.03	Trace.	0.01	0.05		Trace	0.30	0.05	Trace	0.01	Trace	9
10	0.02			0.02			0.21	Trace		—	0.64		10
11	0.67			0.48			Trace			0.53	0.07		11
12					0.01					Trace	0.84	Trace	12
13	0.59		0.01					0.03	0.03	Trace	0.19		13
14	0.22	Trace	0.12	0.04			2.00		0.20	0.08	0.24		14
15	0.14	Trace	0.24	0.20			0.11		0.17				15
16	0.33		0.53	0.35					0.45		—		16
17	0.06	0.11	0.02	0.07			0.32	0.01			Trace	0.05	17
18	Trace	Trace	0.11	0.15			Trace				0.08		18
19	0.23	Trace	0.10				0.09		0.13	Trace			19
20	0.63		0.03	0.13	0.01	0.25				0.53	0.01		20
21	0.01		0.03	0.05		Trace.	Trace		Trace	0.69	0.74		21
22	0.28		0.17		Trace		0.02		0.06	0.01			22
23			0.05			0.01	0.03	0.02	Trace			0.64	23
24	0.03		0.01	0.01				0.01	Trace		0.05		24
25	Trace	Trace	Trace	0.20			0.01		Trace		Trace	Trace	25
26		Trace	0.15					0.04	Trace	0.94		0.18	26
27	Trace		0.04		0.05		Trace			0.22			27
28	0.18		0.37	0.01					Trace	0.21			28
29	0.22	-	0.01	0.08	0.21			0.17		Trace	Trace	Trace	29
30	0.58	-	Trace	0.26	0.05			0.38	Trace	0.10		0.01	30
31		-	0.02	-		-			-	0.11	-		31
Total	4.58	0.99	2.23	2.88	0.71	0.45	3.75	1.16	2.01	4.38	3.67	1.17	YEAR'S TOTAL 27.98
Rain Days.	18	8	23	18	9	8	12	9	9	17	17	9	157

W. 7,500, XI. 12

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 5 - JAN 1915

Kept at Boarzell, Hurst Green.

in the County of Sussex 6

by Sir Frederick W. Fison Bart

Lat. 51° 2′ 15″ N. Long. 0° 27′ 25″ E

Time of Observation 9 a.m.

Nearest Railway Station Etchingham (S.E.R.)

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.03	0.04	0.01		0.15	0.03			0.03	0.21	1
2	Trace						0.21	0.02			0.17	0.21	2
3			0.23	0.02	0.24	—	Trace	0.01			0.01	Trace	3
4	Trace		Trace	0.30	0.02			0.06			0.33	0.26	4
5	0.10		0.13	0.46	0.01	0.01	0.29	0.09			Trace	Trace	5
6		0.02	Trace	0.24	0.03	0.07		0.06			Trace	0.53	6
7		0.66	0.34	0.07	0.01	0.04	0.08				Trace	0.33	7
8	0.10	0.32	0.43			0.24	0.09	0.02				0.15	8
9	0.27	Trace	0.75	0.09		0.04			0.11			1.34	9
10		0.06		0.07	0.09				0.01	0.02		0.06	10
11		0.32	0.42	0.07	0.16	0.02			0.22		0.05	0.39	11
12		0.04	0.08		0.02		0.05		0.32		0.03	0.56	12
13	0.01	0.45	0.41			Trace			0.13	0.08	0.11	0.65	13
14	0.01	0.22	0.27				0.30	Trace		0.47	0.13	0.37	14
15		0.02	0.36				0.07	0.04		0.01	0.80	0.02	15
16	Trace	0.17	0.05				0.30		0.13				16
17		0.30	0.14				Trace		0.23			0.15	17
18		0.05	0.07							0.03		0.49	18
19		0.12	1.08			Trace	0.13			0.20	0.26	0.20	19
20	—	0.26	0.10			0.11	0.01		0.03	0.01		0.19	20
21		1.03	0.06					0.10		Trace		0.02	21
22		0.04	0.01	Trace	0.03	0.02	0.12	0.~~30~~ 03		0.17			22
23		Trace	0.52	Trace	0.09	0.33				0.01	—	0.01	23
24	Trace		0.02	0.02						0.04	0.15		24
25	0.11		0.15		Trace			0.02		0.33	0.06		25
26	0.01		0.06		0.02		Trace	0.23		0.07	0.12	0.41	26
27	0.01		Trace		Trace			0.07		Trace	0.12	0.78	27
28	0.01	0.01			0.01		0.04			0.32	0.28	0.38	28
29	0.07	X								0.88	0.23		29
30	Trace	X	0.08	Trace			Trace			0.13	1.45	0.15	30
31	0.01	X		X	0.31	X	0.01		X		X	0.08	31
Total	0.71	4.09	5.79	1.38	1.05	0.88	1.85	0.78	1.18	2.77	4.33	7.94	YEAR'S TOTAL 32.75 ✓
Rain Days.	11	17	23	10	14	9	14	13	8	15	17	24	175 ✓

W. 8,000. X. 14.

Cox Mr 647

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
3 JAN 1916

Kept at Boarzell. Hurst Green

in the County of Sussex 6

by Sir Frederick Frson Bart

Lat. 51°2'15" N. Long. 0°27'25" E.

Time of Observation 9 a.m.

Nearest Railway Station Etchingham (S.E.R.)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.64	0.11	0.01						0.70	Trace	0.16	0.37	1
2	0.54	0.19	0.18	0.08	0.01			0.13	0.06	0.01		0.17	2
3	0.32		0.01	0.23	0.14			0.08	0.12			0.54	3
4	0.03	Trace		Trace			0.01	0.51				0.49	4
5	0.01	0.32	Trace	0.05				0.15		0.01		0.61	5
6	0.50	0.16	0.01	0.59			0.14					0.26	6
7	0.39	0.41		0.01			0.02				Trace	0.31	7
8	0.02	0.41	0.21	0.01			0.08				0.01	Trace	8
9	0.01	0.31		0.07		0.07		0.01			0.42	0.81	9
10	0.30					0.20						0.65	10
11		0.01	0.01				Trace				0.68	Trace	11
12	0.04	0.10		0.26	0.15					0.01	0.84		12
13	0.02	0.97			1.99				0.01		Trace		13
14	0.01	0.01					0.20		0.04	Trace		0.42	14
15	0.22				0.05		0.01	0.02		0.01	0.28	0.41	15
16		0.77		0.03	0.01		1.44	0.02				0.01	16
17		0.59			1.63		0.01					0.25	17
18	Trace	0.23	Trace		0.22						Trace	0.01	18
19	0.01	0.08					Trace			0.01			19
20	0.24			0.03	0.05							0.14	20
21	0.09	Trace								0.14		0.08	21
22	0.01	0.01	0.02	0.02			0.90					0.22	22
23	0.04	0.12	0.06			0.01	0.02		Trace	0.15		0.49	23
24		Trace	0.03	0.03		0.02	0.15		0.30	0.29		0.78	24
25			0.01	0.02			0.45				Trace	0.31	25
26		0.03				0.11			Trace			0.61	26
27		0.05	Trace			0.02	0.13		Trace	0.17		0.01	27
28		0.08	Trace			0.08			1.45	0.40	0.01		28
29		X			0.01		0.43	0.30	Trace	0.01	0.55	Trace	29
30	0.20	X	0.01			0.03			0.01	0.03	0.34	0.01	30
31	0.02	X		X		X		0.06	X	0.66	X	0.48	31
Total	3.66	4.96	0.56	1.43	4.26	0.54	3.99	1.28	2.69	1.90	3.29	8.44	YEAR'S TOTAL 37.00
Rain Days.	21	20	11	13	10	8	14	9	8	13	9	24	160

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
2 JAN 1917

Kept at Boarzell, Hurst Green,

in the County of Sussex

by Sir Frederick Fison Bart.

Lat. 51° 2' 15" N. Long. 0° 27' 25"

Time of Observation 9 a.m. (Greenwich, and Summer Time)

Nearest Railway Station ~~Hurst Green~~ Etchingham (S.E. & C.R.)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.12				1.01				0.10	0.02	0.50		1
2	0.30	0.08	0.66		0.18					0.28			2
3	0.17	0.77	0.26			Trace	0.03		0.16	0.28	0.45		3
4		0.03	Trace	0.01		0.41			0.11	0.03	0.51		4
5		0.01	0.01	0.06	0.11	0.05			0.02	0.13	0.55	0.01	5
6		0.11	0.03	0.43	0.02	0.37	0.27			0.02	0.47		6
7	0.08	0.01	0.80		0.34	0.09	0.21			0.01	0.41		7
8			0.02		0.15							0.41	8
9			0.04		0.39							0.2~~9~~4	9
10		0.19	0.01	0.07		0.42	0.02					0.54	10
11	0.05	0.26	0.04	0.12		0.36						0.15	11
12	0.06	0.11		0.09	0.31	0.15	0.10		Trace	0.08			12
13		0.20	0.24	0.08	0.07	0.14	0.04		0.03	0.04			13
14		0.45	0.02		0.14			0.21		0.02		0.38	14
15		0.08	0.21	0.01								0.07	15
16		0.05	0.12	0.16			0.20						16
17	0.19	0.10	Trace	0.11			0.07	0.46	0.27	0.82			17
18	0.02	0.10	0.01	0.04				0.10	0.26	0.61	0.72		18
19	0.23	0.01	0.08	0.20		0.07			0.19	Trace	0.70	0.09	19
20	0.07		0.05	0.01							0.29	0.39	20
21	0.02		0.27	0.12		0.05						0.61	21
22		0.20	0.22	0.03						0.03		0.65	22
23	0.01	0.33	0.07	Trace		0.15	0.01	0.05			0.08	0.04	23
24			0.01		0.11	0.02				0.37	0.10	0.35	24
25		0.72	0.14		0.04			0.79		0.26	0.04	0.05	25
26		0.38	0.03			0.09		0.29}	Trace	0.23	0.04	0.01	26
27	0.03	0.06	0.73			0.23			0.14	0.79			27
28		0.58	0.06			0.22		0.07	0.20	0.16		0.18	28
29		0.24				0.30		0.82	0.04	0.69		0.37	29
30		X	Trace		0.01	0.01		0.13		0.62			30
31		X		X		X			X	0.15	X	0.01	31
Total	1.35	5.07	4.13	1.54	2.88	3.13	0.95	2.92	1.52	5.64	4.86	4.55	YEAR'S TOTAL 38.54
Rain Days.	13	23	24	15	13	17	9	10	11	21	13	18	187

W. 8,000, VIII. 16

609

FORM A.
BRITISH RAINFALL.

2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Boarzell Hurst Green

in the County of Sussex

by Sir Frederick Frson Bart.

Lat. 51°2'15" N. Long. 0° 27' 25" E.
Time of Observation 9 a.m.
Nearest Railway Station Etchingham S.E.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 270.58 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0·17				1·35	0·06		0·08	0·04	1
2				0·17				0·30			0·01		2
3				0·10			0·32	0·45		0·11	0·05		3
4		0·08	0·17				0·12	0·09		0·45			4
5	0·19	0·~~17~~ 01	0·06	0·02				0·06	0·40	0·15			5
6	0·05	~~0·06~~	0·02	0·19		0·28			0·06	0·01	0·21	0·02	6
7	0·42	~~0·02~~		}			0·26			0·62		0·06	7
8	0·05			0·13 }			0·19	0·05		0·38	0·24	0·15	8
9		~~0·02~~	0·02	0·10			0·07				0·02	1·22	9
10	0·09	~~0·10~~	0·10	0·10				0·14					10
11	0·12	0·~~22~~ 04	0·22	0·23				0·01		0·48		0·02	11
12	0·09	~~0·03~~	0·03	0·04				0·19		0·19			12
13	0·02	~~0·16~~	0·16		0·01			0·01		0·37			13
14		~~0·02~~	0·02	0·26	0·02			0·22	0·03				14
15	0·13							0·71		0·05		0·05	15
16	0·11	0·03		0·30	0·08					0·23	0·01	0·78	16
17		0·01		0·08	0·47		0·19		0·24	0·28			17
18	0·02	0·05		0·07	0·10		0·23	0·05	0·14				18
19		0·~~22~~ 17	0·22		0·01	0·12			0·11				19
20		0·~~04~~ 20	0·04		1·40	0·01	0·01		0·02		0·02		20
21		~~0·03~~	0·03	0·01	0·04							0·08	21
22	0·01	~~0·07~~	0·07			0·27		0·14		0·15			22
23		0·~~01~~ 23	0·01					0·14				0·02	23
24		0·01			0·28	0·01	0·02	0·17		0·19	0·11		24
25		0·~~07~~ 10	0·01				0·03				0·03		25
26		~~0·02~~	0·02					0·33	0·03		0·81		26
27								1·29					27
28			0·08			1·60		0·71				0·06	28
29						0·02	0·61	0·03		0·58		0·14	29
30	}		0·16		0·02		0·37	0·22		0·07		0·06	30
31	0·09 }		0·01				0·30			0·04		0·06	31
Total	1·39	0·93	1·45	1·97	2·43	2·31	2·72	6·66	1·09	4·35	1·59	2·76	YEAR'S TOTAL 29·65
Rain Days.	14	11	19	16	10	7	13	21	9	17	11	14	162

W. 8,000, IX. 17.

127

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at Boarzell Hurst Green.

in the County of Sussex.

by Sir Frederick Fison Bart.

Lat. 51° 2' 15" N. Long. 0° 27' ~~27~~ 25" E.

Time of Observation 9 a.m.

Nearest Railway Station Etchingham - S.E. & R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. —— in.

" " " " Sea Level 270.58 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
											~~0.21~~		
1			0.02								~~0.4~~	0.03	1
2								0.36			0.21 0.40	0.18	2
3		0.02	0.10	0.12	0.48			0.02		0.07	0.40		3
4		0.10	0.02	0.01	0.02			0.02	0.27		0.70	0.01	4
5		0.15			0.23			0.11		0.08		0.04	5
6	0.12	0.13		0.19	0.22			0.25	0.29	0.03	0.03	0.02	6
7		0.09		0.13	0.08	0.01			0.46	0.02	0.01		7
8	0.04	0.03							0.23		0.10	0.05	8
9	0.02			0.09		0.01	0.02		0.57	0.20		0.09	9
10				0.05		0.08	0.17		0.61	0.04		0.26	10
11					0.01		0.13		0.15	0.62	0.04	0.09	11
12		0.09			0.10		0.11		0.09	0.16		0.01	12
13					0.15		0.06		0.05			0.01	13
14	0.41		0.02			0.11	0.20		0.18	0.34		0.04	14
15	1.69			0.28		0.04	0.02					0.16	15
16				0.07		0.01	0.09		0.03		0.01		16
17	0.55			0.16		0.03	0.43	0.03				0.33	17
18	0.35					0.28			0.31	0.03		0.06	18
19	0.13		0.06	0.03			0.01			0.10		0.01	19
20	0.06	0.12		0.48		0.04	0.97		0.33	0.62		0.02	20
21	0.19			0.47			0.14		0.17	0.05	0.01	0.01	21
22	0.11						0.21		0.66			0.19	22
23	0.05			0.03	0.07		0.80					0.04	23
24		0.23		0.02	0.03	0.04	0.06		0.13		0.02	0.01	24
25							0.29	0.26		0.05			25
26							0.25	0.02	0.03		0.05	0.16	26
27		0.10		0.19			0.27	0.20	0.15		0.02	0.04	27
28	0.01	0.05	0.40	0.03	0.03	0.01		0.02			0.23	0.01	28
29				0.03					0.98		0.02	0.01	29
30		×	0.38						0.05	0.07		0.06	30
31	0.01	×		×		×			×	0.03	×	0.02	31
Total	3.74	1.11	1.00	2.38	1.42	0.66	4.23	1.29	5.74	2.51	2.25	1.96	YEAR'S TOTAL 28.29
Rain Days.	14	11	7	17	11	11	18	10	20	16	15	27	177

W. 6,500/ VII. 18. W W C

Ex ML

567

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Boarzell, Hurst Green

in the County of Sussex

by Sir Frederick Fison Bart.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

As before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.43	0.06	0.06		0.03		0.35			0.18	0.02	0.55	1
2	0.26		0.40		0.09		0.17			0.08	0.18	0.20	2
3	0.30		0.33		0.01		0.19		0.09		0.03	0.23	3
4	0.23	0.02	0.97			0.05	0.01	0.02	0.03		0.13	0.16	4
5	0.01	0.37	0.02					0.03			0.06	0.32	5
6	0.12		0.45								0.01	0.02	6
7	0.18		0.12							0.01	0.14		7
8	0.38		0.04										8
9	0.37		0.06	0.06	0.01						0.36		9
10	0.62		0.18	0.02								0.05	10
11	0.23			0.31	0.02							0.07	11
12	0.15			0.01		0.01	0.41			0.01			12
13	0.01			0.38							0.01	0.02	13
14	0.51	0.01		0.65			0.03		0.11			0.03	14
15	0.17	0.01	0.01	0.16							0.01	0.13	15
16	0.18	0.51		0.01				0.09			0.12	0.02	16
17		0.34	0.03								0.17	0.03	17
18		0.05	0.05					0.02	0.01		0.05	0.02	18
19		0.18	0.65				0.24	0.11	0.01	0.01	0.15		19
20	0.27	0.12	0.20			0.55	0.37	0.17				0.01	20
21	0.02	0.56	0.02				0.05				0.01	0.03	21
22		0.02	0.02				0.18		0.63		0.04	0.13	22
23							0.07		0.28		0.02	0.03	23
24		0.01		0.12		0.02		0.03		0.03	0.15	0.09	24
25	0.03	0.01			0.19			0.75		0.01			25
26	0.01	0.12	0.01	0.08			0.51	0.05			0.15	0.45	26
27	0.15	0.01	0.18	0.99				0.27	0.06		0.30	0.02	27
28			0.25	0.48				1.02			0.45	0.28	28
29	0.10					0.01		0.65		0.14	0.13	0.19	29
30				0.18				0.42		0.12	0.13	0.63	30
31	0.16									0.14		0.01	31
TOTAL	4.89	2.40	4.05	3.45	0.35	0.64	2.58	3.63	1.22	0.73	2.82	3.72	YEAR'S TOTAL 30.48
Days with ·01 in. or more	23	16	20	13	6	5	12	13	8	10	23	25	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

C X 41Z

533
8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Boarzell / Hurst Green /
in the County of Sussex.
by Sir Frederick Fison Bart.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

As before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.09			0.11	0.03		0.07			0.76	Trace	0.34	1
2			0.29	0.01	Trace.		0.01	0.49	0.03	0.38		0.06	2
3						0.01				Trace		0.08	3
4		0.16		0.05			0.36	0.14		0.04	Trace	0.06	4
5			0.01		0.01		0.36	0.02	0.02			0.10	5
6			0.34		0.13		0.17			Trace		Trace	6
7	0.02			0.05	0.05		0.07			0.02		0.05	7
8				0.04	0.03		0.32					Trace	8
9	0.25	0.01			0.16		Trace						9
10	0.67	0.15	0.06	0.17		0.07	0.11				0.02		10
11	0.40		0.04	0.13		0.02	0.56					0.08	11
12	0.05	0.03		0.15	0.02	0.47	Trace			Trace			12
13	0.24	0.02	0.16	Trace.						Trace	0.07		13
14		0.01	0.48	0.43		0.02			Trace	0.15	0.40		14
15	0.01		0.01	0.02					0.96	0.34	0.16		15
16	Trace.		Trace	0.11	0.09				0.37			0.05	16
17	Trace.			0.06	0.20		0.01		0.80			0.06	17
18	0.07		0.01		0.17			1.10	0.07		Trace.	0.10	18
19	0.08			0.20					0.13			0.07	19
20	0.03	0.18		0.12		0.50			0.58			Trace.	20
21							0.33		0.16			0.29	21
22	0.01			0.26					0.18		Trace	0.34	22
23							0.68					0.34	23
24	0.01		0.04				Trace.		0.01		Trace	0.10	24
25				0.02			0.14		Trace				25
26	0.06		0.15	0.05		Trace	0.46				0.01	0.05	26
27	0.52	0.08	0.01	0.09		0.04	0.19				0.16	0.29	27
28	0.34	0.01	0.01	0.01	0.27		0.09				0.21	0.01	28
29	0.70		0.05	0.13	0.01	0.02					0.11	0.16	29
30	0.02	×		0.01	0.01		0.02		0.06		0.31	0.14	30
31	0.01	×		×		×	Trace		×	0.28	×	0.34	31
Total	3.58	0.65	1.66	2.22	1.18	1.15	3.95	1.75	3.37	1.97	1.45	3.11	Year's Total 26.04
Days with ·01 in. or more	19	9	14	21	13	8	17	4	12	7	9	21	154
Days with ·04 in. or more	12	4	9	16	7	4	14	3	9	6	7	20	111

M-hon c

REGI

ICK~~LE~~SHAM

SUSSEX

1916 - 17

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Icklesha

in the County of Sus

by Rev. Philip

40′ E

a.m

Winchelsea

n Gauge 5 in.

ove Ground ft. 6 in.

Sea Level ft.

IMPORTANT NOT d the result entered to the previous day. If an Observer prefers not to iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
~~·00~~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·02	·09		·33	·02			·01		·85		1
2	·31	·03	·76		·15				·00		·00		2
3	·02	·11	·14				·15		·01		·00		3
4	·28	·05							·14		·73		4
5		·01		·03	·03	·30			·50		·29	nil	5
6		·06	·02	·04	·15	·09	·21		·00		·23		6
7	·02		·54		·25	·57			·00		·25		7
8				·01	·27	·01			·00		·00		8
9					·23	·04			·00		·00	·45	9
10		·30	·01	·10	·01	·34	·20		·00		·00	·41	10
11	·02	·21	·01	·08		·11			·01		·00	·12	11
12	·03	·07	·08	·03	·25	·10	·07		·00		·00	·02	12
13		·16	·08	·02	·08	·08	·02		·00		·00	·11	13
14		·40	·11		·18			·48	·00		·00	·25	14
15		·17	·14						·00		·00	·00	15
16			·06	·20			·25		·00		·00	·00	16
17	·26	·07	·01	·15			·10		·30	1·55	·00	·00	17
18	·09	·07						·04	·00	·60	·95	·00	18
19	·21	·02	·05	·20					·34	·00	1·05	·15	19
20	·07		·03	·07		·07			·00	·00	·23	·46	20
21	·01		·30	·20			·01		·00	·00	·00	·65	21
22			·07	·01		·03			·00	·01	·00	·48	22
23		·03	·19			·08	·01	·04	·00	·01	·02	·00	23
24		·03	·02		·03				·00	·38	·25	·51	24
25	·01	·22	·13			·01		·49	·00	·05	·00	·03	25
26	·01					·32		·03	·00	·85	·00	·06	26
27		·45	·63			·01			·00	·73	·00	·00	27
28		·51				·17		·30	·35	·23	·00	·32	28
29			·02			·35		·69	·00	·93	·00	·53	29
30		✕						·12	·00	·31	·00	·00	30
31		✕		✕		✕			✕	·30	✕		31
Total	1·43	2·99?	3·49	1·1~~3~~4	1·96	2·70	1·02	2·19	✓ 1·16	✓ 5·15	✓ 4·85	4·55	YEAR'S TOTAL 32·6~~2~~3
Rain Days.	14	20	22	13	12	18	9	8	7	14	10	15	162

W. 8,000. X. 15.

✓ pt. pom

REGI

FORM A. BRITISH RAINFALL.

4 JAN 1917

Kept at Icklesham

in the County of Sussex

by Rev. Philip Houghton

Lat. 50 54 Long. 40′ E

Time of Observation 9 a.m

Nearest Railway Station Winchelsea

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ~~·00~~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·02	·09		·33	·02			·01		·85		1
2	·31	·03	·76		·15				·00		·00		2
3	·02	·11	·14				·15		·01		·00		3
4	·28	·05							·14		·73		4
5		·01		·03	·03	·30			·30		·29	nil	5
6		·06	·02	·04	·15	·09	·21		·00		·23		6
7	·02		·54		·25	·57			·00		·25		7
8				·01	·27	·01			·00		·00		8
9					·23	·04			·00		·00	(2 days) ·45	9
10		·30	·01	·10	·01	·34	·20		·00		·00	·41	10
11	·02	·21	·01	·08		·11			·01		·00	·12	11
12	·03	·07	·08	·03	·25	·10	·07		·00		·00	·02	12
13		·16	·08	·02	·08	·08	·02		·00		·00	·11	13
14		·40	·11		·18			·48	·00		·00	·25	14
15		·17	·14						·00		·00	·00	15
16			·06	·20			·25		·00	↓	·00	·00	16
17	·26	·07	·01	·15			·10		·30	1·55	·00	·00	17
18	·09	·07						·04	·00	·60	·95	·00	18
19	·21	·02	·05	·20					·34	·00	1·05	·15	19
20	·07		·03	·07		·07			·00	·00	·23	·46	20
21	·01		·30	·20			·01		·00	·00	·00	·65	21
22			·07	·01		·03			·00	·01	·00	·48	22
23		·03	·19			·08	·01	·04	·00	·01	·02	·00	23
24		·03	·02		·03				·00	·38	·25	·51	24
25	·01	·22	·13			·01		·49	·00	·05	·00	·03	25
26	·01					·32		·03	·00	·55	·00	·06	26
27		·45	·63			·01			·00	·73	·00	·00	27
28		·51				·17		·30	·35	·23	·00	·32	28
29			·02			·35		·69	·00	·93	·00	·53	29
30		╳						·12	·00	·31	·00	·00	30
31		╳		╳		╳			╳	·30	╳		31
Total	1·43	2·99?	3·49	1·1~~3~~4	1·96	2·70	1·02	2·19	✓ 1·16	✓ 5·15	✓ 4·85	4·55	YEAR'S TOTAL 32·6~~2~~3
Rain Days.	14	20	22	13	12	18	9	8	7	14	10	15	162

W. 8,000. X. 15.

598

FORM A.
BRITISH RAINFALL
3. JAN 191

REGISTER OF RAINFALL IN 1917

Kept at Icklesham

in the County of Sussex

by Philip Houghton – Vicar

Lat. 50° 54·7 Long. 40·8-E

Time of Observation 9 a.m.

Nearest Railway Station Winchelsea

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·07				·33	·06		·10	·02	1
2				·29				·11		·11	·02		2
3				·15			·48	·45		·15	·03		3
4	·00		·12				·30	·03		·20	·02		4
5	·25		·06						·46	·20	·20		5
6	·20			·27					·01		·20		6
7	·40						·16			·50		·01	7
8	·05			·18			·36	·16		·41	·45	·17	8
9	·20			·04		·40		·02		·02	·02	·76	9
10	·15		·12	·05				·07					10
11	·20		·18	·12						·42		·01	11
12	·04		·01	·03				·02		·25			12
13			·12					·01	·03	·25			13
14				·20				·18		·03			14
15								·22		·02		·07	15
16	·10			·28	27					·15		·47	16
17				·07	·30		·22		·25	·21			17
18				·04	·13		·23	·16	·10				18
19		26	·15						·12				19
20		10	·07		·80						·02		20
21										·02	·01	·08	21
22			·03			·72		·13		·23			22
23		10			·27			·03					23
24								·10		·27	·01		24
25		16					·16				·01		25
26			·06					·38	·02		·96		26
27						·05		1·08	·01		·03	·04	27
28			·08			1·68		·65		·01		·11	28
29							·85	·01		·22		·06	29
30		×	·17				·69	·38		·15		·01	30
31		×	·22	×		×	1·61		×	·01	×		31
Total	1·59	·68	1·39	1·79	1·77	2·85	5·06	4·52	1·06	3·83	2·08	1·81	YEAR'S TOTAL 28·43
Rain Days.	9	4	13	13	5	4	10	20	9	21	14	12	134

W. 8,000, IX. 17. N.B. a blank space indicates that the reading on that day was ·00

DL

82

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

ISFIELD PLACE

SUSSEX

1911 - 18

RE

Kept at Isfield
in.
in the County of E
e Ground ft. in.
Sea Level ft.
by Major H.
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·57			·02	·13			·06		1
2	·02			·04	·27						·35	·21	2
3	·03				·23						·08	·23	3
4	·12	·01	·01	·25		·03				·18	·26	·22	4
5				·12						·80		·06	5
6	·30		·05									·64	6
7	·02									·41	1·02	·43	7
8	·07		·11								·67	·23	8
9	·11		·02	·01							·22	·05	9
10		·10	·06	·10							·03	·63	10
11	·41		·04								1·20		11
12	·01		·86								·03	·02	12
13			·10		·19				·75	·14		·23	13
14		·09			·12							·61	14
15		·03	·20								·14	·02	15
16						·34					·60	·16	16
17			·06			·03					·50	·20	17
18		·07	·04								·94	·50	18
19						·07			·27	·35	·10	·10	19
20	·02			·01				·46	·25	·06		·81	20
21	·02	·17						·06		1·21		·19	21
22	·03	·03	·27			·09				·46		·56	22
23		·22				1·16			·35	·35	·02	·30	23
24		·14				·03		·11		·34		·30	24
25		·01	·27	·07		·05	·05	·03	·07	·08			25
26			·18	·28		·08				·31	·10	·30	26
27		·33	·25	·11					·05	·54	·03	·15	27
28		·24		·16				·01					28
29				·04		·09	·64	·05	·20	·50			29
30				·05		·05				·33		·02	30
31													31
Total	1·22	1·44	2·52	1·81	·81	2·02	·71	·85	1·94	6·06	6·35	7·17	TOTAL for year 32·90
No. of Rain Days	13	12	15	13	4	11	3	7	7	15	18	25	143

9,000, IX. '10.

DL

62

FORM A2. BRITISH RAINFALL.

23 JAN 1912

RE

Kept at Isfield Place

in the County of E Sussex 4

by Major H. King

RAIN GAUGE Diameter of top .... in.

Height of top above Ground .... ft. .... in.

" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station Name ....

Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·57			·02	·13			·06	–	1
2	·02			·04	·27						·35	·21	2
3	·03				·23						·08	·23	3
4	·12	·01	·01	·25		·03				·18	·26	·22	4
5				·12						·80		·06	5
6	·30		·05									·64	6
7	·02									·41	1·02	·43	7
8	·07		·11								·67	·23	8
9	·11		·02	·01							·22	·05	9
10		·10	·06	·10							·03	·63	10
11	·41		·04								1·20		11
12	·01		·86								·03	·02	12
13			·10		·19				·75	·14		·23	13
14		·09			·12							·61	14
15		·03	·20								·14	·02	15
16						·34					·60	·16	16
17			·06			·03					·50	·20	17
18		·07	·04								·94	·50	18
19						·07			·27	·35	·10	·10	19
20	·02		—	·01	—			·46	·25	·06		·81	20
21	·02	·17						·06		1·21		·19	21
22	·03	·03	·27			·09				·46		·56	22
23		·22				1·16			·35	·35	·02	·30	23
24		·14				·03		·11		·34		·30	24
25		·01	·27	·07		·05	·05	·03	·07	·08			25
26			·18	·28		·08				·31	·10	·30	26
27		·33	·25	·11					·05	·54	·03	·15	27
28		·24		·16				·01					28
29				·04		·09	·64	·05	·20	·50			29
30				·05		·05				·33		·02	30
31													31
Total	1·22	1·44	2·52	1·81	·81	2·02	·71	·85	1·94	6·06	6·35	7·17	TOTAL for year 32·90
No. of Rain Days	13	12	15	13	4	11	3	7	7	15	18	25	143

9,000, IX. '10.

corr for arith 6.II.13 re-corr by obr 22.11.13

FORM A2.
BRITISH RAINFALL.
20 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Isfield Place

in the County of Sussex 4

by Major Henry King Superintendent
Mr Robert Mayes Assistant

RAIN GAUGE
Pattern
Diameter of top 5 in. (6" hydrograph [illegible] 1 ft above ground)
Height of top above Ground One ft. — in.
" " " Sea Level 41 ft.

Time of Observation 9 am

Nearest Railway Station
Name Isfield
Distance One Mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·09	·01	Tr •	·36	·03	—	·09	·82	Tr ⌴	·26	1
2	—	·05	·33	—	Tr •	·02	·16	—	Tr •	—	Tr ⌴	Tr ⌴	2
3	·01	·03	·02	—	—	·19	—	·28	Tr •	Tr •	Tr •	Tr •	3
4	·22	—	·66	—	·01	·20	—	·04	—	Tr •	·22	Tr •	4
5	·20	·04	·14	Tr •	—	·18	—	·13	—	Tr •	·10	·02	5
6	·48	·12	Tr ⌴	—	·01	Tr •	—	·95	·02	Tr ⌴	·01	·15	6
7	—	—	Tr •	~~·22~~	·22	·67	~~·59~~	·39	—	Tr ⌴	—	·12	7
8	·36	·32	·24	Tr •	—	·08	·01	Tr •	—	Tr ⌴	Tr mist	·05	8
9	·04	·08	·01	·08	—	—	·17	·19 ·09	—	Tr ⌴	—	·07	9
10	·01	·07	Tr •	Tr •	—	—	—	·32	—	Tr ≡	·03	·32	10
11	·02	·44	—	—	Tr •	·04	—	·01	·02	Tr ≡	·01	·19	11
12	—	·12	·01	—	·08	·03	—	·20	—	Tr ≡	·01	·05	12
13	—	Tr •	·04	—	—	—	Tr •	—	—	Tr ≡	·11	·07	13
14	—	Tr •	Tr •	—	·05	—	—	·22	—	·06	Tr •	·01	14
15	Tr mist	·03	·09	—	·11	·53	—	—	—	·01	—	·21	15
16	·20	Tr •	·18	Tr ∧	·12	·09	~~·09~~	·07	·07	·09	·01	Tr ⌴	16
17	·22	—	·42	—	—	·04	—	·08	—	Tr ≡	·16	·39	17
18	·08	·01	·34	—	Tr •	—	Tr •	·27	—	·02	Tr ≡	·30	18
19	·05	·16	·36	—	—	—	·06	·32	—	Tr ⌴	Tr ⌴	Tr •	19
20	·04	·01	·89	—	—	·02	—	·10	—	·51	·07	—	20
21	Tr •	·08	·59	—	·01	—	Tr •	·08	—	·30	·08	—	21
22	·04	·55	·10	—	—	—	·01	·23	—	Tr ≡	—	·01	22
23	·33	·12	·30	—	—	·04	Tr ≡	·28	Tr ∧	·07	·15	·06	23
24	·03	·04	—	—	—	Tr ∧	·01	·16	—	Tr ≡	—	·16	24
25	·07	Tr ⌴	—	—	—	·27	—	·92	—	—	·27	·59	25
26	—	·03	—	—	—	Tr •	·02	·20	—	·28	·49	·46	26
27	Tr ⌴	—	—	—	—	·01	—	Tr ≡	Tr ⌴	·31	—	·37	27
28	—	·07	—	—	—	·05	·04	·10	·11	·79	·54	·32	28
29	—	·04	—	·01	—	—	·46	·62	1·67	·09	·01	—	29
30	—		—	—	·49	·06	·02	·31	1·32	·37	—	Tr ⌴	30
31	—		·01		—		·37	·16		—		Tr ⌴	31
Daily	2·40	2·41	4·82	·10	1·10	2·88	1·36	6·63	3·23	3·72	2·27	4·18	TOTAL for year
Total	2·40	4·82	9·63	9·73	10·83	13·71	15·07	21·70	24·93	28·65	30·93	35·02	35·20
Monthly No. of	2·38	2·38	4·82	·07	1·10	2·87	1·37	6·63	3·30	3·74	2·28	4·24	35·18
Rain Days Weekly	2·46	2·43	4·82	·10	1·11	2·88	1·36	6·63	3·25	3·76	2·28	4·12	35·20
	17	20	19	3	9	18	12	25	6	13	16	21	179

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

Kept at *Isfield Place*

in the County of *Sussex*

by *Major Henry King* Superintendent
Mr Robert Meazer Assistant

RAIN GAUGE
Pattern
Diameter of top 5 in. 86
Height of top above Ground One ft. — in.
" " " Sea Level 41 ft.

Time of Observation 9 am

Nearest Railway Station
Name Isfield
Distance ½ Mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·09	·01	Tf •	·36	·03	—	·09	·82	Tf ⌴	·26	1
2	—	·05	·33	—	Tf •	·02	·16	—	Tf •	—	Tf ⌴	Tf ⌴	2
3	·01	·03	·02	—	—	·19	—	·28	Tf •	Tf •	Tf •	Tf •	3
4	·22	—	·66	—	·01	·20	—	·04	—	Tf •	·22	Tf •	4
5	·20	·04	·14	Tf •	—	·18	—	·13	—	Tf •	·10	·02	5
6	·48	·12	Tf ⌴	—	·01	Tf •	—	·95	·02	Tf ⌴	·01	·15	6
7	—	—	Tf •	—	·22	·67	—	·39	—	Tf ⌴	—	·12	7
8	·36	·32	·24	Tf •	—	·08	·01	Tf •	—	Tf ⌴	Tf mist	·05	8
9	·04	·08	·01	·08	—	—	·17	·99	—	Tf ⌴	—	·07	9
10	·01	·07	Tf •	Tf •	—	~~Tf~~	—	·32	—	Tf ≡	·03	·32	10
11	·02	·44	—	—	Tf •	·04	—	·01	·02	Tf ≡	·01	·19	11
12	—	·12	·01	—	·08	·03	—	·20	—	Tf ≡	·01	·05	12
13	—	Tf •	·04	—	—	—	Tf •	—	—	Tf ≡	·11	·07	13
14	—	—	Tf •	—	·05	—	—	·22	—	·06	Tf •	·01	14
15	Tf mist	·03	·09	—	·11	·53	—	—	—	·01	—	·21	15
16	·20	Tf •	·18	Tf ⌴	·12	·09	—	·07	—	·09	·01	Tf ⌴	16
17	·22	~~·01~~	·42	—	—	·04	—	·08	—	Tf ≡	·16	·39	17
18	·08	·01	·34	—	Tf •	—	Tf •	·27	—	·02	Tf ≡	·30	18
19	·05	·16	·36	—	—	—	·06	·32	—	Tf ⌴	Tf ⌴	Tf •	19
20	·04	·01	·89	—	—	·02	—	·10	—	·51	·07	—	20
21	Tf •	·08	·59	—	·01	—	Tf •	·08	—	·30	·08	—	21
22	·04	·55	·10	—	—	—	·01	·23	—	Tf ≡	—	·01	22
23	·33	·12	·30	—	—	·04	Tf ≡	·28	Tf ⌴	·07	·15	·06	23
24	·03	·04	—	—	—	Tf ⌴	·01	·16	—	Tf ≡	—	·16	24
25	·07	Tf ⌴	—	—	—	·27	—	·92	—	—	·27	·59	25
26	—	·03	—	—	—	Tf •	·02	·20	—	·28	·49	·46	26
27	Tf ⌴	—	—	—	—	·01	—	Tf ≡	Tf ⌴	·31	nil ~~·54~~	·37	27
28	—	·07	—	—	—	·05	·04	·10	·11	·79	·54	·32	28
29	—	·04	—	·01	—	—	~~·46~~	·62	1·67	·09	·01	—	29
30	—	—	—	—	·49	·06	·02	·31	1·32	·37	—	Tf ⌴	30
31	—	—	·01		—		·37	·16		—		Tf ⌴	31
Daily	2·40	2·41	4·82	·10	1·10	2·88	1·36	6·63	3·23	3·72	2·27	4·19	TOTAL for year
Total	2·40	4·82	9·64	9·74	10·84	13·72	15·08	21·71	24·94	28·66	30·93	35·1[illegible]	35·12
~~Total~~ Weekly	2·46	2·43	4·82	·10	1·11	2·88	1·36	6·63	3·25	3·76	2·28	4·12	35·20
Monthly	2·38	2·38	4·82	·07	1·10	2·87	1·37	6·63	3·30	3·74	2·28	4·24	35·18
~~Rain~~ Evaporation	·28	9·15	1·22	2·49	1·22	2·72	3·04	2·32	1·78	1·28	·47	·23	
~~Days~~ Sunshine	28·01	61·13	~~101·24~~	258·41	101·24	~~258·41~~	213·51	142·38	156·01	157·57	47·00	39·51	1516·45

101·24

{208·45}
{20 days only}

7,000. X. '09.

REGISTER OF ~~RAINFALL~~ Evaporation IN 1913

FORM A.
BRITISH RAINFALL.

Kept at Isfield Place
in the County of Sussex
by Major H King & Mr Robert Meyers

Lat. 50.56.50 N Long. 00.03.40 E
Time of Observation 9 am
Nearest Railway Station Isfield
Diameter of ~~Rain Gauge~~ Tank 4 × 4 × 2 in.
Height of top of ~~Gauge~~ Tank above Ground — ft. 2 in.
" " Water " Sea Level 41 feet ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	ice	ice	·03	·05	·10	·01	·10	·14	·03	·05	+·02	+·02	1
2	+·01	+·01	·01	·04	·05	·13	·10	·11	·04	·01	·03	—	2
3	—	·03	+·01	·06	—	·08	·08	·11	·03	·02	·06	·01	3
4	·01	·01	+·05	—	·05	·06	·09	·11	Overflowed	·05	—	·05	4
5	+·01	—	·02	·06	·06	·09	·10	·19	·03	·03	·09	·03	5
6	·04	—	·03	·05	·05	·06	·06	+·03	·05	·02	+·01 +·04	—	6
7	·01	·01	+·03	·07	·12	·04	·08	·10	·09	·04	·04	—	7
8	—	·01	·07	·11	+·01	·08	·09	·10	·11	·07	·06	+·02	8
9	·02	·02	·03	·04	·01	·15	·05	08 ·08	·03	·04	+·01	·05	9
10	·01	·05	·02	·01	·07	·07	·06	·07 ·07	·07 ·07	·09	+·02	·03	10
11	·04	ice	·09	·02	·08	·11	·11	·10	·04	·05	·04	+·04	11
12	ice	·05	·02	·07	·01	·09	·07	·04	·10	+·01	·04	·02	12
13	ice	·01	+·01	·05	·10	·08	·14	·05	·04	·03	·08	·03	13
14	·09	·01	+·01	·03	·14	·11	Overflowed	·03	·08	·02	·04	—	14
15	·01	·02	·12	·02	·15	·17	·05	·09	·08	·08	·05	—	15
16	+·02	·05	·02	·10	·09	·11	·06	09 ·09	·04	·01	·01	·04	16
17	·04	ice	·04	·05	·11	·16	·05	·13	·04	·04	+·01	·03	17
18	ice	ice	·12	+·05	·15	·17	·06	·07	·05	·03	·03	ice	18
19	Very stormy wet —	ice	·10	·13	·07	·19	·03	·07	·03	—	·03	ice	19
20	·15	ice	·01	·05	·08	·07	·10	·09	·07	·03	+·04	ice	20
21	ice	ice	·06	·07	·06	·03	·09	·09	·03	·04	·01	·03	21
22	·05	ice	·09	·02	·08	·11	·08	·06	·01	·06	·11	+·01	22
23	·04	ice	—	·15	·09	·10	·05	·05	·06	·03	+·01	ice	23
24	—	·15	·05	·05	·08	·14	·11	·10	·08	·04	+·01	ice	24
25	·04	·02	·04	·13	·11	·10	·10	·09	+·01	—	+·01	·03	25
26	ice	·05	·07	·08	·09	·11	·04	·16	·04	+·01	·02	+·08	26
27	+·04	·04	—	·06	·16	·15	·04	·10	·05	—	—	·04	27
28	+·01	·01	·05	·02	·11	·12	·08	·15	·11	·02	·02	ice	28
29	—	╲	·02	·09	·10	·15	·11	·04	·05	·02	+·01	ice	29
30	·04	╲	·05	·03	·20	·10	·12	Omitted to check after splashing and wet	·01	·05	·01	ice	30
31	·11	╲	·02	╲	·14	╲	·13	·03	╲	·02	╲	ice	31
Total	·618	·53	[illegible]	1·66	2·70	~~3·03~~ 3·16	2·43*	2·61*	1·48†	·97	·62	·22	YEAR'S TOTAL
Rain Days.	~~·69~~ ·611	~~1·20~~ 1·14	~~2·27~~ 2·32	~~3·93~~ 3·98	~~6·33~~ 6·68	~~9·36~~ 9·84	~~11·79~~ 12·27	~~14·40~~ 14·88	~~15·88~~ 16·36	~~16·85~~ 17·33	~~[illegible]~~ 17·95	~~17·69~~ 18·17	17·69 18·17

*: 30 days only †29 days

W.7,000, XI. 13

Sim made 11 ✓✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

27 JAN 1914

Kept at Isfield Place Lr R

in the County of Sussex 4

by { Major Henry King Superintendent
M. Robert Mayes Assistant

Lat. 50·56·50 N Long. 00·03·40 E

Time of Observation 9 am

Nearest Railway Station Isfield (One mile)

Diameter of Rain Gauge Five in. Hyetograph 1·5

Height of top of Gauge above Ground One ft. — in.

" " Hyetograph " One ft. Six in.

" " " " Sea Level 41 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·66	·12	·12	–	·05	–	–	·02	·08	·14	·12	1
2	·18	·18	–	Tf⌒	·01	–	·08	–	·01	·10	·11	Tf•	2
3	–	–	·03	·56	·25	–	–	–	–	Tf•	–	·15	3
4	·27	–	·05	–	·01	–	Tf•	–	1·57	·11	·09	Tf•	4
5	·33	·07	·01	–	–	·15	·08	–	·45	·02	·18	·01	5
6	Tf•	·01	·09	·01	·04	·19	·46	Tf•	Tf•	·67	·16	·18	6
7	Tf⌒	·38	·03	–	·03	·10	·15	–	–	·17	·11	·01	7
8	ditto	·07	Tf⌣	Tf•	·19	·05	–	·27	Tf⌒	·27	·03	·01	8
9	ditto	·03	–	·01	·08	–	·06	–	·14	–	·02	–	9
10	·01	–	–	·02	–	Tf•	·42	–	–	Tf•	·85	–	10
11	·71	Tf⌣	Tf⌣	·56	–	–	Tf⌒	–	–	·81	·17	Tf•	11
12	–	–	–	–	·27	–	–	–	–	·01	·96	–	12
13	·61	Tf⌣	·03	–	–	–	–	·01	·04	Tf≡	·19	Tf⌣	13
14	·29	–	·14	·04	–	–	1·22	·02	·38	·03	·15	–	14
15	·10	–	·30	·57	–	–	·25	–	·15	–	Tf•	–	15
16	·17	–	·60	·23	–	–	–	–	·16	–	–	–	16
17	·07	·05	·03	·20	–	–	·27	–	–	–	Tf•	·02	17
18	Tf⌣	–	·11	·23	Tf•	–	·04	–	Tf≡	–	·12	–	18
19	·18	–	·12	–	–	·13	·09	–	·32	–	–	–	19
20	·75	–	·07	·16	Tf•	·10	–	–	–	·46	·02	Tf⌣	20
21	–	–	·24	·21	–	–	–	[illegible]	Tf≡	·65	·58	–	21
22	·31	·01	·22	Tf⌒	–	–	·01	·02	·09	Tf⌣	–	–	22
23	Tf•	–	·14	–	–	Tf•	Tf•	·03	–	–	–	·73	23
24	·08	–	Tf⌣	·02	Tf≡	Tf•	–	·10	Tf⌒	Tf≡	·07	–	24
25	–	·01	–	·22	–	–	Tf•	–	–	Tf≡	Tf•	·01	25
26	–	–	·09	–	–	–	Tf•	·14	·01	·86	·01	·23	26
27	·01	–	·08	Tf•	·27	–	Tf•	–	Tf⌒	·08	Tf•	–	27
28	·13	–	·29	·09	–	–	–	·38	Tf⌒	·19	Tf≡	–	28
29	·18		·04	·51	·07	–	–	·07	Tf⌒	·07	Tf•	–	29
30	·70		–	·23	–	–	–	·36	Tf•	·09	–	Tf *	30
31	Tf•		·08		–		–	·80		·31		–	31
Daily	5·10	1·17	2·91	3·99	1·22	·77	3·13	2·20	3·34	4·98	3·96	1·47	YEAR'S TOTAL 34·24
Total	5·10	6·27	9·18	13·17	14·39	15·16	18·29	20·49	23·83	28·81	32·77	34·24	
weekly Rain	5·09¾	1·17	2·91	3·99	1·22	·77	3·15	2·20	3·39	5·03	3·97	1·45	Weekly 34·35
Monthly Days	5·10½	1·19	2·90	4·06½	1·21¾	·74½	3·13	2·20	3·34	5·07	3·97½	1·49½	Monthly 34·43

P.S. If you require the hyetograph charts can send them
Jany 12. 1.14
19 10 22 18 10 12
Henry King

W.7,000, XI. 13

FORM A. BRITISH RAINFALL.

REGISTER OF ~~RAINFALL~~ Evaporator IN 1913

Kept at Isfield Place

in the County of Sussex

by { Major H King Superintendent
} Mr Robert Meeres Assistant

~~Lat.~~ 50 56·50 N Long. 00·03·40 E

Time of Observation 9 a.m.

Nearest Railway Station Isfield St.

Diameter of ~~Rain-gauge~~ Tank 4 × 4 × 2

Height of top of ~~Gauge~~ Tank above Ground 1 — ft. one in.

„ „ „ „ Sea Level 41 feet ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	ice	ice	·03	·05	·10	·01	·10	·14	·03	·05	+·02	+·02	1
2	+·01	+01	·01	·04	·05	·13	·10	·11	·04	·01	·03	—	2
3	—	·03	+01	·06	—	·08	·08	·11	·03	·02	·06	·01	3
4	·01	·01	+·05	—	·05	·06	·09	·11	overflowed	·05	—	·05	4
5	+01	—	·02	·06	·06	·09	·10	·19	·03	·03	·09	·03	5
6	·04	—	·03	·05	·05	·06	·06	+·03	·05	·02	+·01 ~~·04~~	—	6
7	·01	·01	+·03	·07	·12	·04	·08	·10	·09	·04	·04	—	7
8	—	·01	·07	·11	+·01	·08	·09	·10	·11	·07	·06	+·02	8
9	·02	·02	·03	·04	·01	·15	·05	·08	·03	·04	+·01	·05	9
10	·01	·05	·02	·01	·07	·07	·06	·07	·07	·09	+·02	·03	10
11	·04	ice	·09	·02	·08	·11	·10	·10	·04	·05	·04	+·04	11
12	ice ¼"	·05	·02	·07	·01	·09	·07	·04	·10	+·01	·04	·02	12
13	ice	·01	+01	·05	·10	·08	·14	·05	·04	·03	·08	~~·03~~	13
14	·09	·01	+01	·03	·14	·11	·X·	·09	·08	·02	·04	nil ~~·03~~	14
15	·01	·02	·12	·02	·15	·17	·05	·03	·08	·08	·05	—	15
16	+·02	·05	·02	·10	·09	·11	·06	·09	·04	·01	·01	·04	16
17	·04	ice	·04	·05	·11	·16	·05	·13	·04	·04	+·01	·03	17
18	ice	ice	·12	+·05	·15	·17	·06	·07	·05	·03	·03	ice	18
19	Two String flakes	ice	·10	·13	·07	·19	·03	·07	·03	—	·03	on	19
20	+·15	ice	·01	·05	·08	·07	·10	·09	·07	+·03	+·04	Tank	20
21	ice	ice	·06	·07	·06	·03	·09	·09	·03	·04	·01	·03	21
22	·05	ice	·09	·02	·08	·11	·08	·06	·01	·06	·11	+·01	22
23	·04	ice	—	·15	·09	·10	·05	·05	·06	·03	+·01	ice	23
24	—	·15	·05	·05	·08	·14	·11	·10	·08	·04	+·01	on Tank	24
25	·04	·02	·04	·13	·11	·10	·10	·09	+·01	—	+·01	·03	25
26	ice	·05	·07	·08	·09	·11	·04	·16 ·10 ↓	·04	+·01	·02	+·08	26
27	+·04	·04	—	·06	·16	·15	·04	↓ ·15	·05	—	—	·04	27
28	+·01	·01	·05	·02	·11	·12	·08	↓ ·04	·11	·02	·02	ice	28
29	—		02	·09	·10	·15	·11	↓ †	·05	·02	+·01		29
30	·04		·05	·03	·20	·10	·12	·03	·01	·05	·01	on	30
31	·11		·02		·14		·13			·02		Tank	31
Total	·61	·53	1·07	1·66	2·70	3·16	2·42	2·6[illegible]	1·50	0·91	·47	·22	YEAR'S TOTAL
Rain Days.	·61	1·14	[illegible]	[illegible]	6·57	9·73	12·15 30 days	14·76 30 days	16·26	17·17	17·64	17·86	
			2·21	3·87									

·X· Meerham overflowed 1·22 of rain

† Omitted read after letting out water

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

Kept at Isfield Place

in the County of Sussex

by Major H King Superintendent
Mr Robert Mayes Assistant

Lat. 50 56 50 N Long. 00 · 03 · 40 E
Time of Observation 9 am
Nearest Railway Station Isfield Station (1 mile)
Diameter of 1&3 Rain Gauges 5 in. Hydrograph 1.5"
Height of top of Gauge above Ground One ft. " in.
" " " Hydrograph " Sea Level Org 71" air " ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02	·36	·12	·12	—	·05	—	—	·02	·08	·14	·12	1
2	·18	·18	—	Tr ⌒	·01	—	·08	—	·01	·19	·11	Tr •	2
3	—	—	·03	·56	·25	—	—	—	—	Tr •	—	·15	3
4	·27	—	·05	—	·01	~~19~~	Tr •	—	1·57	·11	·09	Tr •	4
5	·33	·07	·01	—	—	115	·08	—	·45	·02	·18	·01	5
6	Tr •	·01	·09	·01	·04	·19	·46	Tr •	Tr •	·67	·16	·18	6
7	Tr ⌒	·38	·03	—	·03	·10	·15	—	—	·17	·11	·01	7
8	ditto	·07	Tr ‿	Tr •	·19	·05	—	·27	Tr ⌒	·27	·03	·01	8
9	ditto	·03	—	·01	·08	—	·06	—	·14	—	·02	—	9
10	·01	—	—	·02	—	Tr •	·42	—	—	Tr •	·85	—	10
11	·71	Tr ‿	Tr ‿	·56	—	—	Tr ⌒	—	—	·81	·17	Tr •	11
12	—	—	—	—	·27	—	—	—	—	·01	·96	—	12
13	·61	Tr ‿	·03	—	—	—	—	·01	·04	Tr ≡	·19	Tr ‿	13
14	·29	—	·14	·04	—	—	1·22	·02	·38	·03	·15	—	14
15	·10	—	·30	·57	—	—	·25	—	·15	—	Tr •	—	15
16	·17	—	·60	·23	—	—	—	—	·16	—	—	—	16
17	·07	·05	·03	·20	—	—	·27	—	—	—	Tr •	·02	17
18	Tr ‿	—	·11	·23	Tr •	—	·04	—	Tr ≡	—	·12	—	18
19	·18	—	·12	—	—	·13	·09	—	·32	—	—	—	19
20	·75	—	·07	·16	Tr •	·10	—	—	—	·46	·02	Tr ‿	20
21	—	—	·24	·21	—	—	—	—	Tr ≡	·65	·58	—	21
22	·31	·01	·22	Tr ⌒	—	—	·01	·02	·09	Tr ‿	—	—	22
23	Tr •	—	·14	—	—	Tr •	Tr •	·03	—	—	—	·73	23
24	·08	—	Tr ‿	·02	Tr ≡	Tr •	—	·10	Tr ⌒	Tr ≡	·07	—	24
25	—	·01	—	·22	—	—	Tr •	—	—	Tr ≡	Tr •	·01	25
26	—	—	·09	—	—	—	Tr •	·14	·01	·86	·01	·23	26
27	·01	—	·08	Tr •	·27	—	Tr •	—	Tr ⌒	·08	Tr •	—	27
28	·13	—	·29	·09	—	—	—	·38	Tr ⌒	·19	Tr ≡	—	28
29	·18		·04	·51	·07	—	—	·07	Tr ⌒	·07	Tr •	—	29
30	·70		—	·23	—	—	—	·36	Tr •	·09	—	Tr *	30
31	Tr •		·08		—		—	·80		·31		—	31
Daily	5·10	1·17	2·91	3·99	1·22	·77	3·13	2·20	3·34	4·98	3·96	1·47	YEAR'S TOTAL
Total	5·10	6·27	9·18	13·17	14·39	15·16	18·29	20·49	23·83	28·81	32·77	34·24	
Weekly Rain	5·09¾	1·17	2·91	3·99	1·22	·77	3·15	2·20	3·39	5·03	3·97	1·45	
Monthly Days	5·10½	1·19	2·90	4·06½	1·21¾	·74¼	3·13	2·20	3·34	5·07	3·97½	1·49½	
Hydrograph				3·99	1·23½	76¾		2·23¾					

F. 1,500, XI. 12

NRS Daily Raingauge

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914.

Kept at Isfield Place.

in the County of Sussex

by Major Henry King & Mr Robert Mayes

Lat. 50·56·50 Long. 00·03·40

Time of Observation 9 am

Nearest Railway Station Isfield

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level Forty One ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·03	·04	—	—	·05	·07	—	—	·08	·14	1
2	Tdf •	Tdf ⌣	—	·03	—	·05	·43	Tdf •	—	—	·14	·20	2
3	Tdf •	Tdf •	·09	—	·30	—	·01	·01	—	Tdf △	Tdf ⌣	Tdf •	3
4	·01	Tdf ⌣	Tdf •	·35	—	—	Tdf •	·06	—	—	·27	·46	4
5	·12	Tdf ⌣	·12	·30	·02	·02	·16	Tdf •	—	—	—	—	5
6	—	·08	·01	·20	·04	·06	—	·06	—	—	Tdf •	·60	6
7	Tdf •	·61	·14	·13	·02	·02	·07	—	—	—	·01	·26	7
8	·12	·54	·46	·01	Tdf •	·14	·08	·08	—	—	Tdf ≡	·18	8
9	·17	—	·77	·10	—	·12	—	—	·26	—	—	1·29	9
10	·01	·17	·01	·11	·06	—	—	—	·04	Tdf ≡ Td	Tdf •	·03	10
11	—	·33	·48	·05	Tdf •	—	—	—	·29	—	·05	·43	11
12	—	·10	·12	Tdf ⌣	—	—	·31	—	·36	·03	·02	·64	12
13	·01	·84	·30	—	—	Tdf •	—	—	·13	·01	·13	·51	13
14	—	·21	·29	—	—	—	—	Tdf •	—	·32	·26	·60	14
15	—	·06	·31	—	—	—	—	·07	·01	Tdf •	·73	Tdf ⌣	15
16	—	·14	—	—	—	—	·06	—	·11	—	—	—	16
17	—	·38	·~~48~~ 15	—	—	—	·02	—	·22	—	Tdf ⌣	·45	17
18	—	·07	·~~92~~ 48	—	—	—	Tdf •	—	—	—	—	·59	18
19	—	·08	·~~08~~ 92	—	—	—	·19	Tdf △	—	·04	·26	·29	19
20	—	·19	·~~07~~ 98	—	—	·05	Tdf •	—	—	Tdf •	—	·30	20
21	—	·65	·07	—	—	~~·10~~ nil	—	·04	—	·03	—	·04	21
22	—	·08	·07	—	·08	·~~37~~ 10	·12	·07	—	~~Tdf •~~ ·27	—	·02	22
23	—	—	·30	—	·01	37	—	Tdf •	Tdf ≡	Tdf •	—	·01	23
24	Tdf •	—	·04	·01	—	—	—	—	Tdf ⌣	Tdf ≡	·12	—	24
25	·07	Tdf ⌣	·19	—	—	—	—	·06	—	·37	·01	Tdf ⌣	25
26	Tdf ⌣	Tdf ⌣	·03	—	—	—	Tdf •	·18	Tdf △	·18	·16	·54	26
27	·01	—	—	—	—	—	—	Tdf •	—	Tdf ≡	·15	·57	27
28	·01	·01	—	—	·01	—	·07	Tdf △	—	·29	·31	·45	28
29	·16	×	·02	—	Tdf ≡	—	—	—	—	·64	·17	·01	29
30	Tdf •	×	·10	—	—	—	Tdf ≡ Td	Tdf ≡ Td	—	·07	1·35	·26	30
31	·02	×	—	×	·17	×	Tdf •	—	×	—	×	·08	31
Total	·71	4·54	5·49	1·33	·71	·93	1·57	·70	1·42	2·25	4·22	8·95	YEAR'S TOTAL 32·82
Rain Days.													

W. 8,000. X. 14.

slip made 7/3/15

REGISTER OF RAINFALL IN 1914

NB Daily Rain [illegible]

BRITISH RAINFALL FORM A.
6 JAN 1915

Kept at Isfield Place

in the County of Sussex 4 4.RL

by Major Henry Ring & Mr Robert Mayes

Lat. 50·56·50N Long. 00·03·40E

Time of Observation 9 am

Nearest Railway Station Isfield.

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level Forty One ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·03	·04	nil ~~30~~	—	·05	·07	—	—	·08	·14	1
2	Tcf •	Tcf ⌴	—	·03	~~—~~	·05	·43	Tcf •	—	—	·14	·20	2
3	Tcf •	Tcf •	·09	—	30 ~~02~~	—	·01	·01	—	Tcf ^	Tcf ⌴	Tcf •	3
4	·01	Tcf ⌴	Tcf •	·35	nil ~~·04~~	—	Tcf •	·06	—	—	·27	·46	4
5	·12	Tcf ⌴	·12	·30	·02	·02	·16	Tcf •	—	—	—	—	5
6	—	·08	·01	·20	04 ~~Tcf •~~	·06	—	·06	—	—	Tcf •	60	6
7	Tcf •	·61	·14	·13	02	·02	·07	—	—	—	·01	·26	7
8	·12	·54	·46	·01	Tcf • ~~06~~	·14	·08	·08	—	—	Tcf ≡	·18	8
9	·17	—	·77	·10	nil ~~Tcf~~	·12	—	—	·26	—	—	1·29	9
10	·01	·17	·01	·11	~~·06~~	—	—	—	·04	Tcf ≡	Tcf •	·03	10
11	—	·33	·48	·05	Tcf •	—	—	—	·29	—	·05	·43	11
12	—	·10	·12	Tcf ⌴	—	—	·31	—	·36	·03	·02	·64	12
13	·01	·84	·30	—	—	Tcf •	—	—	·13	·01	·13	·51	13
14	—	·21	·20	—	—	—	—	Tcf •	—	·32	·26	·60	14
15	—	·06	·31	—	—	—	—	·07	·01	Tcf •	·73	Tcf ⌴	15
16	—	·14	—	—	—	—	·06	—	·11	—	—	—	16
17	—	·38	·15	—	—	—	·02	—	·22	—	Tcf ⌴	·45	17
18	—	·07	·48	—	—	—	Tcf •	—	—	—	—	·59	18
19	—	·08	·92	—	—	—	·19	Tcf ^	—	·04	·26	·29	19
20	—	·19	·08	—	—	·05	Tcf •	—	—	Tcf •	—	·30	20
21	—	·65	·07	—	—	—	—	·04	—	·03	—	·04	21
22	—	·08	·07	—	·08	·10	·12	·07	—	·27	—	·02	22
23	—	—	·30	—	·01	·37	—	Tcf •	Tcf ≡	Tcf •	—	·01	23
24	Tcf •	—	·04	·01	—	—	—	—	Tcf ⌴	Tcf ≡	·12	—	24
25	·07	Tcf ⌴	·19	—	—	—	—	·06	—	·37	·01	Tcf ⌴	25
26	Tcf ⌴	Tcf ⌴	·03	—	—	—	Tcf •	·18	Tcf ^	·18	·16	·54	26
27	·01	—	—	—	—	—	—	Tcf •	—	Tcf ≡	·15	·57	27
28	·01	·01	—	—	·01	—	·07	Tcf ^	—	·29	·31	·45	28
29	·16	X	·02	—	Tcf ≡	—	—	—	—	·64	·17	·01	29
30	Tcf •	X	·10	—	—	—	Tcf ≡	Tcf ≡	—	·07	1·35	·26	30
31	·02	X	nil	X	·17	X	Tcf •	—	X	—	X	·08	31
Total	·71	4·54	5·49	1·33	·71	·93	1·57	·70	1·42	2·25	4·22	8·95	YEAR'S TOTAL 32·82
Rain Days.	11	17	25	11	9	9	12	10	8	11	17	25	165

W.7,000, XI. 13

Slip made 2/3/15

REGISTER OF RAINFALL IN 1914

N63 Weekly Raingauge

FORM A.
BRITISH RAINFALL.

6 JAN 1915

Kept at Isfield Place 4 R

in the County of Sussex 4

by Maj H King

Lat. 50 56 50 N Long. 00 03 04 East

Time of Observation 9 am

Nearest Railway Station Isfield

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level Forty One ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	[illegible]												1
2													2
3													3
4													4
5													5
6													6
7													7
8	·12 ~~·31~~ HK	·71	·36	1·01 ~~2·63~~ HK	·38	·15	·72	·20	—	T of r	·52	1·66	8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16	·31	2·24	2·62 ~~2·01~~ HK	·24½	·06	26	·38	·15	1·07	·36	1·16	3·6~~1~~8 HR	16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24	T of	1·58	2·01	T of.	·09	51	·42	·12	·28	·36	·26	1·70	24
25													25
26													26
27													27
28													28
1 March		·01	·39	~~·0~~									29
30		X		·01							2·28		30
1 Feb 31	·26	X		X	·18	X	·07	·24	X	1·57	X	1·91	31
Total	·69	4·54	5·41	1·295	·71	·92	1·59	·71	1·35	2·29	4·22	8·9~~4~~ 5 HK	YEAR'S TOTAL 32·675
Rain Days.	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		

W. 8,000. X. 14.

Slip made 2/3/15

REGISTER OF RAINFALL IN 1914

Monthly Rain Gauge

FORM A. BRITISH RAINFALL.
6 JAN 1915

Kept at Isfield Place
in the County of Sussex 4 E4 RR
by Maj. H King

Lat. 50 56 50N Long. 00 . 03 . 46E
Time of Observation 9 am
Nearest Railway Station Isfield
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground ~~Fifth~~ One ft. — in.
" " " " Sea Level Fortyth ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29		4·53											29
30		✗		1·35		·91			1·39		4·22		30
1 Feb 31	·72½	✗	5·46	✗	·71	✗	1·59	·67	✗	2·25	✗	8·70	31
Total	·72½	4·53	5·46	1·35	·71	·91	1·59	·67	1·39	2·25	4·22	8·70	YEAR'S TOTAL 32·505
Rain Days.													

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

Daily Rainfall

~~FORM A. BRITISH RAINFALL.~~

Kept at Isfield Place

in the County of Sussex

by Major Henry King & Mr. Robert Mayes

Lat. 50.56.50 N Long. 00 03.40 E

Time of Observation 9 am

Nearest Railway Station Isfield L.B.&S.C.Ry.

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level Forty One ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·11

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·47	·18	·07	—	Tof •	—	·03	·21	·73	·03	·14	·32	1
2	·31	·21	·22	·14	Tof •	Tof •	—	·12	Tof •	·06	Tof ⊔	·20	2
3	·25	—	·01	·23	·12	—	—	·05	·14	—	Tof ⊔	·47	3
4	·07	—	—	·01	—	—	—	Tof •	—	Tof ≡	—	·45	4
5	·02	·49	—	·02	—	—	Tof •	·11	—	Tof •	·05	·80	5
6	·45	·24	·08	·63	—	—	·26	—	—	Tof ≋	Tof •	·15	6
7	·23	·43	·03	·08	—	·04	·07	—	—	—	—	·36	7
8	·02	·40	Tof *	—	—	—	·14	Tof •	—	—	·02	Tof •	8
9	·01	·19	—	·22	—	·24	—	·04	Tof ≡	—	·75	·78	9
10	·24	Tof ⊔ ~~·31~~	Tof •	—	—	·02	—	—	—	Tof ⌓	—	·74	10
11	·01	·07	·01	—	nil ~~·28~~	—	—	—	—	Tof ≋	·86	Tof •	11
12	·04	·18	—	·15	·28	—	—	Tof ⌓	—	—	·99	—	12
13	Tof •	·77	—	Tof •	1·63	—	—	—	·05	—	—	—	13
14	·02	·03	Tof •	—	—	—	·15	Tof •	·03	·01	—	·50	14
15	·19	Tof ⊔	—	—	·06	—	·30	·13	—	—	·17	·39	15
16	—	·92	—	·02	·09	—	1·30	·45	—	—	—	·04	16
17	—	·49	—	—	1·19	—	—	·13	—	—	—	·06	17
18	Tof •	·17	—	—	·15	—	—	—	Tof •	—	·01	Tof •	18
19	nil ~~·19~~	Tof •	—	—	Tof •	—	—	—	—	Tof •	Tof ⊔	—	19
20	·19	—	—	·01	·18	—	—	—	—	Tof ⊔	—	·19	20
21	·14	·03	Tof ⊔	—	—	—	—	—	—	·13	—	·02	21
22	09	·01	·05	·01	—	—	1·00	—	—	Tof ⌓	—	·28	22
23	·01	·07	·08	—	—	Tof •	·05	—	·46	·29	—	·52	23
24	—	—	·04	Tof •	—	—	·11	—	·30	·48	—	·57	24
25	—	—	·01	·01	—	—	·68	—	Tof ≋	—	—	·29	25
26	Tof •	·09	—	—	—	·06	Tof •	—	Tof ≋	Tof •	—	·74	26
27	—	·02	—	—	—	Tof •	·08	Tof ≋	—	·46	Tof •	·07	27
28	—	·04	Tof •	—	—	·17	—	—	1·18	·40	Tof •	—	28
29	—	✕	—	—	·01	Tof •	·38	·29	Tof ⌓	·02	·64	·02	29
30	·17	✕	—	—	—	·17	Tof ≡	—	·02	·15	·47	·01	30
31	·01	✕	Tof ⊔	✕	—	✕	—	—	✕	·85	✕	·25	31
Total	2·94	4·97	·60	1·53	3·71	·70	4·55	1·86	2·91	2·88	4·10	8·22	YEAR'S TOTAL 38·97
Weekly Rain	2·96	4·94	·62	1·53	3·73	·69	4·48	1·81	2·84	2·90	4·12	8·29	38·82
Days Monthly	2·97	5·11	·61	1·54	3·71	·70	4·59	1·85	2·92	2·89	4·08	8·27	39·23
Hydrological	2·97	5·03	·58	1·50	3·72	·70	4·55	1·83	2·93	2·88	4·06	8·20	38·95

5000 2 x. 15.

cor. by Hyetograph 19.1.16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

15. JAN 1916

Kept at Isfield Place

in the County of Sussex 4

by Major Henry [illegible] & Mr. Robert Mayes

Lat. 50·56·50 N Long. 00-03-40

Time of Observation 9 am

Nearest Railway Station Isfield L.B.&S.C.R.

Diameter of Funnel of Rain Gauge Five & Six in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level Forty One ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·11

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·47	·18	·07	—	Tr •	—	·03	·21	·73	·03	·14	·32	1
2	·31	·21	·22	·14	Tr •	Tr •	—	·12	Tr •	·06	Tr ⊔	·20	2
× 3	·25	—	·01	·23	·12	—	—	·05	·14	—	Tr ⊔	·47	3
4	·07	—	—	·01	—	—	—	Tr •	—	Tr ≡	—	·45	4
5	·02	·49	—	·02	—	—	Tr •	·11	—	Tr •	·05	·80	5
6	·45	·24	·08	·63	—	—	·26	—	—	Tr ≡	Tr •	·15	6
7	·23	·43	·03	·08	—	·04	·07	—	—	—	—	·36	7
8	·02	·40	Tr *	—	—	—	·14	Tr •	—	—	·02	Tr •	8
9	·01	·19	—	·22	—	·24	—	·04	Tr ≡	—	·75	·78	9
10	·24	Tr ⊔	Tr •	—	—	·02	—	—	—	Tr ⌢	—	·74	10
11	·01	·01	·01	—	—	—	—	—	—	Tr ≡	·86	Tr •	11
12	·04	·18	—	·15	·28	—	—	Tr ⌢	—	—	·99	—	12
13	Tr •	·77	—	Tr •	1·63	—	—	—	·05	—	—	—	13
14	·02	·03	Tr •	—	—	—	·15	Tr •	·03	·01	—	·50	14
15	·19	Tr ⊔	—	—	·06	—	·30	·13	—	—	·17	·39	15
16	—	·92	—	·02	·09	—	1·30	·45	—	—	—	·04	16
17	—	·49	—	—	1·19	—	—	·13	—	—	—	·06	17
18	Tr •	·17	—	—	·15	—	—	—	Tr •	—	·01	Tr •	18
19	—	Tr •	—	—	Tr •	—	—	—	—	Tr •	Tr ⊔	—	19
20	·19	—	—	·01	·18	—	—	—	—	Tr ⊔	—	·19	20
21	·14	·03	Tr ⊔	—	—	—	—	—	—	·13	—	·02	21
22	·09	·01	·05	·01	—	—	1·00	—	—	Tr ⌢	—	·28	22
23	·01	·07	·08	—	—	Tr •	·05	—	·46	·29	—	·52	23
24	—	—	·04	Tr •	—	—	·11	—	·30	·48	—	·57	24
25	—	—	·01	·01	—	—	·68	—	Tr ≡	—	—	·29	25
26	Tr •	·09	—	—	—	·06	Tr •	—	Tr ≡	Tr •	—	·74	26
27	—	·02	—	—	—	Tr •	·08	Tr ≡	—	·46	Tr •	·07	27
28	—	·04	Tr •	—	—	·17	—	—	1·18	·40	Tr •	—	28
29	—	✕	—	—	·01	Tr •	·38	·29	Tr ⌢	·02	·64	·02	29
30	·17	✕	—	—	—	·17	Tr ≡	—	·02	·15	·47	·01	30
31	·01	✕	Tr ⊔	✕	—	✕	—	(·33)	✕	·85	✕	·25	31
Total	2·94	4·97	·60	1·53	3·71	·70	4·55	1·86	2·91	2·88	4·10	8·22	YEAR'S TOTAL 38·97
	2·96	4·94	·62	1·53	3·73	·69	4·48	1·81	2·84	2·90	4·12	8·20	38·82
Rain Days.	20	20	10	12	9	6	13	10	8	11	10	24	153
Monthly	2·97	5·11	·61	1·54	3·71	·70	4·59	1·85	2·92	2·89	4·08	8·27	39·23
Hyetograph	2·97	5·03	·58	1·50	3·72	·79	4·55	1·83	2·93	2·88	4·06	8·20	38·95

X,000. X.-15.

ISFIELD PLACE SUSSEX

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Isfield Place

in the County of Sussex

by Major H Kemp
Assistants Mr Robert

Lat. 50 58 50 N Long. 00 03 40 E

Time of Observation 9 am

Nearest Railway Station Isfield

Diameter of Funnel of Rain Gauge 5 in

Height of top of Gauge above Ground ~~[illegible]~~ ft. in.

" " " " Sea Level Forty Nine ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·01	—	—	·12	Td•	—	Td≡7	·04	·01	·33	·01	1
2	·34	·11	·46	Td≡	·33	Td•	—	—	Td•	·74	·05	—	2
3	·01	·42	·15	Td⌣	—	·04	·01	—	·09	·42	·45	—	3
4	·19	·07	Td•	—	Td•	·58	—	—	·29	·05	·43	—	4
5	·02	·03	—	—	·18	·05	—	—	—	·06	·55	—	5
6	Td•	·13	·08	·24	·02	·44	·33	—	—	·05	·38	—	6
7	—	Td•	·62	Td⌣	·28	·31	—	—	—	·03	·39	·02	7
8	—	Td•	Td•	Td⌣	·26	—	—	—	Td≡	—	·03	·57	8
9	Td⌣	—	·01	—	·30	·04	Td•	—	—	—	—	·22	9
10	·05	·39	·02	·06	Td•	·15	·04	—	—	—	—	·35	10
11	·05	·12	·01	·18	Td•	·11	—	—	—	—	—	·16	11
12	—	·02	·14	·06	·15	·15	·15	—	—	·05	·01	—	12
13	—	·22	·18	·05	·04	·03	·02	·10	—	·01	—	Td•	13
14	—	·44	·15	—	·14	—	—	·04	Td⌣	·02	Td⌣	·12	14
15	Td•	·09	·08	·01	—	—	Td•	·01	—	Td⌣	—	·01	15
16	Td•	·01	·22	·16	—	—	·10	·08	—	Td≡7	—	—	16
17	·27	·17	—	·15	Td≡	—	Td•	·04	·41	·86	—	Td•	17
18	·01	·08	Td•	·01	—	~~·01~~	~~Td~~	·25	·18	·17	·90	·01	18
19	·32	Td•	·13	·41	—	·01	—	—	·08	—	·82	·17	19
20	·09	—	·02	·01	—	—	—	—	—	—	·17	·53	20
21	·01	—	·31	—	—	~~·01~~	·43	—	—	Td⌣	·04	·36	21
22	Td•	·02	·01	Td•	—	~~·01~~	—	—	—	·04	Td•	·62	22
23	Td•	·16	·02	—	—	~~·10~~	Td•	·01	—	·12	·12	·02	23
24	—	—	·01	—	·15	~~Td•~~	—	—	~~·21~~	·21	·10	·37	24
25	Td•	·52	·18	—	—	~~·10~~	—	1·15	Td•	·05	·02	—	25
26	Td•	·53	·01	—	Tdρ	·10	—	·12	·03	·20	—	·02	26
27	·01	·06	·77	—	—	·05	Td≡7	·03	·10	·41	—	Td≡	27
28	—	·68	·12	—	—	·27	—	·16	·13	·19	Td•	·15	28
29	Td⌣	·21	—	—	—	·3[illegible]	Td≡7	·40	·07	·47	—	·37	29
30	—	×	Td⌣	—	·99	—	—	·01	—	·44	—	—	30
31	—	×	Td⌣	×	—	×	—	·01	×	·03	×	—	31
Daily Total	1·48	4·49	3·69	1·35	2·06	2·78	1·08	2·40	1·42	4·64	4·79	4·09	YEAR'S TOTAL 34·47
Weekly Rain	1·43	4·[illegible]	3·67	1·31	2·04	2·80	1·13	2·40	1·46	4·66	4·64	4·14	34·3[illegible]
monthly Days	1·46	4·52	3·64	1·31	2·03	2·79	1·11	2·42	1·47	4·64	4·64	4·30	34·33

W. 8,000, VIII. 16

cwd by obr Exd. C.J.E. [illegible]

577
578
579

4.v.17

REGISTER OF RAINFALL IN 1916

Kept at Isfield Place
in the County of Sussex
by Major H King
Amt Mr Robert Mayes.

Lat. 50·56·40 N Long. 00 - 03 - 20
Time of Observation 9 am
Nearest Railway Station Isfield
Diameter of Funnel of Rain Gauge five in
Height of top of Gauge above Ground One ft. in 1·6
" " " " Sea Level forty one ft.

BRITISH RAINFALL ORG. APR. 1917
406

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·01	—	—	·12	Tr•	—	Tr•	·04	·01 ~~·33~~	·33	·01	1
2	·34	·11	·46	Tr≡	·33	Tr•	—	—	Tr•	·74	·05	—	2
3	·01	·42	·15	Tr⌣	—	·04	·01	—	·09	·42	·45	—	3
4	·19	·07	Tr•	—	·58	—	—	—	·29	·05	·43	(·01)	4
5	·02	·03	—	—	·18	·05	—	—	—	·06	·55	—	5
6	Tr•	·13	·08	·24	·02	·44	·33	—	—	·05	·38	—	6
7	—	Tr•	·62	Tr⌣	·28	·31	—	—	—	·03	·39	·02	7
8	—	Tr•	Tr•	Tr⌣	·26	—	—	—	Tr≡	—	·03	·57	8
9	Tr⌣	—	·01	—	·30	·04	Tr•	—	—	—	—	·22	9
10	·05	·39	·02	·06	Tr•	·15	·04	—	—	(·01)	—	·35	10
11	·05	·12	·01	(·19) ~~Tr•~~	~~·11~~	·11	—	—	—	—	—	·16	11
12	—	·02	·14	·06	·15	·15	·15	—	—	·05	·01	—	12
13	—	·22	·18	·05	·04	·03	·02	·10	—	·01	—	Tr•	13
14	—	·44	·15	—	·14	—	—	·04	Tr⌣	·02	Tr⌣	·12	14
15	Tr•	·09	·08	·01	—	—	Tr•	·01	—	Tr⌣	—	·01	15
16	Tr•	·01	·22	·16	—	—	·10	·08	—	Tr≡	—	—	16
17	·27	·17	—	·15	Tr≡	—	Tr•	·04	·41	·86	—	Tr•	17
18	·01	·08	Tr•	·01	—	—	—	·25	·18	·17	·90	·01	18
19	·32	Tr•	·13	·41	—	·01	—	—	·08	—	·82	·17	19
20	·09	—	·02	·01	—	—	—	—	—	—	·17	·53	20
21	·01	—	·31	—	—	—	·43	—	—	Tr⌣	·04	·36	21
22	Tr•	·02	~~·01~~	Tr•	—	·01	—	—	—	·04	Tr•	·62	22
23	Tr•	·16	·02	—	—	·10	Tr•	~~·01~~	—	·12	·12	·02	23
24	—	—	·01	—	·15	Tr•	—	—	—	·21	·10	·37	24
25	Tr•	·52	·18	—	—	—	—	1·15	Tr•	·05	·02	—	25
26	Tr•	·53	·01	—	Tr°	·10	—	·12	·03	·20	—	·02	26
27	·01	·06	·77	—	—	·05	Tr≡	·03	·10	·41	—	Tr≡	27
28	—	·68	·12	—	—	·27	—	·16	·13	·19	Tr•	·15	28
29	Tr°	·21	—	—	—	·34	Tr≡	·40	·07	·47	—	·37	29
30	—	✕	Tr⌣	—	·09	—	—	·01	—	·44	—	—	30
31	—	✕	Tr⌣	✕	—	✕	—	·01	✕	·03	✕	—	31
Daily Total	1·48	4·49	3·69	1·35	2·06	2·78	1·08	2·40	1·42	4·64	~~2·63~~ 4·79	4·09	YEAR'S TOTAL ~~32·41~~ 34·27
Weekly Rain	1·43	4·61 ~~4·35~~	3·67	1·31	2·04	2·80	1·13	2·40	1·46	4·66	4·64	4·14	34·29
Monthly Days	1·46	4·52	3·64	1·31	2·03	2·79	1·11	2·42	1·47	4·64	4·64	4·30	34·33
	13	22	21	11	12	17	7	13	10	23	16	19	184

W. 8,000, VIII. 16

580

FORM A2.
BRITISH RAINFALL.
23 APR 1917

from charts

REGISTER OF RAINFALL IN 1916

Kept at Isfield Place
in the County of Sussex
by Maj. H. King

RAIN GAUGE
Pattern Hyetograph
Diameter of top ..... in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level ..... ft.

Time of Observation 9 am

Nearest Railway Station
Name .....
Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·01	-	-	·13	-	-	-	·04	·01	·32	-	1
2	·33	·11	·47	-	·32	-	·01	-	-	·74	·05	-	2
3	·01	·41	·13	-	-	·05	·01	-	·09	·41	·45	-	3
4	·18	·06	·01	-	-	·60	-	-	·29	·06	·44	-	4
5	·02	·04	-	-	·18	·05	-	-	-	·06	·57	-	5
6	-	·12	·08	·25	·02	·44	·34	-	-	·05	(·38)	-	6
7	-	·01	·58	-	·28	·34	-	-	-	·04	·44	·02	7
8	-	·01	-	-	·25	-	-	-	-	-	·03	·57	8
9	-	-	·01	-	·26	(·04)	·01	-	-	-	-	·22	9
10	-	·37	·01	·06	-	(·15)	·03	-	-	-	-	·35	10
11	·05	·12	·01	·16	-	·07	-	-	-	-	-	·15	11
12	·04	·02	·14	·05	·15	·13	·13	-	-	·04	-	-	12
13	-	·22	·17	·05	·03	·03	·02	·10	-	·01	·01	-	13
14	-	·44	·15	-	·13	-	-	·04	-	·02	-	·12	14
15	-	·09	·07	·02	-	-	-	·01	-	-	-	·02	15
16	-	·01	·21	·16	-	-	·11	·08	-	-	-	-	16
17	·26	·16	-	·13	-	-	-	·04	·41	·87	-	-	17
18	·03	·06	-	·01	-	-	-	·25	·19	·17	·91	·01	18
19	·32	-	·13	(·41)	-	·02	-	-	·07	-	·82	·17	19
20	·08	-	·03	·02	-	-	-	-	-	-	·16	·53	20
21	·01	-	·30	-	-	-	·43	-	-	-	·04	·34	21
22	-	·02	·01	-	-	-	-	-	-	·04	-	·65	22
23	01	·13	·02	-	-	·11	·01	·01	-	·13	·11	·02	23
24	-	-	·01	-	·14	-	-	-	-	·22	·09	·37	24
25	-	·51	·18	-	-	-	-	1·15	-	·05	·03	-	25
26	·01	·47	·01	-	-	·10	-	·12	·03	·20	-	·02	26
27	-	·05	·74	-	-	·05	-	·03	·10	·41	-	-	27
28	-	·66	·09	-	-	·27	-	·17	·14	·20	·01	·14	28
29	-	·22	-	-	-	·34	-	·38	·06	·46	-	·38	29
30	-		-	-	·09	-	-	(·01)	-	·44	-	-	30
31	-		-		-		-	·01		·02		-	31
Total	1·45	4·32	3·56	1·32	1·98	2·79	1·10	2·40	1·42	4·65	4·86	4·08	TOTAL for year 53·93
No. of Rain Days.	14	24	23	11	12	16	10	14	10	22	17	17	190

W. 8,000, X. '11.

548

FORM A.
BRITISH RAINFALL.
23 JAN 1918

endly Hyetograph &c

REGISTER OF RAINFALL IN 1917

Kept at Isfield Place
in the County of Sussex
by { Major H. King Superintendent
Mr Cyril Morris assistant

Lat. 50-58-57 N Long. 00-03-40 E
Time of Observation 9 am
Nearest Railway Station Isfield
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level Forty one ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	T of •	·20	—	—	—	1·61	·08	T of •	·03	·03	1
2	—	—	—	·17	—	T of ≡	—	·12	—	T of ≡	·29	—	2
3	·01	—	—	·13	—	—	·31	·29	T of ≡	·11	·03	—	3
4	—	·09	·15	T of ≡	—	—	·05	·15	T of ≡	·37	—	—	4
5	·29	—	·05	·09	—	·05	—	T of ≡	·15	·27	·06	—	5
6	—	—	·20	·03	—	·49	T of ρ	·03	·22	T of ρ	·15	T of •	6
7	·34	—	—	T of ≡	—	—	·05	—	T of ≡	·66	T of •	·02	7
8	·04	—	—	·12	—	T of ≡	·13	·65	T of ≡	·26	·29	·18	8
9	·01	—	·05	·03	—	—	·06	·01	—	T of •	T of •	·70	9
10	·17	—	·17	·13	—	·39	—	(·10)	T of ρ	·01	T of ≡	T of ≡	10
11	·07	T of ρ	·15	·14	—	—	T of ≡	·15	T of ρ	·55	—	—	11
12	·02	T of ≡	·03	·08	·01	—	—	·12	T of ρ	·19	T of •	T of •	12
13	·03	—	·19	—	·11	—	—	·01	·01	·34	·01	T of ≡	13
14	T of ≡	—	·01	·19	—	T of ≡	—	·81	·02	—	T of ≡	T of •	14
15	T of ≡	—	—	—	·01	—	—	·74	—	·20	T of ρ	·08	15
16	·04	·17	—	·17	·13	—	T of ≡	T of ≡	—	(·54)	T of ρ	1·14	16
17	—	·01	—	·11	·06	—	·34	·08	·27	·27	—	·01	17
18	T of •	·02	—	·04	·08	—	·19	·03	·21	T of ≡	—	—	18
19	·01	·23	·14	T of ≡	·43	·25	T of ≡	T of ≡	·13	—	—	—	19
20	T of ≡	·15	·04	—	·60	T of •	—	—	·01	—	·01	—	20
21	T of ≡	—	·02	T of ≡	·01	·03	—	—	T of ≡	T of ≡	T of •	·04	21
22	·02	—	·08	T of ≡	—	·70	—	·18	—	·20	—	—	22
23	—	·22	—	T of ≡	·23	—	—	·13	T of ≡	—	(·05)	·02	23
24	—	·02	—	—	—	·01	·20 ·02	·09	T of ≡	·27	—	·08	24
25	—	·13	·13	—	—	·01	·02	—	—	T of •	·78	—	25
26	—	T of ≡	·02	—	—	·01	—	·48	·04	—	—	T of ✱	26
27	—	—	T of ≡	—	T of •	·02	—	1·13	T of ≡	T of ≡	T of ≡	—	27
28	—	T of ≡	·06	—	—	·73	·06	·68	—	T of ≡	T of ≡	·06	28
29	—	—	T of ≡	—	—	—	·13	·01	T of •	·56	T of ≡	·09	29
30	—	✕	·30	—	—	·05	·40	·26	T of ≡	·05	—	·02	30
31	·03	✕	—	✕	—	✕	·53	·02	✕	T of •	✕	·03	31
Total	1·08	1·04	1·79	1·63	~~2·67~~ 1·67	2·74 2·74	2·50	~~7·88~~	1·14	4·85	1·70	2·50	YEAR'S TOTAL 30·53
Rain Days.	13	9	17	14	10	12	13	7·89	10	10	10	14	162

W. 8,000, IX. 17.

3.08

24

5 made

from Hyetograph & charts returned. Cnd. by A.tc.

551

REGISTER OF RAINFALL IN 1917

29. JAN 1918

FORM A. BRITISH RAINFALL.

Kept at Isfield Place, R

in the County of Sussex

by Major H. King

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·005	(20)				(164)	·08		·025	·025	1
2		·01		·17				·115			·29		2
3	01			·13			·32	·28		·115	·02		3
4		·02	·14				·05	·13		·375			4
5	·30	·09	·045	·09		·055	[illegible]		·15	·285	·045		5
6			·185	·03		·48		·025	·225		·13		6
7	·335						·04			·80	[illegible]	·02	7
8	·043			·11			·13	·65		·25	·26	·18	8
9	·012	·01	·04	·035			·06	·005		·005		·25?	9
10	·168	·02	·165	·105		·395		·105		·01			10
11	·05		·168	·14				·115	·01	(·55)			11
12	·02		·025	·07	·01			·11		·185	·005		12
13	·03		·19		·115			·01	·012	·34	·01		13
14			·002	·19	·005			(·81) ~~·17~~	·015	·003			14
15	·005							·74		·19		·07	15
16	·037	·175		·18	·14					·54	·005	·80	16
17		·01		·10	·057		(·37)	·085	·25	·265		·16	17
18	·005	·02		·04	·075		·17	·02	·265			·01	18
19	·018	·215	·14		·43	·255			·11				19
20		·15	·048		·60				·008		·01		20
21			·02		·005	·025						·03	21
22	·015		·08			·70		·16		·19			22
23		·21			·225			·18				·02	23
24		·02				·01	·11	·10		·25	·045	·065	24
25		·125	·12			·01	·01						25
26	·005		·02					~~·10~~	·04		·78		26
27					·005	·025		(1·61) ~~·08~~					27
28			·06			·72	·045	·68				·05	28
29							·18	·015	·005	·57		(·09)	29
30		×	·32			·035	·40	·30		·035		·015	30
31	·01	×		×		×	·19 ?	·02	×	·005	×		31
Total	1·063	1·105	1·773	1·59 ~~[illegible]~~	1·667	2·710	2·025? ~~1·760~~	(7·875) ~~4·625~~	1·170	4·963 ~~[illegible]~~	1·625 ~~1·815~~	1·785 ~~1·695~~	YEAR'S TOTAL ~~[illegible]~~
Rain Days.	15	14	16	14	10	11	13	23	12	17	11	14	~~167~~ 170

29.351

W. 8,000, VIII. 16

72

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Isfield Place

in the County of Sussex

by Major Alling

Lat 50·56·50N Long 00·03·40E

Time of Observation 9 a.m.

Nearest Railway Station Isfield

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level Forty One ft.

Daily Rain

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Tr ≡	Tr •	·08	—	Tr ≡	—	—	·02	—	—	·16	·11	1
2	—	·02	—	Tr •	—	—	—	·46	—	—	·36	·16	2
3	—	—	·08	·07	·73	—	—	·07	—	·03	·47	·01	3
4	Tr ≡	·08	·02	·05	·02	—	—	·11	·11	Tr ⌴	·76	[illegible]	Tr • 4
5	—	·04	·01	—	Tr •	—	—	·29	—	·13	—	·02	5
6	·12	·13	—	·22	·22	—	—	·19	·02	·01	Tr •	·02	6
7	·01	·09	·01	·08	·03	·01	—	Tr •	·22	·02	·04	·01	7
8	nil [illegible]	·01	Tr ≡	—	—	nil [illegible]	—	—	·15	·02	·08	·13	8
9	·01	—	Tr ≡	·14	—	·06	·05	—	·64	·33	—	·44	9
10	—	—	—	·04	—	·04	·42	—	·80	·14	—	·29	10
11	—	—	—	·01	—	—	·11	—	·22	·37	·03	·09	11
12	—	·10	Tr ≡	—	·22	—	·17	—	·05	·06	—	Tr •	12
13	·21	Tr •	—	—	·04	Tr •	·12	—	·24	—	—	Tr •	13
14	·29	—	·03	—	Tr •	·07	·19	—	·39	·37	Tr ⌴	·02	14
15	1·67	—	Tr ≡	·17	—	·06	·06	—	Tr ≡	—	—	·21	15
16	·41	Tr ≡	—	·02	—	·33	·14	nil [illegible]	·09	—	—	—	16
17	·13	Tr ≡	Tr ≡	·16	—	·32	·99	·01	—	Tr ⌴	—	·39	17
18	·47	Tr ≡	Tr ≡	Tr ≡	—	·36	Tr •	Tr •	·60	·01	—	·03	18
19	·09	Tr ≡	·08	·02	—	·14	Tr •	—	—	·03	Tr ≡	·01	19
20	·04	·15	Tr •	1·14	—	·02	·54	—	·36	·14	—	Tr •	20
21	·20	—	—	·73	—	·01	·37	—	·37	·13	·01	·04	21
22	·14	—	—	—	·28	—	·61	—	1·18	—	Tr ≡	·26	22
23	·08	—	—	·02	Tr •	—	·35	·13	·03	—	—	·06	23
24	—	·17	Tr ≡	Tr •	—	·03	·09	—	·20	—	·08	·01	24
25	Tr ≡	—	—	—	—	Tr •	·05	·24	—	·02	—	—	25
26	—	—	—	16	—	—	·25 ~~Tr •~~	—	Tr •	·02	·08	·18	26
27	Tr •	·07	·02	·04	—	—	Tr ≡	22	23	—	·13	·04	27
28	Tr ≡	·03	·45	·05	·08	·02	T ~~Tr~~	·01	—	·02	·14	·01	28
29	·01	X	[illegible]	—	—	—	—	—	1·24	Tr •	·01	—	29
30	—	X	·39	—	—	—	—	Tr •	·02	·08	—	·02	30
31	Tr •	X	—	X	—	X		Tr •	X	·05	X	Tr •	31
Total	3·88	0·89	1·17	3·12	1·62	1·47	4·51 ~~4·26~~	1·75	7·26	1·98	2·35	2·56	YEARS TOTAL 32·46 ~~32·21~~
Rain Days.	15	11	10	17	8	13	16	11	20	19	13	23	176

W, 6,500, VII. 18. W W C

Sussex 72

Corrected

PARCELS & TELEGRAMS
TO ISFIELD STATION
L.B.& S.C.R.

ISFIELD PLACE,
UCKFIELD.

1. 2. 19

Dear Mr Carle Salter

You are quite right: it is a mistake in copying. I give the weeks rainfall from 16 to 24th below.

24 · 09
25 · 05
26 · 25
27 · Tr
28 · Tr
30 – nil
31 – nil

·39 inches

Daily amt 1 · 4·57
weekly 1 4·53
Monthly 4·52

Yours truly.
Harry King

Smaale

recd 9/20

73
74

REGISTER OF ~~RAINFALL~~ RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

28. 10

Kept at Isfield Place
in the County of Sussex
by Major H King

Lat. 50.56.51N Long. 00.03.40E
Time of Observation 9 am
Nearest Railway Station Isfield
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground ~~Fifth~~ ten ft. — in.
" " " " Sea Level Forty One ft.

Weekly R. Gauge

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8	.13	.30	.20	.43	1.00	.01	—	1.14	.34	.19	1.78	33	8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16	2.13	.11	.03	.38	.25	.23	1.07	—	2.45	1.28	.12	1.15	16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24	1.56	.13	.09	2.05	.28	1.18	2.98	.14	2.48	.34	.02	.73	24
25													25
26													26
27													27
28													28
29		26											29
30				D.26		05	.36		1.17		.44		30
31	.01		.80		.08		↓	.48		.20		.22	31
Total	3.83	.80	1.12	3.12	1.61	1.47	4.41	1.76	6.44	2.01	2.36	2.43	YEAR'S TOTAL 31.36
Rain Days.	3.90	.85	1.21	3.12	1.62	1.47	4.53	1.74	[illegible]	1.98	2.41	2.46	

W, 6,500, VII. 18. W W C

made pom charts

75

REGISTER OF RAINFALL IN 1918

Exc. Df

FORM A. BRITISH RAINFALL.

31.1.19

Kept at Isfield Place Hyetograph

in the County of Sussex

by Maj. H. King

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

no record after 4 to May 9.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	(·08)	-		-	-	·02	-	-	·17	·12	1
2	-	-	-	-		-	-	·46	-	-	·38	·15	2
3	-	-	·08	-		-	-	·06	-	·03	(·47)	·01	3
4	-	·07	·01			-	-	·11	·11	-	(·76)	-	4
5	-	·04	·01			-	-	·28	-	·13	-	·02	5
6	·10	·13	-			-	-	·16	·02	·01	-	·02	6
7	-	·06	-			·01	-	-	·22	·02	·05	·01	7
8	-	-	-			-	-	-	·15	·02	·07	·11	8
9	·01	-	-			·06	·04	-	·60	·30	-	·44	9
10	-	-	-		-	·03	·41	-	·72	·15	-	·28	10
11	-	-	-		-	-	·10	-	·20	·37	·03	·09	11
12	-	·10	-		·22	-	·17	-	·05	·06	-	-	12
13	(·21)	-	-		·03	-	·12	-	·24	-	-	-	13
14	·24	-	·02		·01	·07	·18	-	·31	·38	-	·02	14
15	(1·67)	-	-		-	·06	·05	-	·01	-	-	·20	15
16	·08	-	-		-	·34	·15	-	·09	-	-	-	16
17	·46	-	-		-	·33	1·00	·01	-	-	-	·34	17
18	(·47)	-	-		-	·35	-	-	·60	-	-	·03	18
19	·08	-	·07		-	·13	-	-	-	·02	-	·01	19
20	·04	·10	-		-	·02	·53	-	·34	·14	-	-	20
21	·14	-	-		-	-	·38	-	·37	·12	·01	·05	21
22	·14	-	-		·28	-	·60	-	1·18	-	-	·27	22
23	·06	-	-		-	-	·37	·12	·03	-	-	·06	23
24	-	·17	(–)		-	·03	·08	-	·19	-	·08	·02	24
25	-	-	-		-	-	·04	·25	-	·03	-	-	25
26	-	-	(–)		-	-	·23?	-	-	·02	·08	·15	26
27	-	·07	·02		-	-	-	·21	·23	-	·12	(·04)	27
28	-	·02	·43		·07	·02	-	·01	-	·02	·13	·01	28
29	-	×	-		-	-	-	-	1·21	-	·01	-	29
30	-	×	(·39) ~~·14~~?		-	-	-	-	·02	·07	-	·02	30
31	-	×		×	-	×	-	-	×	·05	×	-	31
Total	(3·70)	·77	1·11 ~~·86~~?	imp	imp	1·45	4·45	1·69	6·89	1·94	2·36	2·47	YEAR'S TOTAL imp
Rain Days.	13	16				12	16	11	21	18	13	23	

W. 8,000, IX. 17.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

JEVINGTON

SUSSEX

1911-20

REGIST 11

Kept at Jevington
in the County of Susse
by P. Cairns.

8 in.s
ove Ground 1 ft. - in.
„ Sea Level 274·2 ft.
A.M.

Name Polegate.
Distance 2½ M. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11			·80				·29			·03		1
2	·02			·01	·26				·01	·01	·42	·42	2
3	·02	·02			·18						·07	·36	3
4	·13	·02	·07	·31						·35	·19	·20	4
5	·10	·01		·04						·02	·05	·22	5
6	·37		·02	·03						·06	·01	·42	6
7	·06		·03							·78	·85	·37	7
8	·15	·02	·18								·95	·33	8
9	·23			·02							·72	·08	9
10		·15	·07	·09						·01	·03	·68	10
11	·78				·01						1·40	·01	11
12	·01		1·27						·01	·02	·16	·03	12
13			·13		·19	·01			·23	·26		·20	13
14		·08	·01		·12					·01		·47	14
15		·04	·18							·01	·11	·22	15
16						·37					·31	·13	16
17	·01	·03								·01	·24	·08	17
18		·16	·09							·01	·71	·32	18
19		·02				·06			·16	·29	·03	·09	19
20	·02		·01					·57	·20	·05		·63	20
21	·04	·22								·40		·15	21
22	·02		·33	·06		·09		·99		·16		·66	22
23	·09	·29	·04	·01		·90			·42	1·20	·02	·18	23
24	·02	·48				·32	·07	·04		·24		·31	24
25		·07	·27	·11		·03		·03	·05	·03		·01	25
26			·09	·29		·07			·01	·32	·09	·35	26
27		·65	·27	·05					·06	·97	·01	·15	27
28		·37		·14		·01		·01			·01	·01	28
29						·14	·43		·32	·40			29
30				·04		·16				·17	·01	·01	30
31												·01	31
Total	2·18	2·63	3·06	2·00	·76	2·16	·50	1·93	1·47	5·78	6·42	7·10	TOTAL for year 35·99
No. of Rain Days	17	16	16	14	5	11	2	6	10	23	22	29	171

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Jevington
in the County of Sussex 5
by P. Cairns.

Rain Gauge
Pattern
Diameter of top 8 in.s
Height of top above Ground 1 ft. - in.
" " " Sea Level 274·2 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Polegate.
Distance 2½ M. Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11			·80				·29			·03		1
2	·02			·01	·26				·01	·01	·42	·42	2
3	·02	·02			·18						·07	·36	3
4	·13	·02	·07	·31						·35	·19	·20	4
5	·40	·01		·04						·02	·05	·22	5
6	·37		·02	·03						·06	·01	·42	6
7	·06		·03							·78	·85	·37	7
8	·15	·02	·18								·95	·33	8
9	·23			·02							·72	·08	9
10		·16	·07	·09						·01	·03	·68	10
11	·78				·01						1·40	·01	11
12	·01		1·27						·01	·02	·16	·03	12
13			·13		·19	·01			·23	·26		·20	13
14		·08	·01		·12					·01		·47	14
15		·04	·18							·01	·11	·22	15
16						·37					·31	·13	16
17	·01	·03								·01	·24	·08	17
18		·16	·09							·01	·71	·32	18
19		·02				·06			·16	·29	·03	·09	19
20	·02		·01					·57	·20	·05		·63	20
21	·04	·22								·40		·15	21
22	·02		·33	·06		·09		·99		·16		·66	22
23	·09	·29	·04	·01		·90			·42	1·20	·02	·18	23
24	·02	·48				·32	·07	·04		·24		·31	24
25		·07	·27	·11		·03		·03	·05	03		·01	25
26			·09	·29		·07			·01	·32	·09	·35	26
27		·65	·27	·05					·06	·97	·01	·15	27
28		·37		·14		·01		·01			·01	·01	28
29						·14	·43		·32	·40			29
30				·04		·16				·17	·01	·01	30
31												·01	31
Total	2·18	2·63	3·06	2·00	·76	2·16	·50	1·93	1·47	5·48	6·42	7·10	TOTAL for year 35·99
No. of Rain Days	17	16	16	14	5	11	2	6	10	23	22	29	171

FORM A. BRITISH RAINFALL
23 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Jevington
in the County of Sussex 5
by A. J. Howard

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Polegate (L.B.&S.C. Rly.)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01		·03	·04		·11	·19	·01	·17	·64		·16	1
2		·03	·14			·02	·22			·01			2
3	·02	·01	·03			·37	·05	·17	·04	·01	·03		3
4	·22	·01	·42		·01	·55		·04			·23		4
5	·21	·42	·06			·43		·09			·14	·02	5
6	·80	·15			·07	·02		·96			·01	·07	6
7			·01		·34	·80		·21				·06	7
8	·82	·21	·23		·01	·01	·03	·40				·01	8
9	·01	·05	·01	·05			·07	·24				·04	9
10		·04	·01					·07		·04	·10	·54	10
11	·04	·40	·01		·01	·20		·09		·02		·20	11
12		·14	·02			·04		·89	·01	·02	·01	·06	12
13		·03	·04				·19	·01	·01		·08	·15	13
14					·08		·07			·07	·02	·02	14
15		·10	·08		·18	·82		·06		·01	·02	·27	15
16	·19		·23		·09	·16		·06		·10	·01		16
17	·60		·29		·01	·10		·11			·06	·07	17
18	·08		·63				·04	·38		·02	·02	·34	18
19	·05	·17	·36			·03	·04	·27			·03		19
20	·01	·01	·58					·05		·76	·05		20
21	·01	·21	·09		·07		·04	·35		·57	·07		21
22	·05	·40	·05				·01	·37		·03	·01	·02	22
23	·37	·28	·49		·02			·29		·65	·18	·03	23
24	·06	·03	·01				·09	·27		·06		·12	24
25	·51	·01				·32		·90		·08	·48	·47	25
26		·06					·03	·07		·27	·18	·27	26
27							·01			·20	·15	·59	27
28		·06				·03	·27	·08	·12	·48	·52	·08	28
29		·01					·09	·13	1·54	·15	·06		29
30			·03		·49	·15	·02	·04	1·82	·21	·02		30
31			·03				·10	·26					31
Total	4·06	2·83	3·88	·09	1·38	4·16	1·56	6·87	3·71	4·40	2·48	3·59	YEAR'S TOTAL 39·01
Rain Days.	18	22	24	2	12	17	18	28	7	21	23	21	213

W. 7,500, XI. 12

Eaa 855

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
17 JAN 1914

Kept at Jevington

in the County of Sussex

by A. J. Howard

5

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·75	·07	·14		·05			·01	·07	·10	·21	1
2	·10	·17	·01		·02		·09		·07	·03	·12	·04	2
3			·06	·25	·22					·02	·01	·24	3
4	·21		·08		·01	·01	·11		·71	·33	·27	·01	4
5	·08		·03		·03	·32	·09		·22	·14	·25	·04	5
6		·02	·08		·03	·13	·26		·02	·69	·32	·19	6
7		·16	·13		·13	·04	·19			·12	·22	·01	7
8		·09		·01	·10	·04		·66	·01	·53	·09	·02	8
9		·12		·01	·01		·14		·15	·01	·07	·03	9
10	·03			·03	·01	·01	·33	·01		·01	·84	·01	10
11	1·01			·67	·01		·01	·01	·01	·92	·01	·01	11
12		·01			·45					·02	·68	·01	12
13	·72		·03					·03	·03	·01	·20		13
14	·27	·01	·11	·02			·30	·03	·28	·03	·17		14
15	·13		·24	·38	·02		·47		·09		·02	·02	15
16	·21		·51	·23			·01		·43			·01	16
17	·12	·04					·26	·02	·01		·03	·02	17
18	·02		·06	·14		·01	·04		·02		·09		18
19	·15		·07		·13	·01	·12	·01	·33				19
20	·30			·23		·18			·01	·59			20
21			·02	·24	·01				·02	1·02	·75		21
22	·43		·12		·01		·05		·05	·01	·01	·01	22
23	·02					·03	·03	·05		·01	·01	·90	23
24	·07		·02	·04		·01		·01		·02	·07		24
25		·02		·29			·01				·01	·01	25
26			·11				·03	·19		1·07		·22	26
27	·01		·06							·11	·01		27
28	·10		·36	·12			·01	·32	·01	·23	·02		28
29	·11		·06	·70	·04			·05	·01		·02		29
30	·70			·31	·04			·35	·02	·12		·02	30
31	·03		·11					1·67		·23			31
Total	4·84	1·39	2·34	3·81	1·27	·84	2·55	3·41	2·51	6·34	4·39	2·03	YEAR'S TOTAL 35·72
Rain Days.	22	10	21	17	17	12	19	14	21	24	25	20	222

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

13 FEB 1915

REGISTER OF RAINFALL IN 19 14.

Kept at Jevington,

in the County of Sussex 5

by Mr A J Howard

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·03			·30	·04			·08		1
2	·01	·01		·01		·02	·02	·01				·18	2
3			·14	·04	·20			·13			·47		3
4			·01	·39								·43	4
5	·15		·15	·23			·32					·02	5
6		·02		·07		·12						·45	6
7	·11	·37	·24	·03	·03	·22	·25	·01					7
8	·12	·27	·30	·02		·13		·03	·15			·08	8
9	·19		·51	·08	·01							1·45	9
10	·08	·05	·01	·14	·12				·30		·03	·03	10
11		·48	·45	·09					·04		·05	·50	11
12		·05	·13	·01		·10	·34		·40	·01	·02	·65	12
13	·01	·38	·16			·07			·24	·06	·12	·63	13
14		·07	·08			·09			·01	·62	·26	·40	14
15		·08	·43				·01	·18	·02	·03	·49		15
16		·33					·08		·15				16
17		·35	·18				·02		·16			·08	17
18		·09	·16				·03			·03	·31	·28	18
19		·27	·87				·15			·04		·45	19
20		·10	·20			·03	·02			·04		·03	20
21		·64	·05							·04		·03	21
22		·03				1·05	·30						22
23			·54			·12	·09	·04		·12			23
24			·09		·05			·01		·02	·15	·53	24
25	·11		·23					·25			·03		25
26			·04		·01			·50		·40	·19	·56	26
27	·05		·01					·06	·01	·04	·15	·43	27
28	·03	·03			·01					·54	·58	·05	28
29	·11		·02	·01						·48	·12	·17	29
30	·02		·13								1·65	·16	30
31	·01				·26					·12		·16	31
Total	1·00	3·62	5·13	1·15	·69	1·95	1·93	1·26	1·48	2·59	4·70	7·75	YEAR'S TOTAL 33·25
Rain Days.	13	18	25	13	8	10	13	11	10	15	16	23	175

W. 8,000. X. 14.

615

FORM A.
BRITISH RAINFALL.

19 FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at Jevington

in the County of Sussex 5

by Mr A J Howard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·52	·26	·06					·01	·10	·02		·25	1
2	·59	·27	·25	·16	·02			·01	·35		·15	·30	2
3	·38		·05	·39	·42		—	·07				·64	3
4	·07			·02					·05			·28	4
5	·07	·36		·19				·23				·64	5
6	·73	·29	·07	·47			·19	·05				·13	6
7	·43	·34	·05	·02			·06						7
8	·04	·33					·37				·12	·38	8
9	·02		·09	·28			·04			·08	·57	1·10	9
10		·13						·02				·47	10
11		·23	·03								1·08		11
12	·07	·65		·28	·29	·39				·08	·64		12
13	·02	·65			1·64	·08			·07			·02	13
14	·03	·04					·64	·87				·52	14
15	·10				·13		·19	·05	·07			·30	15
16		·68		·08	·18		1·22					·03	16
17		·63			1·33		·05	·08					17
18		·09			·08						·31	·20	18
19		·02		·03								·03	19
20	·31				·14						·07	·15	20
21	·07									·28		·04	21
22	·04		·07	·03			·85					·22	22
23	·02		·10				·07			·12		·98	23
24			·01				·01		·28	·40		·65	24
25			·10				·07					·18	25
26		·09		·02		·16				·42		·80	26
27		·01				·27	·01					·02	27
28		·04				·13	·09		1·07	·27	·03		28
29					·08			·18			·51	·25	29
30	·30	✗					·05			·42	·25		30
31	·04	✗		✗		✗		·04	✗	·80	✗	·20	31
Total	3·85	5·11	·88	1·97	4·11	1·03	4·01	1·61	1·99	2·89	3·74	9·08	YEAR'S TOTAL 40·27
Rain Days.	19	18	11	12	10	5	15	11	7	10	10	25	153

W. 8,000. X. 15.

Exd C+C

606

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

14. FEB 1917

Kept at Jevington (Church Farm)
in the County of Sussex
by A. J. Howard

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Polegate
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15					·06					·30		1
2			·24		·45				·03	·50	·55		2
3	·01	·03							·04	·12	·45		3
4	·02		·08	·04		·26			·30	·50	·40	·04	4
5	·03	·36		·01		·30				·06	·60		5
6		·09	·08	·05		·02	·19			·03	·05	·03	6
7		·01	·61	·31						·04	·35	·20	7
8		·01			·50						·04	·30	8
9						·10	·40				·36	·30	9
10		·69	·02	·14	·45							·48	10
11	·05			·20	·05	·60	·07		·02				11
12			·03		·37	·19							12
13	·05	·42	·32				·09	·03		·03		·05	13
14		·33	·23					·33	·39		·03	·10	14
15	·03	·31	·09		·18		·02		·20	·03		·05	15
16		·03	·18				·12	·05				·10	16
17	·20	·20		·08		·02				·78	·56	·20	17
18	·29			·30			·08	·14		·23	·50	·07	18
19	·29	·08		·26			·04				·91	·20	19
20			·21	·08				·02				·30	20
21	·12	·02	·38	·09		·06			·02			·05	21
22	·05	·04	·08				·02			·03	·03	·62	22
23		·03	·07			·07		·06	·03		·20	·50	23
24					·33				·09	·06	·18	·45	24
25	·02	·09	·10					·35	·30	·56		·18	25
26		·88	·07				·02			·50		·02	26
27		·20				·29		·06	·02	·56		·04	27
28	·02	·90	·93			·08				·43	·03	·30	28
29		·22	·04			·50		·56		·55		·46	29
30		X						·08	·03	·50	·05		30
31		X		X		X			X	·05	X		31
Total	1·33	4·94	3·76	1·56	2·33	2·55	1·05	1·68	1·47	5·56	5·59	5·04	YEAR'S TOTAL 36·86
Rain Days.	14	20	18	11	7	13	10	10	12	19	18	23	175

W. 8,000, VIII. 16

575

FORM
BRITISH RAINFALL.
9 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Jevington

in the County of Sussex

by A. B. Howard

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Polegate

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 9" in.

" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·15			·02		1
2				·12				·14				·02	2
3				·18			·25	·10			·20		3
4			·40					·08		·60		·03	4
5		·05				·09			·59	·20	·05		5
6	·30			·02					·10	·30	·04	·01	6
7	·50	·03						·02	·10		·30	·20	7
8	·20		·10	·02		·30		·05		·08	·41	·30	8
9		·04		·12				·30					9
10	·43		·20	·10		·70	·04			·50		·10	10
11			·10	·04				·20	·04	·06		·05	11
12			·05	·06			·10						12
13					·14					·40		·45	13
14	·07		·30				·10	·05		·04			14
15			·08	·20	·03								15
16		·11			·10		·45	·11	·10	·20	·02		16
17	·03		·03	·10	·30	·08	·05	·12		·09	·17	·50	17
18		·03		·06				·08	·20				18
19	·02	·10	·02	·07	·14		·20	·10	·02	·05		·20	19
20		·30			·67	·10		·09	·10			·10	20
21			·10				·10	·05		·37			21
22			·09			·10		·10			·06		22
23		·20	·03		·33		·20	·07	·08	·20	·80	·07	23
24		·10				·04		·10		·03			24
25		·15	·05				·10	·30	·07	·06		·08	25
26			·06				·03	·20					26
27			·04					·40	·06	·30		·10	27
28			·05			2·05	·43	·70					28
29			·02				·50	·30	·07	·04	·01	·02	29
30		X	·03					·05	·04	·10	·03		30
31		X	·04	X		X		·37	X	·20	X		31
Total	1·55	1·11	1·79	1·09	1·71	3·46	2·55	4·23	1·57	3·82	2·11	2·23	YEAR'S TOTAL 27·22
Rain Days.	7	10	19	12	7	8	13	25	13	19	12	15	160

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

[illegible]. 2. 19

Kept at Jevington
in the County of Sussex
by A J Howard

Lat. 50° 47' 30" Long. 0° 12' 5[illegible]"
Time of Observation 9 am.
Nearest Railway Station Polegate
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·30					·10			·30	1
2	·09		·05					·30			·35	·15	2
3	·04			·25				·05	·05	·10	·90	·10	3
4		·07		·05	·11			·30				·30	4
5			·06	·03	·30					·05	·04	·05	5
6	·20	·10		·45					·50	·15	·06		6
7					·84		·06	·10				·08	7
8	·10										·25		8
9	·07	·06		·10		·11		·05	·10	·20			9
10		·04								·10	·20	·03	10
11	12			·08						·05		·10	11
12		·05		·05		·03	·09	·20	·60	·28	·10	·06	12
13	11			·17	·35								13
14	·05	·06	·03			·05	·50	·30	·70	·10			14
15	·07										·06	·10	15
16	1·13		·08						·15	·27			16
17	·25			·13			1·48	·20	·60	·20		·04	17
18	·48	·10	·05							·30		·05	18
19	·08	·03				·48	·30	·30		·25			19
20	·20	·05		1·00					·15	·30			20
21	·03		·06	·50			·24		·40	·08			21
22	·20	·06			·48			·05	·60			·06	22
23	·23	·10	·07				·15				·05		23
24		·04							·37	·05		·05	24
25							·13	·10					25
26		·20		·03			·10		·10	·12	·06		26
27		·05	·30		·06				·20			·08	27
28			·03				·20	·20		·15		·07	28
29	·03		·04	·20					·10	·03	·10		29
30		✕		·30	·08		·11		·20		·05	·09	30
31		✕		✕		✕			✕	·02	✕	·05	31
Total	3·48	1·04	·77	3·64	2·22	·67	3·36	2·15	4·92	2·80	2·22	1·66	YEAR'S TOTAL 28·93
Rain Days.	18	15	10	15	7	4	11	12	16	19	12	18	157

W. 6,500, VII. 18. W W O

537

9 FEB 20

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Jevington
in the County of Sussex
by A J Howard

Lat. 50° 47' 30" Long. 0° 12' 57"
Time of Observation 9 am.
Nearest Railway Station Polegate L.B. & S.C. Rly.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·30	·03	·40							·08	·07	·10	2
3	·10	·05	·50									·50	3
4	·22		·60									·60	4
5		·07	·30							·12	·20	·40	5
6	·33		·20									·30	6
7	·15	·05	·40						·05		·05	·11	7
8	·20		·07	·06								·29	8
9	·11		·20							·06	·03	·10	9
10	·30		·30								·25	·20	10
11	·09		·10	·20								·15	11
12	·08		·15										12
13	·22										·15		13
14			·03	·20					·15			·13	14
15	·15	·50	·60				·15					·05	15
16	·11	·60	·40								·05	·15	16
17	·20	·05	·05	·40			·04						17
18	·10	·20	·20					·20			·10	·20	18
19	·35		·30				·60				·24		19
20		·30				·40	·30				·10	·30	20
21	·21	·10	·15					·40	·20			·40	21
22	·05	·05								·05	·30	·10	22
23	·15	·40	·05					·20	·16			·20	23
24	·10	·15	·30	·10							·16	·18	24
25	·05							·70		·06		·05	25
26	·02	·26	·10	·30							·29	·40	26
27	·20	·30	·06	·15		·10	·05	·55				·10	27
28		·05	·04						·04		·20	·05	28
29			·10	·11				·25		·07	·10	·15	29
30	·10	✕		·25						·10	·50		30
31		✕	·04	✕		✕			✕		✕	·20	31
TOTAL	3·89	3·16	5·64	1·77	·00?	·50	1·14	2·30	·60	·54	2·79	5·44	YEAR'S TOTAL ~~27·74~~ ?
Days with ·01 in. or more	24	16	25	9	-	2	5	6	5	7	16	25	...

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM C.
BRITISH RAINFALL.
W. 7,000. VII. 18.

PLEASE fill in name of place and month.

Rainfall at JEVINGTON *in the Month of* MAY 1919

DATE	Inches	REMARKS ON THE DAYS.
1		
2		
3		
4		No rain fell at Jevington during the month of May 1919.
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
TOTAL		No. of Days with Rain ____

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

PRINTED PAPER.

ADDITIONAL REMARKS.

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the
Min. ,, ,, ,, ° on the
Temp. in shade, at or below 32° on days.
,, on grass, ,, ,, 32° on days.

SIGNED

No writing on this side of the line.

POSTAGE ½d.
or, if containing anything in the nature of a letter 1d.

THE DIRECTOR,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.1.

A. J. HOWARD,
GENERAL MANAGER.

Eastbourne Water Works Company.
Offices, 28, Sea Side Road,
Eastbourne 25th Mch. 1920.

H. E. Carter Esq.,
British Rainfall Organisation,
62, Camden Square, N. W. 1.

Dear Sir,

In reply to your letter of yesterday's date, respecting the Rainfall Returns for the month of May, at Jevington, I have to say that the Returns, as sent to the Superintendent, were correct, no rain having fallen there during that month.

With regard to my Company's Rain Gauges at Jevington, Litlington, and Westdean, my representative will be visiting these shortly and I have given instructions for all three gauges to be fixed at a uniform height of 18" from the ground.

Yours faithfully,

A J Howard
aw.

General Manager.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

11 JUN

Kept at Jevington
in the County of Sussex
by A Wilkins

Lat. 50° 47' 3" N. Long. 0° 12' 57"
Time of Observation 9 a.m.
Nearest Railway Station Polegate
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·20			1·05		·16	1
2		·30		·07	·06			·05					2
3			·30	·10	·05				·05	·05			3
4		·10	·05				2·48					·40	4
5		·25	·10	·20			·05	·05				·05	5
6					·02		·07			·02			6
7	·08			·15		·10						·15	7
8		·05	·30	·05	·13		·15						8
9				·03		·10						·30	9
10	·50		·26	·40							·03		10
11	1·00	·10			·03	·25	·36	·04					11
12			·08	·20								·36	12
13		·07				·30			·10		·15		13
14			·40	·10	·05		·40		·08	·24	·05		14
15	·10	·12					·10		·83	·30	·07	·50	15
16	·02				·10	·70			·59		·30		16
17		·06	·03	·11					·56				17
18				·09			·18	1·00	·28			·60	18
19	·06	·05	·15	·05	·15						·20		19
20	·08			·45	·05			·40	·08			·40	20
21			·10	·02			·50		·80		·18		21
22			·02				·15		·02				22
23	·12			·02	·20	·04		·20			·02	·05	23
24	·30		·05	·09			·30	·10					24
25		·03		·10	·19						·40		25
26	·20		·10	·05			·10	·30	·05				26
27							·15					·15	27
28	·40			·10	·20			·02			·19	·10	28
29	·05						·20						29
30			·04		·10		·05		·06		·03		30
31	·05						·06			·90		·08	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	2·96	1·13	1·98	2·38	1·43	1·49	5·50	2·16	3·50	2·54	1·62	3·30	30·02
Days with ·01 in. or more	13	10	14	19	13	6	17	9	12	6	11	13	143
Days with ·04 in. or more	12	9	12	16	12	6	17	8	10	5	8	13	129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

R

KEYMER
THE LIMES
SUSSEX
1911 - 1916.

11

tish association

FORM A2.

BRITISH RAINFALL
5 JAN 1912

Kept at The Limes, 5 in.

ove Ground 1 ft. 1 in.

in the County of S

, Sea Level 145 ft.

weekly

by Miss Ber

Name Hassocks

Distance 3/4 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							.06						1
2									.00			.00	2
3						.00							3
4		.00	.00								.65		4
5								.04					5
6					.86								6
7	.79									1.28			7
8				1.10			.00						8
9									.00			2.80	9
10						.00							10
11		.15	.30								2.76		11
12								.00					12
13					.16								13
14	.80									.09			14
15				.00			.00						15
16									.50			1.97	16
17						.48							17
18		.11	1.45								4.23		18
19								.00					19
20					.20								20
21	.38									.55			21
22				.09			.00						22
23									.66			3.50	23
24						1.42							24
25		1.01	.24								.92		25
26								.44					26
27					.06								27
28	.09	.30								2.61			28
29				.69			0.0						29
30				.00		.67			.68		.21	1.50	30
31	.00		.65				.59	.11		.98		.03	31
Total	2.06	1.57	2.64	1.88	1.28	2.57	.65	.59	1.84	5.51	8.77	9.80	TOTAL for year 39.16
No. of Rain Days													

9,000, IX. '10.

R 11

FORM A2.

BRITISH RAINFALL 5 JAN 1912

Kept at The Limes, Keymer, ~~Sussex~~ Hassocks

in the County of Sussex 3

by Miss Berry

Rain Gauge
Pattern British association
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 145 ft.

Time of Observation weekly

Nearest Railway Station
Name Hassocks
Distance 3/4 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·06						1
2									·00			·00	2
3						·00							3
4		·00	·00								·65		4
5								·04					5
6					·86								6
7	·79									1·28			7
8				1·10			·00						8
9									·00			2·80	9
10						·00							10
11		·15	·30								2·76		11
12								·00					12
13					·16								13
14	·80									·09			14
15				·00			·00						15
16									·50			1·97	16
17						·48							17
18		·11	1·45								4·23		18
19								·00					19
20					·20								20
21	·38									·55			21
22				·09			·00						22
23									·66			3·50	23
24						1·42							24
25		1·01	·24								·92		25
26								·44					26
27					·06								27
28	·09	·30								2·61			28
29				·69			·00						29
30				·00		·67			·68		·21	1·50	30
31	·00		·65				·59	·11		·98		·03	31
Total	2·06	1·57	2·64	1·88	1·28	2·57	·65	·59	1·84	5·51	8·77	9·80	TOTAL for year 39·16
No. of Rain Days													

9,000, IX. '10.

TON
PM
G 13

POST CARD

TO BE USED FOR WRITTEN OR
PRINTED MATTER.

ONLY THE ADDRESS TO BE
WRITTEN HERE.

10.— PM
JAN 19 13

½ POSTAGE REVENUE ½
HALFPENNY

Dr H R Mill
British Rainfall Orgn
62 Camden Sq
London NW

40 East St Brighton

20 JAN 1913

Dear Sir,

I sent to you the rainfall record for the Fines Keymer, Sussex, before it was really ready.

I should be pleased if you would insert on Dec 31st ·34 which I had forgotten to do & by that means the monthly total will be increased that much.

Yours truly

G. J. Hamlin

BRO

I made ✓

corr by obr. 20.1.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

Monthly Gauge

17 JAN 1913

Kept at The Limes, Keymer, Hassocks

in the County of Sussex 3

by Miss Berry

Lat. N 50° 55′ Long. W 0° 8′

Time of Observation 9 a.m

Nearest Railway Station Hassocks

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in. This has been lowered 1 inch

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10			·38	·07	—	·10	·98			1
2			·06			·04	·28	—	—	·03			2
3		·05	·03			·28	·07	·56	·02	—			3
4			·59		·01	·12	—	·03	—	—			4
5			·18			·02	—	·40	—	—	·29		5
6	1·15		—	—		—	—	·48	·02	—			6
7			—			·55	—	·45	—	—		·62	7
8			·31			·13	—	·04	—	—		·24	8
9			·04			·16	·08	·39	—	—	·02	·25	9
10		·80	·06			—	—	·36	—	—			10
11			—		·32	·01	—	·02	—	—		·55	11
12			·02			·06	—	·29	—	—			12
13	·83		·11	—		—	·02	—	—	—			13
14			·03			—	—	·40	—	·08		·31	14
15			·08			·61	—	—	—	—		·27	15
16			—			·14	—	·18	—	·12	·10		16
17		·81				·10	—	—	—	—			17
18					·39	—	—	·21	—	·06		·67	18
19		·10				—	·06	·40	—	—			19
20	·68	·01		—	—	—	—	·04	—				20
21		·14			—	—	—	·21	—	·81			21
22		·87			·06	—	—	·18	—				22
23		·19	3·34		—	—	—	·26	—	·14	·30		23
24		·04			—	—	—	·31	—			·19	24
25		—			—	·40	—	—	—	·05			25
26		·07			—	·08	—	1·18	—	·39		·87	26
27	·78	Trace		—	—	—	—	—	—	—			27
28		·05			—	·06	·21	—	·18	1·45		·85	28
29		·01			—	·01	·24	·37	1·75				29
30			·14	—	·47	—	·05	1·04	2·30	·52	2·00		30
31	—				—		·29	·17				·34	31
Total	3·44	3·14	5·09	NIL	1·25	3·15	1·37	7·97	4·37	4·63	2·71	5·16	YEAR'S TOTAL ~~41·94~~ 42·28
Rain Days.	4	12	14	-	5	17	10	23	6	11	5	10	

MONTHLY GAUGE

W. 7,500, XI. ·12

W DL

REGISTER OF RAINFALL IN 19 13

FORM A.
BRITISH RAINFALL
20 JAN 1914

Kept at The Limes Keymer

in the County of Sussex 3

by Miss Berry

Lat. N 50° 55' Long. W 0°8'
Time of Observation 9 am
Nearest Railway Station Hassocks
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	·46	·21	·15	–	·13	–	–	·01	·07	·04	·15	1
2	·04	·24	–	–	·22	–	·08	–	–	·30	·40	·05	2
3	·08	–	·06	·31	·19	–	–	–	–	·02	–	·19	3
4	·39	–	·16	–	·26	–	–	–	·80	·34	·09	–	4
5	·21	·11	·02	–	–	·31	·07	–	·25	·25	·54	–	5
6	·85	·03	·10	–	·02	·29	·29	–	·10	·22	·22	·28	6
7	–	·41	·06	–	·10	·19	·01	–	–	·22	·25	·02	7
8	·02	·04	·03	–	·11	–	–	·40	–	·21	·03	·04	8
9	–	·08	–	–	·20	·25	·10	·23	·19	·02	·25	–	9
10	–	–	–	·02	–	–	·66	–	–	–	·22	–	10
11	1·05	–	–	·50	–	–	–	–	–	·51	·40	–	11
12	–	–	–	–	·50	–	–	–	–	·09	·97	–	12
13	·48	–	·02	–	–	–	–	–	·20	–	·52	–	13
14	·69	–	·17	·06	–	–	1·70	·04	·11	·03	·26	–	14
15	·28	–	·33	·50	–	–	·26	–	–	–	–	–	15
16	·25	·02	·50	·29	–	–	–	–	·20	–	–	–	16
17	·10	·10	·02	–	–	–	·35	–	–	–	–	·02	17
18	–	·20	·12	·38	–	–	–	–	–	–	·25	–	18
19	·52	·52	·17	–	–	–	·15	–	·61	–	–	–	19
20	·31	·02	·11	·28	·02	·13	–	–	–	·53	·01	–	20
21	–	·02	·15	·12	–	–	–	·10	–	·79	·75	–	21
22	·26	–	·16	–	–	–	·03	–	·89	·09	–	–	22
23	–	–	·32	–	–	–	–	·07	–	–	–	1·02	23
24	·10	·01	–	·07	–	–	–	–	–	–	·05	·02	24
25	–	–	–	·24	–	–	–	–	–	·01	·01	–	25
26	–	–	–	–	–	–	·01	·12	–	·73	·01	·26	26
27	–	–	·15	·01	–	–	–	–	–	·04	–	–	27
28	·15	–	·41	·14	–	–	–	–	–	·13	–	–	28
29	·10		·05	·25	·53	–	–	·10	–	·42	·11	–	29
30	·93		–	·24	–	–	–	·34	–	·24	–	–	30
31	–		·09	–	–	–	–	·73		·21		–	31
Total	7·05	2·21	3·41	3·56	2·15	1·30	3·71	2·13	3·35 3·36	5·47	5·38	2·05	YEAR'S TOTAL 41·78 41·78
Rain Days.	19	14	22	16	10	6	12	9	10	22	20	10	170

W. 7,500, XI. 12

Gauge British association pattern

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
16 JAN 1915

Kept at The Limes Keymer
in the County of Sussex 3
by Miss Berry

Lat. N 50° 51′ Long. W 0° 8′
Time of Observation 9 am
Nearest Railway Station Hassocks
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	·14	—	·05	·05	·15	—	—	·10	·15	1
2	—	—	—	—	—	—	·01	—	—	—	·25	·14	2
3	—	—	·13	·25	·35	—	·08	—	—	—	·01	·02	3
4	—	—	—	·45	·01	—	·02	·05	—	—	·25	·49	4
5	·13	—	·09	·43	·06	·02	·18	·10	—	—	—	—	5
6	—	·18	—	·25	·05	·10	—	·03	—	—	—	·52	6
7	·03	·50	·16	·23	·15	·19	·08	·10	—	—	·03	·53	7
8	·09	·80	·62	—	—	·20	—	—	—	—	—	·18	8
9	·10	—	·99	·17	·01	·02	·08	·20	·14	—	—	1·05	9
10	·11	·06	·04	·18	·15	—	—	·01	—	—	—	·05	10
11	—	·74	·69	·07	—	·03	—	—	·40	—	—	·92	11
12	—	·26	·09	—	—	—	·61	—	·46	·03	·22	·90	12
13	·02	·60	·35	—	—	—	—	—	·14	·02	—	·76	13
14	—	·15	·25	—	—	—	·07	—	·06	·16	·33	·60	14
15	—	·30	·13	—	—	—	—	—	—	·14	1·02	—	15
16	—	·13	—	—	—	—	·05	·10	·10	—	—	·15	16
17	—	·70	·22	—	—	—	·07	—	—	—	—	·65	17
18	—	·08	·24	—	—	—	—	—	—	—	—	·19	18
19	—	·70	1·21	—	—	—	·31	—	—	·04	—	·23	19
20	—	·29	·25	—	—	·06	·01	—	—	—	·20	—	20
21	—	·50	·06	—	—	—	—	—	—	·51	—	—	21
22	—	·11	·25	—	·10	·30	·08	—	—	·36	—	—	22
23	—	—	·30	—	·08	·55	—	·03	—	—	—	—	23
24	—	—	·31	—	—	—	—	—	—	—	·12	—	24
25	—	—	·29	—	—	—	—	—	—	·55	·01	·53	25
26	·12	—	·36	—	—	—	·03	·08	—	·10	·06	·55	26
27	·04	—	·30	—	—	—	—	·20	—	·30	·29	·75	27
28	·03	·04	·28	—	01	—	—	—	—	·05	·28	—	28
29	·23		·05	—	—	—	—	—	—	·74	1·05	·49	29
30	—	╳	·21	·03	—	—	—	—	—	·12	·50	·50	30
31	·06	╳	—	╳	·24	╳	—	—	╳	—	╳	·05	31
Total	·96	6·14	7·90	2·20	1·21	1·52	1·73	1·05	1·30	3·12	4·72	10·42	YEAR'S TOTAL 42·27
Rain Days.	11	17	26	10	11	10	15	11	6	13	16	23	169

W. 8,000. X. 14.

571

FORM A.
BRITISH RAINFALL.

14 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Limes Keymer

in the County of Sussex 3

by Miss Berry

Lat. N 50°55′ Long. W 0°8′

Time of Observation

Nearest Railway Station Hassocks

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ×

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·46	·04						1·38		·19	·34	1
2	·06	·27	·21	·21				·12		·24		·17	2
3	·05		·09	·15			·03	·03	·05			·58	3
4	·53			·01								·61	4
5	·23	·50		·01				·21				·66	5
6	·16	·54	·03	·02			·54					·24	6
7	·09	·55	·01				·07					·48	7
8	·53	·60	·08				·17						8
9	·60	·31		·25		·24		·06				·95	9
10	·09	·65									·64	·59	10
11	·02		·04				·01			·05			11
12	·09	·57		·15	1·26						1·11		12
13	·08	·48			1·18						1·28		13
14	·09	·04					·09	·01	·11			·82	14
15	·11	·05					·38	1·10			·08	·74	15
16		·80					1·62	·60				·16	16
17		·60										·04	17
18		·11			1·44						·11		18
19		·09											19
20	·02			·01	·31								20
21	·64									·26		·11	21
22	·02		·04	·05			1·20			·14		·38	22
23			·06				·03			·21		·16	23
24			·03				·03		·44	·61		·33	24
25			·04				·23					·38	25
26		·20										·87	26
27		·01					·08			·54		·11	27
28		·07							1·28	·57			28
29						·23	1·07	·25			·73	·03	29
30	·20	×				·01						·04	30
31	·02	×		×		×			×	·85	×	·27	31
Total	3·68	6·90	·67	·86	4·19	·48	5·55	2·38	3·46	3·47	4·14	9·26	YEAR'S TOTAL 45·04
Rain Days.	20	19	11	9	~~4~~	3	14	8	5	9	7	23	[illegible]

W. 8,000. X. 15. This gauge was read daily till May 16th

Exd C.F.E.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
14 JUN 1917

Kept at The Limes Keymer
in the County of Sussex
by Miss Berry

Lat. Long.
Time of Observation As before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14		·09		·16				·09		·47		1
2	·57	·16	·39		·39					·86			2
3		·27	·21						·05	·70	·76		3
4	·34	·16				·94			·31	·06	·40		4
5					·14	·22					·72		5
6						·17	·35			·12	·41		6
7					·27	·02	·25				·59		7
8					·29					·05	·07	·43	8
9					·48							·29	9
10		·39	·04	·01		·48	·05			·17	·02	·52	10
11		·37				·13						·03	11
12	·06	·05		·19	·08	·15	·23			·05			12
13		·34	·36						·04	·91			13
14		·55	·33		·20					·04		·04	14
15			·12										15
16		·12	·24	·17			·09						16
17	·34			·13					·29	·91			17
18		·24						·44	·38		·78		18
19	·45		·09	·33					·14	·15	·75	·24	19
20	·11		·07								·28	·51	20
21			·25								·09	·46	21
22												·57	22
23						·09		·01		·31	·05	·06	23
24										·33	·06		24
25								·67		·24	·02		25
26			03						33	·30			26
27						35		·26	·16	·41			27
28		·96	1·15			·24			·14	·24		·41	28
29						·43			·17	·57		·55	29
30		✕			·01			·67	·02	·84			30
31		✕		✕		✕			✕	·01	✕		31
Total	2·01	3·61	3·37	·83	2·02	3·22	·97	2·05	2·12	7·21	5·47	4·11	YEAR'S TOTAL 36·99
Rain Days.	7 ✓	11 ✓	13 ✓	5 ✓	9 ✓	11 ✓	5 ✓	5 ✓	12 ✓	20 ✓	15 ✓	12 ✓	125

W. 8,000, VIII, 16

KINGS~~TON~~

(LEWES W.W. PUMPING STATION)

SUSSEX

1911-20

FORM A2. BRITISH RAINFALL. 4 - JAN 1912

REGI 1

Kept at the Lewes Water at King

in the County of Sussex

by AWells Waterwor

lasher

8 in.

e Ground 1 ft. 3 in

Sea Level 12·59 ft.

A.M.

Name Lewes

Distance 1100 yards Direction East from Gauge

IMPORTANT NOTE.— the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·00	·00	·66	·00	·00	·02	·07	·00	·00	·04	·01	1
2	·00	·00	·00	·05	·30	·00	·00	·00	·00	·00	·24	·49	2
3	·01	·00	·00	·00	·40	·00	·00	·00	·00	·00	·15	·53	3
4	·13	·01	·03	·26	·00	·00	·00	·00	·00	·19	·28	·19	4
5	·01	·00	·00	·10	·00	·00	·00	·00	·00	·45	·01	·11	5
6	·43	·00	·08	·00	·00	·00	·00	·00	·00	·00	·00	·66	6
7	·11	·00	·01	·00	·00	·00	·00	·00	·00	·35	1·10	·43	7
8	·11	·00	·26	·00	·00	·00	·00	·00	·00	·00	·80	·27	8
9	·17	·00	·01	·00	·00	·00	·00	·00	·00	·00	·35	·05	9
10	·00	·10	·14	·09	·00	·00	·00	·00	·00	·00	·01	·46	10
11	·67	·00	·04	·00	·04	·00	·00	·00	·00	·00	1·51	·00	11
12	·01	·00	·96	·00	·00	·00	·00	·00	·00	·00	·18	·02	12
13	·00	·00	·07	·00	·21	·00	·00	·00	·71	·30	·00	·25	13
14	·00	·06	·01	·00	·18	·00	·00	·00	·00	·00	·00	·53	14
15	·00	·10	·14	·00	·00	·00	·00	·00	·00	·00	·20	·11	15
16	·00	·00	·00	·00	·00	·57	·00	·00	·00	·00	·64	·21	16
17	·00	·00	·00	·00	·00	·02	·00	·00	·00	·00	·71	·14	17
18	·00	·14	·10	·00	·00	·11	·00	·00	·00	·00	·94	·47	18
19	·00	·04	·00	·00	·00	·10	·00	·00	·15	·32	·04	·10	19
20	·04	·00	·02	·00	·00	·00	·00	·33	·17	·04	·00	·93	20
21	·04	·41	·00	·00	·00	·00	·00	·04	·00	1·05	·00	·24	21
22	·05	·01	·23	·02	·00	·07	·00	·02	·00	·57	·00	·63	22
23	·05	·22	·12	·00	·00	1·14	·00	·00	·43	1·07	·05	·25	23
24	·01	·35	·00	·00	·00	·01	·06	·05	·00	·20	·00	·43	24
25	·00	·02	·25	·11	·00	·16	·00	·00	·16	·03	·00	·03	25
26	·00	·00	·15	·44	·00	·19	·00	·00	·00	·34	·12	·40	26
27	·00	·71	·25	·05	·00	·00	·00	·00	·04	·50	·07	·19	27
28	·01	·24	·00	·21	·00	·00	·00	·02	·00	·00	·03	·01	28
29	·00		·00	·01	·00	·14	·38	·00	·50	·74	·00	·00	29
30	·00		·00	·07	·00	·20	·00	·00	·02	·24	·00	·00	30
31	·00		·00		·00		·00	·00		·00		·00	31
Total	1·91	2·41	2·87	2·07	1·13	2·65	·46	·53	2·18	6·39	7·47	8·14	TOTAL for year 38·21
No. of Rain Days.	16	13	18	12	5	11	3	6	8	15	20	27	154

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at the Lewes Waterworks Pumping Station at Kingston

in the County of Sussex 4

by A Wells Waterworks Manager

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 12·59 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Lewes
Distance 1100 yards Direction East from Gauge

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·00	·00	·66	·00	·00	·02	·07	·00	·00	·04	·01	1
2	·00	·00	·00	·05	·30	·00	·00	·00	·00	·00	·24	·49	2
3	·01	·00	·00	·00	·40	·00	·00	·00	·00	·00	·15	·53	3
4	·13	·01	·03	·26	·00	·00	·00	·00	·00	·19	·28	·19	4
5	·01	·00	·00	·10	·00	·00	·00	·00	·00	·45	·01	·11	5
6	·43	·00	·08	·00	·00	·00	·00	·00	·00	·00	·00	·66	6
7	·11	·00	·01	·00	·00	·00	·00	·00	·00	·35	1·10	·43	7
8	·11	·00	·26	·00	·00	·00	·00	·00	·00	·00	·80	·27	8
9	·17	·00	·01	·00	·00	·00	·00	·00	·00	·00	·35	·05	9
10	·00	·10	·14	·09	·00	·00	·00	·00	·00	·00	·01	·46	10
11	·67	·00	·04	·00	·04	·00	·00	·00	·00	·00	1·51	·00	11
12	·01	·00	·96	·00	·00	·00	·00	·00	·00	·00	·18	·02	12
13	·00	·00	·07	·00	·21	·00	·00	·00	·71	·30	·00	·25	13
14	·00	·06	·01	·00	·18	·00	·00	·00	·00	·00	·00	·53	14
15	·00	·10	·14	·00	·00	·00	·00	·00	·00	·00	·20	·11	15
16	·00	·00	·00	·00	·00	·57	·00	·00	·00	·00	·64	·21	16
17	·00	·00	·00	·00	·00	·02	·00	·00	·00	·00	·71	·14	17
18	·00	·14	·10	·00	·00	·11	·00	·00	·00	·00	·94	·47	18
19	·00	·04	·00	·00	·00	·10	·00	·00	·15	·32	·04	·10	19
20	·04	·00	·02	·00	·00	·00	·00	·33	·17	·04	·00	·93	20
21	·04	·41	·00	·00	·00	·00	·00	·04	·00	1·05	·00	·24	21
22	·05	·01	·23	·02	·00	·07	·00	·02	·00	·57	·00	·63	22
23	·05	·22	·12	·00	·00	1·14	·00	·00	·43	1·07	·05	·25	23
24	·01	·35	·00	·00	·00	·01	·06	·05	·00	·20	·00	·43	24
25	·00	·02	·25	·11	·00	·16	·00	·00	·16	·03	·00	·03	25
26	·00	·00	·15	·44	·00	·19	·00	·00	·00	·34	·12	·40	26
27	·00	·71	·25	·05	·00	·00	·00	·00	·04	·50	·07	·19	27
28	·01	·24	·00	·21	·00	·00	·00	·02	·00	·00	·03	·01	28
29	·00		·00	·01	·00	·14	·38	·00	·50	·74	·00	·00	29
30	·00		·00	·07	·00	·20	·00	·00	·02	·24	·00	·00	30
31	·00		·00		·00		·00	·00		·00		·00	31
Total	1·91	2·41	2·87	2·07	1·13	2·65	·46	·53	2·18	6·39	7·47	8·14	TOTAL for year 38·21
No. of Rain Days.	16	13	18	12	5	11	3	6	8	15	20	27	154

W. 8,000, X. '11.

Ex. J.C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

9 JAN 1913

Kept at the Lewes Waterworks Pumping Station at Kingston

in the County of Sussex 4

by A Wells Waterworks Manager

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 12·59 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Lewes
Distance 1100 yards Direction East from gauge

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00		·06	·01		·33	·41		·05	·71		·38	1
2	·00	·07	·26			·02	·16						2
3	·01	·01	·08			·27	·01	·33	·05	·02			3
4	·36	·05	·72			·17		·19			·17		4
5	·30	·13	·16			·16		·09			·07	·02	5
6	·74	·12			·05	·01		·97	·02		·01	·05	6
7	·00		·04		·24	·50		·18				·15	7
8	·63	·31	·20			·07	·13	·02				·07	8
9	·06	·08	·03	·01			·24	·14				·18	9
10	·00	·07	·06					·34			·07	·36	10
11	·06	·39				·03		·03	·01			·16	11
12	·00	·17	·05		·02	·06		·43				·04	12
13	·00	·02	·03			~~·70~~	·09				·06	·46	13
14	·00				·09	~~·14~~		·12		·06		·07	14
15	·00	·08	·12		·10	·70		·01				·34	15
16	·17	·01	·26		·06	·14		·26		·11	·01		16
17	·30		·62		·04	·13		·12			·07	·16	17
18	·09	·02	·49					·28		·05		·84	18
19	·06	·20	·40			·02	·05	·38			·02		19
20	·02	·01	·90				·07	·14		·78	·07		20
21	·01	·22	·40		·04		·02	·37		·55	·06		21
22	·07	·63	·09				·01	·29		·02		·02	22
23	·43	·19	·39					·33		·18	·20	·16	23
24	·04	·10						·41		·03		·17	24
25	·19					·32		·96		·01	·45	·58	25
26	·00	·13					·03	·08		·47	·27	·33	26
27	·00		·01			·01				·25	·03	·61	27
28	·00	·11				·02	·13	·10	·16	·70	·61	·31	28
29	·00	·04		·01			·12	·42	1·77	·09	·03		29
30	·00		·06		·64	·06		·10	1·40	·29	·02		30
31	·01		·01				·36	·16					31
Total	3·55	3·16	5·44	·03	1·28	3·02	1·83	7·25	3·46	4·32	2·22	5·46	TOTAL for year 41·02
No. of Rain Days.	18	23	23	3	9	18	14	27	7	16	17	21	196

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

6- JAN 1914

Ex DL

REGISTER OF RAINFALL IN 1913

Kept at the Lewes Waterworks Pumping Station

in the County of Sussex

by A Wells Waterworks Manager

4

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station Lewes

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 12-59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·05	·59	·19	·15		·01				·07	·15	·11	1
2	·18	·19			·10		·08		·02	·15	·18	·06	2
3			·08	·21	·26					·01		·20	3
4	·33		·17		·02		·03		·88	·10	·16		4
5	·21	·03	·06			·21	·09		·39	·15	·19	·01	5
6		·04	·11	·03	·08	·28	·39			·45	·24	·24	6
7		·30	·07		·06	·12	·24			·44	·13		7
8		·09			·20	·07		·57		·51	·05	·04	8
9		·10		·01	·13		·05		·17	·02	·04	·02	9
10	·01			·10		·03	·54	·01		·09	·79		10
11	·98			·63						·74	·18	·01	11
12		·01			·32					·02	1·15	·03	12
13	·57		·05						·09	·01	·24		13
14	·36	·01	·15	·04			·49	·05	·29	·04	·23		14
15	·13	·01	·47	·44			·35		·08		·01	·02	15
16	·24		·77	·25			·02		·12			·02	16
17	·10	·10	·02	·11			·22				·07	·05	17
18	·04		·08	·30			·03				·18		18
19	·17		·11		·27	·02	·12		·60				19
20	·88		·06	·20	·01	·34				·53	·08		20
21			·13	·25						·73	1·04		21
22	·35		·12				·02	·08	·09		·01		22
23	·01		·04			·03		·06				·87	23
24	·13			·03				·13			·06		24
25		·01		·25						·03			25
26			·10				·02	·15		·90		·34	26
27		·01	·06	·01						·06			27
28	·13		·36	·12				·19		·13			28
29	·20		·07	·28	·05			·07		·03			29
30	·78			·24				·33		·09			30
31	·01		·08					1·11		·34			31
Total	5·86	1·49	3·35	3·65	1·50	1·11	2·69	2·75	2·73	5·64	5·18	2·02	YEAR'S TOTAL 37·97
Rain Days.	21	13	22	19	11	9	15	11	10	23	20	14	188

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at The Lewes Waterworks Pumping Station
in the County of Sussex 4
by A Wells Waterworks Manager

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Lewes
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 12·59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03			·01	·21			·12	·11	1
2						·03	·20	·01			·11	·24	2
3			·17		·34		·02	·33				·03	3
4			·01	·45				·09			·27	·51	4
5	·19		·17	·61	·03	·02	·18						5
6		·09		·22	·05	·06		·09			·02	·75	6
7	·04	·42	·24	·12	·08	·32	·11					·25	7
8	·14	·49	·60	·09	·02	·19	·10	·08				·32	8
9	·14		·68	·07		·12			·17			1·41	9
10	·10	·10	·03	·14	·23				·07		·02	·04	10
11		·47	·67	·08	·03				·32		·10	·53	11
12		·09	·13			·03	·47		·56	·03		·62	12
13	·03	·70	·36			·19			·28	·03	·16	·64	13
14		·17	·16			·02	·02	·01	·03	·39	·26	·58	14
15		·09	·42					·15		·01	·81		15
16		·13					·23		·18				16
17		·92	·18				·04		·17			·29	17
18		·10	·48									·56	18
19		·25	1·41				·25			·03	·29	·27	19
20		·12	·10			·09	·02			·02		·45	20
21		·67	·08							·08		·02	21
22		·18	·01		·12	·16	·16	·02		·37			22
23			·47			·47	·03			·01			23
24			·03	·01						·02	·21		24
25	·11		·19					·09		·48	·06		25
26	·01		·09					·25		·11	·19	·75	26
27	·01										·27	·61	27
28	·05	·05			·03		·14			·61	·43	·47	28
29	·24		·05							·61	·12	·	29
30	·04		·15							·10	1·39	·37	30
31	·08				·19							·09	31
Total	1·18	5·04	6·88	1·82	1·12	1·70	1·98	1·33	1·78	2·90	4·83	9·91	YEAR'S TOTAL 40·47
Rain Days.	13	17	24	10	10	12	15	11	8	15	17	23	175

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Lewes Waterworks, Pumping Station

in the County of Sussex

4

by A. Wells, Manager, Water Company

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Lewes

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 12·59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·49	·40	·07				·03	·04	1·00	·08	·12	·32	1
2	·61	·26	·48	·13	·01			·06	·08	·08		·17	2
3	·33		·08	·27	·14			·04	·08			·62	3
4	·07			·02				·01				·46	4
5	·09	·54		·05				·23			·02	·88	5
6	·95	·37	·09	·54			·15					·12	6
7	·49	·48	·04	·06			·17					·39	7
8	·05	·36	·02				·48				·08	·03	8
9	·04	·25		·37		·34		·05			·59	1·30	9
10	·44											·76	10
11	·01	·04	·02								1·03	·06	11
12	·07	·19		·26	·32					·02	·73		12
13	·01	·94			2·12				·07				13
14	·15	·03					·23	·04	·08	·01		·88	14
15	·18	·05			·09		·86	·20			·19	·45	15
16	·02	·75		·03	·13		1·62	·29				·05	16
17		·53			1·39			·05				·08	17
18		·23			·24						·02		18
19		·12											19
20	·35			·03	·18							·15	20
21	·09	·01								·29		·03	21
22	·12	·04	·12	·01			1·50			·07		·34	22
23	·01	·08	·10			·01	·12		·54	·21		1·30	23
24			·01				·02		·24	·76		·59	24
25			·06	·01			·32					·40	25
26		·18				·07			·01			·90	26
27		·06				·07	·15			·66		·07	27
28		·09				·21			1·10	·40			28
29					·06	·05	·01	·27		·14	·69	·03	29
30	·33	✕								·16	·39	·03	30
31	·04	✕		✕		✕		·12	✕	·78	✕	·22	31
Total	4·94	6·00	1·09	1·78	4·68	·75	5·66	1·40	3·20	3·64	3·86	10·63	YEAR'S TOTAL 47·63 ✓
Rain Days.	22	22	11	12	10	6	13	12	9	13	10	26	166 ✓

W. 8,000. X. 14.

575

FORM A. BRITISH RAINFALL.

10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Lewes Waterworks, Pumping Station

in the County of Sussex

by A Wells. Manager Water Company

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Lewes

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 12·59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·05	·02	·	·22	·05	·	·	·03	·01	·49	·	1
2	·70	·07	·45	·	·42	·	·	·	·01	·98	·08	·	2
3	·03	·26	·12	·	·	·02	·02	·	·08	·45	·52	·	3
4	·25	·07	·02	·	·01	·78	·	·	·26	·11	·34	·	4
5	·03	·01	·	·05	·13	·07	·	·	·	·09	·45	·	5
6	·03	·10	·11	·18	·06	·27	·42	·	·	·06	·30	·	6
7	·03	·04	·73	·	·34	·02	·01	·	·	·16	·43	·02	7
8	·	·03	·01	·	·51	·	·	·	·	·	·03	·67	8
9	·	·	·02	·	·32	·	·02	·	·	·01	·	·20	9
10	·	·56	·02	·08	·	·30	·06	·	·04	·	·	·38	10
11	·03	·21	·01	·25	·	·15	·	·	·	·	·	·24	11
12	·05	·10	·15	·09	·08	·15	·20	·	·	·05	·	·	12
13	·	·30	·26	·02	·06	·05	·06	·11	·06	·02	·01	·02	13
14	·	·85	·15	·	·18	·	·	·04	·	·01	·	·20	14
15	·	·30	·10	·	·	·	·	·	·	·	·	·	15
16	·02	·03	·27	·29	·	·	·08	·03	·	·	·	·	16
17	·48	·18	·	·07	·	·	·04	·04	·54	1·05	·	·	17
18	·03	·07	·	·03	·	·	·	·14	·22	·19	·90	·09	18
19	·29	·	·11	·33	·	·02	·	·08	·04	·	1·20	·21	19
20	·15	·	·07	·12	·	·04	·	·	·	·	·18	·57	20
21	·07	·	·41	·	·	·	·11	·	·	·	·16	·70	21
22	·02	·04	·05	·	·	·02	·	·	·	·04	·03	·62	22
23	·04	·19	·05	·	·	·15	·03	·03	·	·37	·08	·04	23
24	·01	·	·02	·	·13	·02	~~[illegible]~~	·02	·	·45	·14	·38	24
25	·	·58	·14	·	·	·	~~[illegible]~~	·76	·01	·04	·09	·	25
26	·05	·88	·	·	·	·16	~~·25~~	·25	·19	·19	·	·07	26
27	·	·07	·75	·	·	·08	~~[illegible]~~	·02	·10	·35	·	·	27
28	·	·72	·12	·	·	·31	·	·17	·49	·66	·	·44	28
29	·	·22	·	·	·	·38	·	·35	·07	·77	·	·75	29
30	·	X	·	·	·07	·	·	·07	·	·57	·	·01	30
31	·	X	·	X	·	X	·	·06	X	·24	X	·	31
Total	2·38	5·93	4·16	1·51	2·53	3·04	1·05	2·17	2·14	6·81	5·43	5·61	YEAR'S TOTAL 42·76
Rain Days.	19	24	24	11	13	19	11	15	14	23	17	18	208

W. 8,000. X. 15.

546

FORM A.
BRITISH RAINFALL.

5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Lewes Waterworks Pumping Station

in the County of Sussex

by A Wells, Waterworks Manager

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Lewes

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 12·59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·20	·	·	·	1·54	·21	·01	·07	·06	1
2	·	·	·	·17	·	·	·	·06	·01	·00	·23	·	2
3	·01	·	·	·13	·	·	·84	·14	·01	·28	·	·	3
4	·	·14	·18	·	·	·	·04	·36	·	·28	·	·	4
5	·32	·	·05	·15	·	·02	·	·01	·30	·22	·05	·	5
6	·	·	·29	·10	·	2·03	·	·	·19	·01	·20	·01	6
7	·46	·	·	·	·	·	·14	·	·	·46	·	·14	7
8	·10	·	·	·10	·	·	·15	·28	·	·46	·42	·33	8
9	·01	·	·07	·02	·	·	·02	·01	·	·02	·04	·54	9
10	·21	·	·15	·23	·	·55	·	·14	·	·	·01	·	10
11	·21	·01	·21	·28	·	·	·	·	·03	·56	·	·	11
12	·03	·	·02	·14	·01	·	·	·23	·	·32	·01	·	12
13	·03	·	·24	·	·02	·	·	·03	·06	·52	·01	·	13
14	·	·	·01	·20	·	·	·	·25	·01	·02	·	·	14
15	·	·	·	·	·12	·	·01	·05	·	·22	·	·12	15
16	·04	·20	·	·	·17	·	·	·	·	·44	·01	1·22	16
17	·	·02	·	·28	·17	·	·49	·	·40	·28	·	·	17
18	·02	·04	·	·06	·10	·	·29	·09	·36	·	·	·	18
19	·01	·22	·10	·	·	·29	·03	·	·24	·	·	·	19
20	·01	·17	·03	·	·38	·01	·	·	·01	·	·01	·	20
21	·01	·	·01	·	·02	·02	·02	·	·	·01	·	·04	21
22	·04	·	·11	·	·	·35	·	·18	·	·33	·	·	22
23	·	·26	·	·	·32	·	·	·09	·	·03	·	·03	23
24	·	·09	·	·	·	·02	·32	·04	·01	·36	·07	·05	24
25	·	·12	·04	·	·	·03	·04	·	·	·02	·	·	25
26	·	·	·05	·	·	·	·	·48	·12	·	1·05	·01	26
27	·	·	·	·	·03	·05	·	1·17	·	·07	·	·	27
28	·	·	·08	·	·	1·26	·07	·72	·	·	·	·06	28
29	·		·08	·	·02	·	·11	·26	·01	·44	·	·12	29
30	·01	✕	·34	·	·	·02	·51	·83	·01	·10	·	·03	30
31	·04	✕	·02	✕	·	✕	·30	·02	✕	·03	✕	·06	31
Total	1·76	1·27	2·08	2·06	1·36	4·65	3·38	6·98	1·98	5·49	2·18	2·82	YEAR'S TOTAL 36·01
Rain Days.	17	10	19	13	11	12	16	22	16	24	13	15	188

W. 8,000, VIII. 16

71

Ex'd

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9. 1. 19

Kept at Lewes Waterworks Pumping Station

in the County of Sussex

by A. Wells Waterworks Manager

Lat. Long.

Time of Observation

Nearest Railway Station Lewes

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 12·59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·	·	·04	·	·	·	·	·01	·	·	·12	·11	1
2	·	·03	·02	·	·	·	·	·31	·	·	·61	·35	2
3	·	·02	·09	·07	·65	·	·	·03	·	·01	·24	·03	3
4	·	·08	·03	·08	·02	·	·	·10	·09	·	·69	·03	4
5	·	·13	·02	·	·04	·	·	·22	·	·06	·	·03	5
6	·16	·33	·	·23	·38	·	·	·66	·06	·	·02	·08	6
7	·02	·08	·	·12	·22	·02	·	·05	·35	·05	·12	·02	7
8	·	·02	·	·	·	·	·	·	·15	·04	·10	·28	8
9	·03	·	·	·07	·	·09	·06	·	·59	·37	·01	·58	9
10	·	·	·	·05	·	·03	·39	·	·30	·13	·01	·40	10
11	·02	·	·	·	·	·	·08	·	·07	·32	·05	·10	11
12	·	·21	·	·	·32	·	·02	·	·06	·09	·	·03	12
13	·32	·01	·	·	·06	·	·23	·	·27	·	·	·05	13
14	·22	·	·09	·	·01	·11	·17	·	·65	·27	·	·08	14
15	1·95	·	·	·12	·	·09	·03	·	·01	·06	·	·23	15
16	·37	·	·	·07	·	·04	·15	·	·11	·	·	·	16
17	·29	·	·	·12	·	·06	·90	·03	·	·	·	·39	17
18	·35	·	·	·	·	·50	·01	·	·68	·15	·	·09	18
19	·08	·	·15	·02	·	·18	·01	·	·	·04	·	·02	19
20	·05	·30	·	1·15	·	·06	·50	·	·26	·16	·	·01	20
21	·27	·	·01	·77	·	·01	·05	·	·49	·12	·	·04	21
22	·20	·	·	·	·29	·	·76	·	·46	·	·	·24	22
23	·18	·	·	·04	·	·	·28	·14	·07	·	·	·05	23
24	·	·21	·	·01	·	·03	·23	·	·39	·	·06	·02	24
25	·01	·	·	·	·	·	·01	·37	·	·03	·	·	25
26	·01	·	·	·09	·	·	·14	·	·12	·03	·14	·27	26
27	·	·06	·05	·04	·	·	·12	·29	·48	·	·13	·09	27
28	·	·	·30	·01	·17	·02	·	·	·	·02	·19	·05	28
29	·		·	·	·	·	·	·	1·18	·	·01	·01	29
30	·02	X	·61	·	·	·	·	·01	·04	·20	·	·08	30
31	·01	X	·	X	·	X	·	·	X	·08	X	·01	31
Total	4·56	1·48	1·41	3·06	2·16	1·24	4·14	2·22	6·88	2·23	2·50	3·77	YEAR'S TOTAL 35·65
Rain Days.	19	12	11	17	10	13	19	12	22	19	15	29	198

W. 8,000, IX. 17.

E4 B2

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Lewes Waterworks Pumping Station

in the County of Sussex

by A Wells, Waterworks, Manager

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Lewes

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 12·59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·69	·03	·05	·03	·04	·	·08	·	·	·11	·06	·87	1
2	·27	·01	·04	·	·01	·	·12	·	·	·08	·08	·14	2
3	·38	·	·64	·	·06	·	·	·	1·05	·	·02	·27	3
4	·25	·09	·42	·	·01	·05	·07	·08	·05	·	·08	·05	4
5	·01	·33	·79	·	·	·	·21	·	·07	·	·15	·56	5
6	·23	·	·09	·	·	·	·	·	·	·	·01	·19	6
7	·20	·	·59	·	·	·	·	·	·	·	·03	·	7
8	·33	·	·10	·	·	·	·	·	·	·	·	·	8
9	·74	·	·06	·09	·21	·	·	·	·01	·	·21	·	9
10	·78	·	·21	·06	·	·	·	·	·	·	·02	·41	10
11	·25	·	·38	·42	·10	·	·05	·	·	·	·	·29	11
12	·02	·	·01	·	·01	·	·10	·	·	·08	·03	·	12
13	·04	·	·02	·22	·	·	·	·	·	·01	·	·07	13
14	·67	·	·	·63	·	·	·06	·	·33	·	·	·17	14
15	·21	·02	·06	·19	·	·	·	·	·	·	·01	·57	15
16	·20	·45	·	·	·	·	·	·	·	·	·09	·02	16
17	·	·24	·01	·01	·	·	·	·	·	·	·15	·15	17
18	·	·03	·05	·	·02	·	·	·08	·02	·	·12	·04	18
19	·07	·40	·95	·	·	·09	·32	·54	·02	·02	·16	·01	19
20	·74	·06	·06	·	·	·70	·10	·18	·	·01	·	·05	20
21	·09	·61	·01	·	·	·	·09	·	·	·01	·04	·08	21
22	·	·05	·06	·	·	·	·20	·	·85	·01	·04	·28	22
23	·	·	·	·	·	·01	·01	·	·20	·	·04	·02	23
24	·	·03	·	·21	·	·02	·02	·	·01	·11	·26	·10	24
25	·08	·	·	·	·	·01	·	·48	·01	·	·	·06	25
26	·03	·17	·10	·05	·	·	·03	·04	·06	·	·30	·68	26
27	·99	·	·07	·90	·	·	·01	·47	·	·	·55	·06	27
28	·	·	·31	·05	·	·	·01	·93	·	·	·61	·47	28
29	·03		·	·03	·	·02	·	·61	·	·24	·08	·14	29
30	·01		·03	·19	·	·01	·	·48	·	·06	·24	·64	30
31	·09		·05		·		·	·		·02		·07	31
Total	7·40	2·52	5·16	3·08	·46	·91	1·48	3·89	2·68	·76	3·38	6·37	YEAR'S TOTAL 38·09
Rain Days.	25	14	25	14	8	8	16	10	12	12	24	27	195

W. 6,500, VII. 18. W W C

484

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

5 JAN 1921

Kept at Lewes Waterworks Pumping Station

in the County of Sussex

by A Wells, Waterworks Manager

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Lewes

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

" " " " Sea Level 12.59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.	.02	.04	.11	.	.35	.05	.03	.34	.02	.27	1
2	.	.	.34	.07	.03	.	.	.32	.09	.20	.	.15	2
3	.01	.	.	.02	.	.	.	.03	.01	.07	.	.08	3
4	.	.18	.	.06	.	.	1.19	.17	.05	.05	.	.04	4
5	.	.	.05	.02	.01	.	.32	.02	.03	.	.	.03	5
6	.	.	.14	.	.24	.	.37	.	.	.	.	.01	6
7	.15	.	.	.18	.03	.	.13	.	.	.03	.	.02	7
8	.01	.03	.	.16	.06	.	.50	.	.	.	.	.01	8
9	.35	.03	.	.02	.01	.05	.	.	.	.	.	.	9
10	1.16	.18	.16	.09	.	.12	.15	.	.	.	.02	.01	10
11	.28	.03	.13	.29	.04	.	.46	.	.	.	.	.05	11
12	.09	.06	.02	.24	.	.57	.	.	.	.02	.02	.	12
13	.33	.04	.37	.02	.	.	.	.	.	.01	.10	.	13
14	.	.04	.50	.54	.	.05	.02	.	.02	.38	.64	.	14
15	.12	.02	.04	.13	.	.01	.01	.	.96	.52	.20	.01	15
16	.02	.	.08	.02	.02	.02	.	.	.15	.	.01	.01	16
17	.03	.	.	.08	.30	.	.01	.	.76	.	.	.07	17
18	.12	.	.01	.01	.07	.	.	.87	.26	.	.	.11	18
19	.07	.	.	.16	.	.02	.	.	.06	.	.	.05	19
20	.08	.14	.	.14	.	.73	.	.03	.20	.	.02	.01	20
21	.	.	.	.05	.	.	.77	.	.19	.	.02	.41	21
22	.02	.	.	.50	.	.	.01	.	.02	.	.	.53	22
23	.	.	.	.02	.	.	.51	.05	.	.	.	.75	23
24	.05	.	.10	.02	.	.	.	.	.	.	.	.28	24
25	.	.	.02	.02	.04	.	.40	.	.	.	.	.	25
26	.13	.	.16	.09	.	.	.04	.	.	.	.03	.07	26
27	.43	.03	.01	.29	.	.10	.01	.	.	.	.52	.31	27
28	.35	.02	.18	.22	.23	.	.32	.	.	.	.13	.10	28
29	.70	.	.09	.12	.02	.02	.	.	.	.	.33	.20	29
30	.05		.02	.	.	.02	.04	.	.21	.	.32	.32	30
31	.02		.16		.		.01	.		.67		.57	31
Total	4.66	.80	2.60	3.62	1.21	1.71	5.62	1.54	3.04	2.29	2.38	4.47	YEAR'S TOTAL 33.94
Days with ·01 in. or more	23	12	20	28	14	11	20	8	15	10	14	26	201
	17	6	14	19	8	6	14	5	10	7	7	18	131

(44,283). Wt.21,958—218/7500. 10/19. Gp.132. A.&E.W.

made

LEONARDSLEE GDNS

SUSSEX

1911-12, 14, 18

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

R 11

Kept at Leonardsl

in the County of Su

by W. A. Coov. 2

asella

8 in.

ve Ground 1½ ft. in.

Sea Level 365 ft.

9 Am

Name W. Grinstead

Distance 4½ Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	—	·48	·34	—	—	·09	—	—	·11	—	1
2	·09	—	—	·11	·15	—	—	—	—	—	·19	·27	2
3	—	—	—	—	—	—	—	·04	—	—	·12	·23	3
4	·06	—	—	·13	—	—	—	—	—	·20	·28	·21	4
5	—	·05	—	·34	—	—	—	—	—	·39	—	·07	5
6	·38	—	·06	—	—	—	—	—	—	—	—	·68	6
7	·05	—	—	·01	—	—	—	—	—	·14	·72	·39	7
8	·08	—	·20	—	—	—	—	—	—	—	·57	·37	8
9	·21	—	·02	—	—	—	—	—	—	—	·09	·18	9
10	—	·12	·24	·03	·62	—	—	—	—	—	·01	·73	10
11	·37	—	·06	—	—	—	—	—	—	—	·95	—	11
12	—	—	·65	—	·13	—	—	—	·06	—	·08	—	12
13	—	—	·08	—	·31	—	—	—	·59	·08	—	·30	13
14	—	·13	—	—	—	—	—	—	—	—	—	·60	14
15	—	·05	·11	—	—	—	—	—	—	—	·09	·02	15
16	—	—	—	—	—	·56	—	—	—	—	·94	·18	16
17	—	—	—	—	—	·12	—	—	—	—	1·12	·36	17
18	—	·13	·04	—	—	·09	—	—	—	—	·71	·47	18
19	—	—	—	—	—	—	—	—	·19	·33	·04	·14	19
20	·05	—	—	—	—	—	—	·10	·18	·02	—	·97	20
21	·02	·15	—	—	—	—	—	·21	·08	·71	—	·19	21
22	·07	·08	·22	—	—	·18	—	1·44	—	·45	—	·54	22
23	—	·16	—	—	—	·84	—	—	·28	·18	·05	·25	23
24	—	·20	—	—	—	·04	—	·04	—	·62	—	·31	24
25	—	·02	·06	—	—	·16	·27	·09	·08	·04	—	—	25
26	—	—	·14	·24	—	·11	·10	—	—	·27	·05	·34	26
27	—	·42	·33	·14	—	—	—	·02	·08	·24	·18	·23	27
28	—	·18	—	·13	—	—	—	·06	—	—	·03	—	28
29	—		—	·15	—	·11	·72	—	·19	·48	—	·02	29
30	—		—	·08	—	·07	—	·08	—	·32	—	—	30
31	—		—		—		—	—		—		—	31
Total	1·43	1·69	2·21	1·84	1·55	2·28	1·09	2·17	1·73	4·47	6·36	8·05	TOTAL for year
No. of Rain Days.	11.	12	13	11	5.	10	3.	10	9	15	19.	24	34·87

W. 8,000, X. '11.

142

made

R ll

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Leonardslee Gardens

in the County of Sussex 3

by W. A. Cook. for Sir E. G. Loder Bart

RAIN GAUGE	Pattern	Casella
	Diameter of top	8 in.
	Height of top above Ground	1 ft. in.
	„ „ „ Sea Level	365 ft.

Time of Observation 9 Am

Nearest Railway Station
- Name W. Grinstead
- Distance 4½ Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	—	—	·48	·34	—	—	·09	—	—	·11	—	1
2	·09	—	—	·11	·15	—	—	—	—	—	·19	·27	2
3	—	—	—	—	—	—	—	·04	—	—	·12	·23	3
4	·06	—	—	·13	—	—	—	—	—	·20	·28	·21	4
5	—	·05	—	·34	—	—	—	—	—	·39	—	·07	5
6	·38	—	·06	—	—	—	—	—	—	—	—	·68	6
7	·05	—	—	·01	—	—	—	—	—	·14	·72	·39	7
8	·08	—	·20	—	—	—	—	—	—	—	·57	·37	8
9	·21	—	·02	—	—	—	—	—	—	—	·09	·18	9
10	—	·12	·24	·03	·62	—	—	—	—	—	·01	·73	10
11	·37	—	·06	—	—	—	—	—	—	—	·95	—	11
12	—	—	·65	—	·13	—	—	—	·06	—	·08	—	12
13	—	—	·08	—	·31	—	—	—	·59	·08	—	·30	13
14	—	·13	—	—	—	—	—	—	—	—	—	·60	14
15	—	·05	·11	—	—	—	—	—	—	—	·09	·02	15
16	—	—	—	—	—	·56	—	—	—	—	·94	·18	16
17	—	—	—	—	—	·12	—	—	—	—	1·12	·36	17
18	—	·13	·04	—	—	·09	—	—	—	—	·71	·47	18
19	—	—	—	—	—	—	—	—	·19	·33	·07	·14	19
20	·05	—	—	—	—	—	—	·10	·18	·02	—	·97	20
21	·02	·15	—	—	—	—	—	·21	·08	·71	—	·19	21
22	·07	·08	·22	—	—	·18	—	1·44	—	·45	—	·54	22
23	—	·16	—	—	—	·84	—	—	·28	·18	·05	·25	23
24	—	·20	—	—	—	·04	—	·04	—	·62	—	·31	24
25	—	·02	·06	—	—	·16	·27	·09	·08	·04	—	—	25
26	—	—	·14	·24	—	·11	·10	—	—	·27	·05	·34	26
27	—	·42	·33	·14	—	—	—	·02	·08	·24	·18	·23	27
28	—	·18	—	·13	—	—	—	·06 06	—	—	·03	—	28
29	—		—	·15	—	·11	·72	—	·19	·48	—	·02	29
30	—		—	·08	—	·07	—	·08	—	·32	—	—	30
31	—		—		—		—	—		—		—	31
Total	1·43	1·69	2·21	1·84	1·55	2·28	1·09	2·17	1·73	4·47	6·36	8·05	TOTAL for year
No. of Rain Days.	11.	12	13	11	5.	10	3.	10	9	15	19.	24	34·87 ✓

W. 8,000, X. '11.

142 15 W.A.C.

Ex DS

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3-JAN 1913

Kept at Leonardslee Gardens Horsham

in the County of Sussex 3

by W. A. Cook - for Sir E. G. Loder Bart.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 350 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name W. Grinstead
Distance 4m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·12	—	—	·18	·23	—	·03	·86	—	·29	1
2	—	—	·39	·02	·35	·05	·29	—	—	·05	—	·01	2
3	·02	·08	·11	—	—	·27	·02	·49	·02	—	—	·02	3
4	·26	—	·60	—	·24	·27	—	·02	—	—	·26	—	4
5	·22	·01	·28	—	·02	—	—	·59	—	—	·17	—	5
6	·39	·14	—	—	·04	·02	—	·54	·03	—	—	·06	6
7	—	—	—	—	·30	·40	—	·65	—	—	—	·08	7
8	·38	·46	·26	·04	·02	·18	—	·10	—	—	—	·03	8
9	·02	·04	·06	·02	—	·24	·16	·11	—	—	—	·09	9
10	—	·09	—	—	—	—	—	·13	—	—	·09	·36	10
11	·06	·44	·05	—	—	·02	—	·02	—	—	—	·26	11
12	—	·12	·06	—	·14	·10	—	·24	—	—	—	·02	12
13	·02	·01	·03	—	—	—	·01	—	—	—	·09	·06	13
14	—	—	·02	—	·08	—	—	·18	—	·08	—	·01	14
15	·03	·05	·12	—	·13	·61	—	·03	—	—	—	·24	15
16	·30	·02	·22	—	·11	·17	—	·11	—	·07	·13	—	16
17	·47	—	·40	—	—	·11	—	·13	—	—	·11	·12	17
18	·08	—	·22	—	—	—	—	·26	—	·03	—	·13	18
19	·05	·07	·18	—	—	—	·07	·39	—	—	—	—	19
20	·03	·02	·58	—	—	·02	—	·24	—	·49	·05	—	20
21	·02	·12	·33	—	·09	—	—	·05	—	·11	·06	—	21
22	·07	·40	·03	—	—	—	·01	·26	—	—	—	·04	22
23	·41	·17	·38	—	·20	·01	—	·36	—	·09	·16	·02	23
24	·03	·06	—	—	—	·04	—	·38	—	—	—	·18	24
25	·10	—	—	—	—	·30	—	1·23	—	·02	·24	·53	25
26	—	·04	—	—	—	·04	—	·13	—	·46	·37	·26	26
27	—	—	·03	—	—	·01	—	—	—	·31	—	·38	27
28	—	·06	—	—	—	·05	·04	·27	·13	1·09	·30	·13	28
29	—	·02	—	—	·34	·02	·16	·13	1·87	·06	·03	—	29
30	—		—	—	—	—	·03	·54	1·36	·39	—	—	30
31	—		·09		—		·34	·28		·01		—	31
Total	2·97	2·47	4·56	·08	2·16	3·11	1·41	7·41	3·44	4·12	2·28	3.32	TOTAL for year
No. of Rain Days.	20	20	22	3	13	21	11	27	6	15	13	22	37·83 193

W. 8,000, X. '11.

Cndly own. stats 17·11·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

1 - JAN 1915

Ex M.G.

Kept at Leonardslee Horsham

in the County of Sussex 3

by L. Apps (Head Gardener)

Lat. 51° 7' Long. 0° 15 W

Time of Observation 9 a.m.

Nearest Railway Station Horsham 5 Miles

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·02 ·	·01 ·	·02 ·	·	·	·07	·08	·	·	·13	·06	1
2	·	·	·09	·02	·30	·	·06	·22	·	·	·17	·19	2
3	·02	·	·01	·33	·14	·	·03	·30	·	·	·	·04	3
4	·11	·	·06	·43	·06	·03	·21	·01	·	·	·35	·40	4
5	·	·16	·01	·30	·02	·16	·08	·03	·	·	·02	·	5
6	·01	·57	·15	·18	·	·03	·14	·02	·	·	·01	·48	6
7	·12	·62	·40	·02	·	·18	·09	·11	·	·	·	·30	7
8	·25	·	·89	·19	·	·	·	·	·	·	·	·15	8
9	·06	·16	·02	·17	·12	·	·	·	·24	·	·	1·33	9
10	·	·59	·06	·02	·	·	·	·	·09	·	·	·03	10
11	·	·10	·45	·	·	·	·62	·	·21	·	·03	·42	11
12	·	·50	·18	·	·	·04		·	·30	·05	·01	·70	12
13	·	·27	·21	·	·		·03	·	·14	·02	·09	·95	13
14	·		·25	·	·	·	·	·	·	·34	·23	·88	14
15	·	·03	·01	·	·	·	·12	·10	·	·	·90	·01	15
16	·	·27	·18	·	·	·	·	·	·10	·	·	·	16
17	·	·05	·36	·	·	·	·02	·	·20	·	·	·23	17
18	·	·12	·50	·	·	·	·24	·	·	·	·	·40	18
19	·	·25	·22	·	·	·05	×	·	·	·	·23	·12	19
20	·	·72	·08	·	·	·	·	·	·03	·	·	·35	20
21	·	·12	·01	·	·09	·	·	·19	·	·11	·	·06	21
22	·		·26	·	·31	·17	·06	·05	·	·20	·	·	22
23	·	·	·08	·	·	·	·	·	·	·03	·	·	23
24	·	·	·23	·	·	·	·	·	·	·	·25	·	24
25	·08	·	·11	·	·	·	·02	·15	·	·29	·	·04	25
26	·	·	·	·	·	·		·19	·	·18	·14	·68	26
27	·04	·02	·	·	·02	·	·23	·	·	·	·07	·55	27
28	·02	~~·01~~	·05	·	·	·	·	·	·	·23	·25	·51	28
29	·09	·	·12	·	·	·	·	·	·	·53	·25	·02	29
30	·			·	·19	·	·	·	·	·08	·96	·41	30
31	~~·02~~		~~·02~~		·		·02	·		·01		·01	31
Total	·84	4·56	5·00	1·68	1·25	·66	2·04	1·45	1·31	2·07	4·09	9·32	YEAR'S TOTAL 34·26
Rain Days.	12	17	27	10	9	7	16	12	8	12	17	26	172

W. 8,000. X. 14.

65

Returned to Sir [illegible] for inspection 31.III.19

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

19 MAR 1919

Kept at Leonardslee, Horsham
in the County of Sussex
by Sir E. G. Loder, Bt

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
										10	4		
1											32	12	1
2				10				36			18	18	2
3				9	25			22			45		3
4			14		5			7	20		88	4	4
5	-	-	-	-	-	-	-	-	-	–	–	–	5
6		27	8		22			15		8	–		6
7	24	14		15	10			18		5		6	7
8		10		18					50		8		8
9									31	10		7	9
10				8		23	40		56	25	12	45	10
11				7			15		40	10	3	25	11
12					20		15		11	21		13	12
13		9			6		14			2			13
14							12		20			3	14
15	45		10			9	55		21	38		11	15
16	1·55					13						20	16
17				50		32	58		38				17
18	60			18								28	18
19	35					30	8		42			6	19
20	9					15	30			3			20
21		18		41			18		19	19		4	21
22	25			1·60	15	10	40	9	32	17		26	22
23							55		75				23
24									11				24
25		32		7			21	18	20		10		25
26	17			40			85		8	4			26
27							10	15		1			27
28		18		8							31		28
29			30								15		29
30		×							72			8	30
31		×	48	×		×			×	10	×		31
Total	3·70	1·28	1·10	3·91	1·03	1·32	4·76	1·40	10 5·76 ~~5·66~~	·04 1·77 ~~1·83~~	2·62 ~~2·66~~	(–) 2·36	YEAR'S TOTAL 31·01
Rain Days.	8	7	5	13	7	7	15	8	17	15	11	16	129

W. 6,500, VII. 18. W W C

Sunspots 65

with A

Ansd 31.III.19

Forms sent

Station Hotel,
Perth.

March 28

Sir

I am glad the mistake has been cleared up.

Can you let me have faulty paper back again? I should like to see exactly what has happened —

Perhaps in error the entries for ~~Nov~~ Oct Nov & Dec were copied from entries for 1918 instead of 1919.

I remain
yours
E. G. Loder —

LEWES ROAD
{BRIGHTON W.W.}
SUSSEX
1911-20

4 - JAN 1912
FORM A2.
BRITISH RAINFALL.

REGI 1911

Brighton Corpor

Kept at Lewes R

in the County of

by The Brighton Corpor

Met.l office Pattern
egretti & Zambra's make

of top 8 in.

op above Ground 3 ft. 6 in.

„ Sea Level 88 ft.

n 9 am.

cation { Name Lewes Road
Distance 200 yds Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·69							·05	·01	1
2	Snow ·04			·07	·20						·22	·28	2
3	·01				·25						·08	·30	3
4	·10		·01	Snow ·16						·15	·18	·20	4
5	·01			Snow ·06						·72	·02	·08	5
6	·29		·04								·01	·52	6
7	·03									·30	1·08	·31	7
8	·08		·20								·59	·19	8
9	·14		·03	·02							·46	·05	9
10		·10	·07	06								·45	10
11	·56		·02								1·39		11
12	·01		St Rain 82								·05	·04	12
13			do 09		·11				·55	·03		·22	13
14		·10			·22							·45	14
15		·02	St Rain 18								·11	·08	15
16						·52					·69	·16	16
17		·01				·02	·01				·63	·14	17
18		·10	·08								·98	·43	18
19				·01		·05			·22	·30	·05	·07	19
20	·02		·01					·32	·32	·02		·81	20
21	·03	·20						·04		1·55		·33	21
22	·17		·14	·02		·06		·05		·46		·52	22
23	·03	·14	·05			1·13			·49	·98	·04	·21	23
24	·01	·27	01			·03	·03	·02		42		·29	24
25		·04	Snow 14	·09		·20			06	·08		·03	25
26			St Rain 12	·31		·05				·32	Snow ·24	·31	26
27		·43	·35	·07					·05	·52	·04	·22	27
28		·16		·15				·03			·03	·02	28
29						·21	·55		·40	·45			29
30				·01		16			·03	·20		02	30
31													31
Total	1·58	1·57	2·36	1·72	·78	2·43	·59	·46	2·12	6·50	6·94	6·74	TOTAL for year 33·79
No. of Rain Days	16	11	17	13	4	10	3	5	8	15	20	28	150

9,000, IX. '10.

1

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Brighton Corporation Waterworks Lewes Road Works

in the County of Sussex 3

by The Brighton Corporation Waterworks

Rain Gauge
Pattern Met^l office Pattern Negretti & Zambra's make
Diameter of top 8 in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level 88 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Lewes Road
Distance 200 yds Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05			.69							.05	.01	1
2	Snow .04			.07	.20						.22	.28	2
3	.01				.25						.08	.30	3
4	.10		.01	Snow .16						.15	.18	.20	4
5	.01			Snow .06						.72	.02	.08	5
6	.29		.04								.01	.52	6
7	.03									.30	1.08	.31	7
8	.08		.20								.59	.19	8
9	.14		.03	.02							.46	.05	9
10		.10	.07	06								.45	10
11	.56		.02								1.39	.	11
12	.01		St Rain 82								.05	.04	12
13			do 09		.11				.55	.03		.22	13
14		.10			.22							.45	14
15		.02	St Rain 18								.11	.08	15
16						.52					.69	.16	16
17		.01				.02	.01				.63	.14	17
18		.10	.08								.98	.43	18
19				.01		.05			.22	.30	.05	.07	19
20	.02		.01					.32	32	.02		.81	20
21	.03	.20						04		1.55		.33	21
22	.17		.14	.02		.06		.05		46		.52	22
23	.03	.14	.05			1.13			.49	.98	.04	.21	23
24	.01	.27	01			.03	.03	.02		42		.29	24
25		.04	Snow 14	.09		.20			.06	08		.03	25
26			St Rain 12	.31		.05				.32	Snow .34	.31	26
27		.43	.35	.07					.05	.52	.04	.22	27
28		.16		.15				.03			03	.02	28
29						.21	.55		.40	.45		-	29
30				.01		16			.03	.20		02	30
31													31
Total	1.58	1.57	2.36	1.72	.78	2.43	..59	..46	2.12	6.50	6.94	6.74	TOTAL for year 33.79
No. of Rain Days	16	11	17	13	4	10	3	5	8	15	20	28	150

9,000, IX. '10.

FORM A. BRITISH RAINFALL.

4 - JAN 1913

REGISTER OF RAINFALL IN 1912

Exc. No 6

Kept at Brighton Corporation Waterworks Lewes Road

in the County of Sussex 3

by Jas: Johnston

Lat. .... Long. ....

Time of Observation 9. am

Nearest Railway Station Lewes Road

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 88·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·04		.03	.30	.05		10	·70		29	1
2		Snow 03	.31			.04	.19						2
3	01	Snow .02	·03			.18		.47	02				3
4	28	S&Rain ·07	·70			.19		.18			.22		4
5	29	S&Rain ·10	·09			·20		.22			.12	·03	5
6	62	.09			05	05		.70			.01	·05	6
7					.32	60		.20				·05	7
8	70	37	·14			.06	·08	05				03	8
9	02	05	05	·01		.09	.11	14				05	9
10		06	05					15			·15	.44	10
11	·04	05			.01	01		02				.13	11
12		06	.03		.02	.08		46				·07	12
13		02	.02				·13				05	.30	13
14					·10			04		09		.03	14
15	01	·13	15		.11	·66						·25	15
16	17		·18		.11	.09		15		.07	·01		16
17	32		28		.12	.14		10			·08	22	17
18	08	01	43		·02			16		.04	·02	68	18
19	03	09	25			.01	·07	34			.03		19
20	04	03	69					07		.64	·04		20
21	01	.20	41		·08		03	17		.43	·04		21
22	09	54	03				01	35		.09		03	22
23	·39	17	35					29		11	.17	·10	23
24	·04	.11	01					26		10		15	24
25	·08	.01				.31		93		.04	·40	.52	25
26		07					01	11		.41	.29	·29	26
27		01	02			03				·21	02	.61	27
28		08				.01	·04	06	·15	·81	·70	.28	28
29		.02					·10	66	1.70	07	Snow & rain 02		29
30					.42			28	1.18	23	Snow 03		30
31			.04				.26	.35					31
Total	3·23	2·79	4.30	·01	1.39	3.05	·98	6.81	3.15	4.04	2.40	4.60	YEAR'S TOTAL 36.75
Rain Days.	19	24	22	1	12	18	12	26	5	15	18	21	193

W. 7,500, XI. ·12

Ex. 7.6

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8 - JAN 1914

Kept at Brighton Corporation Waterworks Lewes Road

in the County of Sussex

3

by Mr James Johnston Waterworks Engineer

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station Lewes Road St Brighton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.46	.08	.25		09				04	.08	.14	1
2	.07	.11					.07			20	15	.03	2
3			.05	.28	.20							15	3
4	31		.09		03		02		.90	09	12	01	4
5	.36	.14	.05			18	.10		.21	03	20	01	5
6		.05	.09	.02	11	16	26			27	15	24	6
7		.25	.10		04	03	02			27	13		7
8		.12	.02		17	06		.23		.36	03	03	8
9		.11		07	.16		.15		.12	.01	01	.01	9
10	02			05		.04	1.77			16	1.06		10
11	95			62						.83	.20	01	11
12					76						1.03	02	12
13	.70		.03					02	.10		.16		13
14	.35		09	02			1.16	.03	.06	.04	.22		14
15	.14		.38	32			.20				.01	01	15
16	.15		55	20			02		.06			02	16
17	.09	Snow 06		.14			25				.04	03	17
18	.01		.04	.19			04				.11		18
19	.20		.11		.10	02	10		.54				19
20	1.01		.03	.25		06				.42			20
21			20	19						81	.94		21
22	.34		12					.07	.10	03			22
23			.07			02		.05				.86	23
24	.14			04				.10			03		24
25		.02		.14									25
26			08				01	13		82		.23	26
27		01	.10	.03						02	.01		27
28	10		40	.10				06		09			28
29	.16		04	.33	.37			10		06	.02		29
30	63			.17				45		08			30
31	.01		.08					1.25		.16			31
Total	5.78	1.23	2.80	3.35	1.94	.66	4.17	2.49	2.09	4.79	4.70	1.80	YEAR'S TOTAL 35.80
Rain Days.	20	10	22	19	9	9	14	11	8	20	20	15	177

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

REGISTER OF RAINFALL IN 1914

Brighton Corporation Waterworks
Kept at Lewes Road Works
in the County of Sussex 3
by Wm J. Johnston

Lat. 50. 50 15 Long. 0° 7′ 30″
Time of Observation 9. Am
Nearest Railway Station Lewes Road
Diameter of Rain Gauge 8″ in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·4

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02			06	·11			·14	09	1
2							06				·15	20	2
3			09	·04	·27		02	·16			·01	01	3
4	01		02	40			02	·19			·30	48	4
5	15		10	39	03		21				·01		5
6		08		13	05	07		04			·01	59	6
7	03	38	23	08	04	06	·14					23	7
8	06	48	33	04	04	02	·17	·06				16	8
9	10		56	06		02		·02	08			1.66	9
10	17	·06		14	·20				05		02	03	10
11		40	·43	07	·03				30		04	70	11
12		·17	12			02	·65		58	·01	02	48	12
13	01	44	23			15			34	02	08	41	13
14		·13	·14				04	·01	01	52	19	59	14
15		10	·30					·18		02	72		15
16		09					15		11				16
17		55	10				02		12			22	17
18		08	32									36	18
19		22	S & Rain 1.15				31			02	·23	23	19
20		14	·03			·12						44	20
21		55	·08							09		·02	21
22		11	05		·10	·10	·10	02		23			22
23			31	01		·42	·04	01		04			23
24			03							02	·14		24
25	·08		23				01	·10		44	02		25
26			30					·22		10	12	·56	26
27	03										30	52	27
28	02	·03			·01		·18			·44	56	48	28
29	13		·06							·55	09	02	29
30	02	X	·13	·09						·10	1.16	25	30
31	03	X		X	·14	X	01		X	·	X	·13	31
Total	·84	4.01	5.34	1.47	·91	·98	·2.19	1.12	1.49	2.60	4.01	8.86	YEAR'S TOTAL 33.83
Rain Days.	13	17	23	12	·10	9	17	12	8	14	20	24	179

W. 8,000. X. 14.

Exd Lat

553

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Brighton Corporation Waterworks
Lewes Road Works
in the County of Sussex 3
by

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Lewes Rd
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 88·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.30	01				.04	10	.70	.17	.10	.28	1
2	.40	.14	.27	15	03			07	.05	.24		.18	2
3	.30		.08	33	06			04	.11			.61	3
4	.08			.03				07				.40	4
5	.18	.43		.06				16			.06	.70	5
6	.88	.38	05	.45			.28					.12	6
7	.40	.36	06	.05			.06	01				.33	7
8	.05	.40					.52				.05	.04	8
9	.04	.15		.14		.18		07			.53	1.05	9
10	.30											.74	10
11	.01	02	06								.85	.04	11
12	.06	14		.24	.35						90		12
13	.04	.67			2.01				06				13
14	.07	.03					.21		10			.56	14
15	12	.05			.07		53	50			Snow & Rain 12	.35	15
16		61		.03	.06		1.11	20				.05	16
17		.45			1.01		.18	02				.05	17
18		.20			.18						.04	.07	18
19		.06								.01			19
20	28			.03	10							.11	20
21	Snow & rain 16									.42		.04	21
22	Snow 16	07	10	11			1.03			.11		.20	22
23		Snow 10	15				03		04	.22		1.18	23
24			02						37	.74		.83	24
25			05	.02			.25					.34	25
26		.10				05	01		01			.90	26
27		.03				19	09			.48		05	27
28		04				28			1.17	.25			28
29					.05			24		.15	60	.07	29
30	26	X								.41	40	03	30
31		X		X		X		09	X	81	X	.51	31
Total	4.19	473	.85	1.64	392	.70	434	1.57	2.61	4.01	3.65	9.47	YEAR'S TOTAL 41.68
Rain Days.	19	21	10	12	10	4	13	12	9	12	10	27	159

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Brighton Corporation Waterworks Lewes Road Works
in the County of Sussex
by Jas. Johnston

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Lewes Road
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 88.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	02	02		15	06			.05	03	52		1
2	40	05	40		19	02				95	14		2
3	03	22	12			01	03		06	35	51		3
4	19	08			01	50			17	06	31		4
5	04	01		02	23	05				04	53		5
6	01	04	s 04	10	03	06	36			03	23		6
7	01	03	70 s		23	08				09	29	.02	7
8		01			38						01	.60	8
9			s 02		20							12	9
10		56	02	07		.37	02			.01	.01	50	10
11	02	17	01	12	01	32						16	11
12	05	06	03	08	08	.17	08			03	.01		12
13		30	30	01	02		01			02			13
14		82	14	03	25			.07				.12	14
15		27	10										15
16	02	03	23	30			07	.04					16
17	43	31		10			09	.07	.42	.84			17
18	02	08		02				.08	20	.16	.70	.04	18
19	15		12	25		.03		.04	08		93	13	19
20	11	03	09	15		.03					53	54	20
21	03		42				.11				07	70	21
22	03	s 02	04							.04	02	67	22
23		12 s	sR 04			.12	.02	.02		.06	02	03	23
24	01		01		.06			03		.54	08	35	24
25		s 56	11					48	02	.14	04		25
26	04	s 57				55		05	.40	.20		06	26
27	01	02	90			.01		03	10	.35			27
28	02	sR 79	sR 06			25		06	33	.40		.36	28
29		23				21		52	17	.62		.54	29
30		×			.20			06		.40			30
31		×		×		×		01	×	.18	×		31
Total	1.86	5.20	3.82	1.25	2.02	2.74	.79	1.56	2.00	5.54	4.95	4.94	YEAR'S TOTAL 36.47
Rain Days.	20	25	22	12	14	17	9	14	11	22	18	16	200

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
24.1.19

Kept at Brighton Corporation Waterworks Lewes Road Works
in the County of Sussex
by Jas: Johnston

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Lewes Road
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 139.56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			5 01		02			01			16	12	1
2		.05						35			32	25	2
3		01	.05	05	47			05		.01	26	04	3
4		05	02	03				08	23		62	03	4
5		12	04		05			12		03		02	5
6	24	17		14	16			66				06	6
7	5 01	04		10	23	02		04	.25	.06	09	01	7
8		02							16	03	07	15	8
9	5 02			08		13	.06		49	22	02	46	9
10				06		03	23		26	24		28	10
11	02	01					18		10	28	09	.11	11
12		10			.22		15		08	05		04	12
13	5 18	01	.9	.01	.12		15		28			03	13
14	17		.15		.02	.10	31		55	35		08	14
15	1.70			.10			04		01			16	15
16	42			05			07		24				16
17	5+R 24			.12		.04	97	02				39	17
18	25					38			65	.06		06	18
19	06		.31	.01		33	02	03		.05			19
20	03	22		.63		.08	45	01	15	12			20
21	18			.76					28	16		06	21
22	19		.01		.06		52		65			17	22
23	10			02			65	.10	01			04	23
24		24				.04	15		31		.14		24
25	01							36		05			25
26	01						17		08		16	17	26
27		07	.02	.08			.08	24	43	04	11	05	27
28		5 03	.25	.03	.02	.03				03	20	05	28
29									1.08		03	02	29
30		X	.65						.08	19		07	30
31		X		X		X			X	.08	X		31
Total	3.83	1.14	1.42	2.27	1.37	1.18	4.10	2.07	6.34	2.05	2.27	2.82	YEAR'S TOTAL 30.89
Rain Days.	17	14	11	16	10	10	16	13	21	18	13	25	184

W. 6,500, VII. 18. W W C

490

6 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Brighton Corporation Waterworks Lewes Road

in the County of Sussex

by Jas: Johnston M. Inst. C.E.

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Lewes Road

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft 9 in.

" " " " Sea Level 140·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in. S	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	48	03	01		07		13			17	.04	.75	1
2	14		04		02		10		02	05	04	.11	2
3	40		60		10		01		20		.04	30	3
4	25	12	46		02	03	11	.15	03		.08	06	4
5		S&Rain 45	1.04						08		.12	43	5
6	18		06									10	6
7	11		48										7
8	25		12										8
9	45		17	.03	12						.13		9
10	62		10	06							02	13	10
11	12		20	50	10		04					14	11
12	06		02		02		06			.08	Snow 01	.	12
13	01		03	.23								.02	13
14	40		-	71			10		17			30	14
15	17	03	14	09								96	15
16	12	40									09		16
17		S&R 35									16	07	17
18		03	08		02			04			11	.02	18
19	07	60	85			08	58	42	03		20	.01	19
20	60	05	06			53	10	16				.05	20
21	06	52					06				04	.03	21
22		03	Snow 03				13		.90		02	.25	22
23							02		33		04	.03	23
24		04		15		05	05		01	15	20	.09	24
25	05							43				.02	25
26	02	28	07	.22				04	06		.55	.42	26
27	Snow 58		10	S&R .47				39			S&R .28	.04	27
28			S 09	.03				80			.52	.53	28
29	S&R 04			.02				67		20	.05	09	29
30	S 01	✕	01	.21		.02		91		05	.22	1.04	30
31	S 05	✕	S&R 04	✕		✕			✕	03	✕	.15	31
Total	5.34	2.93	4.80	2.72	.47	.71	1.49	4.01	1.83	.73	2.96	6.14	Year's Total 34.03
Days with ·01 in. or more	24	13	23	12	8	5	13	10	10	7	21	26	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Sd WWD 464

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Brighton Corporation
Kept at Waterwork - Lewes Road.
in the County of Sussex
by Jas. [illegible]

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Lewes Road
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 140.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18		03	04	09		25	03		46	03	34	1
2			30	03	04			31	15	51		11	2
3	02									12		03	3
4		.17	01	08			1.17	.17		08		02	4
5			07		01		37	02	.11			02	5
6			11		31		34						6
7	06			16	06		12						7
8	02			15	08		35						8
9	25	03	.01	02	02	04							9
10	88	27	24	06		12	11				01	01 Snow	10
11	40	01	.12	29	03	02	26					03	11
12	09	02	.03	30		79							12
13	25	03	.29	05							10		13
14		03	53	50		02	02		.01	25	47		14
15	07	01	05	19		02			.79	33	13	.01	15
16	01		12	02	02				16				16
17	05			05	22		01		31			.06	17
18	07		01		09	02		.73	27			11	18
19	10			15					07			04	19
20	15	.11		09		.95			08			02	20
21				03			.62		28			31	21
22				48								57	22
23							37	13				70	23
24			.10									15	24
25			02	03	02		.32						25
26	14		15	05			.10				.05	05	26
27	43	03	01	25		17	05				93	20	27
28	38	02	20	18	21		19				13	10	28
29	78		11	17	01	01					29	12	29
30	04		01			01	04		.35		36	31	30
31	01		07							93		32	31
TOTAL	4 38	.74	2 59	3 37	1.21	2.17	4.69	1 39	2.58	2.38	2.50	3.57	YEAR'S TOTAL 31.57
Days with ·01 in. or more	21	11	22	23	14	11	17	6	11	7	10	22	175
Days with ·04 in. or more	17	3	14	18	8	5	15	4	10	7	8	18	~~124~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LEWES
BEDFORD LODGE
SUSSEX
1911- 1915

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

RE l

Kept at Bedford L
in the County of S
by Mrs C. R.

rdon
5 in.
Ground 1 ft. in.
Sea Level ft.
a.m
Name Lewes
Distance 1/2 m Direction W

IMPORTANT NOTE.— measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5			63	23		1	6			3		1
2	1			5	4						22	39	2
3	1										10	43	3
4	11		2	snow 30						17	15	19	4
5	2			snow 7						41	1	7	5
6	19		7	1						1		55	6
7	5									33	95	39	7
8	9		13							1	68	22	8
9	13		1	2							33	4	9
10	2	9	4	6							2	6	10
11	55		3		5						116		11
12	2		part snow 87								14	1	12
13			6		17				54	23	1	23	13
14		8	2		18							40	14
15		3	11							1	13	7	15
16		1				45					46	14	16
17			1			2					67	10	17
18		7	6			8					81	28	18
19		3				7			13	29	3	7	19
20	3		2					30	15	1	1	56	20
21	4	21						4	1	60		20	21
22	7	2	20			4		2		33		29	22
23	1	11	11			108			30	101	3	18	23
24	1	12				1	5	3		11		35	24
25		6	snow 23	6		11			8	5	1	3	25
26			9	32		10				18	snow 14	32	26
27		39	20	4					3	42	4	17	27
28		4	T	18				1		1	3	2	28
29				2		9	TS 31		47	45			29
30				7		15			1	19		1	30
31										1			31
Total	141	126	229	183	67	220	37	46	172	483	616	577	TOTAL for year 28.97
No. of Rain Days	17	13	19	13	5	11	3	6	9	20	23	27	166

9,000, IX. '10.

RE

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Bedford Lodge Lewes

in the County of Sussex 4

by Mrs C. R. Kemp

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Lewes
Distance ½ m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5			63	23	—	1	6			3		1
2	1			5	4						22	39	2
3	1										10	43	3
4	11		2	Snow 30						17	15	19	4
5	2			Snow 7						41	1	7	5
6	19		7	1						1		55	6
7	5									33	95	39	7
8	9		13							1	68	22	8
9	13		1	2							33	4	9
10	2	9	4	6							2	6	10
11	55	—	3		5						116		11
12	2		part Snow 87								14	1	12
13			6		17				54	23	1	23	13
14		8	2		18							40	14
15		3	11							1	13	7	15
16		1				45					46	14	16
17			1			2					67	10	17
18		7	6			8					81	28	18
19		3				7			13	29	3	7	19
20	3		2					30	15	1	1	56	20
21	4	21						4	1	60		20	21
22	7	2	20			4		2		33		29	22
23	1	11	11			108			30	101	3	18	23
24	1	12				1	5	3		11		35	24
25		6	Snow 23	6		11			8	5	1	3	25
26			9	32		10				18	Snow 14	32	26
27		39	20	4					3	42	4	17	27
28		4	1	18				1		1	3	2	28
29				2		9	TS 31		47	45			29
30				7		15			1	19		1	30
31										1			31
Total	141	126	229	183	67	220	37	46	172	483	616	577	TOTAL for year 2897
No. of Rain Days	17	13	19	13	5	11	3	6	9	20	23	27	166

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
9 - JAN 1913

REGISTER OF RAINFALL IN 1912

4

Kept at Bedford Lodge, Lewes
in the County of Sussex
by Mrs C. R. Kemp

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Lewes
Diameter of Rain Gauge 5 in. Snowdon
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			5			35	49		4	66		28	1
2		snow 7	24			3	15	31	1			1	2
3	1	snow 3	9			23	2	23	3	1			3
4	24	snow 2	58			14					14		4
5	27	12	13			12		9			4	1	5
6	33	10	1		4	1		103	2		2	3	6
7	1	2	4		20	57		18				10	7
8	44	19	16			6	11	3				4	8
9	7	6	2				21	12				15	9
10	2	4	4					30			4	29	10
11	4	30				2		3	1		1	14	11
12		13	4		2	4		36				6	12
13		2	2				8	2			5	4 4	13
14								6		5		20	14
15		5	6		7	57		1			1	1	15
16	15	1	20		5	12		20			2	26	16
17	20		44		4	10		8			~~7~~4	63	17
18	6	2	37				4	26		13		1	18
19	5	17	26			1	5	28		1	1	1	19
20	2	2	77				2	9		64	5		20
21	1	12	8		3		2	33		44	5		21
22	5	48	6					23		2	1	14	22
23	39	10	30					18		15	14	7	23
24	3	9	1					19		4	1	30	24
25	19	1	1			9	2	90		2	26	18	25
26	2	9						10		32	21	25	26
27		1					8			22	2	15	27
28		10				2	13	9	12	32	45	1	28
29		1						40	137	8	2		29
30			4		64	4	32	10	110	23			30
31			1		1			13		1			31
Total	260	238	403	none	110	246	174	633	270	335	160	341	YEAR'S TOTAL 3170
Rain Days.	20	26	25		9	17	14	28	8	17	21	24	209

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Bedford Lodge. Lewes

in the County of Sussex 4

by Mrs C. N. Kemp

Lat. Long. 0

Time of Observation 9 a m

Nearest Railway Station Lewes

Diameter of Rain Gauge 5 in. Snowdon

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		44		13					1	5	8	10	1
2	17	13	1		18		6		1	12	11	3	2
3	1	1	3	16	16					2	1	15	3
4	14		3	1	2		3		91	7	10	1	4
5	15	3	3			10	6		85	13	16	1	5
6	1	2	3	3	5	10	36		1	32	20	19	6
7		18	5		3	4	29			26	7	1	7
8		6	2		18	2	1	66		32	1	2	8
9		3			10		3			2	3		9
10	1			7			42			5	70		10
11	60			53			1			70	15		11
12					23					1	91		12
13	50								16		16		13
14	15		5	2			T S 52	5	23	2	12		14
15	8		31	27			29				1	1	15
16	17		43	6			1						16
17	7	8	3	7			18				3	3	17
18	3		2	9			3				2		18
19	19		2		19		12		63				19
20	50		3	12	2	20				30	3		20
21	1		7	22						82	91		21
22	21		8						8		1	1	22
23	1		2				1	5				79	23
24	6			1		2		10			3	1	24
25	1	1	9	12							1		25
26			5				2	13		91		17	26
27		1	17	X						5		1	27
28	11		3	6				T S 30		12			28
29	20			T.S. 23	4			3		2	1		29
30	50			22				30		4			30
31	2		5					97		29			31
Total	391	100	165	242	120	48	245	259	289	464	387	155	YEAR'S TOTAL 2865 51
Rain Days.	24	11	22 2X	18	11	6	17	9	9	21	23	15	18~~5~~6

W.7,000, XI. 13

written 25·III·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

7 - JAN 1915

Kept at Bedford Lodge Lewes

in the County of Sussex 4

by Jane M. Kemp Mc. Wg

Lat. .... Long. 0

Time of Observation 9 a m

Nearest Railway Station Lewes ½ a mile

Diameter of Rain Gauge 5 in. Snowdon

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 85? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				2			1	14			10	6	1
2						4	19				7		2
3			10		10		1	20			1		3
4				13				5			22	20	4
5	13			19	2	2	16						5
6		3		18	1	4		1				9	6
7	3	10	8	6	1	TS 29	8					7	7
8	2	20	7	7	1	18		2				15	8
9	10	1	20	2		13			12		1	100	9
10	5	4	3	9	5				5		1	3	10
11		15	29	3		2			15		5	42	11
12		5	15				TS 41		26			24	12
13	on 3	5	9			TS 15			14		3	17	13
14		5	3			2		1	1	38	13	32	14
15		1	13					15		2	54	1	15
16		12					hail 36		5				16
17		38	6				4					6	17
18		6	57									10	18
19		9	65				20			2	26	12	19
20		5	4			6	2					25	20
21		39	6					2		5		2	21
22		10	1		11	9	15			17		1	22
23			18			57	2			1			23
24			2			1		3		1	11		24
25	4		11	1						21	2		25
26			8					16		7	9	33	26
27			1					1		1	16	10	27
28	3		1		2		10			54	26	25	28
29	6	1	4							54	2		29
30	1	X	10							8	34	14	30
31	4	X		X	18	X			X	1	X	1	31
Total	54	189	299	80	51	162	175	82	78	212	243	415	YEAR'S TOTAL 2040 ?
Rain Days.	11	18	24	10	9	13	13	11	7	14	18	23	171

W. 8,000. X. 14.

Corr

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5 JAN 1916

Kept at Bedford Lodge Lewes

in the County of Sussex

by Mrs C. R. Kemp

Lat. Long. 0

Time of Observation 9 a m

Nearest Railway Station Lewes

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	11	14	5				3	4	73	7	6	15	1
2	36	3	12	10	1			4	7	6	1	16	2
3	23	1	2	19	11			2	7			47	3
4	3			3								18	4
5	3	12		3				13				68	5
6	44	16	6	18			10	1				68	6
7	12	5	4	3		1	19					13	7
8	2	7					34				5	3	8
9	2	10		31		34	1	4			26	61	9
10	14	1				1					1	66	10
11	1	3	1								46	3	11
12	1	11		20	32					1	40	1	12
13		15			108				6		1		13
14	2	1			1		15	1	3			19	14
15	5	3			8		52	10			12	10	15
16	2	4		3	12		87	TS 27				2	16
17					118		1	5				6	17
18		5			20						1	2	18
19		3			2								19
20	18				12							12	20
21	7				1					22		3	21
22	Snow 5	3		1			67			6		11	22
23	1	7	17			1	9		4.7	19		66	23
24			1	1			2		19	55		31	24
25							25		1			13	25
26		2				4						43	26
27						3	10			30		2	27
28		5				18			71	12			28
29					2	6		20		10	32	2	29
30	21	X				1				9	25	2	30
31	3	X		X		X		7	X	47	X	5	31
Total	216	131	48	112	328	69	335	98	234	224	196	608	YEAR'S TOTAL 25.99
Rain Days.	21	21	8	11	13	9	14	12	9	12	12	28	170

W. 8,000, X. 15

REGISTER

LEWES
{LITTLE DENE}
SUSSEX
1911-20

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

Kept at Little Dene- … Negretti - Zambra
… in.
in the County of Sussex … ground … ft. 11 in.
… Level 93·18 ft.
… M
by Miss B. Br… … Glynde
… Distance ½ mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·63	·06			·11			·06		1
2				·04	·33						·27	·48	2
3	·13				·34						·11	·33	3
4	·15			·21						·33	·24	·33	4
5										·55	·03	·05	5
6	·33		·10	·04								·50	6
7	·07							·01		·50	·93	·25	7
8	·10		·22								·83	·40	8
9	·13		·02								·31	·10	9
10			·10	·11							·02	·54	10
11	·76	·12									1·63		11
12	·03		·92								·09	·02	12
13			·07		·41				·29	·17		·25	13
14			·02	·02	·04							·58	14
15		·06									·20	·16	15
16		·06	·17			·69					·45	·21	16
17		·03				·02					·48	·13	17
18		·13	·09½			·03					·75	·43	18
19		·02	·01			·10			·08	·36		·23	19
20	·03							·39		·02		·62	20
21	·03							·02		·98		·18	21
22	·06	·39						·05		·27		·66	22
23		·23	·15	·02		1·12			·40	·98	·04	·36	23
24		·32				·02	·07	·01		·18		·40	24
25		·02		·10		·08			·08	·10		·04	25
26				·36		·23	·01			·29	·08	·35	26
27		·50	·54	·03					·04	·66	·07	·18	27
28	·02	·29		·17				·06					28
29				·01½		·21	·39		·41	·71	·02	·01	29
30				·01						·21		·01	30
31													31
Total	1·84	2·17	2·41½	1·75½	1·18	2·50	·47	·65	1·30	6·31	6·61	7·80	TOTAL for year 35·00
No. of Rain Days	12	12	12	13	5	9	3	7	6	15	19	27	140

9,000, IX. '10.

REGISTER OF RAINFALL IN 19

FORM A2. BRITISH RAINFALL.
3 JAN 1912

Kept at Little Dene - Lewes
in the County of Sussex 4
by Miss B. Brand

RAIN GAUGE
Pattern from Negretti - Zambra
Diameter of top 8 in.
Height of top above Ground ft. 11 in.
" " " Sea Level 93·18" ft.
Time of Observation 9. AM
Nearest Railway Station Name Glynde
Distance ½ mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·63	·06			·11			·06		1
2				·04	·33						·27	·48	2
3	·13				·34						·11	·33	3
4	·15			·21						·33	·24	·33	4
5										·55	·03	·05	5
6	·33		·10	·04								·50	6
7	·07							·01		·50	·93	·25	7
8	·10		·22								·83	·40	8
9	·13		·02								·31	·10	9
10			·10	·11							·02	·54	10
11	·76	·12									1·63		11
12	·03		·92								·09	·02	12
13			·07		·41				·29	·17		·25	13
14			·02	·02	·04							·58	14
15		·06									·20	·16	15
16		·06	·17			·69					·45	·21	16
17		·03				·02					·48	·13	17
18		·13	·09½			·03					·75	·43	18
19		·02	·01			·10			·08	·36		·23	19
20	·03							·39		·02		·62	20
21	·03							·02		·98		·18	21
22	·06	·39						·05		·27		·66	22
23		·23	·15	·02		1·12			·40	·98	·04	·36	23
24		·32				·02	·07	·01		·18		·40	24
25		·02		·10		·08			·08	·10		·04	25
26				·36		·23	·01			·29	·08	·35	26
27		·50	·54	·03					·04	·66	·07	·18	27
28	·02	·29		·17				·06					28
29				·01½		·21	·39		·41	·71	·02	·01	29
30				·01						·21		·01	30
31													31
Total	1·84	2·17	2·41½	1·75½	1·18	2·50	·47	·65	1·30	6·31	6·61	7·80	TOTAL for year 35·00
No. of Rain Days	12	12	12	13	5	9	3	7	6	15	19	27	140

9,000, IX. '10.

Ex DS

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3 JAN 1913

Kept at Little Dene. Lewes

in the County of Sussex 4

by Miss B. Brand.

Lat. Long.

Time of Observation Between 8 + 10 A.M.

Nearest Railway Station Glynde L.B.&S.C.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	-	·07	·03	-	·34	·26	-	·06	·67	-	·33	1
2	-	·04*	·30	-	-	-	·17	·05	-	-	-	-	2
3	·02	-	·02	-	-	·22	·01	·21	·04	-	·02	-	3
4	·29	·02*	·79	-	-	·24	-	·13	—	-	·18	-	4
5	·33	·20	·14	-	-	·24	-	·12	·03	-	·10	·03	5
6	·69	·12	-	-	·03	-	-	·60	-	-	-	·06	6
7	-	-	-	-	·22	·61	-	·13	-	-	·01	·16	7
8	·86	·25	·17	-	-	·02	·10	·06	-	-	-	·15	8
9	·03	·08	·03	·01	-	-	·12	·27	-	-	-	·12	9
10	-	·07	·15	-	-	-	-	·52	-	-	·12	·37	10
11	·05	·51	-	-	-	·05	-	·11	-	-	-	·16	11
12	·01	·22	·04	-	-	·06	-	·46	-	-	·01	·05	12
13	-	-	·01	-	-	-	-	·01	-	-	·08	·34	13
14	-	-	-	-	·11	-	-	·03	-	·06	-	·04	14
15	-	·10	·13	-	·09	·59	-	·01	-	-	·01	·38	15
16	·25	-	·38	-	·07	·08	-	·26	-	·12	-	-	16
17	·32	-	·26	-	·13	·11	-	·13	-	-	·06	·32	17
18	·09	·02	·47	-	-	-	·04	·18	-	·02	-	·24	18
19	·05	·22	·40	-	-	-	·04	·72	-	-	·01	-	19
20	·03	·02	·72	-	-	-	·07	·14	-	·93	·03	-	20
21	-	·19	·30	-	·04	·02	·03	·25	-	·70	·06	-	21
22	·06	·54	·07	-	-	-	-	·30	-	·01	-	·02	22
23	·39	·20	·41	-	-	-	-	·35	-	·17	·20	·06	23
24	·05	·05	·01	-	-	-	·01	·27	-	·03	·02	·39	24
25	·20	·01	-	-	-	·37	-	·99	-	-	·44	·68	25
26	-	·09	-	-	-	-	·03	·08	.	·42	·24	·35	26
27	-	-	-	-	-	·01	-	-	-	·22	·05	·57	27
28	-	·13	-	-	-	·02	·22	-	·14	·75	·37	·25	28
29	-	·03	-	-	-	·02	·17	·38	1·63	·08	·03	-	29
30	-		·05	-	·63	·11	-	·18	1·52	·34	·01	-	30
31	·01		-		-		·31	·18		-		-	31
Total	3·74	3·11	4·92	·04	1·32	3·11	1·58	7·12	3·42	4·52	2·05	5·07	YEAR'S TOTAL 40·00
Rain Days.	19	21	21	2	8	17	14	28	6	14	20	21	191

W. 7,500, XI. 13

* melted snow

FORM A.
BRITISH RAINFALL.
7 JAN. 1914

REGISTER OF RAINFALL IN 1913

Kept at Little Dene. (Parish of Beddingham) Lewes 4

in the County of Sussex

by Miss B. Brand.

Lat. ______ Long. ______

Time of Observation Between 8 + 10 A.M.

Nearest Railway Station Glynde L.B.+S.C.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ____ ft. 11 in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·60	·15	·16		·02				·08	·18		1
2	·26	·18			·20		·06			·31	·33	·12	2
3			·08	·25	·19						·01	·05	3
4	·32		·11		·03	·01	·06		·99	·14	·16	·23	4
5	·05		·04			·14	·08		·32	·15	·31	·02	5
6		·05	·09	·03	·05	·26	·23			·60	·36	·24	6
7		·27	·08		·04	·07	·32			·19	·15	·02	7
8		·17			·20	·02		·54		·26	·09	·03	8
9		·07			·12		·08		·17		·05	·02	9
10	·03			·04		·03	·47				1·04	·01	10
11	1·07			·66						·88	·02	·02	11
12		·03			·38						·86	·04	12
13	·59	·02	·05						·11	·03	·02		13
14	·43		·13				·27	·08	·34	·03	·42		14
15	·20	·01	·44	·65			·24		·13			·02	15
16	·26		·72	·14					·16		·01		16
17	·15	*·10		·21			·32			·02	·04	·04	17
18	·06		·08	·23			·03				·14		18
19	·31		·10		·26		·10		·55	·01			19
20	·39			·17		·20				·54	·04	·03	20
21	·01		·05	·31						·67	·94	·01	21
22	·40		·21	·01			·01	·06		·02	·02	·87	22
23	·02		·05			·03		·07					23
24	·06		·01	·04		·01		·15			·08		24
25		·01		·22					·02	·03			25
26			·12				·01	·17		·98		·36	26
27	·01		·35							·15			27
28	·16		·14	·16			·01		·03	·20	·02		28
29	·16		·02	·41	·06			·27	·01	·05	·01		29
30	·77			·26				·36	·02	·12			30
31			·17					1·27		·06			31
Total	5·76	1·51	3·19	3·95	1·53	·79	2·29	2·97	2·85	5·52	5·30	2·13	YEAR'S TOTAL 37·79
Rain Days.	22	11	21	17	10	10	15	9	12	22	23	17	189

W.7,000, XI. 13

* Melted Snow.

REGISTER OF RAINFALL IN 1914

ex. Rig

FORM A. BRITISH RAINFALL.
4 JAN 1915

Kept at Little Dene Lewes
in the County of Sussex 4
by Miss B. Brand

Lat. Long.
Time of Observation Between 8 + 10 AM
Nearest Railway Station Glynde
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·02			·25	·03			·20	·11	1
2	·01	·01		·01		·05	·14	·01			·05	·27	2
3			·14	·01	·31		·01	·02		·01	·02	·03	3
4			·01	·41				·12			·39	·45	4
5	·17	·01	·18	·52	·03	·02	·18	·01			·01		5
6		·08		·14	·05	·07		·05			·02	·72	6
7	·06	·42	·22	·11	·08	·36	·21				·02	·27	7
8	·12	·37	·51	·07	·03	·10		·04		·01		·32	8
9	·14		·62	·06		·12		·01	·13			1·46	9
10	·07	·08	·03	·13	·23			·01	·04			·02	10
11		·43	·56	·09	·03				·28		·06	·64	11
12	·01	·10	·11	·01		·04	·38		·46	·03		·93	12
13		·64	·45			·13			·23		·10	·61	13
14		·22	·21			·12		·01	·04	·44	·35	·54	14
15		·02	·41					·20	·09	·02	·77		15
16	·03	·23					·15		·14				16
17		·62	·12				·07		·19			·36	17
18		·10	·33				·01				·03	·60	18
19		·26	1·31				·22			·01	·36	·35	19
20		·13	·17			·08	·03					·36	20
21		·87	·06				·01			·07		·06	21
22		·10	·03		·06	·15	·20	·02		·42		·01	22
23			·51	·02		·65	·06	·01		·01	·01	·01	23
24			·04	·01						·02	·20		24
25	·18	·02	·17					·09		·42	·06		25
26	·02	·01	·05					·26		·14	·21	·78	26
27		·01	·02							·01	·44	·56	27
28	·04	·05			·02		·22			·50	·61	·39	28
29	·22		·03		·01					·74	·22	·03	29
30	·05		·13							·09	1·47	·34	30
31	·06		·01		·23		·01					·08	31
Total	1·20	4·78	6·43	1·61	1·08	1·89	2·15	·89	1·60	2·94	5·60	10·30	YEAR'S TOTAL 40·47
Rain Days.	15	22	26	14	11	12	16	15	9	16	21	26	203

W. 8,000. X. 14.

583

FORM A.
BRITISH RAINFALL.

8 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Little Dene. Beddingham. Lewes.

in the County of Sussex. 4

by Miss B. Brand.

Lat. .... Long. ....

Time of Observation between 8 + 10 a.m.

Nearest Railway Station Glynde L.B.S.C.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground .... ft. 11 in.

" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·51	·38	·06					·11	·46	·02	·11	·18	1
2	·48	·23	·40	·35	·01				·01	·02		·17	2
3	·33		·11	·16	·17				·06	·01	·03	·68	3
4	·04		·01	·01				·02		·02		·25	4
5	·11	·49		·06				·09	·01		·02	·52	5
6	·97	·28	·05	·50			·29	·01			·01	·07	6
7	·34	·48	·03	·02		·02	·12					·43	7
8	·06	·39					·52				·04	·05	8
9	·03	·27		·30		·28		·04	·01		·75	1·09	9
10	·47	·02							·01		·02	·68	10
11		·03							·01	·02	1·09	·04	11
12	·09	·23		·22	·25				·07		·95		12
13	·01	1·18			1·98				·07	·01	·02		13
14	·10	·02					·60	·03				·72	14
15	·22	·02			·09			·41			·17	·50	15
16		·88		·03	·13		1·69	·17				·08	16
17		·47			1·50							·11	17
18		·25			·20				·02		·01		18
19	·01	·05								·04			19
20	·33			·03	·38					·07		·15	20
21	·10									·30		·04	21
22	·03	·08	·13	·04			1·39			·01		·28	22
23	·02	·05	·15					·01	·07	·21		1·30	23
24			·01				·05		·29	·95		·78	24
25			·07	·01			·40			·02		·38	25
26		·08					·06	·01				·95	26
27		·04				·34	·03			·75		·04	27
28		·07				·15			·95	·27	·04	·01	28
29					·20	·02		·24	·01	·09	·68	·03	29
30	·25	×			–				·01	·31	·17	·03	30
31	·03	×		×		×		·88	×	·91	×	·28	31
Total	4·53	5·99	1·02	1·73	4·91	·81	5·15	2·02	2·06	4·03	4·11	9·84	YEAR'S TOTAL 46·20
Rain Days.	21	22	10	12	10	5	10	12	15	18	15	27	177

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

6 JAN 17

REGISTER OF RAINFALL IN 1916

Kept at Little Dene. Nr Lewes

in the County of Sussex

by Miss B. Brand.

Lat. .... Long. ....

Time of Observation Between 8 + 10. A.M.

Nearest Railway Station Glynde. L.B.&S.C.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ... ft. 11 in.

" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·05						·05	·02		·02	1
2	·55	·04	·24							·96	·10		2
3	·02	·02	·15		·50	·55			·30	·10	·52		3
4	·20	·30	·01							·09	·45		4
5	·04	·06									·44	·01	5
6	·01	·03		·18	·60	·04	·43		·05	·30	·46		6
7	·03	·07	·75*		·25	·02					·25	·03	7
8		·02		·01						·15	·04	·68	8
9		·55								·05		·12	9
10		·01				·32	·10					·40	10
11	·04	·05	·05		·13	·23		·07				·30	11
12		·05	·40	·05	·05	·19	·10					·02	12
13		·27	·05	·01			·08			·03		·05	13
14		·75	·18					·05			·04	·20	14
15	·07	·25	·06				·09					·02	15
16		·01	·25	·28			·10	·15		·96		·02	16
17	·02	·17		·04									17
18	·48	·06						·10	·62		·87	·24*	18
19	·30		·13	·30					·03		·90	·09	19
20	·02		·12	·05	·01	·03	·25				·33	·58	20
21	·07		·28			·12	·23		·01		·02	·59	21
22		·05	·03						·05	·15	·03	·58	22
23			·06				·03	·06		·66	·13		23
24	·06	·35*	·02*							·32	·12		24
25		·10*	·10					·60		·14	·09	·02	25
26	·04	·50*				·03		·12		·20	·02	·10	26
27		·60*	·70			·10		·10	·20	·60	·02	·03	27
28		1·09	·05			·03		·35	·45	1·01		·46	28
29		·25				·50		·12		·70		·62	29
30		X			·04			·10		·15	·01		30
31		X	·01	X		X			X	·37	X	·01	31
Total	1·99	5·65	3·69	·92	1·58	2·16	1·41	1·82	1·76	6·96	4·84	5·19	YEAR'S TOTAL 37·97
Rain Days.	16.	24.	21.	8.	7.	12.	9.	11.	9.	19.	19.	23.	178.

W. 8,000, VIII. 16

* Snow.

✓ 544

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Little Dene - Lewes
in the County of Sussex
by Miss B. Brand

Lat. Long.
Time of Observation between 8+10 A.M.
Nearest Railway Station Glynde. L.B.S.C.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·33				1·52	·02		·07	·02	1
2				·13*				·47		·01	·26		2
3	·01			·15*			·48	·20	·01	·23	·02		3
4		·15*	·29*	·01				·35	·01	·24			4
5	·43		·01	·21		·03		·02	·14	·24	·05		5
6	·01		·25	·02		·68			·14	·	·19	·08	6
7	·48		·01*	·01			·18			·54		·08	7
8	·06			·08		·02	·12	·04	·01	·50	·45	·34	8
9			·13*	·01*			·01			·02	·03	·55	9
10	·43		·11	·11*		·58		·19				·02	10
11	·06*	·03*	·19	·17*				·02		·52			11
12	·03		·01	·11	·01			·11		·67		·01	12
13	·03		·24		·02			·06	·07	·16			13
14				·21		·01		·05		·04			14
15	·01				·01			·01		·20		·07	15
16	·04	·17		·11	·36					·42		1·44* rain turning to snow.	16
17		·02		·07			·45		·21	·15			17
18	·01	·03		·11	·12		·31	·16	·45		·04		18
19		·33	·07		·01	·22			·21				19
20		·02	·04		·47			·01			·01		20
21					·01	·02	·10					·05	21
22	·06	·34	·10*			·35		·18		·42			22
23		·05			·38			·17		·16		·07	23
24					·01	·03	·30	·04		·35	·05	·03	24
25		·15	·05							·01			25
26			·04					·65	·07		·99		26
27					·18	·04		1·17					27
28			·08			1·16	·11	·41		·01			28
29			·17		·03		·32	·23		·65	·01	·11	29
30		×	·33			·02	·55	·49		·02	·02	·05	30
31		×		×		×	·52	·17	×	·07	×	·08*	31
Total	1·66	1·29	2·13	1·84	1·61	3·16	3·45	6·72	1·34	5·63	2·19	3·00	YEAR'S TOTAL 34·02
Rain Days.	13	10	18	16	12	12	12	23	11	22	13	15	177

W. 8,000, IX. 17.

* snow.

[illegible] 69

FORM A.
BRITISH RAINFALL.
7. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Little Dene - Lewes
in the County of Sussex
by Miss B. Brand

Lat. Long.
Time of Observation
Nearest Railway Station Glynde
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 93 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·03									·12	·11	1
2			*·01		·01			·34			·99		2
3	·01	·04	·08	·06	·76			·02		·01	·13	·31	3
4		·06	·01	·04	·06			·08			·62	·05	4
5		·08	·02	·01	·03			·69		·05	·01	·06	5
6	·23	·26		·22	·40			·18			·11	·08	6
7	*·01	·09		·07	·17	·01			·20	·07	·22		7
8			°·01					·05	·73		·02	·23	8
9	·02	·01	°·01	·06		·15			·66	·34	·02	·41	9
10	·01		°·01	·08		·03	·20		·49	·13		·22	10
11							·02		·09	·85	·08	·13	11
12		·01					·07		·08				12
13	*·26	·13	·02		·39		·45		·27		·01	·05	13
14	·21		·07			·18	·12			·41	·02	·13	14
15	2·10		·01	·10					·73		·01	·28	15
16	·53	·01		·09			·15		·05	·02	·01		16
17	·30			·17		·11	1·55	·06		·01		·38	17
18	·29	·01				·42			·52	·18		·09	18
19	·09		·17	*·06		·04	·01		·29	·05	·02		19
20		·28	°·01	2·35		·04	·73	·01	·40	·30	°·02		20
21	·22		°·01	·97					·20	·10	·02	·09	21
22	·16	·01	°·01		·40		1·24		1·04	·01	·02	·20	22
23	·16			·03			·03	·06	·02				23
24		·21				·02	·04		·30	·01	·10	·05	24
25	°·01						·11	·52		·02			25
26	°·01	·01		·10					·14	·01	·18	·30	26
27	°·02	·05	·02	·06			·18	·21	1·03	·02	·14	·10	27
28	°·02	·02	·38	·01	·23						·20	·07	28
29	°·03								1·70	·01	·03	·05	29
30	°·03	×	·71						·02	·30		·06	30
31	°·02	×		×		×			×	·09	×		31
Total	4·75	1·31	1·56	4·48	2·45	1·00	4·90	2·22	8·96	2·99	3·10	3·45	YEAR'S TOTAL 41·17
Rain Days.	23	17	17	17	9	9	14	11	20	21	23	22	203

W, 6,500, VII. 18. w w c

W [illegible] [illegible]

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Little Dene
in the County of Sussex
by Fred Down.

Lat. 50·52 Long. 0·1·E
Time of Observation 9 A.M.
Nearest Railway Station Glynde
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 58-37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·03	·10		·05			·50	·75		1
2			·38					·30	·07	·10			2
3				·03				·50	·				3
4		·16		·05			·70	·15	·05				4
5			·03				·25						5
6			·20										6
7	·20			·18	·10		·05						7
8							·50					(·50)	8
9	·30	·04											9
10	140	·16	·12	·18									10
11	·25			·05			·45				·18		11
12	·15	·05		·50		·75							12
13	·28	·05	·47						(·03)				13
14			·59	·50		·10			~~153~~				14
15	·15						·51		120	·50	·75		15
16			·16						·36				16
17	·10			·10				100	115			·30	17
18	·10												18
19	·02			·16		·70			·05				19
20	·08	·16		·11		·15			·20			·36	20
21					·10		·75		·27			·60	21
22													22
23	·02			(1·00)			·55						23
24	·03		·11									·90	24
25							·37				·63	·54	25
26	·12		·20	·10									26
27	·43											·35	27
28	·30		·20	·19							·65	·10	28
29	·63		·05		·33						·60	·17	29
30	·04	╳		·10		·20			·30			·48	30
31		╳		╳		╳			╳	·05	╳	·41	31
TOTAL	4=60	·62	2=51	~~2=28~~ (3·28)	·63	1=90	4=18	1=95	~~5=18~~ (3·68)	·75 ~~1=15~~ 1·90	3=56 2·81	~~4=11~~ (4·71)	YEAR'S TOTAL (32=77)
Days with ·01 in. or more	18.	6.	11.	14.	4.	5	10	4.	10	4	6	10	~~102~~
Days with ·04 in. or more	15.	6.	10.	12.	4.	5	10	4.	10	4	6	10	~~96~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGI

LIND~~FIEL~~D
BOYS SCH
SUSSEX
1915 - 1916

FORM A.
BRITISH RAINFALL.
12 JAN 1916

° 4′ 40″ W.

Kept at Lindfield B .m.

in the County of Suss Haywards Heath

Gauge 5 in.

by The Scholars und Ground 1 ft. – in.

Su Sea Level 112·7 ft.

IMPORTANT NOTE the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·275	·15				·14	·03	·21		·18	·31	1
2	·68	·14	·31	·16				·15		·13		·24	2
3	·37		·045	·21	·08			·06	·05			·60	3
4	·31			·01				·37		·02		·59	4
5	·07	·65						·16		·01	·02	·51	5
6	·05	·23	·07	·69			·52	·03				·14	6
7	·65	·40	·08	·02		·03	·05				·01	·37	7
8	·195	·69		·01			·08	·01			·09	·01	8
9	·03	·15		·36		·22		·04			·51	·84	9
10	·015		·005									·52	10
11	·27	·01	·01								·66	·05	11
12	·005	·19		·20	·37			·01			·63		12
13	·05	·84			1·95				·04			·01	13
14		·05					·155	·02	·08			·53	14
15	·03	·03			·06		·32	·19			·12	·29	15
16	·20	·71			·075		1·18	·08			·08	·12	16
17		·42			1·26			·20			·01		17
18		·16			·145						·04	·02	18
19		·05			·01					·01			19
20				·04	·06							·18	20
21	·31						·04			·18	·01	·02	21
22	·18	·01	·05	·025			1·04			·02		·15	22
23	·27	·10	·07				·06		·02	·41		·62	23
24	·01		·04	·03			·41		·33	·52		·60	24
25				·015		·02 ~~·25~~	·17			·02		·35	25
26	·10	·09				·03	·02					·69	26
27		·05					·24			·58		·43	27
28	·19	·09				·15	·06		1·44	·23	·01	·03	28
29						·15	·65	·24			·45	·03	29
30		✕				·09	·01			·27	·37	·06	30
31		✕		✕		✕		·30	✕	·88	✕	·29	31
Total	4·015	5·335	·83	1·77	4·01	·69	5·145	1·89	2·17	3·28	3·19	8·60	YEAR'S TOTAL 40·925
Rain Days.	21	21	10	12	9	7	17	15	7	13	15	28	175

W. 8,000. X. 15.

REGI

FORM A.
BRITISH RAINFALL.
12 JAN 1916

Kept at Lindfield Boys' School

in the County of Sussex

by The Scholars under Head master's Supervision

Long. 0° 4′ 40″ w.

Time of Observation 9 a.m.

Nearest Railway Station Haywards Heath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 112·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·275	·15				·14	·03	·21		·18	·31	1
2	·68	·14	·31	·16				·15		·13		·24	2
3	·37		·045	·21	·08			·06	·05			·60	3
4	·31			·01				·37		·02		·59	4
5	·07	·65						·16		·01	·02	·51	5
6	·05	·23	·07	·69			·52	·03				·14	6
7	·65	·40	·08	·02		·03	·05				·01	·37	7
8	·195	·69		·01			·08	·01			·09	·01	8
9	·03	·15		·36		·22		·04			·51	·84	9
10	·015		·005									·52	10
11	·27	·01	·01								·66	·05	11
12	·005	·19		·20	·37			·01			·63		12
13	·05	·84			1·95				·04			·01	13
14		·05					·155	·02	·08			·53	14
15	·03	·03			·06		·32	·19			·12	·29	15
16	·20	·71			·075		1·18	·08			·08	·12	16
17		·42			1·26			·20			·01		17
18		·16			·145						·04	·02	18
19		·05			·01					·01			19
20				·04	·06							·18	20
21	·31						·04			·18	·01	·02	21
22	·18	·01	·05	·025			1·04			·02		·15	22
23	·27	·10	·07				·06		·02	·41		·62	23
24	·01		·04	·03			·41		·33	·52		·60	24
25				·015		(·02) ~~·25~~	·17			·02		·35	25
26	·10	·09				·03	·02					·69	26
27		·05					·24			·58		·43	27
28	·19	·09				·15	·06		1·44	·23	·01	·03	28
29						·15	·65	·24			·45	·03	29
30		X				·09	·01			·27	·37	·06	30
31		X		X		X		·30	X	·88	X	·29	31
Total	4·015	5·335	·83	1·77	4·01	·69	5·145	1·89	2·17	3·28	3·19	8·60	YEAR'S TOTAL 40·9255
Rain Days.	21	21	10	12	9	7	17	15	7	13	15	28	175

W. 8,000. X. 15.

592

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Lindfield Boys' Schools
in the County of Sussex
by The Scholars (under Supervision)

Lat. 51°0'34" N Long. 0°4'40" W
Time of Observation 9 a. m
Nearest Railway Station Haywards Hth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 112·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·02	·04	nil	·10	·04	nil	nil	·28	·01	·40	nil	1
2	·40	·10	·31	"	·42	nil	·03	"	nil	·78	·08	"	2
3	·02	·64	·29	"	nil	·02	nil	"	·12	·53	·72	"	3
4	·25	·11	·01	"	"	·52	·05	"	·23	·02	·42	"	4
5	·05	·03	nil	"	·35	·24	nil	"	nil	·09	·84	"	5
6	·02	·10	·08	·18	·15	·45	·30	"	"	·07	·67	"	6
7	·01	·01	·60	nil	·17	·13	nil	"	"	·04	·74	·03	7
8	nil	nil	·01	"	·34	nil	"	"	"	nil	·02	·64	8
9	·01	·01	·03	"	·24	·02	·02	"	"	·01	·01	·14	9
10	nil	·43	·05	·07	·01	·13	nil	"	"	·01	nil	·28	10
11	·05	·18	·01	·24	nil	·09	·07	"	"	nil	"	·08	11
12	·06	·08	·23	·08	·13	·14	nil	"	"	·17	·01	·01	12
13	nil	·23	·28	·07	·15	·01	·12	·04	·01	·06	·01	nil	13
14	"	·42	·06	nil	·14	nil	nil	·07	nil	nil	nil	·10	14
15	"	·10	·11	·06	nil	"	"	·05	"	·04	"	·02	15
16	·02	·02	·22	·21	"	"	·16	·03	"	nil	"	nil	16
17	·26	·18	nil	·25	"	"	nil	·17	·51	1·14	"	"	17
18	·01	·09	"	nil	"	"	·03	·45	·23	·20	·80	·03	18
19	·26	nil	·13	·37	"	·05	nil	·04	·09	nil	·58	·18	19
20	·10	"	·03	·05	"	nil	"	nil	nil	"	·19	·59	20
21	·03	"	·26	nil	"	"	·08	"	"	"	·02	·42	21
22	·01	·01	·02	"	"	"	nil	"	"	·01	·02	·66	22
23	·02	·19	·04	"	"	·07	·01	"	"	·07	·04	·03	23
24	·01	nil	·01	"	·18	·02	nil	·01	"	·29	·08	·38	24
25	·01	·63	·18	"	nil	nil	"	·51	"	·16	·04	·02	25
26	·04	·30	nil	"	"	·11	"	·02	·12	·31	nil	·02	26
27	·03	·11	·77	"	"	·11	"	·06	·12	·41	·01	nil	27
28	nil	·52	·16	"	"	·26	"	·13	·18	·22	nil	·22	28
29	"	·21	·01	"	"	·27	"	·62	·05	·50	"	·39	29
30	"	X	nil	"	·28	nil	"	·05	nil	·24	"	nil	30
31	"	X	"	X	nil	X	"	·04	X	·04	X	"	31
Total	1·78	4·72	3·94	1·58	2·67	2·68	·87	2·29	1·94	5·42	5·70	4·24	YEAR'S TOTAL 37·83
Rain Days.	22	24	25	10	13	18	10	15	11	24	20	19	211

W. 8,000, VIII. 16

56

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
16. JAN 1918

Kept at Lindfield Boys' School

in the County of Sussex

by Scholars under Supervision
Head master Hy Woolcock.

Lat. 51° 0' 34" N Long. 0° 4' 40" W

Time of Observation 9 a.m.

Nearest Railway Station Haywards H'th

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 112·7. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·01	·21	—	—	—	1·23	·02	·01	·07	·02	1
2	—	—	—	·22	—	—	—	·06	—	·02	·08	—	2
3	—	—	—	·09	—	—	·68	·33	—	·16	·07	—	3
4	—	·14	·22	—	—	—	·30	·18	—	·36	·01	·01	4
5	·39	—	·04	·22	—	·01	—	·01	—	·31	·06	—	5
6	—	—	·25	·02	—	·46	—	—	·66	·03	·26	·01	6
7	·28	—	—	—	—	—	·07	—	·28	·50	·01	·07	7
8	·11	—	—	·12	—	—	·22	·42	—	·28	·36	·26	8
9	·02	—	·08	·06	·01	—	·15	·02	—	·01	·03	·55	9
10	·20	—	·18	·12	—	—	—	·13	—	—	·01	·03	10
11	·21	·03	·12	·48	—	·11	—	·11	—	·48	·01	·01	11
12	—	—	·03	·08	·01	—	—	·18	·01	·28	·02	·01	12
13	·08	—	·13	—	·09	—	—	·01	—	·21	·01	—	13
14	—	—	·02	·21	—	—	—	·09	·03	·01	—	—	14
15	·02	—	—	·03	·07	—	·03	·05	·02	·28	·01	·12	15
16	·04	·18	—	·18	·10	—	—	—	—	·48	·01	1·25	16
17	·03	·03	—	·13	·10	—	·25	·02	—	·11	—	—	17
18	·02	·03	—	·07	·06	·04	·21	·11	·32	·01	—	·01	18
19	·03	·21	·10	—	·04	·10	—	·13	·21	·02	—	·02	19
20	·02	·19	·05	—	·61	—	·01	·02	·18	·01	·25	·02	20
21	·01	·01	·05	·01	·02	—	·04	—	·01	·01	·04	·01	21
22	·01	—	·03	—	—	·14	—	·14	·01	·19	·01	·01	22
23	—	·22	—	—	·21	—	—	·17	·01	—	—	·08	23
24	—	·08	—	—	—	·16	·05	·01	·01	·23	1·60	·05	24
25	T.	·08	·06	—	—	·05	—	—	·01	·20	—	·02	25
26	—	—	·03	—	—	·02	—	1·23	·07	·30	·86	·02	26
27	—	—	·01	—	·12	·01	—	·45	·02	·10	·01	·03	27
28	—	·01	·04	—	—	·53	—	·03	·01	·01	·01	·08	28
29	—		·02	—	·07	—	·19	·33	·03	·75	·02	·13	29
30	—		·52	—	—	·03	·56	—	·01	·06	—	·04	30
31	·06		·07		—		·31	·06		·03		·14	31
Total	1·54	1·21	2·06	2·25	1·51	1·66	3·07	5·52	1·92	5·45	3·82	3·00	YEAR'S TOTAL 33·01
Rain Days.	17	12	21	16	13	12	14	25	19	29	23	25	226

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

REGI

LINDFIELD
MALLING PRIORY
SUSSES
1914 - 16

Kept at Malling Prior ... 0.5 W

... 7.30 a.m

in the County of Sus ... Haywards' Heath

... 5 in.

by Deane Parker Pe ... Ground 1 ft. in.

wedged in a large flower pot to prevent its being

Sea Level (about) 160 ft.

IMPORTANT NOTE ... the result entered to the previous day. If an Obse... ...ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·05		·03	·	·	·03	·12	·	·	·05	·05	1
2	·	·		·09	·	·04	·21	·	·	·	·25	·16	2
3	·07	·		·11	·3	·	·03	·	·	·	·	·08	3
4	·	·		·33	·12	·	·	·04	·	·	·35	·36	4
5	(·15)	·		·49	·09	·03	·25	·16	·	·	·03	·	5
6	·15	·		·32	·04	·11	·13	·07	·	·	·	·49	6
7	·27	·14		~~·04~~	·02	·06	·14	·	·	·	·	·32	7
8	·	·		·04	·01	·07	·09	·13	·	·	·	·1	8
9	·	1·25		·19		·01		·01	·18	·	·	1·4	9
10	·	·09		·15	·13	·		·	·	·	·	·01	10
11	·	~~·54~~		·05	·02	·		·	·31	·	·	·53	11
12	·	·54	5·29	·	·	·	·46	·	·57	·	·04	·69	12
13	·	·1		·	·	·02		·	·17	·07	·15	·77	13
14	·	·59		·	·	·		·	·01	·36	·	·53	14
15	·	·23		·	·	·		(·07)	·	·	1·14	·05	15
16	·07	·1		·	·	·		·	·08	·	·	·	16
17	·	·08		·	·	·		·	·22	·	·	·2	17
18	·	·44		·	·	·		·	·	·	·	·6	18
19	·	·		·	·	·		·	·	·03	·25	·08	19
20	·	·23		·	·	·09	·34	·08	·01	·	·	·32	20
21	·	·76		·	·	·		·08	·	·08	·	·05	21
22	·	·05		·	·22 Thunderstorm	·04		·01	·	·3	·	·	22
23	·	·		·	·09	·22		·	·	·02	·	·04	23
24	·	·		·	·	·		·	·		·31	·	24
25	·	·	·33	·	·	·		·	·	·57	·03	·	25
26	·1	·	·08	·	·	·		·33	·		·19	·64	26
27		·	·	·	·	·		·02	·	·	·09	·55	27
28	·	·	·	·	·02	·	·36	·	·	·29	·32	·6	28
29	·		·04	·	·01	·	·	·	·	·75	·12	·	29
30	·	✕	·15	·	·	·	·	·	·	·09	1·3	·33	30
31	·26	✕	·	✕	·14	✕	·	·	✕	·	✕	·05	31
Total	1·01 ✓	4·65	5·89 5·89	1·88	1·21	·69	2·04	1·12 ✓	1·55	2·50	4·62	9·04 9·04	YEAR'S TOTAL 36·14 36·12
Rain Days.	6	14	?	10	13	10	?	11	8	10?	15	25	

W. 8,000. X. 14.

N.B. Where brackets occur - I was away and on my return measured what was in the Receiver - I find by experiment that on the hottest day the amount of evaporation is ·01 at most.

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

REGI

Kept at Malling Priory - Lindfield

in the County of Sussex

by Deane Parker Pennethorne

H. M.

Long. 0.5 W

Time of Observation 7.30 a.m.

Nearest Railway Station Haywards Heath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

i.e. The gauge is a foot high - and is wedged in a large flower pot to prevent it being blown over by the wind.

" " " Sea Level (about) 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·05		·03	·	·	·03	·12	·	·	·05	·05	1
2	·	·		·09	·	·04	·21	·	·	·	·25	·16	2
3	·07	·		·11	·3	·	·03	·	·	·	·	·08	3
4	·	·		·33	·12	·	·	·04	·	·	·35	·36	4
5	(·15)	·		·49	·09	·03	·25	·16	·	·	·03	·	5
6	·15	·		·32	·04	·11	·13	·07	·	·	·	·49	6
7	·27	·14		~~[illegible]~~	·02	·06	·14	·	·	·	·	·32	7
8	·	·		·04	·01	·07	·09	·13	·	·	·	·1	8
9	·	1·25		·19		·01		·01	·18	·	·	1·4	9
10	·	·09		·15	·13	·		·	·	·	·	·01	10
11	·	~~·54~~		·05	·02	·		·	·31	·	·	·53	11
12	·	·54	5·29	·	·	·	·46	·	·57	·	·04	·69	12
13	·	·1		·	·	·02		·	·17	·07	·15	·77	13
14	·	·59		·	·	·		·	·01	·36	·	·53	14
15	·	·23		·	·	·		(·07)	·	·	1·14	·05	15
16	·07	·1		·	·	·		·	·08	·		·	16
17	·	·08		·	·	·		·	·22	·	·	·2	17
18	·	·44		·	·	·		·	·	·	·	·6	18
19	·	·		·	·	·		·	·	·03	·25	·08	19
20	·	·23		·		·09	·34	·08	·01	·	·	·32	20
21	·	·76		·	·	·		·08	·	·08	·	·05	21
22	·	·05		·	·22 Thunderstorm	·04		·01	·	·3	·	·	22
23	·	·		·	·09	·22		·	·	·02	·	·04	23
24	·	·		·	·	·		·	·		·31	·	24
25	·	·	·33	·	·	·		·	·	·57	·03	·	25
26	·1	·	·08	·	·	·		·33	·		·19	·64	26
27		·	·	·	·	·		·02	·	·	·09	·55	27
28	·	·	·	·	·02	·	·36	·	·	·29	·32	·6	28
29	·		·04	·	·01	·	·	·	·	·75	·12	·	29
30	·	X	·15	·	·	·	·	·	·	·09	1·3	·33	30
31	·26	X	·	X	·14	X	·	·	X	·	X	·05	31
Total	1·01 ✓	4·65	5·89 5·89	1·88	1·21	·69	2·04	1·12 ✓	1·55	2·50	4·62	9·04 9·04	YEAR'S TOTAL 36·14 36·12
Rain Days.	6	14	?	10	13	10	?	11	8	10?	15	25	

N.B. Where brackets occur - I was away and on my return measured what was in the Receiver - I find by experiment that on the hottest day the amount of evaporation is ·01 at most.

W. 8,000. X. 14.

v5/2/16

candly Obr. 3.11.16

603

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 JAN 1916

Kept at Malling Priory - Lindfield

in the County of Sussex

4

by D. P. Pennethorne Esqre

Lat. 51.1 N Long. ·5 W

Time of Observation 9 a.m

Nearest Railway Station Haywards' Heath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level about 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·75	·31	·25				·16	·04	·23	·05	·25	·34	1
2	·4	·17	·33	·17	·02			·16		·06	·07	·25	2
3	·37		·06	·23	·09			·04 ·06	·05			·63	3
4	·05			·07				·17		·02		·61	4
5	·08	·7	·07	·07				·02		·01	·02	·34	5
6	·74	·25	·09	·75			·53	·01				·14	6
7	·23	·42	·1	·02		·04	·02	·07				·37	7
8	·05	·79		·03			·14	·05			·09	·01	8
9	–	·7				·23					·57	·89	9
10	·34	×	·07									·54	10
11	–		·07								·67	·04	11
12	·06	·21		·65				·02			·74		12
13	–				·4				·04				13
14	–				2.12		·17	·07	·1			·5	14
15	·33						·26	·17				·35	15
16	–	1.1			·17			·09				·13	16
17	–	·6			1.3			·34				·01	17
18	–	·2			·14							·03	18
19	–				·01								19
20	·34			·05	·06							·2	20
21	·09						·05			·18		·03	21
melted snow 22	·33		·06	·03			1.13		~~·03~~	·02		·17	22
23	·07	·14	·18				·07		·03	·39		·65	23
24	–	×	·06				·34		·33	·58		·65	24
25	–			·06		·04	·18			·02		·39	25
26	–	·07				·04	·24					·74	26
27	–	·1					·02			·6		·06	27
28	–					·01	·06		1.03	·24	·25		28
29	–					·02	·63	·24			·57	·02	29
30	·21	☒				·22				·2	·4	·06	30
31	·05	☒		☒		☒		·28	☒	1.0	☒	·31	31
Total	4.49	~~4.73~~ 5.23	1.86	2.01	4.31	·6	~~3.7~~ 4.00	1.77 ✓	1.81	3.37	3.57	8.66	YEAR'S TOTAL ~~40~~ ·92
Rain Days.	17	14 ✓	11	11	9	7	15	1~~5~~6	7	13	10	27	15~~4~~7

W. 8,000. X. 14.

× From 10th Feb. to 24th. not taken by myself. I do not trust it, to be exactly accurate in detail – though the total is correct.

593

REGISTER OF RAINFALL IN 19[illegible]

FORM A.
BRITISH RAINFALL
3 JAN 191

Kept at Malling Priory - Lindfield
in the County of Sussex
by D. E. Pennethorne

Lat. 51.1 N. Long. 0.5 W
Time of Observation 9 a.m. no correction made from Daylight-Saving time [illegible]
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge ·5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·02	·03	–	·14	·04	–	–	·34	–	·37	–	1
2	·42	·11	·31	–	·35	–	·04	–	–	·76	·07	–	2
3	·02	·72	·28	–	–	–	·04	–	·10	·54	·74	–	3
4	·26	·12	–	–	–	·60	–	–	·24	–	·39	–	4
5	–	·03	–	–	·30	·15	–	–	–	·08	·82	–	5
6	·02	·10	·09 melted Snow	·18	·03	·40	·31	–	–	·05	·69	·03	6
7	–	·45	·58	–	·32	·11	–	–	–	·08	·74	–	7
8	·01	–	·08	–	·36	–	–	–	–	–	·01	·68	8
9	·01	–	–	–	·27	·02	–	–	–	–	–	·09	9
10	–	–	·06	·17	–	–	·08	–	–	–	–	·32	10
11	·05	·18	·01	·20	–	·21	–	–	–	–	–	·05	11
12	·05	·10	·28	·02	·23	·13	·12	–	–	·16	–	–	12
13	–	·25	·26	·06	·05	–	–	·05	·01	·05	–	–	13
14	–	·48	·05	–	·16	–	–	·07	–	–	–	·11	14
15	–	·09	·11	–	–	–	–	·03	–	–	–	–	15
16	·03	·04	·23	·28	–	–	·09	·04	–	–	–	–	16
17	·29	·19	–	·23	–	–	–	·17	·38	1.20	–	–	17
18	–	–	–	·05	–	–	–	·47	·32	·21	·78	·03	18
19	·28	–	·12	·31	–	·05	–	·04	·11	–	·62	·20	19
20	·11	–	·03	·05	–	–	–	–	–	–	·20	·58	20
21	·04	–	·27	–	–	–	·08	–	–	–	·02 ice	·40	21
22	–	–	·02	–	–	·11	–	–	–	·01	·02	·65	22
23	·02	·10 melted Snow	·03 melted Snow	–	–	–	–	–	–	·06	·04	·03	23
24	–	·06	·01	–	–	–	–	–	–	·28	·07	·33	24
25	–	·12	–	–	·17	–	–	·56	–	·15	·04	–	25
26	·06	·18	·26	–	–	·09	–	·02	·11	·30	·01	–	26
27	·03	·53	·80	–	–	·10	–	·04	·11	·49	–	–	27
28	–	·53	·15	–	–	·27	–	·06	·15	·22	–	·22	28
29	–	·23	·01	–	–	·48	–	·78	·07	·48	–	·39	29
30	–	✗	–	–	·31	–	–	·04	·01	·20	–	–	30
31	–	✗	–	✗	–	✗	–	–	✗	–	✗	–	31
Total	1.81	4.63	4.07	1.55	2.69	2.76	·76	2.37	1.95	5.32	5.63	4.11	YEAR'S TOTAL 37.65
Rain Days.	17	21 Rain & Snow	23 Rain & Snow	10	12	14	7	13	12	18	17	15	179

W. 8,000, VIII. 16

[illegible]

REGIS

LINDFIELD
THE BUNGALOW
SUSSEX
1915-17, 1920

FORM A.
BRITISH RAINFALL.
27 APR 1916

Kept at The Bunga

30

in the County of Suss

Haywards Heath

by Lewis Wee

Gauge 5 in.

e Ground 1 ft. in.

Sea Level 176-9 ft.

IMPORTANT NOTE the result entered to the previous day. If an Obs universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.66	.27	.11		.01		.19	.04	.20	.06	.11	.30	1
2	.35	.13	.36	.15	.01			.13		.08		.25	2
3	.29	.01	.04	.20	.08	—	—	.06	.05			.59	3
4	.04		.01	.01				.10		.01		.52	4
5	.05	.62		.01				.21		.01	.02	.52	5
6	.65	.23	.05	.74			.43	.62				.20	6
7	.14	.38	.06	.03		.03	.03	.01				.34	7
8	.03	.67	$\overset{s}{.02}$				.05	.04			.07	.02	8
9	.01	.13		.30		.21		.02			.38	.77	9
10	.25											.53	10
11	.02	.02	.01								.64	.02	11
12	.04	.31		.15	.35			.01			.58	$\overset{s}{.01}$	12
13	.01	.58			1.98				.05				13
14	.02	.03					.14		.08			.57	14
15	.19	.02			.06		.34	.13			$\overset{s}{.13}$	.28	15
16	.01	.82			.09		1.12	.11				.12	16
17		.33			1.28		.01	.43				.02	17
18		.16	.01		.11						.03	.02	18
19		.03			.01								19
20	.30			.05	.06							.16	20
21	$\overset{s.2}{.15}$						.03			.19		.02	21
22	$\overset{s}{.27}$	.01	.04	.02			.01			.02		.16	22
23	.01	$\overset{s}{.07}$	.14				.04		.01	.35		.64	23
24			.05	.02			.17		.33	.54		.66	24
25				.01		.02	.17			.01		.20	25
26		.08				.03	.24					.71	26
27		.03				.02	.03			.57		.04	27
28		.07				.19	.08		1.42	.18		.01	28
29						.12	.69	.25			.49	.02	29
30	.19					.09	.02		.01	.25	.33	.05	30
31	.04							.34		.90		.31	31
Total	3.72	5.00	.84	1.69	4.04	.71	4.79	1.90	2.15	3.17	2.78	8.00	YEAR'S TOTAL 38.79
Rain Days.	22	22	12	12	11	8	18	15	8	13	10	29	180

W. 8,000. X. 15.

Snape

REGI

FORM A.
BRITISH RAINFALL.

27 APR 1916

Kept at The Bungalow Lindfield
in the County of Sussex
by Lewis Weedon

Lat. Long.
Time of Observation 9-30
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 176-9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.66	.27	.11		.01		.19	.04	.20	.06	.11	.30	1
2	.35	.13	.36	.15	.01			.13		.08		.25	2
3	.29	.01	.04	.20	.08			.06	.05			.59	3
4	.04		.01	.01				.10		.01		.52	4
5	.05	.62		.01				.21		.01	.02	.52	5
6	.65	.23	.05	.74			.43	.62				.20	6
7	.14	.38	.06	.03		.03	.03	.01				.34	7
8	.03	.67	s .02				.05	.04			.07	.02	8
9	.01	.13		.36		.21		.02			.38	.77	9
10	.25											.53	10
11	.02	.02	.01								.64	.02	11
12	.04	.31		.15	.35			.01			.58	s .01	12
13	.01	.58			1.98				.05				13
14	.02	.03					.14		.08			.57	14
15	.19	.02			.06		.34	.13			s .13	.28	15
16	.01	.82			.09		1.12	.11				.12	16
17		.33			1.28		.01	.43				.02	17
18		.16	.01		.11						.03	.02	18
19		.03			.01								19
20	.30			.05	.06							.16	20
21	s.r .15						.03			.19		.02	21
22	s .27	.01	.04	.02			1.01			.02		.16	22
23	.01	s .07	.14				.04		.01	.35		.64	23
24			.05	.02			.17		.33	.54		.66	24
25				.01		.02	.17			.01		.20	25
26		.08				.03	.24					.71	26
27		.03				.02	.03			.57		.04	27
28		.07				.19	.08		1.42	.18		.01	28
29						.12	.69	.25			.49	.02	29
30	.19	X				.09	.02		.01	.25	.33	.05	30
31	.04	X		X		X		.34	X	.90	X	.31	31
Total	3.72	5.00	.84	1.69	4.04	.71	4.79	1.90	2.15	3.19	2.78	8.00	YEAR'S TOTAL 38.79
Rain Days.	22	22	12	12	11	8	18	15	8	13	10	29	180

W. 8,000. X. 15.

591

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 JAN 1917

Kept at The Bungalow Lindfield

in the County of Sussex

by L. Weedon

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 176-9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	.03	.02		.13	.03			.26		.35		1
2	.29	.08	.24		.36	.01	.03		.01	.63	.08		2
3	.02	.66	S.2 .12			.02	.04		.11	.53	.67		3
4	.19	.09				.54			.24	.03	.38		4
5	.04	.03			.29	.10			.01	.08	.77		5
6	.01	.10	S .05	.19	.05	.50	.31			.05	.69		6
7	.01	.02	S.2 .44		.27	.18				.07	.50	.03	7
8			S .01		.29						.02	.65	8
9	.01				.26	.02	.03			.01		.12	9
10		.50	S.2 .03	.07	.01	.12	.09				.01	.27	10
11	.04	.12	.01	.25	.01	.09						.05	11
12	.04	.07	.34	.03	.15	.13	.13			.16	.01	.01	12
13		.19	.20	.07	.04	.01		.03		.03	.01		13
14		.37	.06		.12			.04		.03		.04	14
15		.08	.10	.03				.05				.01	15
16	.02	.01	.23	.21			.09	.04					16
17	.25	.18	.01	.22			.01	.10	.38	1.08			17
18	.01	.07		.03				.39	.29	.19	.63	S.2 .05	18
19	.22	.01	.13	.31		.03		.05	.03		S.2 .66	.15	19
20	.08		.03	.06				.01			.19	.61	20
21	.03		.20	.01			.07				.04	.34	21
22			.02							.02	.01	.55	22
23	.02	S .10	S.2 .03			.07	.01			.07	.07	.01	23
24					.19	.04		.01		.26	.06	.30	24
25		S .44	.20					.42		.16	.03	.01	25
26	.03	S.2 .23	S.2 .01			.14		.02	.13	.27			26
27	.03	S .07	S.2 .76			.07		.09	.09	.40			27
28		S.2 .45	S.2 .08			.27		.20	.13	.22		.19	28
29		.23	.01		.31	.28		.48	.06	.44		.32	29
30		X						.02	.01	.22		.01	30
31		X		X		X		.01	X	.03	X	.01	31
Total	1.42	4.13	3.33	1.48	2.48	2.65	.81	1.96	1.75	4.98	5.18	3.73	YEAR'S TOTAL 33.90
Rain Days.	19	23	24	12	14	19	10	16	13	22	19	20	211

W. 8,000, VIII. 16

559

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at The Bungalow Lindfield
in the County of Sussex
by M. Weedon

Lat. Long.
Time of Observation 9-30
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 176-9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01	S.1 .15				1.18	.06		.06		1
2				S.2 .18				.05		.01	.09		2
3	.01			S.2 .10			.62	.24		.14	.03		3
4		S .08	S .09	.01			.03	.20		.35			4
5	.37		.03	.12		.01		.01	.89	.32	.06		5
6			.24	.01		.37			.25		.33		6
7	.25						.07			.55		.09	7
8	.09			.08			.22	.33		.26	.29	.25	8
9	.01		S .05	S .03	.01		.16	.03		.02	.03	.67	9
10	.21		.16	S.2 .09		.04		.16			.01		10
11	.15		.11	S.2 .42				.06		.40			11
12	.03		.02	S .84	.01			.20		.33	.01		12
13	.02		.15		.10			.01	.03	.18	.01	.02	13
14			.01	.18				.10	.02	.01			14
15	S.2 .03			.01	.11		.02	.05		.26		.09	15
16	S.2 .03	.20		.14	.04		.02			.48	.01	S.2 1.20	16
17		.02		13	.08		.29	.02	.29	.12		.04	17
18	.01	.03		.08	.06	.01	.20	.11	.23	.01			18
19	S.2 .04	.20	.12	.01	.04	.10	.01	.07	.17				19
20		.13	.02		.37			.02	.10		.02		20
21			S .01		.02	.01	.02			.01	.03		21
22	S .02		S .02			.12		.13		.19			22
23		.19			.21			.13				.05	23
24		.06				.17	.08	.04	.01	.19	.15	.03	24
25		.09	S .02			.08	.01		.01	.02			25
26			S .01			.03		.39	.08		.90	S .02	26
27					.13			1.30			.01	S .01	27
28		.01	.04			.37	.19	.42				S .07	28
29			.01		.06			.03	.02	.81		.10	29
30		✕	.46			.01	.49	.28	.01	.06	.01	.02	30
31	S .03	✕	.08	✕		✕	.27	.03	✕	.02	✕	S .11	31
Total	1.30	1.01	1.66	1.78	1.24	1.32	2.70	5.59	2.17	4.73	2.05	2.71	YEAR'S TOTAL 28.26
Rain Days.	15	10	20	17	13	12	16	26	14	22	17	15	195

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

70

Price 2d.

Edward

492

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~19~~.20

JAN 1921

Kept at The Bungalow Lindfield

in the County of Sussex

by W. Lewis Weedon

Lat. Long.

Time of Observation 9.30 a.m.

Nearest Railway Station Haywards Heath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

" " " " Sea Level 170-9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.02		.09		.33			.36	.02	.29	1
2	.02		.13	.07	.03		.01	.26	.05	.19		.11	2
3	.02								.01	.15		.03	3
4		.09		.12			.29	.20		.16			4
5			.09	.02	.01		.55	.06	.05				5
6			.14		.25		.27						6
7	.04			.08	.04		.37						7
8				.05	.07		.57			.01			8
9	.20	.03		.03	.20	.02	.06						9
10	.50	.12	.13	.03		.16	.40						10
11	.26		.11	.15	.03	.03	.29					S .12	11
12	.04	.05		.26		.28							12
13	.28	.02	.22	.01							.13		13
14	.01	.03	.50	.46		.03			.14	.17	.40		14
15	.04	.01	.04	.22					.94	.40	.15		15
16			.02			.01			.13				16
17	.02			.02	.19				1.22			S+R .11	17
18	.03			.01	.08			.80	.48			.09	18
19	.08			.32		.01			.06			.03	19
20	.07	.09		.09		.55			.10			.03	20
21							.63		.15			.19	21
22	.02			.37			.01		.03			.35	22
23							.30	.04				.43	23
24			.10	.03							.02	.07	24
25	.02		.03		.02		.24		.01				25
26	.03		.14	.05		.03	.10				.01	.05	26
27	.48	.02		.10		.06	.02				.80	.33	27
28	.47	.02	.16	.02	.14		.16				.08	.03	28
29	.75		.09	.14							.18	.20	29
30	.03	╳				.03	.06		.29		.35	.21	30
31	.04	╳	.08	╳		╳			╳	.56	╳	.17	31
TOTAL	3.51	.48	2.00	2.65	1.15	1.21	4.86	1.36	3.66	2.00	2.14	2.84	YEAR'S TOTAL 27.60
Days with ·01 in. or more	[illegible]	10	[illegible]	22	12	11	18	5	[illegible]	8	10	18	167
	14	4	13	14	3	4	15	5	11	7	7	14	116

(44,283). W 21,958—218 7500. 10/19. Gp.132. A.&E.W.

corr (Nov.7) by

REGIST

LITLINGTON

SUSSEX

1911-20

11

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Litlington

in the County of Sussex

by C. Bristow

8 in.s

ve Ground 1 ft. in.

, Sea Level 18·50 ft.

A.M.

Name Berwick
Distance 3½ M. Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17			·96				·19					1
2					·23						·08	·30	2
3			·03	·32	·19						·29	·34	3
4				·03						·39	·23	·16	4
5										·12	·05	·04	5
6	·15									·15		·60	6
7	·27	·10	·15							·47	(1·11) (1·11)	·34	7
8	·11										·76	·26	8
9			·05								·71	·14	9
10				·09								·46	10
11		·14	·19								1·46		11
12	·08								·01		·16	·04	12
13			·15		·20	·07			·10	·31		·18	13
14					·23							·47	14
15											·13	·18	15
16	·03	·24				·40					·39	·14	16
17						·02					·29	·10	17
18		·06	1·50								·83	·32	18
19	·01		·11			·09			·21	·30	·03	·55	19
20								·63	·05	·03		·06	20
21		·03						·01		·50		·17	21
22			·45	·05		·08		·34		·39		·54	22
23	·10	·21				1·00			·46	·90		·17	23
24		·54				·14	·06			·20		·40	24
25	·20			·09		·04		·31	·05			·07	25
26			·11	·27		·05				·37	·02	·30	26
27		·07		·04					·06	·90	·12	·18	27
28			1·05	·19									28
29						·15	·35		·36	·44		·03	29
30				·03		·13				·21			30
31			·10										31
Total	1·12	1·39	3·89	2·07	·85	2·17	·41	1·48	1·30	5·68	6·66 ✓	6·54	TOTAL for year 33·56 ✓
No. of Rain Days	9	8	11	10	4	11	2	5	8	15	16	26	126 ?

9,000, IX. '10.

cord (Nov.7) by

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

Kept at Litlington

in the County of Sussex

5

by C. Bristow

Rain Gauge
Pattern
Diameter of top 8 ins
Height of top above Ground 1 ft. in.
" " " Sea Level 18·50 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Berwick
Distance 3½ M. Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17			·96				·19					1
2					·23						·08	·30	2
3			·03	·32	·19						·29	·34	3
4				·03						·39	·23	·16	4
5										·12	·05	·04	5
6	·15									·15		·60	6
7	·27	·10	·15							·47	(1·11) (1·11)	·34	7
8	·11										·76	·26	8
9			·05								·71	·14	9
10				·09								·46	10
11		·14	·19								1·46		11
12	·08								·01		·16	·04	12
13			·15		·20	·07			·10	·31		·18	13
14					·23							·47	14
15											·13	·18	15
16	·03	·24				·40					·39	·14	16
17						·02					·29	·10	17
18		·06	1·50								·83	·32	18
19	·01		·11			·09			·21	·30	·03	·55	19
20								·63	·05	·03		·06	20
21		·03						·01		·50		·17	21
22			·45	·05		·08		·34		·39		·54	22
23	·10	·21				1·00			·46	·90		·17	23
24		·54				·14	·06			·20		·40	24
25	·20			·09		·04		·31	·05			·07	25
26			·11	·27		·05				·37	·02	·30	26
27		·07		·04					·06	·90	·12	·18	27
28			1·05	·19									28
29						·15	·35		·36	·44		·03	29
30				·03		·13				·21			30
31			·10										31
Total	1·12	1·39	3·89	2·07	·85	2·17	·41	1·48	1·30	5·68	6·66 ✓	6·54	TOTAL for year 33·56 ✓
No. of Rain Days	9	8	11	10	4	11	2	5	8	15	16	26	126 ?

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

23 APR 1913

Kept at Litlington
in the County of Sussex 5
by A. J. Howard

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Berwick (L.B.& S.C. Rly. Coy)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08		·01	·10	·29		·05	·67		·20	1
2			·13	·06		·01	·14		·03				2
3			·06			·20		·19	·05				3
4	·24		·40			·42		·05			·37		4
5	·33	·38	·09			·46					·05		5
6	·62	·12			·04	·01		·12				·09	6
7					·31	·44		·77				·05	7
8	·71	·32	·18				·03	·30					8
9		·07	·01				·07	·46				·04	9
10		·03	·02			·11		·21			·06	·27	10
11	·05	·45			·01	·04		·15				·21	11
12		·14	·01			·05		·82					12
13			·01				·19	·02			·09	·22	13
14					·06			·03		·07		·03	14
15		·18	·09		·17	·72		·01				·27	15
16	·21	·02	·08		·03	·12		·27		·08			16
17	·28		·28		·02	·07		·11			·04		17
18	·11		·51				·04	·20		·04		·47	18
19		·17	·32					·51					19
20		·01	·49					·32		1·04	·07		20
21		·14	·10		·05			·17		·46	·06		21
22	·09	·37	·02				·02	·40		·07		·02	22
23	·39	·24	·35					·37		·30	·18	·06	23
24	·04	·02	·01					·22		·03		·19	24
25	·39	·01				·33		·89		·07	·38	·60	25
26		·05					·06	·06		·20	·15	·26	26
27		·06								·19	·16	·39	27
28		·01				·03	·20	·14	·13	·51	·43	·30	28
29		·02		·02			·15	·14	1·47	·19	·06		29
30			·06		·50	·14	·01		1·35	·25			30
31							·11	·44					31
Total	3·46	2·81	3·40	·08	1·20	3·25	1·31	7·37	3·08	4·18	2·10	3·67	YEAR'S TOTAL 35·91
Rain Days.	12	20	21	2	10	16	12	26	6	15	13	17	170

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL
17 JAN 1914

Kept at Litlington

in the County of Sussex

by A. J. Howard,

5

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·65	·10	·15						·04	·03	·18	1
2	·08	·14	·01		·03		·09		·02		·36	·05	2
3			·03	·23	·14							·29	3
4	·18		·10		·02		·07		·50	·28	·22		4
5	·07					·30	·05		·29	·10	·25	·02	5
6		·01	·03	·01	·05	·12	·11			·68	·44	·19	6
7		·23	·16		·01	·04	·29			·17	·14		7
8		·11	·04		·20	·04		·38		·30		·03	8
9		·09			·12		·10		·16		·05	·05	9
10	·02			·03		·05	·31	·01			·99		10
11	·97			·60						·90			11
12					·40						·88		12
13	·68		·01					·01	·07		·22		13
14	·22		·09	·04			·35	·03	·36	·05	·16		14
15	·14		·30	·43	·02		·23		·11			·01	15
16	·23		·57	·18				·01	·27				16
17	·12	·07		·02			·23				·03	·02	17
18				·16			·04				·99		18
19	·10		·13		·18		·05		·35				19
20	·32		·05	·14		·19				·56			20
21	·03		·04	·23						·88	·68		21
22	·38		·26				·03		·07				22
23	·03		·01				·01	·04				·91	23
24	·10	·01		·06							·10		24
25		·02		·22									25
26			·11				·03	·25		1·04		·30	26
27			·10										27
28	·09		·32	·14				·21					28
29	·14		·05	·65	·06								29
30	·62			·26	·01			·38		·30			30
31	·02		·21					1·38		·04			31
Total	4·54	1·33	2·42	3·55	1·22	·74	1·99	2·70	2·20	5·31	5·54	2·05	YEAR'S TOTAL 37·89
Rain Days.	20	9	21	17	12	6	15	10	10	13	15	11	159

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
13 FEB 1915

Kept at Litlington

in the County of Sussex 5

by Mr A. J. Howard

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02		·02	·15	·03			·02	·06	1
2							·17				·15	·35	2
3			·23	·04	·23						·38	·01	3
4	·01			·01				·08				·39	4
5	·15		·17	·33			·21						5
6		·01	·03	·32	·02	·16		·06				·57	6
7	·14	·45	·22	·10	·06	·18	·18					·23	7
8	·14	·28	·25	·04	·02	·10						·09	8
9			·55	·10					·09			1·43	9
10				·12	·17				·13			·04	10
11		·04	·51									·42	11
12		·46	·18			·11	·30		·60		·02	·59	12
13		·45	·24			·12		·03	·23	·06	·08	·56	13
14		·14							·01	·62		·49	14
15		·04	·45					·13	·05		·33	·01	15
16		·10	·22				·05		·12	·03	·29		16
17		·80	·11						·10			·19	17
18		·08	·47							·02		·48	18
19		·07	1·25							·05		·39	19
20		·45	·12			·06	·18			·03		·42	20
21		·65	·01							·04		·09	21
22			·02			1·40	·29			·25			22
23			·53			·11				·01			23
24			·06		·08					·02	·15		24
25	·21		·18					·14		·31	·02	·07	25
26	·01		·02					·39		·11	·18	·68	26
27											·09	·45	27
28	·01	·04								·51	·61	·35	28
29	·22		·01	·02						·56	·17	·01	29
30	·01	X	·12							·11	1·76	·29	30
31		X		X	·21	X			X		X	·14	31
Total	·90	4·06	5·95	1·10	·79	2·26	1·53	·86	1·33	2·73	4·25	9·00	YEAR'S TOTAL 34·76
Rain Days.	9	15	23	10	7	9	8	7	8	15	14	26	151

W. 8,000. X. 14.

616

FORM A.
BRITISH RAINFALL.
19 FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at Litlington
in the County of Sussex 5
by Mr A J Howard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·58	·27	·07						·33	·01	·06	·39	1
2	·90	·17	·38	·27	·01			·03	·05	·05		·24	2
3	·03		·06	·35	·10			·02	·01			·51	3
4	·32			·03								·31	4
5	·11	·44		·07				·31				·63	5
6	1·00	·40		·54			·15					·13	6
7	·46	·36	·09				·02					·39	7
8	·03	·30	·03				·35				·12	·11	8
9	·07	·20		·27		·26	·14	·02			·52	·90	9
10	·35											·75	10
11		·09	·03								1·08	·02	11
12	·05	·31		·25	·37				·14	·10	·75		12
13	·03	·71			1·45				·11				13
14	·04	·02					·60	·71	·05			·54	14
15	·02	·03			·20		·13	·10			·34	·31	15
16	·03	·68		·03	·44		1·27	·08				·02	16
17		·46			1·28		·02					·23	17
18		·27			·11						·04	·02	18
19		·04					·03			·02			19
20	·34			·02	·34							·19	20
21	·01									·36		·03	21
22			·08				·90					·24	22
23	·01	·02	·11				·10		·01	·14		·96	23
24				·01					·26	1·21		·54	24
25			·07	·03			·19					·16	25
26		·06				·26	·05					·63	26
27						·39				·61		·01	27
28		·03				·14			1·08	·22	·02	·01	28
29					·02			·07		·42	·57	·02	29
30	·45									·33	·08	·02	30
31	·01							·16		·76		·40	31
Total	4·84	4·85	·92	1·87	4·02	1·05	3·95	1·50	2·04	4·23	3·58	8·71	YEAR'S TOTAL 41·56
Rain Days.	20	19	9	11	10	4	13	9	9	12	10	28	154

W. 8,000. X. 15.

607

Exd CJE

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
14. FEB. 1917

Kept at Litlington (Plough & Harrow Inn)

in the County of Sussex

by A. J. Howard

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Berwick

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 19 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·02	·01		·19	·07			·01	·09	·58		1
2	·28		·34		·22					·99	·06		2
3	·02	·15							·09	·05	·63		3
4	·12	·14				·39			·25	·32	·67		4
5	·04	·02			·15	·28				·05	·50		5
6	·01	·08	·05	·26	·05	·04	·41			·11	·32		6
7		·01	·70		·27		·03			·07	·13	·07	7
8		·06			·33							·22	8
9					·28							·42	9
10		·57	·02	·09		·14				·01		·38	10
11	·04	·14	·03	·17		·31						·24	11
12		·16	·35	·09	·17	·20	·08					·03	12
13		·15	·22	·01	·20	·03		·01	·12	·13		·01	13
14	·01	·45	·11		·13		·13	·20				·34	14
15		·31	·08	·01									15
16	·01	·17	·20	·45			·10	·01					16
17	·44	·06		·66				·06	·40	·81	·05		17
18	·01	·01						·10	·15	·21	·90	·10	18
19	·15		·11	·26				·05	·05		·80	·13	19
20	·09		·12	·06		·03					·25	·54	20
21	·06		·31	·11			·09					·51	21
22	·02	·06	·02			·01				·04	·01	·02	22
23		·13	·10			·17		·02		·02	·03		23
24		·49	·02		·17					·49	·20	·23	24
25		1·24	·18			·01		·69		·31	·15		25
26		·02	·01			·10		·03	·03	·14		·14	26
27		·09	1·03					·02	·04	54			27
28		·79	·07			·26		·08	·33	·78		·33	28
29		·23	·01			·36		·40		·66		·47	29
30		X						·05		·17		·02	30
31		X		X		X			X	·60	X		31
Total	1·41	5·55	4·09	2·17	2·16	2·40	·84	1·72	1·47	6·62	5·28	4·20	YEAR'S TOTAL 37·91
Rain Days.	15	24	22	11	11	15	6	13	10	21	15	18	181

W. 8,000, VIII. 16

576

2400

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
9 FEB 1918

Kept at Litlington

in the County of Sussex

by A J Howard

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Berwick

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 19 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·20				1·66	·21		·11		1
2				·08				·11		·09	·10	·92	2
3				·10			·39	·20		·11			3
4			·31					·15		·30			4
5	·47	·13	·02	·06					·35		·04		5
6			·30	·24	·06		·11			·20	·18	·02	6
7	·45					·52			·17	·27		·05	7
8	·06			·13		·08	·05			·50	·43	·32	8
9	·02		·15				·07			·05	·03	·64	9
10	·18		·13	·04		·19		·08				·10	10
11	·10		·16	·10				·06		·49			11
12	·02			·06						·46			12
13	·02		·22					·03		·16			13
14				·25						·20			14
15						·08		·24		·14			15
16	·01	·13		·09	·13					·15		1·26	16
17		·03		·16	·15		·40		·28	·30			17
18		·01		·06	·08		·22	·10	·14				18
19		·24	·09		·06				·03				19
20		·17			·62				·07				20
21			·03		·03		·33					·21	21
22			·08					·26					22
23		·28			·36			·10		·40		·06	23
24		·06					·22			·25			24
25		·13	·08				·05			·03			25
26			·03					1·13	·05				26
27								·10	·10				27
28			·10			2·00		·56					28
29			·02				·16	·27		·28			29
30			13				·71	·05		·08			30
31							·36			·07		·12	31
Total	1·33	1·18	1·85	1·54	1·49	2·87	3·07	5·10	1·40	4·53	·89	3·40	YEAR'S TOTA 28·98
Rain Days.	9	9	15	13	8	5	12	16	9	20	6	10	132

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL
8 · 2 · 19

REGISTER OF RAINFALL IN 1918

Kept at Litlington

in the County of Sussex.

by A J Howard.

Lat. 50° 47′ 37″ Long. 0° 9′ 37″

Time of Observation 9 am.

Nearest Railway Station Berwick

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 19 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·15	·14	1
2								·49		·17		·30	2
3			·12	·07	·58			·10			·37	·04	3
4		·15	·02	·10				·07	·09		·73	·03	4
5		·29			·11			·11				·05	5
6	·37	·12		·16	·45			1·03				·09	6
7		·11			·13			·09	·70		·09		7
8									·37		·15	·16	8
9				·13		·15	·04		·64	·29		·12	9
10				·02			·21		·66	·08		·26	10
11						·03	·03		·45	1·00	·04	·10	11
12		·09			·24				·14			·03	12
13	·46				·14		·17		·30			·04	13
14			·17	·02		·05	·36		·69	·27		·08	14
15	1·26											·31	15
16	·47			·17					·05				16
17	·46					·08	·51	·02				·37	17
18	·19					·05	·02		·46	·38		·07	18
19	·06		·17	·03		·03				·05			19
20				1·15		·26	1·25		·45	·32			20
21	·26	·17		1·18		·01			·28	·09		·09	21
22	·15				·07		·68		·82			·04	22
23	·09						·56		·01			·01	23
24		·20							·33		·30		24
25								·45					25
26				·06			·09		·07		·05	·35	26
27		·08	·02	·07			·07	·21	·47		·25	·15	27
28		·02	·38	·08	·04						·30	·02	28
29				·06					1·08		·07	·03	29
30			·57						·01	·24		·25	30
31										06		·03	31
Total	3·77	1·23	1·45	3·30	1·76	·66	3·99	2·57	8·07	2·95	2·50	3·19	YEAR'S TOTAL 35·44
Rain Days.	10	9	7	14	8	8	12	9	20	11	11	25	144

W, 6,500, VII. 18. W W C

Recd 90

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 FEB 20

Kept at Litlington
in the County of Sussex
by A. J. Howard,

Lat. 50° 47′ 37″ Long. 0° 9′ 37″
Time of Observation 9 am
Nearest Railway Station ~~Polegate~~ Berwick L.B.&C.Rly.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 19 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·68				·08					·09	·02	·82	1
2	·75		·05		·70		·05			·08	·07	·34	2
3	·35		·80		·15		·11		·07		·05	·30	3
4	·58		·52					·04	·05		·12	·09	4
5		·49	·75								·16	·58	5
6	·30		·05		·17						·01	·07	6
7	·15		·36										7
8	·34		·07										8
9	·31		·13	·04	·11						·40	·12	9
10	·96		·17									·24	10
11	·43		·07	·68									11
12	·08						·15			·30			12
13	·07			·17			·08				·05	·05	13
14	·47			·33					·14	·11		·18	14
15	·30	·04										·64	15
16		·72									·16	·01	16
17		·33		·05							·23	·05	17
18			·09					·04			·13	·03	18
19	·08	·50	1·35			·04			·09		·28		19
20	·62	·08	·30			·50		·22				·02	20
21	·15	·64	·03				·05				·07	·07	21
22		·04	·07				·30		·16		·05	·28	22
23							·04		·30		·04	·02	23
24		·10		·18				·04	·05	·12	·37	·11	24
25	·09	·01						·40				·01	25
26	·07	·27	·12					·02	·07		·35	·65	26
27	·55		·09	·90				·31			1·29	·01	27
28			·22	·09				1·54			·90	·58	28
29								·57		·25	·08	·18	29
30	·09			·07				·12		·16	·18	·46	30
31	·10									·04		·16	31
TOTAL	7·02	3·23	5·24	2·51	·71	·54	·78	3·30	·93	1·15	5·01	6·07	YEAR'S TOTAL 36·49
Days with ·01 in. or more	22	11	18	9	5	2	7	10	8	8	21	26	147

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Esc Ph 506

17 JUN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Litlington
in the County of Sussex
by A. Wilkins

Lat. 50° 47′ 37″ N. Long. 0° 9′ 37″
Time of Observation 9 am.
Nearest Railway Station Berwick
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 0 ft. 6 in.
" " " " Sea Level 19 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·05	·07		·25			·76	·03	·23	1
2			·15	·03	·03			·86	·12	·06		·19	2
3			·01							·01		·07	3
4		·04	·02	·05		·50	1·90	·07				·04	4
5			·06	·01			·34	·44	·04			·07	5
6			·30		·03		·35						6
7	·09			·10	·02		·11						7
8	·03			·23	·06		·55						8
9	·40	·03										·05	9
10	·94	·23	·08	·34		·12	·13						10
11	·52		·25	·30		·02	·13						11
12	·12	·03	·04	·22	·02	·47							12
13	·28	·08	·26								·09		13
14		·02	·49	·43		·02			·01	·19	·30		14
15	·16		·04						1·00	·35	·16		15
16	·02		·09	·05					·58			·05	16
17	·08			·02	·03				·77			·03	17
18	·10				·40			1·00	·09			·10	18
19	·04			·22								·08	19
20	·15	·06		·10		1·29		·02	·36				20
21				·03			·07	·01	·28			·55	21
22				·50								·48	22
23							·57	·02				·70	23
24	·02		·08									·09	24
25			·01				·15						25
26	·10		·17	·12			·01				·03	·03	26
27	·43	·06		·20		·17	·09				·41	·28	27
28	·33		·17	·10	·49		·17				·10	·06	28
29	·58		·04	·19			·08				·27	·09	29
30	·04								·26		·22	·26	30
31			·08							·62		·24	31
TOTAL	4·51	·75	2·44	3·50	1·15	2·59	5·00	2·42	3·50	1·99	1·60	3·70	YEAR'S TOTAL 32·98
Days with ·01 in. or more	20	8	18	20	9	7	15	7	10	6	9	20	149
Days with ·04 in. or more	17	5	15	16	4	5	14	4	9	5	7	18	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

11 JAN 1912

LITTLE~~HA~~MPTON
DORSET HSE
SUSSEX
1911

REG

Kept at Dorset Hou
in the County of Susse
by G H Beecher

odon
in.
round 2 ft. in.
ea Level 30 ft.
m
ame Littlehampton
istance 1 mile Direction W

IMPORTANT NOTE.- a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.49				.11			.12		1
2	.03			.11	.29						.27	.25	2
3					.19						.16	.29	3
4	.06			.03						.06	.07	.18	4
5				.09						.55	.03	.04	5
6	.30		.02							.06	.03	.65	6
7	.08									.32	1.02	.27	7
8	.04		.15								.71	.36	8
9	.08										.20	.10	9
10		.12	.14								.01	.43	10
11	.28		.06		.04						1.07	.01	11
12			.81						.02		.07	.01	12
13					.27				.15	.12		.27	13
14		.06			.20							.35	14
15											.05	.01	15
16						.50					.53	.08	16
17											1.16	.13	17
18		.13	.04	.02							.71		18
19		.04			.01	.02			.33	.25	.02		19
20									.10	.02		.70	20
21	.02	.16						.57	.11	.77		.28	21
22	.29					.11		.22		.33		.50	22
23		.10				.60			.31	.44	.04	.24	23
24	.01	.14				.05				.47		.42	24
25		.02		.09	.18	.03	.20		.07	.04			25
26				.34	.04		.03			.15		.32	26
27		.35	.36						.08	.52	.01	.10	27
28		.13		.22				.05				.22	28
29				.03		.12	.17		.24	.28			29
30				.04		.09		.08		.25		.02	30
31													31
Total	1.21	1.25	1.58	1.46	1.22	1.52	.40	1.03	1.41	4.63	6.28	6.23	TOTAL for year 28.22
No. of Rain Days.	11	10	7	10	8	8	3	5	9	16	19	25	131

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

11 JAN 1912

REC

Kept at Dorset House Littlehampton

in the County of Sussex 2

by G H Beecheno

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 30 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Littlehampton
Distance 1mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.49				.11			.12		1
2	.03			.11	.29						.27	.25	2
3					.19						.16	.29	3
4	.06			.03						.06	.07	.18	4
5				.09						.55	.03	.04	5
6	.30		.02							.06	.03	.65	6
7	.08									.32	1.02	.27	7
8	.04		.15								.71	.36	8
9	.08										.20	.10	9
10		.12	.14								.01	.43	10
11	.28		.06		.04						1.07	.01	11
12			.81						.02		.07	.01	12
13					.27				.15	.12		.27	13
14		.06			.20							.35	14
15											.05	.01	15
16						.50					.53	.08	16
17											1.16	.13	17
18		.13	.04	.02							.71		18
19		.04			.01	.02			.33	.25	.02		19
20									.10	.02		.70	20
21	.02	.16						.57	.11	.77		.28	21
22	.29					.11		.22		.33		.50	22
23		.10				.60			.31	.44	.04	.24	23
24	.01	.14				.05				.47		.42	24
25		.02		.09	.18	.03	.20		.07	.04			25
26				.34	.04		.03			.15		.32	26
27		.35	.36						.08	.52	.01	.10	27
28		.13		.22				.05				.22	28
29				.03		.12	.17		.24	.28			29
30				.04		.09		.08		.25		.02	30
31													31
Total	1.21	1.25	1.58	1.46	1.22	1.52	.40	1.03	1.41	4.63	6.28	6.23	TOTAL for year 28.22
No. of Rain Days.	11	10	7	10	8	8	3	5	9	16	19	25	131

W. 8,000, X. '11.

(Jan & Feb from DWR retranslation from [illegible] inches)

REG … 1915

FORM A. BRITISH RAINFALL.

JAN 1916

LITTLEHAMPTON
{M.O}
SUSSEX

1915-20

Kept at Littlehampton …

in the County of Sus…

by R.E. Boo…

Long. …

…ion { 6pm to Aug / 9am Sep - Dec

Station …

…nel of Rain Gauge 5 in.

… Gauge above Ground 1 ft. — in.

„ „ Sea Level … ft.

IMPORTANT NOTE.—… a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan. ~~6 pm~~	Feb. ~~6 pm~~	March. ~~6 pm~~	April. ~~6 pm~~	May. ~~6 pm~~	June. ~~9 am~~	July. ~~9 am~~	Aug. ~~9 am~~	Sept. ~~9 am~~ mm	Oct. ~~9 am~~ mm	Nov. ~~9 am~~ mm	Dec. ~~9 am~~ ~~mm~~	Date.
1	·51	–	·04						1·3	1·8		2·5	1
2	·16	·20	·06	·03	·01			·02		·2		8·2	2
3	·87	·12	·14	·24				·05	·2			13·2	3
4	·43	·04	·10		·14			·06				9·7	4
5	·24	–		·35				·24				11·2	5
6	·04	·28		·13			·47					5·3	6
7	·04	·12		·37			·12					2·5	7
8	·63	·31		·01		·02	·08	·06			1·3	0·6	8
9	·04	·04	·01	·01				·03			8·2	15·4	9
10	·16	·04		·08								12·2	10
11	·08	–	·06							2	17·5 ✓	1·1	11
12	–	·12		·03						·1	11·5		12
13	·12	·35		·22	1·22				2·7				13
14	·04	·39			·87		·08	·05	1·6			11·0	14
15	·12	–					·05	·07	·6		2·1	3·0	15
16	·08	–		·01	·07		·71	·01	·6			0·6	16
17	–	·08			·34		·02						17
18	–	–			·76								18
19	–	–		·02									19
20	·12	·04			·04							3·0	20
21	·24	–		·03						11·0		0·3	21
22	·67	–	·03				·78			·5		3·4	22
23	·16	·08	·17						1·7	7·8		17·7	23
24	·12	·04	·13						6·5	14·2		11·3	24
25	–	~~·08~~	·04	·01			·15					2·8	25
26	–	–				·01	·29		1·0			12·5	26
27	–	·08 ~~·04~~				·01				7·6		2·0	27
28	–	·04				·26	·05		45·3	5·6	1·3		28
29	–							·12		·2	6·4	·8	29
30	–	✕				·06				·3	13·1	0·6	30
31	·28	✕		✕		✕		1·06	✕	14·0	✕	5·4	31
Total	5·15	2·37	·78	1·54	3·45	·36	2·80	1·77	61·5 2·42	63·5 2·50	61·4 2·42	156·3 6·16	YEAR'S TOTAL 31·72
Rain Days.	20	17	10	14	8	5	11	11	10	12	8	25	151

W. 8,000. X. 15.

(Jan & Feb from DWR retranslation from mm to inches)

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
JAN 1916

Kept at Littlehampton Met. Station (register)

in the County of Sussex

by R. E. Booker

Lat. .... Long. ....

Time of Observation { 6 pm to Aug / 9 am Sep - Dec

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan. 6 pm	Feb. 6 pm	March. 6 pm	April. 6 pm	May. 6 pm	June. 9 am	July. 9 am	Aug. 9 am	Sept. 9 am mm	Oct. 9 am mm	Nov. 9 am mm	Dec. 9 am mm	*Date.*
1	·51	–	·04		[illegible]				1·3	1·8		2·5	1
2	·16	·20	·06	·03	·01			·02		·2		8·2	2
3	·87	·12	·14	·24	[illegible]			·05	·2			13·2	3
4	·43	·04	·10		·14			·06				9·7	4
5	·24	–		·35				·24				11·2	5
6	·04	·28		·13			·47					5·3	6
7	·04	·12		·37			·12					2·5	7
8	·63	·31		·01		·02	·08	·06			1·3	0·6	8
9	·04	·04	·01	·01				·03			8·2	15·4	9
10	·16	·04		·08								12·2	10
11	·08	–	·06							·2	17·5 ✓	1·1	11
12	–	·12		·03						·1	11·5		12
13	·12	·35		·22	1·22				2·7				13
14	·04	·39			·87		·08	·05	1·6			11·0	14
15	·12	–					·05	·07	·6		2·1	3·0	15
16	·08	–		·01	·07		·71	·01	·6			0·6	16
17	–	·08			·34		·02						17
18	–	–			·76								18
19	–	–		·02									19
20	·12	·04			·04							3·0	20
21	·24	–		·03						11·0		0·3	21
22	·67	–	·03				·78			·5		3·4	22
23	·16	·08	·17						1·7	7·8		17·7	23
24	·12	·04	·13						6·5	14·2		11·3	24
25	–	~~[illegible]~~	·04	·01			·15					2·8	25
26	–	–				·01	·29		1·0			12·5	26
27	–	~~·04~~ ·08				·01				7·6		2·0	27
28	–	·04				·26	·05		45·3	5·6	1·3		28
29	–							·12		·2	6·4	·8	29
30	–	✕				·06				·3	13·1	0·6	30
31	·28	✕		✕		✕		1·06	✕	14·0	✕	5·4	31
Total	5·1~~6~~5	2·~~30~~37	·78	1·54	3·45	·36	2·80	1·77	61·5 2·42	63·5 2·50	61·4 2·42	156·3 6·16	YEAR'S TOTAL 31·72
Rain Days.	20	17	10	14	8	5	11	11	14	12	8	25	151

W. 8,000. X. 15.

11 JAN 1916

LITTLEHAMPTON URBAN DISTRICT COUNCIL.

R. E. BOOKER,
ASSOC. R.S. INST.
INSPECTOR OF NUISANCES.

Town Offices,
Littlehampton,

Correction

11th Jan 1916.

Dear Sir

Rainfall. 1915.
Littlehampton.
Sussex.

I am sorry, but I sent you wrong figures for Rainfall for June. It should be as follows.

	Total mm.	Greatest fall in 24 hours mm. date	Number of wet days recorded
June.	9·1	7 – 29th	4.

I only discovered mistake yesterday, when correcting printer's proof.

Very sorry to give you so much trouble.

Yours faithfully
R E Booker

Dr H R Mill
62 Camden Sq
N.W.

Town Offices   card for audits 29.11.16   WLMcC   Bad. See amended copy

FORM A. BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 19

Kept at Littlehampton

in the County of Sussex.

by R E Booker.

Lat. .... Long. ....

Time of Observation 9am 6pm

Nearest Railway Station Littlehampton

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. Millimeters

Jan. 1, following. mm 1·4

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	13.		1						28·3		13·3.	13	1
2	4	5	2	1	3					1·8			2
3	22	3	4	6				·3	·2.	·62		13·9.	3
4	11	1	3					1				15·7	4
5	6			9				1				4·7	5
6	1	7		3				4·3				9·2	6
7	1	3		9			13					4·1	7
8	16	8		·3			4					1·2	8
9	1	1	·3	·3		·6		2			9	13·9	9
10	4	1	2	2							·65	2·1	10
11	2										·85	13·3	11
12		3		1						·63	6·2.		12
13	3	9		6	33						7·0		13
14	1	10			22		2		3·07.			1·0	14
15	3						2	3	·86.			10·3	15
16	2			·3	2		11	·3			2·1.	3·3	16
17		2			9		7						17
18					19								18
19													19
20	3	1		1	1								20
21	6									4·5		3·0	21
22	17		·3				13			6·52		·63	22
23	4	2	4	1			7			·66		8·5. 6pm. 3·4 9am	23
24	3	1	3						7·7.	16·9.		11·5	24
25			1	·3					·65	4·8		10·8	25
26							4					1·85	26
27		2				·6	7		1			14·0	27
28		1							20·1	13·2			28
29						7	1	3	25·2		2·6.	·08	29
30		X				1·4 ~~9·1~~				·02	7·7		30
31	7	X		X		X			X	11·7	X	4·8	31
Total	130	~~61~~ 60·0	20·6	40·2	89	~~9·1~~ ~~18·7~~ 9·6	7·1	~~15·2~~ 14·9	~~85·50~~ 85·68	59·55	48	~~166·16~~ 162·86	YEAR'S TOTAL ~~802·94~~ 791·39
Rain Days.	21	17.	10.	14	7.	5	11	8.	9.	11.	9	22	~~143~~ 144

Bad.

W. 8,000. X. 15.

506

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

7 FEB 1917

Kept at Littlehampton
in the County of Sussex
by R. E. Booker

Lat. 50° 48′ Long. 0° 32′ W.
Time of Observation 9 am & 6 pm
Nearest Railway Station Littlehampton
Diameter of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. 0″ in.
" " " " Sea Level 10′ 0″ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and 6 pm the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
mm
1.4

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.4		3.8						6.4		11.3		1
2	1.7	0.6	0.3		9.8	0.2			0.8	11.7	3.2		2
3	1.8	0.8	8.0				1.1		2.8	4.3	1.4		3
4	0.5	5.8				4.9	0.5		1.3	12.9	15.4		4
5	2.2	1.6				5.8			3.4	Trace	10.0		5
6	1.4	1.5			6.3	0.9				1.8	0.4		6
7		0.2	6.8	1.2	3.5	0.4	5.9			1.5	8.0		7
8		0.5	3.6		2.2						12.2	1.0	8
9					8.6							10.6	9
10						6.0	1.2					1.6	10
11		15.0	0.2	0.9		3.3					0.3	6.3	11
12	0.5			4.6		7.9	1.2					3.4	12
13	0.3	2.0	0.3		0.9	1.7	0.8	0.5			0.3		13
14		5.2	2.0	0.5	0.4	0.6				0.1			14
15		18.0	6.0		0.8							1.7	15
16	0.1	6.4	10.8	2.7			0.3	0.1					16
17	3.9		5.0	3.9			2.1	2.0		8.0			17
18	2.9	4.5		0.2				Trace	9.1	7.8	1.6	1.6	18
19	0.7		0.3	2.7				0.3	0.8	3.0	8.8	0.7	19
20	3.3		6.4	0.7		2.6		0.1			16.3	0.5	20
21	1.8	0.9	8.7								2.9	17.3	21
22			2.3									15.5	22
23	0.2		6.2			0.4		0.3		0.1	0.5	13.4	23
24	0.3					0.1				9.8		0.1	24
25	0.2	snow 0.3			6.4			5.2		3.6	0.5	8.3	25
26		6.4	3.7			2.6		8.5	13.7	2.1	1.0	2.2	26
27	0.5	14.5	7.0			1.4		0.7	3.6	7.0			27
28	0.1	4.4	13.1			0.4			0.3	11.2		0.5	28
29		5.6	0.2					13.2	11.5	8.4		7.4	29
30		✕			0.8	7.5		8.7	0.1	10.7		10.3	30
31		✕		✕		✕		2.6	✕	5.3	✕		31
Total	23.8	94.2	88.7	17.4	39.4	46.7	13.1	42.2	47.8	~~97.1~~ 109.3	94.1	102.4	YEAR'S TOTAL 719.4
Rain Days.	17. 18	19.	20	~~10~~ 9.	10	18	8.	12	12	~~17~~ 18	17	18	179.

W. 8,000. X. 14.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(*Rev. Feb. 1961*)

REGISTER OF RAINFALL IN ~~196~~1916

Kept at Littlehampton

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Copy.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
MM	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	11	04	03		30	02			04	17	131			1
2	32	08	80		68		09		08	132	04			2
3	05	61					07		28	131	163			3
4	22	19				103			47	09	38			4
5	14	04			63	04				15	69			5
6		13	68	12	35	10	59			06	75			6
7			36		10	03				12	12·7	10		7
8		05			68							103		8
9					30							16		9
10		14·2	02	09		70	12				03	52		10
11	05	08		36		85						45		11
12	03	20	03	10	09	26	20	05			03			12
13		52	20			14				01				13
14		180	60	05	12							17		14
15		64	108					01						15
16	1·7		50	41			24	20						16
17	29	40		25					70	158				17
18	02		03	16				03	21	30	101	23		18
19	28		64	20		26		01	08		163	05		19
20	18	09	87								32	170		20
21			23									158		21
22	03	01	02			04				01	05	132		22
23	02					01				98		03		23
24		50			6·4			02		35	05	83		24
25		64	37					13·5	92	22	10			25
26	04	105				26			45	68		22		26
27		69	20·1			04		0·7	39	97		05		27
28	01	91	02			14		54	115	79		65		28
29		05				75		163	01	55		112		29
30		X			08			02		127				30
31		X	38	X		X			X	12	X			31
TOTAL	19·6	1014	887	174	39·7	46·7	13·1	39·3	47·8	1105	929	1021	Year's Total 7191	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Rev. Feb. 1961)

REGISTER OF RAINFALL IN ~~196~~ 1917.

Kept at Littlehampton

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

Copy from MWR

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
MM	~~in.~~	~~in.~~	~~in.~~	~~in.~~	in.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	in.	~~in.~~	~~in.~~	†	
1		02	14	29				315	20		23	05		1
2			04	54				14	50		07			2
3	05			21			105	47		06	67			3
4		60	50				02	30	113	15				4
5	71		03	36		05			15	85	11			5
6			36			70				03	16			6
7	86									42	03	15		7
8	36			26			45	53	20	69	40	82		8
9			10		08		06	09		31	03	54		9
10	43		40	31		30		113						10
11	20		50	96				20	08	95				11
12	08		03	08				20		76				12
13	03		71	03				06		14		03		13
14			02	30				20		02				14
15	03				63			03		61		08		15
16		80		19	23					75	03	170		16
17		09		62	13		96	13	115	19				17
18	01	06		05	25	03	29		37					18
19	01	85	17		56	02	02		35		03			19
20		11			142									20
21	03					02								21
22			07					21		62				22
23		80			67			24			03	23		23
24		22				26	80			32				24
25		28	13				10			05				25
26			07			09		111		03	141			26
27					40	02		200	12					27
28			15			447		65				0·4		28
29		X	35		1·0		18	46		10·0		(1·5)		29
30		X	85				56	76		06				30
31		X	09	X		X	26		X	13	X	(0·5)		31
TOTAL	28·0	383	471	420	447	596	475	120·6	425	814	32·0	384	Year's Total ~~6187~~ 6221	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

[illegible] Cnd for WA

487

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

12 APR 1918

Kept at Littlehampton

in the County of Sussex

by R E Booker

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Littlehampton

Diameter of Funnel of Rain Gauge 6" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 18' 0" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1. Entered to day of measuring.

Jan. 1, following. 1918 m.m. 2.2.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.2	1.4	2.9				31.5	2.0		2.1	0.5	1
2			0.4	5.4				1.4	5.0		1.8		2
3				2.1			16.5	4.7			0.4		3
4	0.5		5.0				0.2	3.0	11.3	1.9	6.7		4
5		6.0	0.3	3.6		0.5			1.5	0.2			5
6	7.1		3.6			7.0				8.5	1.1		6
7	0.8									4.5	1.6	0.4	7
8	10.3			2.6			4.5	5.3	2.0	4.6	1.5	1.1	8
9	1.1		1.0		0.8		0.6	0.9		2.3	2.8	9.5	9
10			4.0	3.1				11.3		3.1	0.3	4.1	10
11	5.5		5.0	9.6		3.0		2.0	0.8				11
12	1.0		0.3	0.8				2.0		10.6			12
13	0.9		7.1	0.3				0.6		7.9			13
14			0.2	3.0				2.0				0.3	14
15					6.3			0.3		0.2			15
16	0.3	9.0		1.9	2.3					10.2		2.9	16
17		0.9		6.2	1.3		9.6	1.3	11.5	3.8	0.3	2.1	17
18		0.6		0.5	2.5	0.3	2.9		3.7	1.5			18
19	0.1	8.5	1.7		5.6	0.3	0.2.		3.5				19
20	0.1	1.1			14.2						0.3		20
21						0.2							21
22	0.3		0.7					2.1					22
23					6.7			2.4 (4.2)		6.2		2.3	23
24		8.0				2.6	8.0			1.7	0.3		24
25		2.2	1.3				1.0			1.5			25
26		2.8	0.7			0.9		3.9 (9.3)	1.2	0.8			26
27					4.0	0.2		20.0			14.1.		27
28			1.5			44.7		6.5					28
29			3.5				1.8	4.6		}(10.6)			29
30		X	8.5.				5.6	7.6				1.1	30
31		X		X		X	2.6.		X		X	0.3	31
	0.2	1.4	2.9					2.0		2.1	0.5	2.2	YEAR'S TOTAL
Total	28	36.3	47.2	42	43.7	59.7	47.5	120.6	42.5	80.1	33.3	24.5	596.5
Rain Days.	21	10	19	12	9	10	12	20	9	18	13	11	158
	28.2	40.5	47.7	39.1	43.7	59.7	47.5	122.6	40.5	82.2	31.7	26.3	609.7

W. 8,000, IX. 17.

21

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
22 . 19

Kept at Littlehampton Met. Stat
in the County of Sussex
by R. L. Booker

Lat. Long.
Time of Observation 9 a.m. (Summer time)
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	mm -												
1	-	0·5		1·2	0·5			12·4			4·6		1
2	-	2·1		0·4				8·8			10·3	5·5	2
3	-	0·7	1·5	0·5	14·5			0·7			6·7	0·7	3
4	-	1·1	0·3		0·2			1·4	3·3	1·0	12·7	0·4	4
5	-	1·8	0·4		1·6			4·3				6·3	5
6	5·4	2·4		4·1	5·1			25·3	0·8			0·4	6
7	-	2·2		6·0	4·7				10·1	1·1	2·4	0·3	7
8	-				1·1			0·4	5·3	8·6			8
9	0·7			2·2		1·3	2·3		7·7	1·8	0·6	8·0	9
10	-			1·9		0·6	5·3		9·1	1·5		7·1	10
11	07			1·5			4·5		2·3	4·4	1·1	1·2	11
12	-	1·8			4·7				1·7			2·4	12
13	57				1·5		3·2		8·1			0·4	13
14	45		0·3		0·3	1·5	2·2		6·0	5·1		0·9	14
15	380			4·1	0·1		18·1		0·2			1·8	15
16	100			0·4			0·4 ~~0·4~~		8·1				16
17	18			4·5			10·1	0·2				5·2	17
18	70					7·2			10·5			1·8	18
19	08		6·7	0·4		4·8	1·1			0·2		0·7	19
20	06	3·0		11·7		0·8	0·7 ~~6·4~~		2·6	0·5			20
21	37			7·5					12·2	2·1		1·6	21
22	31			0·3	1·8		16·1		14·7			5·5	22
23	1·5			0·3			2·5		0·5			1·8	23
24	-	4·8							4·8		1·7		24
25	0·2			7·6				5·4		0·4			25
26	0·2			3·8			4·7		0·5			2·3	26
27	-	1·5					1·1	1·8	11·8	0·3	2·2	1·2	27
28	0·4	1·5	3·8	0·3	—					0·7	3·1	0·3	28
29	0·2	X							27·2			1·0	29
30	-	X	11·8						1·1	1·9		0·7	30
31	-	X		X		X			X	2·6	X		31
Total	84·5	23·4	24·8	58·7	36·1	16·2	78·3	60·7	148·6	25·2	45·4	51·5	YEAR'S TOTAL 653·4
Rain Days.	18	12	7	19	12	6	14	10	22	15	10	24	169

W. 6,500, VII. 18. W W C

~~H~~ D L cordly MO 461

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Littlehampton

in the County of Sussex

by B. Perry (for L. U. D. C.)

Lat. 50·48 N Long. 0·32 W

Time of Observation 9 hrs + 18 hrs.

Nearest Railway Station Littlehampton

Diameter of Funnel of Rain Gauge 6" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	~~April~~ May	~~May~~ June	~~June~~ Apl	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9·5	1·0	0·4	0·9			5·1			1·0	1·0	13·5	1
2	3·5		0·1	(0·3)			0·7		2·4			6·4	2
3	5·8		17·5	1·2					1·2			7·1	3
4	5·2	2·1	12·3		0·3		2·0	3·1	0·8		4·0	1·7	4
5	4·9	9·0	16·6								3·0	9·2	5
6	4·4		3·3									3·0	6
7	·		10·8										7
8	6·2		3·6										8
9	9·6		2·7			1·3					3·0		9
10	12·2		0·9									2·4	10
11	5·4		1·6	2·3		8·0						1·3	11
12	1·6			0·1			2·1			1·2			12
13	0·6		0·5			6·7						1·3	13
14	8·7					5·9	3·4		5·4	3·1		3·2	14
15	2·5	0·5	1·0	0·1		3·2						21·4	15
16	4·5	11·8									2·3		16
17	·	5·8									3·8		17
18	·	1·6	4·8								4·3		18
19	2·8	8·9	24·4		2·2		12·5	(12·0)			3·2	1·3	19
20	4·9	0·7	0·8		10·0							0·8	20
21	1·6	8·5										4·7	21
22	·						3·2		9·9			2·3	22
23	·	1·1							2·3	0·3	1·7		23
24	·	0·5			0·6	0·8	1·5			4·0	2·5	4·9	24
25	·	2·4						7·3				4·3	25
26			0·9			3·6		1·1	1·5		9·4	11·3	26
27	5·9		11·0			4·4		(16·1)			5 7	0·3	27
28	6·3		1·1					10·6			9·5	13·5	28
29			~~11·0~~			~~8·4~~ 2·8		13·6		2·7	3·2	2·6	29
30	0·2	X	1·4		0·2	5·6		13·9			9·8	16·5	30
31		X	~~1·1~~	X		X			X	1·0	X	2·3	31
TOTAL	106·3	~~54·0~~ 53·9	~~117·1~~ 115·9	4·0 May	13·3 JUNE	~~47·9~~ 42·3 APRIL	~~29·5~~ 30·5	55·7 (77·4)	23·5	13·3	66·4	~~134·3~~ 135·3	YEAR'S TOTAL ~~665·9~~ ~~667·9~~ 683·0
Days with 0·2 mm. or more	21	13	~~20~~ 19	34	5	10	8	~~7~~ 11	7	~~7~~ 8	15	23	~~139~~ 145

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Sox [illegible] 461

-9 MAR 20

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Littlehampton [M.O.]

in the County of Sussex

by The District Council.

Lat. 50° 48′ Long. 0° 32′ W.

Time of Observation 9h + 18h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9·5	1·0	0·4	-	0·9	-	5·1	-	-	-	-		1
2	3·5	-	0·1	-	0·3	-	0·7	-	2·4	1·0	-		2
3	5·8	-	17·5	-	1·2	-	-	-	1·2	-	-		3
4	5·2	2·1	12·3	-	-	0·3	2·0	3.1	0·8	-	-		4
5	-	9·0	16·6	-	-	-	-	-	-	-	-		5
6	4·9	-	3·3	-	-	-	-	-	-	-	-		6
7	4·4	-	10·8	-	-	-	-	-	-	-	-		7
8	6·2	-	3·6	-	-	-	-	-	-	-	-		8
9	9·6	-	2·7	1·3	-	-	-	-	-	-	-		9
10	12·2	-	0·9	-	-	-	-	-	-	-	-		10
11	5·4	-	1·6	8·0	2·3	-	-	-	-	-	-		11
12	1·6	-	-	-	0·1	-	2·1	-	-	0·9	-		12
13	0·6	-	0·5	6·7	-	-	-	-	-	0·3	-		13
14	8·7	-	-	5·9	-	-	3·4	-	5·4	3·1	-		14
15	2·5	0·5	1·0	3·2	0·1	-	-	-	-	-	-		15
16	4·5	11·8	-	-	-	-	-	-	-	-	-		16
17	-	5·8	-	-	-	-	-	-	-	-	-		17
18	-	1·6	4·8	-	-	-	-	-	-	-	-		18
19	2·8	8·9	24·6	-	-	2·2	12·5	(12.0)	-	-	-		19
20	4·9	0·7	0·8	-	-	10·0	-	-	-	-	-		20
21	1·6	8·5	-	-	-	-	-	-	-	-	-		21
22	-	-	-	-	-	-	3·2	-	9·9	-	-		22
23	-	1·1	-	-	-	-	-	-	2·3	-	-		23
24	-	0·5	-	0·8	-	-	1·5	-	-	2·0	-		24
25	-	2·4	-	-	-	0·6	-	7.3	-	2·3	-		25
26	-	-	0·9	3·6	-	-	-	1.1	1·5	-	-		26
27	11·7	-	11·0	4·4	-	-	-	(16.1)	-	-	-		27
28	0·5	-	1·1	-	-	-	-	10.6	-	-	-		28
29	-	-	-	2·8	-	-	-	13.6	-	2·7	-		29
30	-	✕	-	5·6	-	0·2	-	13.9	-	-	-		30
31	0·2	✕	1·4	✕	-	✕	-	-	✕	1·0	✕		31
TOTAL	106·3	53·9	115·9	42·3	4·9	13·3	30·5	(77·7) ~~unreliable not used for M.W.R.~~	23·5	13·3	66·4 unreliable not used for ~~M.W.R.~~	135·3	YEAR'S TOTAL (683·0)
Days with 0·2 mm. or more	21	13	19	10	4	5	8	11	7	8	15	23	145

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203

Section **A** for the entry of Daily Observations

Station No. 442

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1919

Kept at LITTLEHAMPTON

in the County of SUSSEX

COPY

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
MMS.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1	95	10	04		09		51			10	10	135		1
2	35		01		03		07		24			64		2
3	58		175		12				12			71		3
4	52	21	123			03	20	31	08		40	17		4
5	49	90	166								30	92		5
6	44		33									30		6
7			108											7
8	62		36											8
9	96		27	13							30			9
10	122		09									24		10
11	54		16	80	23							13		11
12	16				01		21			09				12
13	06		05	67						03		13		13
14	87			59			34		54	31		32		14
15	25	05	10	32	01							214		15
16	45	118									23			16
17		58									38			17
18		16	48					06			43			18
19	28	89	246			22	125	59			32	13		19
20	49	07	08			100		55				08		20
21	16	85										47		21
22							32		99			23		22
23		11							23		17			23
24		05		08		06	15			20	25	49		24
25		24						73		23		43		25
26			09	36				11	15		94	113		26
27	59		110	44				161			57	03		27
28	63		11					106			95	135		28
29		X		28				136		27	32	26		29
30	02	X	14	56		02		139			98	165		30
31		X		X		X			X	10	X	23		31
TOTAL	106·3	53·9	115·9	42·3	4·9	13·3	30·5	77·7	23·5	13·3	66·4	135·3	Year's Total 683·~~0~~3	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

W. M

FORM A 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Littlehampton (MO)

in the County of Sussex

by A. Shelley & P. Perry, for the District Council

Lat. 50° 48' W Long. 0° 32' W

Time of Observation 9h & 18h.

Nearest Railway Station

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft ..... in.

" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7·1	-	-				3·2						1
2	-	-	3·0				2·7						2
3	1·8	-	-				-						3
4	-	3·1	0·3				15·1						4
5	-	1·6	-				18·4						5
6	-	-	6·0				6·1						6
7	-	-	-				4·2						7
8	1·3	-	-				5·2						8
9	-	-	-				3·0						9
10	18·1	4·8	0·2				1·9						10
11	22·9	-	3·2				4·7						11
12	2·2	1·7	2·4				8·2						12
13	0·2	1·2	3·5				-						13
14	4·1	-	10·0				-						14
15	2·2	0·9	6·6				-						15
16	1·3	-	0·3				-						16
17	-	-	-				0·1						17
18	0·1	-	-				-						18
19	2·4	-	-				-						19
20	-	-	-				-						20
21	2·7	0·6	-				14·5						21
22	-	-	-				11·8						22
23	0·5	-	-				-						23
24	-	-	-				10·5						24
25	-	1·3	2·0				-						25
26	1·7	-	0·2				4·2						26
27	7·2	-	3·7				6·0						27
28	13·3	-	-				2·6						28
29	3·0	0·7	4·0				1·5						29
30	13·6		0·1				0·1						30
31	2·0		4·8				-						31
TOTAL	✓ 107·7	✓ 15·9	50·3 ~~45·3~~				✓ 124·0						YEAR'S TOTAL
Days with 0·2 mm. or more	19	9	14				18						

Forwarded M.O. Record would be mixed - owing to splitting up into 2 readings a day.

not Taken

18

(14,284). Wt 21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from MO 3202.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Littlehampton
in the County of Sussex
by Seaside & River Arms

Lat. 50° 48′ Long. 0° 32′ W
Time of Observation 9 & 18 hr
Nearest Railway Station Littlehampton 3/4 m NNW
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
~~0·5~~

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	5·3	—	—	1·8	1·9	—	5·9	—	—	5·4	4·6	7·0	1
2	0·5	—	3·0	1·2	2·3	—	—	4·0	3·2	2·4	—	1·7	2
3	1·3	—	—	~~1·2~~	—	—	—	—	—	4·6	—	0·7	3
4	—	4·7	0·3	0·4	—	—	20·8	2·8	—	5·4	—	0·1	4
5	—	—	2·3	0·4	—	—	15·0	—	—	0·3	—	0·3	5
6	—	—	3·7	—	9·2	—	4·4	—	—	—	—	0·2	6
7	1·3	—	—	4·7	1·4	—	5·4	—	—	0·4	—	—	7
8	~~1·5~~	—	—	2·0	—	—	6·4	—	—	—	—	—	8
9	11·3	1·3	—	1·3	1·0	2·0	—	—	—	—	—	—	9
10	21·0	3·5	2·8	3·8	—	3·1	6·6	—	—	—	—	—	10
11	8·7	1·7	3·0	9·7	—	0·7	8·2	—	—	—	—	6·1 snow	11
12	2·2	—	0·8	3·0	0·8	15·7	—	—	—	—	—	0·2 snow	12
13	4·3	1·2	2·7 ~~4·7~~	1·0	—	—	—	—	—	—	1·6	—	13
14	—	0·9	10·6 ~~14·4~~	6·3	—	—	—	—	4·2	4·6	8·7	—	14
15	3·5	—	6·6 ~~0·3~~	4·4 ~~3·7~~	0·8	—	—	—	22·4	16·4	1·5	0·1	15
16	—	—	~~0·3~~	1·3	—	—	—	—	11·5	0·3	—	—	16
17	—	—	—	3·0	3·2	—	0·1	—	18·9	—	—	0·7	17
18	0·1	—	—	—	5·3	—	—	16·2	19·8	—	—	1·5	18
19	2·4	—	—	4·5	—	2·1	—	—	3·0	—	—	0·5	19
20	2·7	0·6	—	4·9	—	17·3	—	—	4·1	—	—	0·2	20
21	~~0·5~~	—	—	—	—	—	26·3	—	4·4	—	—	4·9	21
22	0·5	—	—	6·3	—	—	—	—	—	—	—	7·6	22
23	—	—	—	—	—	—	10·5	3·4	—	—	—	13·1	23
24	—	0·7	2·0	—	8·2	—	—	0·2	—	—	—	1·9	24
25	—	0·6	0·2	—	—	—	4·2	—	0·3	—	—	—	25
26	1·7	—	3·1	1·7	—	0·8	—	—	—	—	3·0	1·6	26
27	7·2	—	0·6	2·3	—	2·7	6·0	—	—	—	0·8	6·8	27
28	15·6	0·7	3·2	—	7·8	0·3	4·1	—	—	—	0·7	1·7	28
29	14·3	—	0·8	1·4	—	—	—	—	—	—	2·7	3·4	29
30	1·5	✕	0·1	—	—	—	0·1	—	3·8	—	7·7	4·7	30
31	0·5	✕	4·8	✕	—	✕	—	—	✕	10·4	✕	3·3	31
TOTAL	105·9	15·9	50·3	65·4 ~~64·1~~	41·9	44·7	124·0	26·6	95·6	50·2	31·3	68·3	YEAR TOTAL 720·1 ~~718·8~~
Days with 0·2 mm. or more	19	10	17	21	11	9	13	5	11	10	9	21	156
Days with 1·0 mm. or more	16	5	11	19	9	6	13	4	10	7	7	14	121

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

√

REGIS ... 11

LOWER BEEDING

SUSSEX

1911-20

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Lower Bed...

in the County of West Su...

by L M Reed

p. in.

bove Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05			·41				·05			·07		1
2				·09	·37						·15	·23	2
3	·02	·01			·20			·02			·17	·16	3
4	·07	·01	·02	·03						·26	·26	·24	4
5				·27						·57	·02	·06	5
6	·37		·04									·58	6
7	·06									·11	·55	·39	7
8	·10		·23								·58	·44	8
9	·25		·02	·03							·05	·11	9
10		·09	·12	·03								·75	10
11	·41		·05		·28						1·22		11
12			·40		·09				·05		·09	·02	12
13			·29		·44				·67			·31	13
14		·15										·70	14
15		·04	·15								·09	·02	15
16						·39					·94	·18	16
17			·04			·10					1·18	·25	17
18		·11	·02								·77	·48	18
19						·07			·22	·26	·08	·12	19
20	·02		·02					·08	·10	·08		1·04	20
21	·02	·21						·25	·14	·68		·23	21
22	·06		·17			·23		·65		·40		·59	22
23		·20				·81			·28	·20	·02	·21	23
24	·02	·21				·04	·03	·04		·77		·38	24
25		·03	·03	·06		·12	·07	·04	·06	·02			25
26			·10	·25	·02	·17	·09			·24		·35	26
27		·42	·30	·10			·03	·02	·11	·31	·16	·20	27
28		·23		·15				·07			·02		28
29				·23		·10	·65		·20	·56			29
30				·08		·06		·03		·35		·02	30
31													31
Total	1·45	1.71	2·00	1.73	1.40	2.09	·87	1.25	1·83	4·75	6·42	8·06	TOTAL for year √ 33.56
No. of Rain Days.	12	12	16	12	6	10	5	10	9	14	18	25	149 √

W. 8,000, X. '11.

√

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Lower Beeding

in the County of West Sussex 2

by L M Reed

Rain Gauge: Pattern ...... Diameter of top ...... in. Height of top above Ground ...... ft. ...... in. „ „ Sea Level ...... ft.

Time of Observation ......

Nearest Railway Station: Name ...... Distance ...... Direction ......

As before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05			·41				·05			·07		1
2				·09	·37						·15	·23	2
3	·02	·01			·20			·02			·17	·16	3
4	·07	·01	·02	·03						·26	·26	·24	4
5				·27						·57	·02	·06	5
6	·37		·04									·58	6
7	·06									·11	·55	·39	7
8	·10		·23								·58	·44	8
9	·25		·02	·03							·05	·11	9
10		·09	·12	·03								·75	10
11	·41		·05		·28						1·22		11
12			·40		·09				·05		·09	·02	12
13			·29		·44				·67			·31	13
14		·15										·70	14
15		·04	·15								·09	·02	15
16						·39					·94	·18	16
17			·04			·10					1·18	·25	17
18		·11	·02								·77	·48	18
19						·07			·22	·26	·08	·12	19
20	·02		·02					·08	·10	·08		1·04	20
21	·02	·21						·25	·14	·68		·23	21
22	·06		·17			·23		·65		·40		·59	22
23		·20				·81			·28	·20	·02	·21	23
24	·02	·21				·04	·03	·04		·77		·38	24
25		·03	·03	·06		·12	·07	·04	·06	·02			25
26			·10	·25	·02	·17	·09			·24		·35	26
27		·42	·30	·10			·03	·02	·11	·31	·16	·20	27
28		·23		·15				·07			·02		28
29				·23		·10	·65		·20	·56			29
30				·08		·06		·03		·35		·02	30
31													31
Total	1·45	1.71	2·00	1.73	1.40	2.09	·87	1.25	1·83	4·75	6·42	8·06	TOTAL for year 33·56
No. of Rain Days.	12	12	16	12	6	10	5	10	9	14	18	25	149

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Lower Beeding Exc. 1808

in the County of Sussex 2

by Lucester M. Reed

Rain Gauge: Pattern ....
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station: Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10			·17	·07		·02	·80		·27	1
2			·30		·07	·04	·26						2
3			·09			·29	·01	·49	·03			·03	3
4	·21	·02	·59		·25	·29		·04			·21	·01	4
5	·17	·03	·24		·01			·62			·14	·03	5
6	·39	·15			·05			·88	·02			·04	6
7			·02		·25	·41		·30				·10	7
8	·41	·47	·25			·12		·08				·02	8
9	·03	·13	·04	·04		·21	·11	·09				·14	9
10		·09						·09			·07	·37	10
11	·05	·46	·01									·23	11
12		·10	·06		·20	·08		·30			·01	·06	12
13										·01	·09	·08	13
14			·02		·08			·14		·06		·01	14
15	·02		·10		·11	·71		·01			·01	·30	15
16	·30		·08		·13	·10		·15		·09	·14		16
17	·45		·57			·09		·14			·13	·13	17
18	·12		·29					·24		·05	·02	·20	18
19	·04	·07	·15				·05	·41			·01		19
20	·04	·01	·65		·07	·04		·14		·49	·04		20
21		·12	·29					·06		·13	·05		21
22	·7	·42	·35					·29				·03	22
23	·37	·12			·05			·54		·07	·16	·05	23
24	·02	·04				·18		·26		·01		·15	24
25	·07					·29		·98		·56	·28	·49	25
26		·05				·20		·36		·30	·33	·34	26
27						·01	·07			1·15		·46	27
28		·06				·03	·14	·31	·15	·08	·53	·14	28
29		·04				·01	·04	·07	2·22	·35	·02		29
30					·45	·13	·12	·18	1·30				30
31			·07				·33	·25					31
Total	2·76	2·38	4·27	·04	1·72	3·40	1·20	7·42	3·74	4·15	2·24	3·68	TOTAL for year 37·00
No. of Rain Days.	16	17	20	1	12	19	10	26	6	14	17	23	181

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
3 JAN 1914

Kept at Lower Beeding
in the County of Sussex 2
by Leicester M. Reid

Lat. .... Long. ....
Time of Observation As before
Nearest Railway Station
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·45			·06				·17	·05	·25	·20	1
2	·02	·15	·09	·41					·02	·14	·05	·04	2
3	·01		·09	·44	·48		·07		·01	·33		·10	3
4	·53		·12	·01	·09				·47	·08	·10	·01	4
5	·29	·07				·08	·12		·68	~~·11~~	·11	·01	5
6	·08	·05	·11		·03	·16	·31		·08	·28	·06		6
7		·26	·05		·11	·08	·10			·42	·07	·25	7
8	·01	·07			·18	·06		·08		·10		·02	8
9		·05		·01	·16				·14	~~·45~~	·15	·01	9
10	·01			·02			·09				·39		10
11	·71			·51			·31			·70	·45		11
12					·43					·01	·72	·02	12
13	·32		·04					·02	·05	·01			13
14	·35		·08	·06			·64	·03	·04	·05	·46		14
15	·15	·05	·27	·34			·29		·11				15
16	·15		·62	·14					·17		—		16
17	·08		·08				·32						17
18	·01		·21	·15			·05				·13		18
19	·34		·10			·04	·14		·55				19
20	·71		·09	·15		·11				·58	·01		20
21			·13	·10				·20		·49	·67		21
22	·35		·30	·03				·01	·09	·05			22
23	·01		·27			·04			·01			·76	23
24	·08			·04				·01			·04		24
25				·26									25
26			·11		·59			·09		·86			26
27			·08	·16						·05			27
28	·17		·34	·05	·42					·12			28
29	·08		·06	·36				·11		·07			29
30	·57			·15				·21		·25			30
31			·10					·75		·21			31
Total	5·04	1·15	3·34	3·39	2·55	·57	2·44	1·51	2·59	4·81	3·66	1·42	YEAR'S TOTAL 32·47
Rain Days.	23	8	21	19	10	7	11	10	14	20	15	10	168

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at The Warren Lower Beeding

in the County of Sussex 2

by Leicester M. Reid

Lat. Long.
Time of Observation
Nearest Railway Station As before
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02	.05		~~.31~~			.24			.03	.06	1
2						.01	.1				.23	.1	2
3			.08	.03	.31		.04	.05				.02	3
4			.01	.4				.06			.35	.32	4
5	.14		.08	.42	.25		.21	.19			.02		5
6		.17		.18	.07	.13	.04	.03			.02	.47	6
7	.02			.18	.02	.05	.11					.28	7
8	.11	1.2	.55	.08		.21	.09	.17				.18	8
9	.33		.96	.25					.13		.01	1.3	9
10	.12	.06		.14	.1							.05	10
11		.69	.47	.04					.31		.03	.48	11
12		.12	.1				.59		.46		.03		12
13		.45	.22			.05			.15	.07	.09	2.54	13
14		.34	.18							.3	.23	1.32	14
15		.03	.25				.01	.11			.93		15
16													16
17		.3	.17						.29			.25	17
18		.17	.2									.38	18
19		.12	.57				.25				.24		19
20		.31	.47			.06				.02	.01	.4	20
21		.69								.09		.09	21
22		.08	.08	~~.11~~	.11		.04	.07		.19			22
23			.26	~~.41~~	.41	.16		.01		.05		.93	23
24			.06								.28		24
25	.04		.27					.12		.28	.01		25
26			.15				.02	.2		.13	.17	.58	26
27											.1	.65	27
28	.05									.22	.28	.64	28
29	.11		.03							.51	.34	.02	29
30	.01		.14	.06						.07	1.03	.41	30
31					.18					.03		.02	31
Total	.93	4.75	5.35	1.78	1.45	.67	1.50	1.25	1.34	1.96	4.43	10.59	YEAR'S TOTAL 36.00
Rain Days.	9	16	23	10	8	7	11	11	5	12	20	24	156

W. 8,000. X. 14.

notified 24/2/16 corrd. from author 23.11.16 re. cond. by obr. 26.11.16

540

FORM A. BRITISH RAINFALL
11 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Lower Beeding

in the County of Sussex 2 -

by L. M. Reed

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.58	.32					.13		.33		.11	.51	1
2	.3	.16	.35	.16	.02				.02			.15	2
3	.52		.07					.26	.03			.67	3
4	.11			.16				.56				} *	4
5	.03	.58			.06			.16				1.15	5
6	.62	} *	.13	.71			.57					.12	6
7	.25	.76	.05				.09			.20		.5	7
8	.03	.55					.17	.04					8
9	.01	.08		.25		.05					.44	.69	9
10	.35		.01									.56	10
11	.01		.03								.67	.07	11
12	.05	.35		.2	.47			.02			.74		12
13		.61			1.56				.05			.45	13
14	.03						.12					.3	14
15	.11	.05			.05		.07	.23					15
16		.87					1.11	.05				.21	16
17		.43			1.25								17
18		.05	.03				.03				.18		18
19		.23			.07					.07			19
20	.35			.02								.18	20
21	.09									.18			21
22		.03	.04	.01			.36					.15	22
23			.1	.03			.13		.03	}		.60	23
24	.09		.06				.31		.29	.24 76		.67	24
25				.05			.26			.03		} *	25
26		.14										.82	26
27							.15			.66			27
28						.06			1.36	.27			28
29		.17				.2	.08	.28			.58		29
30	.16	╳				.33				}	.53	.07	30
31	.01	╳		╳		╳		.60	╳	1.75	╳	.33	31
Total	3.70	5.38	.87	1.59	3.48	.64 [illegible]	4.08 [illegible]	2.20	2.11	3.92	3.25	8.10	YEAR'S TOTAL ~~39.32~~ [illegible]
Rain Days.	19	17	10	9	7	4	14	9	7	8	7	21	132

W. 8,000. X. 15.

* Gauge not taken on these Sundays

29 FEB 1916

TELEPHONE
8 HANDCROSS.

THE WARREN,
HANDCROSS,
CRAWLEY.

26/2/16

Dear Sir

In reply to your favour of the 24th inst the copy of the Rainfall Report was done by my typist in London. The correct fall is as follows

Oct 7	·20
19	·07
21	·18
24	·76
25	·03
27	·66
28	·27
31	1·75
	3·92

Yrs faithfully

J W Reed

22.11.17 cont for S 526

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

25 JAN 1917

Kept at The Warren Lower Beeding

in the County of Sussex

by L. M. Reid

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13				·19				·25	·20	·32		1
2	·35	·16	·22		·24	·02	·02		·07	·64	·03		2
3	·02	·64	·18				·03		·09	·55	·80		3
4	·22	·10				·42			·26	·02	·48		4
5	·05		·03		·21	·13				·10	·60		5
6	·02	·10	·07	·11		·43	·41			·04	·86		6
7			·34		·36	·11					·87	·06	7
8			·02		·44					·04		·74	8
9			·04		·25	·04						·08	9
10		·49	·20	·10	·02	·25	·11					·34	10
11	·05	·07		·22	·01	·32						·11	11
12		·08	·36		·32	·12	·08			·14			12
13		·26	·22	·02		·03				·02			13
14		·57	·11	·11	·12			·08		·04			14
15		·08	·12					·44					15
16	·04		·29	·26			·10	·13		·01			16
17	·30	·23		·07			·02	·03	·58	1·18			17
18	·20	·05		·04				·19	·28	·17	·71	·26	18
19			·12	·20		·09			·06		·58	·12	19
20	·11		·09	·34				·06			·19	·78	20
21	·02		·26									·22	21
22		·01	·02									·67	22
23		·03	·04			·07				·02	·09		23
24					·17	·06				·07	·12	·32	24
25						·23		1·07		·42			25
26	·05	(1·50)	·19			·04		·20	·20	·34			26
27			·96	·02		·07		·08	·13	·30			27
28		·46	·08			·26		·21	·18			·18	28
29		·25				·16		·46	·06	·62		·30	29
30		X			·81	·25				·26			30
31		X		X		X		·03	X	·28	X		31
Total	1·56	~~3·58~~ (5·08)	3·96	1·49	3·14	3·10	·77	3·28	2·16	5·46	5·65	4·18	YEAR'S TOTAL ~~38·33~~ (39·83)
Rain Days.	13	(16)	21	11	12	19	7	12	11	21	12	13	~~168~~ 171

W. 8,000, VIII. 16

Snow fell not taken & sometimes Sunday included in Monday

507

FORM A.
BRITISH RAINFALL.

16. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Lower Beeding

in the County of Sussex

by L. H. Reed The Warren Henderson

Lat. Long.

Time of Observation

Nearest Railway Station No change

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·32				1·46	·16		·08		1
2				·36				·02			·22		2
3				·12			·44	·40		·20			3
4			·25				·07	·29		·22			4
5	·42		·02	·26				·23	·28	·40	·08		5
6			·30	·02		·25			·32		·09		6
7	·39						·06			·34		·03	7
8	·11			·12			·34	·18		·31	·24	·48	8
9			·08	·05			·13	·02				·63	9
10	·26		·25	·09				·13					10
11	·14		·22	·29		·02			·02	·53			11
12	·04			·02		·45		·11		·27	·05		12
13			·24		·05			·03	·04	·25			13
14	·03							·10					14
15	·09			·17				·31		·14			15
16	·04	·24		·12	·07	·16	·36			·42		·92	16
17	·03	·02		·15	·11		·24	·02	·36	·12			17
18	·02			·10	·08		·12	·21	·30				18
19		·28	·16		·04	·04		·36	·13				19
20		·14	·03		·36			·16					20
21			·04		·02						·05		21
22			·01			·20		·25		·18			22
23		·25			·13			·22					23
24						·19				·16	·19		24
25		·15											25
26			·04			·02		·45	·04		·86		26
27					·04			1·56					27
28		·03	·06			·49		·14				·04	28
29			·03			·08	·05	·02		·43			29
30			·37				·82	·23		·04		·18	30
31							·35	·06					31
Total	1·57	1·11	2·12	2·19	·90	2·20	3·28	6·96	1·65	4·61	4·86	2·28	YEAR'S TOTAL 30·73
Rain Days.	11	7	16	14	9	10	11	24	9	15	9	6	141

W. 8,000, IX. 17.

Snow not reckoned LHR

3·10

Ex MS

40

REGISTER OF RAINFALL IN 19 ~~1~~18

FORM A.
BRITISH RAINFALL.

9. 1. 18

Kept at The Warren, Handcross,
in the County of Sussex. (Parish of Lower Beeding)
by Lucinton . h . Bell

Lat. ____ Long. ____
Time of Observation 9.30. a.m.
Nearest Railway Station Crawley.
Diameter of Funnel of Rain Gauge as before ~~in.~~
Height of top of Gauge above Ground ____ ft. ____ in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Snow not taken

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				3							31	11	1
2				8	24			42			38	26	2
3		6	11	11				14		4	20	2	3
4		20	2	2				7	16		94	4	4
5		3	5		4			21		18		5	5
6	18	16			24			12	5			8	6
7		13		38	8	1		4	50	8	11		7
8		7							22	10	13	9	8
9	2			~~12~~ 11		14	7		66	28		53	9
10				6		4	37		38	14	2	25	10
11				1			22			18	7	14	11
12		9			22		18						12
13					7				26			4	13
14	40		7			9	22		30	36			14
15	146			36		12	36		34			36	15
16				12		20	1						16
17	59			10		13	80					25	17
18	42					35	3		52			7	18
19			5	3		5	8			27			19
20	13	18		112		1	27		28	24		2	20
21	22			67			16		43				21
22	12				110		64		93			18	22
23	9			3	5		32	6	6				23
24		34		10		9			37				24
25				30			4	18					25
26							112		3		24	20	26
27		12	3	12			9	15	8	5	16	2	27
28	5		22	2							13	1	28
29				3					90		2		29
30			58						8	11		9	30
31										6			31
Total	3.68	1.38	1.13	3.80	2.04	1.23	4.98	1.39	6.55	2.09	2.71	2.81	YEAR'S TOTAL
Rain Days.	12	10	8	21	8	11	18	9	19	13	12	20	33.79

161

~~W. Kib~~ cordby B + sur. stns.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919..

Kept at Lower Beeding

in the County of Sussex

by L. h. Reed

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" " " " Sea Level .... ft.

24 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

No account taken of snow

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36				.04		.09			.26	.08	1.04	1
2	.14		.08		.20		.06		.05	.08	.07	.06	2
3	.46		.45				.30		.04		.04	.18	3
4	.22		.62			.03	.40	.05			.05	.04	4
5		.34	.73						.03		.14	.45	5
6	.32	.20	.09								.02		6
7	.07		.28								.04	.06	7
8	.43		.18										8
9	.45		.04	.12	.07						.20		9
10	.48		.07									.26	10
11	.40			.38	.09		.44					.09	11
12	.07		.19	.05			.21			.09			12
13	.06	.06	.02	.42			.08						13
14	.42			.23					.32			.21	14
15	.36		.14									.94	15
16	.18	.63									.11		16
17		.26									.16	.08	17
18		.12	.09								.09	(.10)	18
19	.11	.36	.73				.57	.17			.17		19
20	.48	.09	.08			.78	.05	.23					20
21	.12	.61					.04				.02	.12	21
22		.08					.18		.56			.24	22
23											.04	.02	23
24				.18			.08			.22	.18	.09	24
25								.30	.04				25
26	.10	.19							.09		.38	.44	26
27	.28		.08	.54				.82	.01		.19		27
28	.20		.12					.60			.48	.47	28
29	.09			.06				.32		.24		.10	29
30				.32		.07		.78		.02	.36	1.03	30
31			.03							.01		.10	31
Total	5.80	2.94	4.02	2.30	.40	.88	2.50	3.27	1.14	.92	2.82	6.12	Year's total 33.11
Days with ·01 in. or more	22	11	18	9	4	3	12	8	8	7	19	20	141

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

454

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lower Beeding

in the County of Sussex

by Lucetta L. Reed

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.12			.44			.47	.02	.26	1
2	.12		.17		.12			.27	.09	.08		.10	2
3	.07			.06	.03					.16		.06	3
4		.11					1.29	.18		.22			4
5			.12				.64	.23	.03	.01		.06	5
6					.17		.28					.03	6
7	.02		.08	.19	.05		.19						7
8				.03			.18						8
9	.17	.05		.04	.16	.03	.03						9
10	.78	.12	.13			.15	.43				.02		10
11	.08	.04	.10	.32		.07	.14						11
12	.04	.02		.38		1.06					.01		12
13	.17	.03	.29	.04							.08		13
14		.04	.60	.42					.08	.12			14
15	.02		.04	.13					.72	.23	.36		15
16				.07					.42		.14		16
17					.18				.96			.20	17
18					.10	.01		.87	.36			.12	18
19	.03			.58					.04			.03	19
20	.08	.22		.21					.05			.02	20
21	.11			.01		.73	1.03		.36			.17	21
22	.04			.34					.12			.41	22
23							.46	.06				.47	23
24			.11									.10	24
25			.03				.37		.02				25
26	.07		.09	.05		.02	.01					.08	26
27	.61			.12		.06	.06				1.05	.46	27
28	.53		.08				.19				.05	.02	28
29	.68		.05	.14							.17	.22	29
30						.03	.07		.34		.56	.27	30
31	.07		.12							1.00		.32	31
													YEAR'S TOTAL
TOTAL	3.69	.63	2.01	3.25	.81	2.16	5.81	1.61	3.59	2.29	2.46	3.40	31.71
Days with ·01 in. or more	18	8	14	18	7	9	16	5	13	8	10	19	145
Days with ·04 in. or more	15	6	13	~~15~~ 16	6	5	14	5	11	7	7	15	~~119~~ 120

Snow not taken

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

81

REGISTE

MAGHAM DOWN

SUSSEX

1911-20

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Magham Down

in the County of E Sussex

by W. E. Bear

5 in.

e Ground 2 ft. 9 in.

Sea Level 90 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·61				·21			·07		1
2			·01		·26						·18	·22	2
3	·03				·17						·07	·21	3
4	·15	·02	·04	·04						·43	·26	·11	4
5	·03			·28						·38	·02	·30	5
6	·20											·20	6
7	·07		·01							·78	·76	·58	7
8	·03		·04								·87	·25	8
9	·22		·05	·01							·51	·05	9
10		·12	·06	·13							·07	·64	10
11	·51		·03								1·31		11
12	·04		·85								·10		12
13			·01		·15				·28	·21		·17	13
14		·06			·08							·41	14
15			·12								·10	·11	15
16						·42					·30	·12	16
17											·25	·13	17
18		·12	·05								·81	·41	18
19						·04			·03	·13	·04	·04	19
20	·01							·43	·14	·32		·55	20
21	·08	·22						·14	·01	·55		·12	21
22			·35			·05		·04		·58		·57	22
23		·23	·28			·81			·30	·62	·02	·14	23
24		·16				·21	·08			·52		·43	24
25			·26	·09		·05			·06			·01	25
26			·18	·27		·15				·40	·15	·34	26
27		·36	·16	·10					·03	·52		·09	27
28		·29		·19									28
29				·02		·16	·20	·01	·28	·41			29
30				·06		·05				·21		·02	30
31					·01								31
Total	1·45	1·58 ✓	2·50	1·80	·67	1·94	·28	·83	1·13	6·06 6·06	5·89	6·22	TOTAL for year 30·35 ✓
No. of Rain Days	12	9	16	11	5	9	2	~~4~~ 5	8	14	18	25	134

9,000, IX. '10.

81

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER

Kept at *Magham Down, Hailsham*

in the County of *E Sussex* 5

by *W. E. Bear*

Rain Gauge	Pattern
	Diameter of top 5 in.
	Height of top above Ground 2 ft. 9 in.
	" " " Sea Level 90 ft.
Time of Observation	
Nearest Railway Station	Name
	Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·61				·21			·07		1
2			·01		·26						·18	·22	2
3	·03				·17						·07	·21	3
4	·15	·02	·04	·04						·43	·26	·11	4
5	·03			·28						·38	·02	·30	5
6	·20											·20	6
7	·07		·01							·78	·76	·58	7
8	·03		·04								·87	·25	8
9	·22		·05	·01							·51	·05	9
10		·12	·06	·13							·07	·64	10
11	·51		·03								1·31		11
12	·04		·85								·10		12
13			·01		·15				·28	·21		·17	13
14		·06			·08							·41	14
15			·12								·10	·11	15
16						·42					·30	·12	16
17											·25	·13	17
18		·12	·05								·81	·41	18
19						·04			·03	·13	·04	·04	19
20	·01							·43	·14	·32		·55	20
21	·08	·22						·14	·01	·55		·12	21
22			·35			·05		·04		·58		·57	22
23		·23	·28			·81			·30	·62	·02	·14	23
24		·16				·21	·08			·52		·43	24
25			·26	·09		·05			·06			·01	25
26			·18	·27		·15				·40	·15	·34	26
27		·36	·16	·10					·03	·52		·09	27
28		·29		·19									28
29				·02		·16	·20	·01	·28	·41			29
30				·06		·05				·21		·02	30
31					·01								31
Total	1·45	1·58 ✓	2·50	1·80	·67	1·94	·28	·83	1·13	6·06 6·06	5·89	6·22	TOTAL for year 30·35
No. of Rain Days	12	9	16	11	5	9	2	5 ~~4~~	8	14	18	25	134

9,000, IX. '10.

Dl Wrote for [illegible] E K M L 85

7 II 13 JC.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 FEB 1913

Kept at Magham Down, Hailsham

in the County of Sussex 5

by

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05	.02		.49			.33	.58		.35	1
2			.16			.04	.12			.03			2
3	.01	.07	.01			.33	.13	.21	.01				3
4	.18	.06	.57		.01	.31	.04	.04			.04		4
5	.09	.14	.15		.01	.30		.22			.27		5
6	.59	.15			.26			.34				.04	6
7			.01			.51		.24				.08	7
8	.51	.23	.25			.01	.03					.04	8
9	.03	.06	.01	.03			.05	.07				.06	9
10		.03						.20			.10	.39	10
11	.03	.25				.13		.03	.01			.26	11
12		.21				.04		.65			.01	.12	12
13			.05								.09	.15	13
14										.04		.01	14
15		.03	.05		.13	.52						.19	15
16	.05		.19		.59	.12		.14		.09	.02		16
17	.30		.35			.04		.09			.01		17
18	.04		.36		.04		.05	.17		.01		.41	18
19	.12	.12	.38				.03	.49			.02		19
20	.01		.59					.14		1.24	.05		20
21		.08	.29					.28		.43	.05		21
22		.38	.04		.05		.03	.19		.12			22
23	.23	.30	.34		.02			.31		.26	.14	.05	23
24	.03	.02					.01	.19				.19	24
25	.13					.32		.78		.02	.29	.30	25
26		.04						.20		.25	.23	.57	26
27							.03			.15	.02	.41	27
28							.13	.01	.02	.73	.32	.18	28
29		.04					.13	.29	1.04	.23	.20		29
30					.43			.20	2.07	.25			30
31			.02				.22						31
Total	2.35	2.21	3.87	.05	1.54	3.16	1.00	5.48	3.48	4.43	1.86	3.80	TOTAL for year 33.23
No. of Rain Days.	15	17	19 18	2	9	13	13	23	6	15	16	18	166

W. 8,000, X. '11.

88

cndy B. 11·II·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

22 JAN 1914

SS

Kept at Hailsham, Magham Down

in the County of Sussex

5

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·43	·10	·20		·06				·06	·08	·06	1
2	·05	·17					·10			·03	·17	·01	2
3			·02	·47	·13				·11	·07		·14	3
4	·12		·06				·01		·26	·10	·21		4
5	·08					·07			·91	·25	·08		5
6		·02	·13	·03	·01	·10	·40			·24	·61	·17	6
7		·29	·07	·02		·09	·50			·51	·03		7
8					·08	·07				·49	·21		8
9		·10			·11		·04		·14		·01		9
10				·02			·41			·01	·36		10
11	·77			·58						·95	·36		11
12					·23						·91	·01	12
13	·52							·06	·02				13
14	·24		·16	·05			·18		·16	·03	·31		14
15	·11		·34	·19			·36		·02				15
16	·22		·76	·53					·15				16
17	·09	·08		·01			·10						17
18	·01			·25			·22				·13		18
19	·15		·15		·01		·05		·18				19
20	·41		·05	·13		·25				·35	·05		20
21	·01		·01	·25	·01					1·22	·63	·05	21
22	·31		·27				·01		·05	·06		·73	22
23			·01			·01		·05					23
24	·05			·03		·03		·01			·03		24
25		·03		·26									25
26			·11					·18		1·08		·27	26
27					·04					·15			27
28	·09		·29	·08						·34			28
29	·14		·09	·40	·09			·04					29
30	·69			·35				·39		·08			30
31			·01					1·12		·03			31
Total	4·09	1·12	2·63	~~3·83~~ 3·85	·71	·68	2·38	1·85	2·00	6·05	4·18	1·44	YEAR'S TOTAL 30·98
Rain Days.	19	7	17	18	9	8	12	7	10	19	16	8	150

W. 7,500, XI. 12

82 / Written 19.II.15

6178

71

FORM A. BRITISH RAINFALL.
28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Magham Down, Hailsham

in the County of Sussex 5

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·03			·01	·04			·01	·08	1
2							·48				·17	·30	2
3			·16	·03	·23							·01	3
4				·30				·06			·37	·41	4
5	·10		·14	·30	·02		·24						5
6		·03		·16			·04	·11				·48	6
7		·48	·11	·09	·01	·09	·04					·37	7
8	·22	·38	·40			·13	·24	·02				·05	8
9	·18		·56	·06		·14			·15			1·00	9
10	·04		·01		·10				·03			·08	10
11		·47	·41	·05					·24		·02	·48	11
12		·02	·12			·13	·20		·34			·47	12
13		·57	·17						·16	·04	·11	·57	13
14	·01	·14	·39							·30	·13	·33	14
15		·07	·33					·08	·04		·63		15
16		·27					·14		·03				16
17		·33	·07				·06		·25			·13	17
18		·17	·22									·45	18
19		·12	·95				·65			·04	·25	·39	19
20		·13	·21									·39	20
21		·81	·06				·01					·04	21
22		·03	·03			·07	·41	·07		·43			22
23			·41			·50	·02						23
24			·06	·01	·03					·05	·10		24
25			·11							·39	·03		25
26	·09		·01				·01	·30			·12	·32	26
27	·05									·10	·12	·72	27
28	·04									·48	·62	·38	28
29	·09		·01							·54	·04		29
30	·03		·09							·08	1·65	·07	30
31	·01				·28							·16	31
Total	·86	4·02	5·07	1·03	·67	1·06	2·55	·68	1·24	2·45	4·37	7·68	YEAR'S TOTAL 31·68
Rain Days.	11	15	24	9	6	6	14	7	8	10	15	23	148

W.7,000, XI. 13

624
68

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Magham Down, Hailsham

5

in the County of Sussex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·52	·10	·02					·02	1·05		·18	·43	1
2	·62	·21	·22	·05				·02	·01	·07		·12	2
3	·25		·03	·34	·15			·10	·01			·52	3
4	·06											·29	4
5	·01	·30		·25								·59	5
6	·48	·21	·06	·45			·07					·19	6
7	·42	·32		·01			·03					·43	7
8	·02	·15	·15				·54						8
9	·03	·35		·11		·14		·01			·67	·95	9
10	·29					·13						·68	10
11		·03	·02								·85	·09	11
12	·06			·14	·10					·02	1·08		12
13	·01	·92			1·70				·03				13
14	·03	·02					·40		·08			·55	14
15	·23				·09		·27	·26			·17	·28	15
16		·48		·03			1·22				·07	·02	16
17		·72			1·00			·01				·13	17
18		·24			·19							·01	18
19		·01											19
20	·22				·13							·10	20
21	·13									·18		·09	21
22	·03		·04				·87					·25	22
23			·04				·08			·17		·71	23
24		·07	·01				·07		·24	·73		·40	24
25			·02	·03			·17					·29	25
26												·67	26
27		·04				·50	·06			·21		·01	27
28		·07							1·04	·70			28
29					·17	·04	·03		·01		·41	·01	29
30	·27	X				·02		·39		·35	·17		30
31	·02	X		X		X			X	·93	X	·32	31
Total	3·70	4·24	·61	1·41	3·53	·83	3·81	·81	2·47	3·36	3·60	8·13	YEAR'S TOTAL 36·50
Rain Days.	19	17	10	9	8	5	12	7	8	9	8	25	137

W. 8,000. X. 14.

614
~~67~~

FORM A.
BRITISH RAINFALL.
13. MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Magham Down, Hailsham

in the County of Sussex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.02	.02		.15				.01	.02	.53		1
2	.36	.05	.25		.28					.78	.03		2
3		.38	.19			.01			.06	.15	.33		3
4	.17					.42			.29	.26	.56		4
5	.01				.15	.04				.07	.58		5
6		.08	.08	.38	.02	.33	.21			.04	.36		6
7			.52		.35	.11	.21			.07	.26		7
8		.01	.01		.20							.26	8
9					.29	.07						.38	9
10		.21				.11	.09			.02		.41	10
11	.01	.27	.03	.19		.04						.04	11
12	.06	.04		.12	.22	.16	.15			.02			12
13		.20	.10		.05	.06	.02		.01	.01			13
14		.56		.03	.21			.24				.34	14
15		.16	.05										15
16		.02	.17	.18			.10	.01					16
17	.41	.04		.03			.03		.28	.70			17
18	.02	.20		.01				.36	.35	.21	.96		18
19	.26	.01	.06	.36				.01	.17		.71	.13	19
20	.03		.01	.06		.03					.21	.39	20
21	.06		.26	.02							.03	.47	21
22	.02		.06	.06		.03				.02		.79	22
23		.13	.03			.20	.12	.06			.09	.03	23
24		.21	.01		.15					.28	.04	.36	24
25		.21	.09					.32		.23	.19		25
26	.02	.95				.23		.17		.14		.08	26
27	.01	.10	.73	.04		.29			.09	.87			27
28		.64	.07			.13			.06	.48		.20	28
29		.18				.37		.43	.20	.59		.56	29
30		X						.07		.32			30
31		X		X		X			X	.19	X		31
Total	1.49	4.67	2.74	1.48	2.07	2.63	.83	1.6~~8~~7	1.52	5.47	4.88	4.44	YEAR'S TOTAL 33.89
Rain Days.	14	22	19	12	11	17	8	1.67 9	10	21	14	14	171

W. 8,000. X. 15.

8L ✓

584 ~~63~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Magham Down, Hailsham

in the County of Sussex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09		–		1·38	·14		·05	·02	1
2				·14				·08		·02	·01		2
3				·15			·10	·22		·14	·09		3
4	·02		·17	·02			·55	·35		·28			4
5	·31		·11						·54	·25			5
6			·04	·19		·73			·22	·04	·16		6
7	·41						·11			·49		·10	7
8	·01			·10			·15	·05		·36	·26	·16	8
9			·06								·01	·78	9
10	·06		·10	·03		·76		·16		·01			10
11	·23	·01	·13	·08				·03	·01	·48			11
12			·02	·13				·20		·25			12
13	·04		·18		·02			·02	·02	·35			13
14	·01			·26						·14			14
15				·02	·16			·31		·11		·08	15
16	·04	·13		·13	·09				·14	·22		·67	16
17				·09	·17		·23			·21			17
18				·02	·06		·47	·09	·25			·24	18
19		·16	·09		·01	·08		·02	·11				19
20		·25	·03		·73	·01							20
21	·01		·01		·01					·01		·03	21
22			·02			·68		·18		·20			22
23	·03	·16	·04		·22			·10		·02		·03	23
24		·02					·03	·08		·25		·02	24
25		·09	·03				·22	·33					25
26			·01					1.16	·07		·90		26
27													27
28			·08			·24		·52				·03	28
29			·10				·21	·04		·26		·06	29
30		X	·15		·03	·01	·31	·34		·18	·02	·02	30
31	·01	X	(·08)	X		X	·19		X	·02	X		31
Total	1·18 ✓	·82 ✓	1·45 ~~1·37~~	1·45	1·50	3·51 ✓	2·57	5·66	1·50	4·29	1·50	2·24	YEAR'S TOTAL 27·67 ✓
Rain Days.	12 ✓	7	19 ✓	14	10	7	11	20	9	22	8	13	152 ✓

2·39

W. 8,000, VIII. 16

Dl written 3.11.19 May 1300 Dl

105
~~63~~

FORM A.
BRITISH RAINFALL.

27.1.19

REGISTER OF RAINFALL IN 1918

Kept at Magham Down, Hailsham
in the County of Sussex
by E. M. Bear

Lat. Long. —
Time of Observation —
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06				–						-	·09	1
2		·02	·03					·34				·18	2
3			·08	·06				·03		·020		·02	3
4	—	·04		·06				·07	·15				4
5		·22	·01					·11		·050			5
6	·07	·13		·15				·12	·05	~~·005~~		·08	6
7		·05		·06		·02		·02	·60	·060		·03	7
8		·03							·22			·05	8
9	·03			·05		·11			·55	·330		·15	9
10				·03		·04	·29		·36			·13	10
11							·01		·05	·760		·10	11
12		·11							·04	·200		·02	12
13	}						}		·17				13
14	·38		·02			·08	·34		·50	·330			14
15	1·73			·08		·07						·20	15
16	·15			·08			·03		·02			·36	16
17	·53			·10		·02	·59					·03	17
18	·28					·24			·41	·260			18
19	·08		·12	·03		·28				}			19
20	·03	·16		·80		·04	1·35		·23	·480			20
21	·21			·87			·02		·19	·075		·06	21
22	·12						·21		·80			·22	22
23	·08						·80		·01			·14	23
24		·16				·02	·11		·16				24
25								·40		·020			25
26	·02			·05			}		·06	·025		·17	26
27		·03		·08			·20	·18	·64			·08	27
28			·32	·01		·03						·02	28
29									1·00				29
30		X	·42	·02					·02	·090		·30	30
31		X	·02	X		X			X	·060	X	·02	31
Total	3·77	·95	1·02	2·53	(1·75)	·95	3·95	9·27	6·23	2·765	2·40	2·45	YEAR'S TOTAL 30·03
Rain Days.	15	10	8	16	(10)	11	~~16~~ 13	~~11~~ 8	21	~~16~~ 15	13	21	(161)

W. 8,000, VIII. 16

DL   HF DL coord by Surt 4 Stns   544

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL
13 MAR 20

Kept at Magham Down, Hailsham

in the County of Sussex

by E. M. Bear

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.48				.10		.02			.06	.04	.65	1
2	.18		.04				.10					.20	2
3	.24		.49		.06		—		.27		.15	.27	3
4	.37	.12	.33			.01	.03		.02				4
5	.02	.36	.86					.12			.25	.62	5
6	.18		.04									.07	6
7	.15		.51										7
8	.18		.12										8
9	.45		.04		.02						.36		9
10	.65		.08	.06								.08	10
11	.26		.10	.30	.05							.22	11
12	.04		.03	.01	.02		.20			(.15)			12
13				.30									13
14	.58			.40			.10		.09			.13	14
15	.26			.10								.24	15
16	.17	.69		.02							.13	.04	16
17		.26	.03								.18	.04	17
18		.02	.05					.04			.06		18
19	.10	.27	.73				.28						19
20	.39	.10	.15			.43	.30	.40	.02			.05	20
21	.10	.61	.02								.04	.04	21
22		.04	.04				.28		.56		.03	.07	22
23						.06	.03		.50				23
24		.09				.01				.09	.37	.03	24
25				.18			.07	.25				.07	25
26	.10	.14	.10	.09					.07		.25	.43	26
27	.26		.06	.91				.32			.81		27
28			.22	.32				1.20				.46	28
29	.03			.02				.29		.17	.09	.17	29
30			.03	.21				.55		.04	.16	.51	30
31	.09						.03			.12		.02	31
Total	5.28	2.70	4.07	2.92	.25	.51	1.44	3.17	1.52	.63	2.92	4.41	YEAR'S TOTAL 29.82
Rain Days.	22	11	21	13	5	4	12	9	7	6	16	22	148

W, 6,500, VII. 18. W W C

84 513

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 19~~19~~ 20

Kept at Hailsham, Magham Down

in the County of Sussex

by E. M. Bear

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

„ „ „ „ Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08			.09	.07		.11			x✓		.35	1
2			.22	.02	.01			.55	.07	x✓ .80		.13	2
3								.01		.01		.05	3
4		.12	.01	.02			2.03	.10	.01			.09	4
5			.04				.35	.07	.08	.01		.08	5
6			.22		x✓		.29					.01	6
7	.10			.07	x .22		.06					.03	7
8				.18	.04		.30						8
9	.27	.02	.01		.07	.05							9
10	.84	.12	.10	.19			.09				.03	.02	10
11	.41		.13	.24		.18	.13					.02	11
12	.07	✓ .08		.13	.02	.25	.11						12
13		x✓	.26								.10		13
14	.29	.01	.43	.41		.03				.21	x✓		14
15	.05	.01	.03	.02					.81	.39	x✓ .62	.01	15
16	.02			.01	.01				x✓			.04	16
17	.01			.02	x✓				x 1.20		.01	.02	17
18	.07				✓ .43			1.31	.15			.05	18
19	.13			x✓								.04	19
20	.10	.08		.27 x✓		.75			.54			.02	20
21							.20		.05			.47	21
22				.35				.02				.37	22
23							.50						23
24	.02		.09	.02								.57	24
25			.01				.15						25
26	.08		.17	.06			.02				x	.05	26
27	.48			.19							x✓ .34	.32	27
28	.21	.03	.14	.07	.36	.01	x✓ .25				.17	.06	28
29	.56		.08	.09		.02	–				.23	.15	29
30	.02						.06		.15		.31	.27	30
31	.02		.08							.29		.46	31
TOTAL	3.83	.47	2.02	2.45	1.23	1.29	4.65	2.06	3.06	1.71	1.81	3.68	YEAR'S TOTAL 28.26
Days with ·01 in. or more	20	9	16	+ 20	11	7	15	6	10	7	10	25	~~15~~ 156 157
	14	15	5	12	14	6	4	13	4	9	5	8 18	112 114

(44038) Wt. 21058—218 7500. 10/19. Gp.132 A.&E.W.

MAYFIELD

—

SUSSEX

1913 - 1918

FORM A.
BRITISH RAINFALL.

14 JAN 1914

REG

Kept at May

in the County of

by A. G. Ro

a.m.

Mayfield

5 in.

ve Ground 1 ft. 0 in.

Sea Level 430 ft.

IMPORTANT NOT the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.39	.07		.02	.07				.07	.10	.12	1
2	.05	.18					.17	.6	.02	.02	.11	.02	2
3	.34		.06	.75	.25							.15	3
4	.28		.05	.02	.02		.02		.09	.22	.18	.01	4
5		.04	.01			.11	.11		.64	.02	.20	.03	5
6		.01	.10	.04	.04	.09	.54		.04	.50	.22	.11	6
7		.24	.05		.03	.10				.31		.03	7
8		.07	.01		.14		.02			.38	.21	.05	8
9		.02		.02	.07		.54		.10		.22	.01	9
10	.02										1.01		10
11	.80			.48						.73	.05		11
12					.10						1.40	.01	12
13	.52		.04						.04	.01	.33		13
14	.20		.11	.07			3.50	.01	.09	.07	.18		14
15	.25		.33	.51			.37						15
16	.24		.66	.07			.01		.44				16
17	.05	.06	.04	.10			.33		.04			.03	17
18	.01		.20	.19			.05				.09		18
19	.38		.07				.07		.28				19
20	.73		.09	.13		.22				.47	.04		20
21	.03		.14	.14	.01		.02			.72	.89		21
22	.30		.25		.01		.01	.05	.07				22
23			.07			.02	.01	.06				.72	23
24	.07			.03				.03		.01	.04		24
25				.27			.02			~~1.20~~			25
26			.13				.02	.24		1.28		.31	26
27		.02	.27							.18			27
28	.19		.10	.10						.32			28
29	.15		.04	.51	.19			.08		.02	.02		29
30	.53			.30				.09		.06		.01	30
31			.09					1.13		.21			31
Total	5.27	1.03	2.98	3.73	.88	.61	5.81	1.69	1.85	5.52	5.29	1.61	YEAR'S TOTAL 36.27
Rain Days.	20	9	23	17	11	6	17	8	11	19	17	14	172

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
14 JAN 1914

REC

Kept at May

in the County of S

by A. G. Robins

a.m.

way Station Mayfield

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.39	.07		.02	.07				.07	.10	.12	1
2	.05	.18					.17	·6	.02	.02	.11	.02	2
3	.34		.06	.75	.25							.15	3
4	.28		.05	.02	.02		.02		.09	.22	.18	.01	4
5		.04	.01			.11	.11		.64	.02	.20	.03	5
6		.01	.10	.04	.04	.09	.54		.04	.50	.22	.11	6
7		.24	.05		.03	.10				.31		.03	7
8		.07	.01		.14		.02			.38	.21	.05	8
9		.02		.02	.07		.54		.10		.22	.01	9
10	.02										1.01		10
11	.80			.48						.73	.05		11
12					.10						1.40	.01	12
13	.52		.04						.04	.01	.33		13
14	.30		.11	.07			3.50	.01	.09	.07	.18		14
15	.25		.33	.51			.37						15
16	.24		.66	.07			.01		.44				16
17	.05	.06	.04	.10			.33		.04			.03	17
18	.01		.20	.19			.05				.09		18
19	.38		.07				.07		.28				19
20	.73		.09	.13		.22				47	.04		20
21	.03		.14	.14	.01		.02			.72	.89		21
22	.30		.25		.01		.01	.05	.07				22
23			.07			.02	.01	.06				.72	23
24	.07			.03				.03		.01	.04		24
25				.27			.02			~~1.20~~			25
26			.13				.02	.24		1.28		.31	26
27		.02	.27							.28			27
28	.19		.10	.10						.32			28
29	.15		.04	.51	.19			.08		.02	.02		29
30	.53			.30				.09		.06		.01	30
31			.09					1.13		.21			31
Total	5.27	1.03	2.98	3.73	.88	.61	5.81	1.69	1.85	5.52	5.29	1.61	YEAR'S TOTAL 36.27
Rain Days.	20	9	23	17	11	6	17	8	11	19	17	14	172

W. 7,500, XI. 12

Esc. M.9

FORM A. BRITISH RAINFALL. 4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bishopstone Mayfield

in the County of Sussex 6

by A. G. Robins. M.I.Mech.E.

Lat. ______ Long. ______

Time of Observation 10 a.m.

Nearest Railway Station Mayfield L.B.& S.C.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.07				.02			.11	.15	1
2			.04	.02				.01			.14	.21	2
3	.01		.25		.34		.15				.01		3
4	.06		.05	.35	.02			.10			.37	.42	4
5	.06		.07	.50				.01				.01	5
6		.07	.08	.36	.05	.09	.23	.08				.60	6
7		.63	.25	.14	.01	.06		.01				.25	7
8	.15	.44	.66	.01		.12	.19	.09				.17	8
9	.36		.80	.16					.14			1.66	9
10	.04	.04	.01	.13	.17				.15			.01	10
11		.40	.64	.04	.21				.20		.07	.44	11
12		.05	.11				.22		.51	.05	.01	.76	12
13	.03	.59	.43						.15	.01		.64	13
14		.33	.18						.01	.45	.28	.62	14
15		.01	.48				.06	.05	.18		.76	.01	15
16		.18	.08				.31		.15				16
17		.62	.15				.01					.30	17
18		.02	.21							.02		.63	18
19		.20	1.48				.52			.10	.37	.19	19
20		.32	.05			.01				.01		.45	20
21		1.02	.05					.37		.05		.03	21
22					.37		.11	.05		.45		.03	22
23			.45		.57	.46	.01			.01		.05	23
24			.01		.01						.21	.01	24
25	.15		.18					.08			.06	.09	25
26	.01		.08				.01	.29		.15	.21	.50	26
27	.02		.01					.06			.16	.62	27
28	.02	.01					.01			.46	.27	.49	28
29	.15		.01							.90	.35	.01	29
30	.01	X	.11							.10	1.26	.25	30
31	.02	X		X	.21	X			X		X	.10	31
Total	1.09	4.93	6.92	1.78	1.96	.74	1.83	1.22	1.49	2.76	4.64	9.70	YEAR'S TOTAL 39.06
Rain Days.	14	16	27	10	10	5	12	13	8	13	16	29	173

W. 8,000. X. 14.

exct 98

645

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bishopstone Mayfield

in the County of Sussex

by A. G. Robins M. I. Mech. E.

Lat. Long.

Time of Observation 10 a m

Nearest Railway Station Mayfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.62		.04					.10	.25		.26	.33	1
2	.42		.31	.19				.16				.24	2
3	.38		.02	.25	.14			.20	.07			.51	3
4	.02							.10				.57	4
5	.04	.48		.16				.22		.01		.55	5
6	.70	.25	.02	.78			.23					.14	6
7	.27	.52	.08	.03			.09					.34	7
8	.05	.60	.01	.03			.04	.01					8
9	.05	.22		.10		.16		.02			.73	.93	9
10	.40			—		.03						.70	10
11			.01								.79		11
12	.07	.30		.31	.40				.03	.01	.91	.01	12
13		.95			2.14								13
14		.05					.15		.07			.79	14
15					.07		.06	.27			.24	.48	15
16		.95		.06	.18		1.42	.10				.04	16
17		.36			1.04							.12	17
18		.15			.20						.05		18
19		.05								.02			19
20	.30			.09	.55							.21	20
21	.06	.01					.01			.05		.09	21
22	.18	.03	.05				1.27					.19	22
23	.02	.11	.07	.02		.02	.03		.01	.16		.57	23
24			.04	.04			.31		.20	.38		.73	24
25				.01			.37					.17	25
26		.09				.10					.04	.93	26
27		.08				.05	.13			.52	.70	.01	27
28		.05	.01			.09	.06		1.52	.40	.62		28
29					.05	.12	.73	.31				.01	29
30	.22	X				.02				.32		.03	30
31	.08	X		X		X		.43	X	1.09	X	.32	31
													YEAR'S TOTAL
Total	3.88	5.25	.66	2.07	4.77	.59	4.90	1.92	2.15	2.96	4.34	9.01	42.50
Rain Days.	17	18	11	13	9	8	14	11	7	10	9	25	152

W. 8,000. X. 15.

9

Exd C32

635

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Bishopstone Mayfield

in the County of Sussex.

by A. G. Robins.

Lat. Long.

Time of Observation –

Nearest Railway Station Mayfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.13	.01	.01		.45	.04			.14	.12	.42		1
2	.43	.11	.65		.25	.01			.01	.40	.01		2
3	.02	.58	.16							.43	.59		3
4	.22	.06		.01		.51	.01		.24	.06	.60		4
5	.01	.07	.01		.25	.16				.15	.48		5
6	.01	.07		.45	.14	.63	.50			.08	.49		6
7	.05	.02	.98		.24	.16				.03	.52	.03	7
8		.05			.23						.01	.51	8
9			.05		.32					.01		.20	9
10		.42		.10		.34	.07					.43	10
11	.05	.15	.01	.19		.11	.07					.06	11
12	.04	.10	.20	.02	.16					.19	.01		12
13		.22	.04	.07	.01					.03			13
14		.44	.10	.01	.15		.01	.17		.01		.18	14
15		.15	.10				.02	.03				.04	15
16			.15	.21			.02			1.23			16
17	.32	.16		.13				.04	.50	.57			17
18	.03	.12		.02				.72	.23	.01	.70		18
19	.25	.01	.08	.26					.18		1.02	.13	19
20	.10		.06	.04			.08				.02	.70	20
21	.03		.30	.03							.01	.59	21
22	.~~4~~		.12			.03				.06	.01	.67	22
23	.01	.35 s	.09			.13				.12	.11	.01	23
24			.01		.15	.01	.01			.47	.10	.35	24
25		.98	.20					.85		.08	.03	.02	25
26		.56	.05			.18		.19		.24	.02		26
27	.05		.85			.28		.03	.19	.48			27
28		.70	.10			.22			.33	.42	.01	.30	28
29		.32				.39		.62	.05	.53		.39	29
30		✕			.03	.01		.08		.40			30
31		✕		✕		✕		.05	✕	.07	✕	.01	31
Total	1.75	5.65	4.32	1.54	2.38	3.21	.79	2.78	1.87	6.19	5.16	4.62	YEAR'S TOTAL 40.26
Rain Days.	15	22	22	13	12	16	9	10	9	24	19	17	188

W. 8,000, VIII. 16

606

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

JAN 1918

Kept at Bishopstone Mayfield
in the County of Sussex
by A. G. Robins.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.24^{s}				1.53	.08		.13	.03	1
2				.17^{s}				.25		.05	.16		2
3				.12^{s}			.87	.42		.19	.02		3
4		.12	.18^{s}	.			.26	.27		.49			4
5	.30		.03	.17^{s}						.23	.04		5
6				.04		.36		.02	.10	.02	.19	.01	6
7	.42						.22			.61		.05	7
8	.01			.10				.05		.42	.36	.14	8
9			.04	.06			.06				.02	.98	9
10	.18		.13	.18^{s}		.03		.18					10
11	.26		.14	.31^{s}				.13		.48			11
12	.04		.01	.02				.11		.43	.01		12
13	.06		.15					.03		.29	.01	.01	13
14	.03		.01	.23				.41	.02				14
15	.02				.13			.22		.24		.06	15
16	.07	.19		.29	.21					.43		.50	16
17				.10	.27		.29		.30	.23		.01	17
18	.07		.25	.09	.06		.15	.18	.19	.01			18
19		.19	.06	.01	.05	.18		.03	.23				19
20		.12	.02		.84				.08		.03		20
21		.01	.11	.01		.02				.01	.01	.06	21
22	.05					.79	.45	.17		.20			22
23		.20			.28			.18				.03	23
24		.03				.04	.10	.17		.28	.21	.03	24
25		.08				.04		.01		.02	.01		25
26			.02			.01		.29	.06		1.06		26
27								1.31					27
28			.07			1.15	.16	.74				.11	28
29			.01		.04	.02	.20	.03		.66		.16	29
30	.04	X	.32			.03	.40	.39		.04		.06	30
31	.03	X	.02	X		X	.50	.01	X	.03	X	.10	31
													YEAR'S TOTAL
Total	1.58	.94	1.57	2.14	1.88	2.67	3.66	7.13	1.06	5.36	2.26	2.34	32.59
Rain Days.	14	8	17	16	8	11	12	24	8	21	14	16	169

W. 8,000, IX. 17.

125

8.1.19

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Bishopstone Mayfield

in the County of Sussex.

by A. G. Robins.

Lat. Long.

Time of Observation 10 a.m

Nearest Railway Station Mayfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05		.02			.03			.21	.04	1
2		.02	.02	.09				.31	.01		.40	.28	2
3		.01	.11	.01	.41				.18	.06	.46	.01	3
4		.12	.02					.07			.83	.01	4
5		.14	.01		.10			.39		.16	.04	.05	5
6	.17	.19		.22	.20			.17				.06	6
7	.05	.12		.08		.01		.02	.17	.02	.10	.02	7
8		.01							.37	.02	.07	.33	8
9				.06		.01	.18		.65	.34		.15	9
10				.05		.06	.56		1.45	.17		.28	10
11							.14		.09	.84	.10	.13	11
12		.14			.41		.18		.10	.04		.01	12
13	.16			.01			.20		.13			.03	13
14	.23		.02			.13			.28	.30		.07	14
15	1.66	.01		.27		.06	.02					.24	15
16	.43			.08		.21	.21		.04				16
17	.15			.17		.33	.93	.02				.39	17
18	.40					.56	.02		.52	.05		.07	18
19	.11	.18	.06	.05		.05	.01			.13	.01	.01	19
20	.04			.90		.02	.90		.27	.47	.01		20
21	.25			1.01			.07		.44	.20		.03	21
22	.16				.32		.58		.70			.23	22
23	.12						.37	.09	.01				23
24		.25		.12	.03	.04	.34		.29		.06		24
25	.01						.17	.36		.03	.08		25
26				.09			.44		.05	.02	.07	.28	26
27	.01	.10	.03	.02			.04	.25	.20		.15	.05	27
28		.01	.44	.10	.04			.01			.19	.01	28
29	.01			.01					1.07		.02	.01	29
30	.01								.01	.12	.01	.10	30
31	.01		.46							.04			31
Total	3.98	1.30	1.22	3.34	1.53	1.48	5.36	1.72	7.03	3.01	2.81	2.89	YEAR'S TOTAL 35.67
Rain Days.	18	13	10	18	8	11	18	11	21	17	17	25	~~162~~ 187

W, 6,500, VII. 18. W W C

MAYFIELD
XAVERIAN COLL
SUSSEX
1916 - 1919

FORM A.
BRITISH RAINFALL.

3 JAN 1

Dates mud

REGIS

15' 16"

Kept at XAVERIAN C
M.
in the County of SUS
AYFIELD
by THE MEMBERS OF
CLASSES
Gauge 6.5 in. cndg
Ground 1 ft. - in.
Sea Level 400 ft.

IMPORTANT NOTE … the result entered to the previous day. If an Obse… … to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	T	-	-	·47	-	-	-	·20	·03	·43		1
2	·54	·13	·35	-	·17	-	-	-	-	·42	-		2
3	·03	·28	·13	-	T	-	·02	-	·05	·28	·38		3
4	·24	·10	-	·01	-	·36	-	-	·20	·02	·38		4
5	·02	·02	-	[illegible]	·12	·08	-	-	-	·05	·63		5
6	·02	·14	·11	·38	·01	·36	·40	-	*	·08	·55		6
7	·09	·02	·76	-	·25	·12	·01	-		-	·46		7
8	-	-	-	-	·14	-	-	-		-	-	·86	8
9	T	-	·02	-	·26	-	T	-		T	-	·33	9
10	-	·20	·06	·04	-	·32	-	-	·11	-	-	·96	10
11	·06	·23	·02	·10	-	·13	-	-		-	-	·05	11
12	·05	·08	·01	·09	·18	·15	·15	-	·17	·11	-		12
13	-	·09	·24	·07	T	·02	·02	T	·11	·04	-		13
14	-	·34	·07	-	·18	-	·01	·22		-	-	·38	14
15	T	·20	·11	-	-	-	·09	·17		-	-	·13	15
16	·13	·01	·12	·10	-	-	·02	·08		-	-		16
17	·01	·07	·05	·11	-	-	-	·7		1·02	-		17
18	-	·11	·05	T	-	-	-			·45	·46		18
19	·24	-	·06	·22	-	·08	-	-		-	·84		19
20	·09	-	·03	·02	-	-	-	-		-	-	·33	20
21	-	-	·12	·03	-	-	·05	-		-	·01	1·00	21
22	-	·02	·01	-	-	·02	-	-		·05	-	1·04	22
23	·01	·28	·05	-	-	·11	-	-		·01	-	·05	23
24	-	-	-	-	·12	·01	-	·01	·10	·46	·11	·70	24
25	-	·60	·17	-	-	-	-	[illegible]	-	·10	·30		25
26	·02	·05	·02	-	-	·13	-	·59	-	·29	-	·04	26
27	·01	-	·72	-	-	·28	-	·13	·13	·23	-	[illegible]	27
28	-	·53	·65	-	-	·36	-	[illegible]	·04	·17	-	·16	28
29	-	·21	-	-	-	·17	-	·08	-	·25	-	③ [illegible]6.	29
30	-	X	-	-	-	-	-	·22	-	·13	-	·01	30
31	-	X	-	X	-	X	-	·28	X	·43	X	·02	31
Total	1·72	3·71	3·92	1·17	1·90	2·70	·77	2·48	1·11	4·62	4·55	6·42	YEAR'S TOTAL 35·07
Rain Days.	16	21	23	11	10	16	9	10?	9	20	11	16	172

W. 8,000, VIII. 16

* The dates on which these 3 amts. fell are uncertain but lie between 5th & 24th

Dates [illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN

Kept at XAVERIAN COLLEGE

in the County of SUSSEX

by THE MEMBERS OF THE GEOGRAPHY CLASSES

Lat. 51° 2' Long. E 15' 76"
Time of Observation 9 A.M.
Nearest Railway Station MAYFIELD
Diameter of Funnel of Rain Gauge 6.5 in. [illegible]
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	T	-	-	·47	-	-	-	·20	·03	·43		1
2	·54	·13	·35	-	·17	-	-	-	-	·42	-		2
3	·03	·28	·13	-	T	-	·02	-	·05	·28	·38		3
4	·24	·10	-	·01	-	·36	-	-	·20	·02	·38		4
5	·02	·02	-	[illegible]	·12	·08	-	-	-	·05	·63		5
6	·02	·14	·11	·38	·01	·36	·40	-	*	·08	·55		6
7	·09	·02	·76	-	·25	·12	·01	-		-	·46		7
8	-	-	-	-	·14	-	-	-		-	-	·86	8
9	T	-	·02	-	·26	-	T	-		T	-	·33	9
10	-	·20	·06	·04	-	·32	-	-	·11	-	-	·96	10
11	·06	·23	·02	·10	-	·13	-	-	·17	-	-	·05	11
12	·05	·08	·01	·09	·18	·15	·15	-		·11	-		12
13	-	·09	·24	·07	T	·02	·02	T	·11	·04	-		13
14	-	·34	·07	-	·18	-	·01	·22		-	-	·38	14
15	T	·20	·11	-	-	-	·09	·17		-	-	·13	15
16	·13	·01	·12	·10	-	-	·02	·08		-	-		16
17	·01	·07	·05	·11	-	-	-	·7		1·02	-		17
18	-	·11	·05	T	-	-	-			·45	·46		18
19	·24	-	·06	·22	-	·08	-	-		-	·84		19
20	·09	-	·03	·02	-	-	-	-		-	-	·33	20
21	-	-	·12	·03	-	-	·05	-		-	·01	1·00	21
22	-	·02	·01	-	-	·02	-	-		·05	-	1·04	22
23	·01	·28	·05	-	-	·11	-	-		·01	-	·05	23
24	-	-	-	-	·12	·01	-	·01	·10	·46	·11	·70	24
25	-	·60	·17	-	-	-	-	[illegible]	-	·10	·30		25
26	·02	·05	·01	-	-	·13	-	·59	-	·29	-	·04	26
27	·01	-	·72	-	-	·28	-	·13	·13	·23	-	[illegible]	27
28	-	·53	·65	-	-	·36	-	[illegible]	·04	·17	-	·16	28
29	-	·21	-	-	-	·17	-	·08	-	·25	-	③ [illegible]6	29
30	-	╳	-	-	-	-	-	·22	-	·13	-	·01	30
31	-	╳	-	╳	-	╳	-	·28	╳	·43	╳	·02	31
Total	1·72	3·71	3·92	1·17	1·90	2·70	·77	2·48	1·11	4·62	4·55	6·42	YEAR'S TOTAL 35·07
Rain Days.	16	21	23	11	10	16	9	10?	9	20	11	16	172

W. 8,000, VIII. 16

* The dates on which these 3 amts. fell are uncertain but lie between 5th & 24th

POST CARD

13874

1383

HALFPENNY POSTAGE

Dr. H. R. Mill, Director,
British Rainfall Organization,
62 Camden Square,
London, N. W.

XAVERIAN COLLEGE, MAYFIELD, SUSSEX.

Correction

Jan. 10th 1917

I find that by mistake I have returned my gauge as 6 ins. in diameter instead of 5 ins.

Yours truly

Br. Aloysius.

607

FORM A.
BRITISH RAINFALL.
3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Xaverian College, Mayfield

in the County of Sussex.

by the members of the Geography Classes.

Lat. 51° 2′ Long. 15′ 16″

Time of Observation 9 a.m.

Nearest Railway Station Mayfield

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04						2·80	·12		·12	·02	1
2				·39				·46			·06		2
3				·50			·69	1·12		·01	·10		3
4		·13	·30					·36		·11			4
5	·62	·03	·06	·24			·30		·80	·23	·04		5
6			·08	·18		·34			·10		·17		6
7	·90						·52			·28		·06	7
8	·12			·24			·38			·20	·39	1·21	8
9	·01		·06	·14			·05				·01		9
10	·30		·34	·50		·06		·26					10
11	·40		·32	·62				·21		·38			11
12	·12		·32	·02				·24		·17			12
13	·10									·38			13
14	·02		·02	·36				·46	·02				14
15					·20					·15		·04	15
16	·16	·32		·98	·28					NOT TAKEN		1·00	16
17		·06		·05	·70		·48		·38	·33		·02	17
18	·01	·10		·18	·12		·33	·32	·12	·01		·05	18
19		·26	·37		·20	·55							19
20		·26	·05		1·68						·02	~~·06~~	20
21		·01	·01		·01			·10			·01	·06	21
22			·03			·80		·16		·20		·01	22
23		·48			·30			·16				·04	23
24		·01				·20	·02	·36		·26	·21		24
25		·02				·10				·01	·01	·03	25
26			·06					·60			1·60		26
27						·28		1·08			·01		27
28			·08			1·25	·24	·82				·07	28
29					·15		·38	·03		·76		·15	29
30	·07	X	·74				·58	·36		·13		·06	30
31		X	·20	X		X	1·42	·06	X	NOT TAKEN	X	·08	31
Total	2·83	1·72	3·04	4·40	3·64	3·58	5·39	9·96	1·54	3·61	2·7~~6~~5	2·90	YEAR'S TOTAL 45·36?
Rain Days.	12	12	16	13	9	8	12	19	6	17	13	15	152

Big.

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

2.1.19

Kept at Xaverian College, Mayfield
in the County of Sussex
by Brother Aloysius, C.F.X.

Lat. 51° 2' Long. 15' 16"
Time of Observation 9 am
Nearest Railway Station Mayfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·13		·03			·03			·27	·05	1
2		·02						·29	·02	·04	·41	·30	2
3		·01	·12	·07	·44						·39	·03	3
4		·14	·03		·02			·02	·13		1·03		4
5		·14	·02					·32		·11		·07	5
6	·16	·19		·28	·22			·19	·04	·04		·07	6
7	·06	·16		·15		·08			·27		·01	·01	7
8		·02							·06			·15	8
9	·03	·01		·09					·76	·34		·27	9
10				·06		·03	·15		1·20	·17		·31	10
11							·42		·08	·72	·18	·13	11
12		·24			·25		·20		·05	·14		·02	12
13	·20	·01			·09		·15		·13			·05	13
14			·02		·01	·12	·30		·23	·34		·09	14
15	1·61			·29		·06	·20					·27	15
16	·27			·08		·24	·06		·03				16
17	·18			·16		·36	·73	·02				·38	17
18	·48					·49	·12		·47	·04		·08	18
19	·15		·04	·05		·04	·18			·14			19
20	·03	·19		1·09		·01	·89		·20	·52			20
21	·25			·77			·07		·51	·02		·01	21
22	·14				·16		·58		·79	·01		·21	22
23	·13						·37	·08				·04	23
24		·24		·02	·04		·34		·32		·10		24
25	·01						·17			·01	·04	·02	25
26				·07			·44	·36				·31	26
27		·15	·02	·09			·04	·28				·10	27
28		·02	·52	·11					·01		·24	·02	28
29				·02	·03				1·09	·01	·22		29
30	·01	X	·41							·11		·17	30
31		X		X		X			X		X	·02	31
Total	3·71	1·56	1·31	3·40	1·29	1·43	5·41	1·54	6·39	2·76	2·89	3·18	YEAR'S TOTAL 34·86
Rain Days.	15	15	9	16	10	9	18	9	19	16	10	25	34·86 171

W, 6,500, VII. 18. W W G

Exd L

565

4 MAR 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Mayfield, Xaverian College
in the County of Sussex
by F. A. Hollingshead

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·62												1
2	·45												2
3	·31												3
4	·26												4
5	·01												5
6	·14												6
7	·18												7
8	·53												8
9	·60												9
10	·80												10
11	·26												11
12	·25												12
13	·15												13
14	·60												14
15	·14												15
16	·18												16
17													17
18													18
19	·02												19
20	·37												20
21	·05												21
22													22
23													23
24													24
25	·06												25
26	·03												26
27	·44												27
28	·01												28
29	·07												29
30	·01	×											30
31	·10	×		×		×			×		×		31
Total	6·64												Year's Total
Days with ·01 in. or more	26												

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

✓

MIDHURST

KING EDWARD VII SANATORIUM

SUSSEX

1911, 1919-20

R… 11

FORM A2. BRITISH RAINFALL. 18 JUN 1912

Kept at King Edw… Mi…
in the County of
by Dr. Nowell

…nowdon
…5 in.
…ove Ground 1 ft. / in.
…Sea Level 480 ft. (circa)
…9 a.m.
Name Midhurst
Distance 4 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	/	·23	/	/	·01	/	/	/	·03	·06	1
2	-	-	/	·11	·39	/	-	·08	/	/	·15	·23	2
3	-	/	/	/	·25	/	/	/	/	·01	·22	·08	3
4	·01	/	·05	·10	/	/	/	·09	/	/	·26	·51	4
5	/	/	/	·12	/	/	/	/	/	/	·06	/	5
6	·35	/	·09	/	/	/	/	/	/	·02	·03	1·01	6
7	·04	/	/	·02	/	/	/	/	/	·21	·41	·19	7
8	·08	/	·21	/	/	/	/	/	/	/	·29	·47	8
9	·12	/	/	/	/	/	/	/	/	·01	·10	·34	9
10	·01	·15	·20	·02	/	/	/	/	/	/	·01	1·26	10
11	·51	-	·02	/	/	/	/	/	/	·02	1·20	·02	11
12	-	/	/	/	/	/	/	/	·02	/	·14	·10	12
13	-	/	/	/	·09	/	/	/	·77	·07	-	·59	13
14	-	·02	/	/	·14	/	/	/	/	·01	-	·69	14
15	-	·04	·10	·03	/	/	/	/	/	·01	·14	·04	15
16	-	·01	·03	/	/	·70	/	/	/	} ·01 {	·85	-	16
17	·02	/	/	/	/	/	/	/	/		·33	·21	17
18	-	·15	·06	/	/	·07	/	/	/	·02	·38	·49	18
19	/	/	/	/	/	·06	/	/	·53	·19	·06	·75	19
20	·05	·02	·07	/	/	·17 ‡	/	·02	·08	·01	/	·18	20
21	·03	·31	/	/	/	·01	/	/	·01	·75	/	·92	21
22	/	/	/	/	/	/	/	·01	/	·26	/	·18	22
23	/	·22	·35	/	/	·36	/	/	·15	·28	·07	·57	23
24	/	·18	/	/	/	·43	/	·10	/	1·64	/	·45	24
25	/	·06	·05	·12	/	·11	·01	·10	·06	·01	/	·41	25
26	·02	/	/	·25	·93	·08	1·01	/	/	·26	·01	·09	26
27	/	·42	·45	·23	·04	·05	·04	/	·05	·15	·02	·35	27
28	/	·36	/	·32	/	/	·21	·01	/	/	/	·20	28
29	/	+	/	·15	/	/	·01	·10	·20	·37	/	/	29
30	/	+	/	·06	/	·12	·08	·41	/	·47	/	/	30
31	/	+	/	+	trace	/	/	/	+	-	+	·02	31
Total	1·24	1·94	1·68	1·76	1·84	2·16	1·37	0·92	1·87	4·78	~~4·39~~ 4·76	~~10·39~~ 10·41	TOTAL for year ~~34·32~~ 34·73
No. of Rain Days.	11	12	12	13	6	11	7	9	9	21/~~22~~	20	27	158

W. 8,000, X. '11.

‡ There may be a slight error on this day. but we think it is correct.

R 11

nardon

FORM A2.
BRITISH RAINFALL.
18 JUN 1912

Kept at King Edward VII Sanatorium Midhurst.

in the County of Sussex 2

by Dr. Nowell Bardswell

RAIN GAUGE	Diameter of top 5 in.		
	Height of top above Ground 1 ft. / in.		
	„ „ „ Sea Level 480 ft. (circa)		

Time of Observation 9 a.m.

Nearest Railway Station { Name Midhurst
Distance 4 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	/	/	/	·23	/	/	·01	/	/	/	·03	·06	1
2	/	/	/	·11	·39	/	/	·08	/	/	·15	·23	2
3	/	/	/	/	·25	/	/	/	/	·01	·22	·08	3
4	·01	/	·05	·10	/	/	/	·09	/	/	·26	·51	4
5	/	/	/	·12	/	/	/	/	/	/	·06	/	5
6	·35	/	·09	/	/	/	/	/	/	·02	·03	1·01	6
7	·04	/	/	·02	/	/	/	/	/	·21	·41	·19	7
8	·08	/	·21	/	/	/	/	/	/	/	·29	·47	8
9	·12	/	/	/	/	/	/	/	/	·01	·10	·34	9
10	·01	·15	·20	·02	/	/	/	/	/	/	·01	1·26	10
11	·51	/	·02	/	/	/	/	/	/	·02	1·20	·02	11
12	/	/	/	/	/	/	/	/	·02	/	·14	·10	12
13	/	/	/	/	·09	/	/	/	·77	·07	/	·59	13
14	/	·02	/	/	·14	/	/	/	/	·01	/	·69	14
15	/	·04	·10	·03	/	/	/	/	/	·01	·14	·04	15
16	/	·01	·03	/	/	·70	/	/	/	} ·01 {	·85	/	16
17	·02	/	/	/	/	/	/	/	/		·33	·21	17
18	/	·15	·06	/	/	·07	/	/	/	·02	·38	·49	18
19	/	/	/	/	/	·06	/	/	·53	·19	·06	·75	19
20	·05	·02	·07	/	/	·17 ‡	/	·02	·08	·01	/	·18	20
21	·03	·31	/	/	/	·01	/	/	·01	·75	/	·92	21
22	/	/	/	/	/	/	/	·01	/	·26	/	·18	22
23	/	·22	·35	/	/	·36	/	/	·15	·28	·07	·57	23
24	/	·18	/	/	/	·43	/	·10	/	1·64	/	·45	24
25	/	·06	·05	·12	/	·11	·01	·10	·06	·01	/	·41	25
26	·02	/	/	·25	·93	·08	1·01	/	/	·26	·01	·09	26
27	/	·42	·45	·23	·04	·05	·04	/	·05	·15	·02	·35	27
28	/	·36	/	·32	/	/	·21	·01	/	/	/	·20	28
29	/	+	/	·15	/	/	·01	·10	·20	·37	/	/	29
30	/	+	/	·06	/	·12	·08	·41	/	·47	/	/	30
31	/	+	/	+	trace	/	/	/	+	~~–~~	+	·02	31
Total	1·24	1·94	1·68	1·76	1·84	2·16	1·37	0·92	1·87	4·78	~~4·21~~ ~~4·39~~ 4·76	~~10·39~~ 10·41	TOTAL for year ~~36·33~~ 34·73
No. of Rain Days.	11	12	12	13	6	11	7	9	9	21/~~22~~	20	27	158.

W. 8,000, X. '11.

‡ There may be a slight error on this day. but we think it is correct.

474

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at King Edward VII Sanatorium, Midhurst,
in the County of Sussex
by Various observers.
SL Baker

Lat. 51° 0' N. Long. 0° 45' W.
Time of Observation 9 a.m.
Nearest Railway Station Midhurst L&S.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 481 ft.

IMPORTANT NOTE.—Rain should ~~be measured~~ daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10.8	·	0.6	·	·	·	4.5	·	·	0.7	0.15	27.2	1
2	8.5	·	0.4	·	6.1	·	0.4	·	1.1	·	1.8	4.8	2
3	8.5	·	12.4	·	0.5	·	7.0	·	4.1	·	0.5	6.9	3
4	10.2	·	12.8	·	·	·	3.0	1.7	1.0	·	2.1	2.1	4
5	0.2	s12.6	27.4	·	·	·	0.4	·	3.8	·	4.5	8.6	5
6	8.4	·	2.8	·	0.8	·	·	·	·	·	0.1	2.6	6
7	2.6	·	14.3	·	·	·	·	·	·	·	·	0.1	7
8	7.1	·	3.3	·	·	·	·	·	·	·	·	·	8
9	6.3	·	2.3	0.4	4.3	·	·	·	·	·	2.2	·	9
10	23.0	·	4.9	0.8	·	·	·	·	·	·	·	9.3	10
11	5.3	·	3.0	7.2	2.2	·	3.3	·	·	·	·	1.4	11
12	0.8	·	0.3	1.7	·	·	1.4	·	·	0.8	0.6	0.1	12
13	1.2	·	0.3	21.2	·	·	·	·	·	·	·	0.7	13
14	13.5	·	·	7.8	·	·	3.7	·	17.1	·	·	2.2	14
15	4.7	·	0.3	0.3	·	·	·	·	·	·	·	25.4	15
16	0.8	18.6	·	·	·	·	·	·	·	·	2.5	0.3	16
17	·	·	·	·	·	·	·	·	·	·	3.2	0.2	17
18	·	8.4	·	·	·	·	·	1.3	·	·	1.2	0.4	18
19	3.2	8.5	6.1	·	·	·	8.4	4.5	·	·	2.2	·	19
20	12.0	1.8	24.5	·	·	14.0	0.4	5.0	·	·	·	0.7	20
21	1.3	14.9	4.2	·	·	·	0.6	·	·	·	0.3	0.5	21
22	·	0.5	0.15	·	·	·	3.7	·	·	·	0.3	4.7	22
23			0.1					·	8.2	0.5	1.1	0.8	23
24	·	·	·	0.2	·	·	·	·	1.4	6.0	3.5	1.6	24
25	0.6	2.4	·	·	·	0.7	·	6.8	·	·	·	3.0	25
26	1.1	5.6	·	0.3	·	·	0.2	·	3.1	·	0.9	13.6	26
27	(13.0)	·	2.3	12.4	·	·	·	15.6	·	·	0.1	1.5	27
28		·	0.75	·	·	0.3	·	23.4	·	·	10.1	10.7	28
29		·	6.0	0.1	·	·	·	8.5	·	2.8	0.3	3.6	29
30			2.8	5.8	·	1.9	·	14.0	·	·	11.0	23.0	30
31			·		·		·	·		·		2.8	31
TOTAL	(143.1) ~~130.1~~	73.3	132.0	58.2	13.9	16.9	37.0	80.8	39.8	10.8	48.6	158.8	813.2 YEAR'S TOTAL ~~800.2~~
Days with 0·2 mm. or more	23	9	22	11	5	4	13	9	8	5	18	26	159

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Note.

TELEGRAMS.
KING EDWARD 7 SANATORIUM.
(ONE WORD)

KING EDWARD VII SANATORIUM,
MIDHURST.

On Jan 27 1919 5¼ inches of snow is recorded in the pocket register, on Jan 31 ½ inch of snow, this has not been added to the monthly rainfall by the observer at that time.

S H Baker.

wrote for snow

474

MAR 20

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Midhurst [M.O.]
in the County of Sussex
by T. L. Evans M. R. C. S.

Lat. 51° 0′ Long. 0° 45′ W.
Time of Observation 9h G.M.T. (Winter), 8h G.M.T. (Summer)
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10·8	-	0·6	-	-	-	4·5	-	-	0·7	0·1	27·2	1
2	8·5	-	0·4	-	6·1	-	0·4	-	1·1	-	1·8	4·8	2
3	8·5	-	12·4	-	0·5	-	7·0	-	4·1	-	0·5	6·9	3
4	10·2	-	12·8	-	-	-	3·0	1·7	1·0	-	2·1	2·1	4
5	0·2	12·6	27·4	-	-	-	0·4	-	3·8	-	4·5	8·6	5
6	8·4	-	2·8	-	0·8	-	-	-	-	-	0·1	2·6	6
7	2·6	-	14·3	-	-	-	-	-	-	-	-	0·1	7
8	7·1	-	3·3	-	-	-	-	-	-	-	-	-	8
9	6·3	-	2·3	0·4	4·3	-	-	-	-	-	2·2	-	9
10	23·0	-	4·9	0·8	-	-	-	-	-	-	-	9·3	10
11	5·3	-	3·0	7·2	2·2	-	3·3	-	-	-	-	1·4	11
12	0·8	-	0·3	1·7	-	-	1·4	-	-	0·8	0·6	0·1	12
13	1·2	-	0·3	21·2	-	-	-	-	-	-	-	0·7	13
14	13·5	-	-	7·8	-	-	3·7	-	17·1	-	-	2·2	14
15	4·7	-	0·3	0·3	-	-	-	-	-	-	-	25·4	15
16	0·8	18·6	-	-	-	-	-	-	-	-	2·5	0·3	16
17	-	-	-	-	-	-	-	-	-	-	3·2	0·2	17
18	-	8·4	-	-	-	-	-	1·3	-	-	1·2	0·4	18
19	3·2	8·5	6·1	-	-	-	8·4	4·5	-	-	2·2	-	19
20	12·0	1·8	24·5	-	-	13·9	0·4	5·0	-	-	-	0·7	20
21	1·3	14·9	4·2	-	-	-	0·6	-	-	-	0·3	0·5	21
22	-	0·5	0·2	-	-	-	3·7	-	-	-	0·3	4·7	22
23	-	-	0·1	-	-	-	-	-	8·2	0·5	1·1	0·8	23
24	-	-	-	0·2	-	-	-	-	1·4	6·0	3·5	1·6	24
25	0·6	2·4	-	-	-	0·7	-	6·8	-	-	-	3·0	25
26	1·1	5·6	-	0·3	-	-	0·2	-	3·1	-	0·9	13·6	26
27	-	-	2·3	12·4	-	-	-	15·6	-	-	0·1	1·5	27
28	-	-	0·7	-	-	0·3	-	23·4	-	-	10·1	10·7	28
29	(13·0) -		6·0	0·1	-	-	-	8·5	-	2·8	0·3	3·6	29
30	-		2·8	5·8	-	1·9	-	14·0	-	-	11·0	23·0	30
31	-		-		-		-	-		-		2·8	31
TOTAL	143·1 ~~130·1~~	73·3 ~~60·7~~	132·0	58·2	13·9	16·8	37·0	80·8	39·8	10·8	48·6	158·8	YEAR'S TOTAL 813·1 ~~787·5~~
Days with 0·2 mm. or more	23 ~~21~~	9 ~~8~~	22	11	5	4	13	9	8	5	18	26	153 ~~150~~

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

entd by MO

3 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at King Edward VII Sanatorium, Midhurst

in the County of Sussex

by Bateley Ash

Lat. 51° 0′ N Long. 0° 45′ W.

Time of Observation 9 a.m.

Nearest Railway Station Midhurst (L & S.W.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 481 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. **Full** instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.7	0.1	0.2	3.8	4.3	—	9.3	0.1	—	17.3	0.5	10.5	1
2	1.2	—	0.9	1.2	1.7	—	Trace	3.8	2.9	0.9	Trace	5.1	2
3	3.6	0.1	0.1	0.5	7.8	—	1.6	0.1	Trace	10.7	—	1.7	3
4	—	1.9	Trace	0.7	Trace	—	30.8	6.8	—	9.0	—	1.3	4
5	0.1	0.1	4.2	1.8	—	—	19.7	8.6	—	1.0	Trace	0.4	5
6	—	0.1	6.2	0.1	6.3	—	7.1	Trace	—	0.2	—	0.8	6
7	1.8	—	Trace	5.6	Trace	—	4.7	—	—	0.4	—	0.1	7
8	0.1	0.2	—	1.0	2.4	—	8.4	—	Trace	0.1	—	Trace	8
9	5.6	0.7	0.1	1.7	0.3	1.8	2.2	0.2	—	—	—	—	9
10	22.7	4.6	1.9	0.6	—	5.0	6.1	—	—	—	—	—	10
11	8.9	0.2	1.4	20.4	0.4	0.1	6.0	—	—	0.2	—	6.3	11
12	1.0	2.5	—		—	10.8	Trace	—	—	—	0.7	0.5	12
13	3.9	0.1	4.9	0.2	—	Trace	—	—	—	—	0.5	—	13
14	0.2	Trace	10.0	10.7	—	—	—	—	3.9	1.9	15.8	0.1	14
15	0.9	0.5	0.3	7.4	0.8	0.1	—	—	22.5	4.3	2.3	Trace	15
16	0.1	—	0.4	4.0	—	—	—	—	6.3	0.1	Trace	0.1	16
17	0.2	Trace	0.1	Trace	5.0	7.5	0.1	—	8.4	—	Trace	0.4	17
18	2.7	—	0.9	0.2	2.3	—	0.3	20.9	2.5	—	0.1	0.8	18
19	1.4	Trace	Trace	6.5	—	0.7	—	—	0.6	—	0.2	0.8	19
20	2.1	1.4	—	4.9	—	16.8	—	—	—	—	0.3	1.0	20
21	0.1	—	—	0.8	—	—	20.8	—	2.7	—	Trace	8.0	21
22	0.4	Trace	—	5.9	—	—	0.1	0.1	0.1	—	Trace	10.5	22
23	0.1	Trace	—	Trace	—	—	7.6	2.5	—	0.1	—	9.8	23
24	0.5	Trace	4.5	0.4	—	—	—	Trace	—	Trace	0.3	5.5	24
25	0.1	0.3	0.6	—	0.6	—	16.0	—	—	—	0.1	0.1	25
26	1.7	Trace	11.5	0.1	—	0.6	1.2	—	—	0.2	0.2	3.0	26
27	20.8	0.1	0.4	6.5	—	2.0	0.3	—	Trace	Trace	7.5	4.9	27
28	9.1	0.1	13.3	Trace	1.4	0.1	2.1	—	Trace	0.1	0.2	0.6	28
29	20.6	Trace	3.3	1.0	0.2	0.2	—	—	Trace	—	6.0	9.9	29
30	1.5		0.2	0.1	—	0.7	2.6	—	5.0	Trace	7.7	7.7	30
31	3.2		6.2		—		—	—		19.7		6.1	31
Total	117.3	13.0	71.6	86.1	33.5	46.4 46.~~8~~	147.0	43.1	54.9	66.2	42.4	96.0	YEAR'S TOTAL 817.~~4~~5
Days with 0·2 mm. or more	23	9	19	23	13	10	18	6	9	12	13	22	177
Days with 1·0 mm. or more	18	4	11	16	8	6	16	5	8	7	5	15	119

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

MI~~DH~~URST
HOLLIST
SUSSEX
1911 - 13, 1915 - 17

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

REG

Kept at Hollist - E

in the County of S

by Ingel

Association

in.

ound ft. in.

Level 107 ft.

me Midhurst

tance 2 m. Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	–	·20	–	–	–	·04	–	–	·05	·07	1
2	·11	–	–	·12	·42	–	–	–	–	–	·17	·27	2
3	–	–	–	–	·25	–	–	·10	–	–	·25	·05	3
4	–	·02	·05	·10	–	–	–	–	–	·09	·30	·60	4
5	·02	–	–	·02	–	–	–	–	–	·25	·04	–	5
6	·44	–	·11	–	–	–	–	–	–	–	·05	100	6
7	·04	–	–	–	–	–	–	–	–	·21	·55	·40	7
8	·05	–	·20	–	–	–	–	–	–	–	·35	·60	8
9	·14	–	–	–	–	–	–	–	–	–	·07	·22	9
10	–	·12	·25	–	–	–	–	–	–	–	–	1·22	10
11	·60	–	·04	–	–	–	–	–	–	–	1·32	–	11
12	–	–	·62	–	–	–	–	–	·04	–	·17	·07	12
13	–	–	·04	–	–	–	–	–	·45	·04	–	·54	13
14	–	–	·02	–	·26	–	–	–	–	–	–	·65	14
15	–	·02	·12	–	–	–	–	–	–	–	·15	·05	15
16	–	–	·02	–	–	·67	–	–	–	–	·90	·22	16
17	–	–	–	–	–	·05	–	–	–	–	·41	·45	17
18	–	·17	·07	·02	–	·02	–	–	–	·02	·40	·77	18
19	–	·05	–	–	–	·20	–	–	·47	·22	·05	·17	19
20	·05	·02	·07	–	–	·02	–	·02	·10	–	–	1·00	20
21	·02	·30	–	–	–	–	–	·02	·02	·82	–	·17	21
22	·12	·02	·77	–	–	·42	–	–	–	·25	–	·62	22
23	–	·22	·04	–	–	·47	–	–	·12	·27	·05	·42	23
24	·02	·17	–	–	–	·10	·02	·16	–	1·72	–	·42	24
25	·02	·06	·02	·12	·90	·12	·44	·02	·07	·02	–	·10	25
26	–	–	·02	·32	·05	·02	·07	–	–	·30	–	·35	26
27	–	·31	·55	·26	–	–	·27	–	·07	·15	·02	·22	27
28	–	·41	–	·34	–	–	–	·16	–	–	–	·02	28
29	–		–	·10	–	·12	·10	–	·21	·44	–	–	29
30	–		–	·05	–	·02	–	·72	–	·45	–	–	30
31	–		–		–		–	–		–		–	31
Total	1·65	1·89	3·01	1·65	1·88	2·23	·90	1·24	1·55	5·25	5·30	10·67	TOTAL for year
No. of Rain Days.	13	13	17	11	5	12	5	8	9	15	18	26	37·22

152

W. 8,000, X. '11.

√

REG

FORM A2. BRITISH RAINFALL. 11 JAN 1912

Kept at Hollist - Easebourne - Midhurst

in the County of Sussex 2

by Nigel. V. Combe

RAIN GAUGE
Pattern British Association
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 107 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Midhurst
Distance 2 m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	–	·20	–	–	–	·04	–	–	·05	·07	1
2	·11	–	–	·12	·42	–	–	–	–	–	·17	·27	2
3	–	–	–	–	·25	–	–	·10	–	–	·25	·05	3
4	–	·02	·05	·10	–	–	–	–	–	·09	·30	·60	4
5	·02	–	–	·02	–	–	–	–	–	·25	·04	–	5
6	·44	–	·11	–	–	–	–	–	–	–	·05	100	6
7	·04	–	–	–	–	–	–	–	–	·21	·55	·40	7
8	·05	–	·20	–	–	–	–	–	–	–	·35	·60	8
9	·14	–	–	–	–	–	–	–	–	–	·07	·22	9
10	–	·12	·25	–	–	–	–	–	–	–	–	1·22	10
11	·60	–	·04	–	–	–	–	–	–	–	1·32	–	11
12	–	–	·62	–	–	–	–	–	·04	–	·17	·07	12
13	–	–	·04	–	–	–	–	–	·45	·04	–	·54	13
14	–	–	·02	–	·26	–	–	–	–	–	–	·65	14
15	–	·02	·12	–	–	–	–	–	–	–	·15	·05	15
16	–	–	·02	–	–	·67	–	–	–	–	·90	·22	16
17	–	–	–	–	–	·05	–	–	–	–	·41	·45	17
18	–	·17	·07	·02	–	·02	–	–	–	·02	·40	·77	18
19	–	·05	–	–	–	·20	–	–	·47	·22	·05	·17	19
20	·05	·02	·07	–	–	·02	–	·02	·10	–	–	1·00	20
21	·02	·30	–	–	–	–	–	·02	·02	·82	–	·17	21
22	·12	·02	·77	–	–	·42	–	–	–	·25	–	·62	22
23	–	·22	·04	–	–	·47	–	–	·12	·27	·05	·42	23
24	·02	·17	–	–	–	·10	·02	·16	–	1·72	–	·42	24
25	·02	·06	·02	·12	·90	·12	·44	·02	·07	·02	–	·10	25
26	–	–	·02	·32	·05	·02	·07	–	–	·30	–	·35	26
27	–	·31	·55	·26	–	–	·27	–	·07	·15	·02	·22	27
28	–	·41	–	·34	–	–	–	·16	–	–	–	·02	28
29	–		–	·10	–	·12	·10	–	·21	·44	–	–	29
30	–		–	·05	–	·02	–	·72	–	·45	–	–	30
31	–		–		–		–	–		–		–	31
Total	1·65	1·89	3·01	1·65	1·88	2·23	·90	1·24	1·55	5·25	5·30	10·67	TOTAL for year
No. of Rain Days.	13	13	17	11	5	12	5	8	9	15	18	26	37·22

W. 8,000, X. '11.

152

Wrote Sep 29 13

wrote again 20.X.13

corr for arith 5.11.13 . corr by own stats after correspondence 8.V.13

BRITISH RAINFALL. FORM A.

21 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Hollist Easebourne Midhurst

in the County of Sussex 2

by N V Combe

Lat. 50 59 Long. ·044

Nearest Railway Station Midhurst

Time of Observation 9 a m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 ins

" " " Sea Level ~~about~~ 107 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·22	–	·02	·37	·54	–	·02	·90	–	·50	1
2	–	–	·60	–	–	·06	·20	·02	–	·02	–	–	2
3	·04	–	·07	–	–	·26	–	·50	–	–	–	–	3
4	·20	–	·82	–	–	·26	–	·05	–	–	·20	–	4
5	·34	·15	·24	–	–	–	–	·65	–	–	·02	·06	5
6	·57	·10	–	–	·07	–	–	·46	–	–	–	·17	6
7	–	–	·12	–	·19	·62	–	·22	–	–	–	·19	7
8	·45	·57	·40	–	–	·10	–	·05	–	–	–	·02	8
9	·02	·25	·22	·01	–	·07	·05	·02	–	–	–	·27	9
10	–	·15	·17	–	–	–	–	·37	–	–	·10	·42	10
11	·11	·45	·27	–	–	–	–	–	–	–	·02	·29	11
12	·04	·21	·10	–	·09	·26	·15	·29	–	–	–	–	12
13	–	·05	·05	–	–	–	·27	·07	–	·04	·15	·15	13
14	·02	·02	·02	–	·06	–	–	·06	–	·05	–	·02	14
15	–	–	·16	–	·10	·50	–	–	–	–	–	·32	15
16	·12	–	·24	–	·20	–	–	·19	–	·07	·07	–	16
17	·52	–	·30	–	–	·02	–	·29	–	–	–	·22	17
18	·12	–	·27	–	–	–	–	·32	–	·05	–	·12	18
19	·10	·05	·10	–	–	–	·10	1·40	–	–	·04	·02	19
20	·02	–	·52	–	–	·07	–	·05	–	·40	·02	–	20
21	–	·14	·30	–	·37	–	–	·16	–	·20	–	–	21
22	·10	·64	·05	–	–	–	–	·17	–	–	–	·07	22
23	·65	·29	·26	–	–	–	–	·42	–	·06	·20	·12	23
24	·22	·05	–	–	–	·55	–	·16	–	–	–	·22	24
25	·17	·02	–	–	–	·54	–	·79	–	–	·29	·75	25
26	–	·10	–	–	–	·05	–	·27 ·17	–	·49	·50	·29	26
27	–	·04	–	–	–	·17	·07	–	–	·40	–	·62	27
28	–	·07	–	–	–	·19	·69	·16	·16	·92	·60	·29	28
29	–	·12	–	–	·25	·06	·24	·59	(2·21) 27	(·27) 2·21	–	–	29
30	–		–	–	–	–	·10	·14	(1·56) ·14	(·14) ⑤ ·16	–	–	30
31	–		·11		–		·40	·16		·02		–	31
Total	3·81	3·47	5·71 6 5·61	·01	1·35	4·15	2·81	8·03	3·95 ~~·54~~	4·03 ~~10·99~~	2·21	5·13	Total for year ~~44·56~~ ~~48·16~~
No. of Rain Days	18	19	23	1	9	17	11	27	4	15	12	21	~~48·~~26

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

177

Ans
wrote re S Linger
24.IV.13 [illegible]

30th March
1913

HOLLIST,
MIDHURST,
SUSSEX.

Dear Sir

Thank you for your letter - I am not surprised that you should write about the heavy rain fall at the end of October last, but I do not think we made any mistake. As far as I can remember and my gardener confirms it - I saw the 5.16 measured out on the morning of Oct. 31st as I expected a record though not such an amazing one. I also compared the fall with that measured by Dr Wills at Stedham and as far as I remember his rain fall was slightly heavier for that day.

You will be able to check this by his return - we certainly had the rain & I do not think we missed up the months of September & October.

My gardener does not keep the record very neatly & therefore I check it from time to time.

Dr Wills's rain fall is I think the best to compare with mine

This house is on the river Rother & Stedham is a little more than 2 miles west up the river as the crow flies. King Edward's Sanatorium is about the same distance due north but of course the ground is much higher. All other places in this district mentioned in your book are much further off.

I remember at the time thinking of writing to you about it but being very busy forgot to do it.

Yrs sincerely

Nigel V. Combe

Rainfall

	Hollist					Rotherhill	
	As Given		Suggested Amendment				
	Sept.	Oct.	Sept.	Oct.		Sept.	Oct.
27	-	·40	-	·40	27	-	·43
28	·16	·92	·16	·92	28	·20	1·03
29	·27	2·21	2·21	·27	29	2·92	·20
30	·14	5·16	1·56	·14	30	1·52	·30
31		·02		·02	31		·01
Total for month	·59	10·99	3·95	4·03		Total for month 4·67	·4·12

4th May

HOLLIST,
MIDHURST,
SUSSEX.

Dear Sir

I fear Dr Will's rainfall at Rotherhill shows that ours must have been wrong and that somehow the [illegible] September fall for those days was put in the October column by mistake. Possibly the explanation is this with regard to the 5·16. – that on the 28th 29th 30th Sept. (as it must have been) we had altogether 5·16 of rain and my gardener made the mistake of putting that amount down for the fall measured on the 30th. This would make our fall as follows.

28th ·92
29th 2·21
30th 2·03 ~~1·93~~

I think this must be the explanation but you must do what you think right; certainly the fall at Rotherhill shows that we were very wrong.

I am so sorry for the trouble this has given you

Yrs faithfully

Nigel. V. Combe

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
31 JAN 1914

Kept at Hollist - Easebourne

in the County of Sussex 2

by Nigel V. Combe

Lat. .... Long. 1

Nearest Railway Station Midhurst

Time of Observation 9 a m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " Sea Level about 400 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·47	·20	·04	·06	·32	–	–	·39	·03	·55	·16	1
2	·07	·14	–	·10	·05	–	·07	–	·06	·26	·14	·02	2
3	·22	–	·09	·14	·71	–	–	–	–	·04	–	·31	3
4	·69	–	·12	–	·49	–	–	–	1·12	·20	·12	·02	4
5	·54	·07	·04	–	–	·09	·05	–	·22	–	–	·05	5
6	–	·09	·09	–	·04	·16	·55	–	–	·79	·26	·24	6
7	–	·60	·11	–	·34	·12	·40	–	–	·54	·20	–	7
8	–	·10	–	–	·30	–	–	·34	–	·25	·06	·05	8
9	–	·07	–	–	·05	–	·10	–	·11	–	–	–	9
10	–	–	–	–	–	–	·25	–	–	–	·49	–	10
11	·97	–	–	·47	–	–	–	–	–	·57	·17	–	11
12	–	–	–	–	·40	–	–	–	–	–	·49	–	12
13	·35	–	·09	·02	–	–	–	·02	·09	–	·20	–	13
14	·32	–	·29	–	–	–	·97	·10	–	·04	·22	–	14
15	·37	·10	·34	·64	–	–	·29	–	·09	–	·06	–	15
16	·20	–	·64	·35	–	–	–	–	·36	–	–	–	16
17	·24	–	·04	·10	–	–	·16	–	–	–	·04	–	17
18	–	–	·34	·24	–	–	·05	–	–	–	·12	–	18
19	·46	–	·09	–	–	–	·12	–	·20	–	–	–	19
20	·26	–	·44	·10	–	·05	–	–	–	·92	·05	–	20
21	·02	–	·29	·16	–	–	–	–	·22	·36	·79	–	21
22	·32	–	·27	–	–	–	–	·15	–	–	–	·83	22
23	–	–	·05	–	–	·06	–	·07	–	–	–	–	23
24	·10	–	–	·12	–	–	–	–	–	–	·05	–	24
25	–	·05	–	·35	–	–	–	–	–	–	–	·04	25
26	–	–	·10	·12	–	–	–	·16	–	·74	–	·32	26
27	–	–	·29	·17	–	–	–	–	–	·10	–	–	27
28	·16	–	·24	·07	–	–	–	–	–	·20	–	–	28
29	·06		·10	·45	·45	–	–	·20	–	·16	–	–	29
30	·84		–	·09	–	–	–	·29	–	·31	–	–	30
31	·04		·12		–		–	·70		·07		–	31
Total	6·29	1·69	4·38	3·73	2·89	·80	3·01	2·03	2·86	5·58	4·01	2·04	TOTAL for year 39·31
No. of Rain Days	20	9	22	18	10	6	11	9	10	17	17	10	159

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

531

REGISTER OF RAINFALL IN 19~~12~~15

FORM A.
BRITISH RAINFALL.
16 MAR 1916

Kept at Hollist - Midhurst
in the County of Sussex
by Nigel V. Combe

Lat. ______ Long. ______
Nearest Railway Station Midhurst
Time of Observation 9 a m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ___ ft. 10 in.
" " " Sea Level 107 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·72	·20	–	–				·05	·42	·10	·12	·70	1
2	·30	·35	–	·15				·22	·12	·12		·24	2
3	·50	–	–	·17	·27			–				·62	3
4	·10	–	–	–				·05				·67	4
5	·04	·90	–	·05				·10				·57	5
6	·60	·07	–	·90			1·01					·29	6
7	·31	·60	–	–			·27					·45	7
8	·03	1·30	–	–			·19					·05	8
9	·05	·12	–	·20		·16		·21			·55	·84	9
10	·35	·17	–	–								·29	10
11	·10	–	·16	·10							·85	·05	11
12	·10	·22	–	–	·42				~~·07~~	·05	·54		12
13	·09	·79	–	–	1·47				·10				13
14	·05	·02	–	–	–		·09	·34	·04			1·12	14
15	–	–	–	–	·07		·19				·10	·60	15
16	–	1·40	–	–	·17		1·25						16
17	–	·54	–	–	1·02		–	·36				·07	17
18	–	·24	–	–	·21		·07				·07		18
19	–	·07	–	–	·07		–						19
20	·40	–	–	–			·04					·15	20
21	·05	–	–	–			1·00		~~·44~~	·44		·12	21
22	–	·40	·10	–								·34	22
23	1·14	·10	–	–		·01	·34		·45	·34		·45	23
24	·40	–	–	–		–	·25		·90	·40		·60	24
25	–	–	–	–		·05	·17					·10	25
26	–	·12	–	–		22	·14					1·02	26
27	–	·03	–	–		·06				·60		·07	27
28	–	·12	–	–		·29				·25		·06	28
29	–		–	–		·47	·06		·70		·50		29
30	·20		–	–		·20				51	100	·10	30
31	–		–					·57		1·67		·52	31
Total	5·53	7·76	·26	1·57	3·70	1·46	5·07	1·90	2·73	4·48	3·73	10·09	TOTAL for year 48·28
No. of Rain Days	19	20	2	6	8	8	14	8	7	10	8	25	135

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

517

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

1 APR 1917

Kept at Hollist - Midhurst

in the County of Sussex

by Nigel V. Combe

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Midhurst

Diameter of Funnel of Rain Gauge 5 in. 5

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 107 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	4	4		10	4			·42	10	44		1
2	·43	22	14		69		2		2	96	4		2
3	·05	97	17			50	5		14	72	84		3
4	·21	10				17			15	4	50		4
5	·05	7		~~5~~	22	30				10	96		5
6	·02	15			6	10	·52			25	97		6
7			·49	·5	17		·12				110	9	7
8			6		37						2	45	8
9			3		34							19	9
10		57	6	6		40	10				6	14	10
11	·07	9	4	14	4	20	14					16	11
12		7		2	5	5				6			12
13		34	10		7	4		2		4			13
14		56	10	7								10	14
15		9	52	4				32					15
16		11	37	15			11	40					16
17	·27	23		10				29	·44	90			17
18			~~·8~~7	9				2	10	5	57	14	18
19	·37	12	17	14				3	29		37		19
20	·17		40	12							2	102	·12 20
21	·2		27				20					20	21
22	~~4~~		4							7	4	65	22
23	·04	·5	-			15				9	15	5	23
24			-		12	4		4		47	16	34	24
25		81	22					24	34	10	9		25
26		17	6	7					5	50			26
27	·05	24	96			5		15	17	79			27
28		45	12					7	12	20		24	28
29		31	4			57		92	19	49		30	29
30		✕			29			6		40			30
31		✕		✕		✕		4	✕	37	✕	5	31
Total	189	5·76 5·76	4·47	1·05	2·52	2·61	1·26	2·60	2·43	6·64	6·33	3·22	YEAR'S TOTAL 40·78 40.78
Rain Days.	13	21	22	12	12	13	8	13	12	20	16	15	177

W. 8,000, VIII. 16

498

FORM A.
BRITISH RAINFALL.
12 APR 1918

REGISTER OF RAINFALL IN 1917

Kept at Hollist Midhurst
in the County of Sussex
by Ingil. V. Combe

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Midhurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground about ft. 10 in.s
" " " " ~~Sea Level~~ about 107 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·15	·12				1·23	·07				1
2			·02	·07				·10		·12	·14		2
3			–	·14				·36		·40			3
4			·12	–			1·12	·26				·03	4
5			·04	·43			·07	·07	·20	·25	·12		5
6	·35		·25	·04		·40		–			·15		6
7	·35	·07		–				–		·52		·10	7
8	·37			·10			·19	·12		·30	·22	·57	8
9	·02		·05	·03	·04		·36	·09		·06	·14	·27	9
10	·15		·26	·24		·04		·21					10
11	·13		·22	·35		·12		·15		·37			11
12	·07		·04	–				·07		·36		·05	12
13	·10		·16	·07				·19	·14	·22			13
14				·15				·15					14
15				–	·10			·04		·13		·07	15
16		·35		·17	·04		·60	–		1·07		·63	16
17				·16	·27		·27	·17	·47	·15			17
18		·10			·04	·09	·27	–	·49	·12			18
19		·20	·16		–			·25	·25				19
20					·60								20
21			·07								·07		21
22								·17	·12				22
23		·35			·12			·32					23
24		·09				·09	·07	·02		·25	·07		24
25		·06	·12										25
26			·05					·30	·12		·25		26
27					·12			1·75					27
28			·04			2·32		·45					28
29			·02		·90		·06	·05		·54		·07	29
30		✕	·29				·85	·19				·27	30
31		✕	·13	✕		✕	·15	·09	✕	·05	✕		31
Total	1·54 ✓	1·22 ✓	2·19 ✓	2·67 ✓	2·23 ✓	3·06 ✓	401 ✓	6·80 ✓	1·86 ✓	4·91 ✓	1·16 ✓	2·06 ✓	YEAR'S TOTAL 33·71 ✓
Rain Days.	8 ✓	7 ✓	18 ✓	13 ✓	9 ✓	6 ✓	11 ✓	24 ✓	8 ✓	16 ✓	8 ✓	9 ✓	137 ✓

W. 8,000, IX. 17.

RE … 12

MIDHURST
PENDEAN
SUSSEX
1912 - 1916

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

Kept at Pendean, … 5 in.

… Ground 1 ft. — in.

in the County of Su… … Sea Level 206 ft.

by P. Chursh… … Name Midhurst (L.B.&S.C. Ry)

Distance ~~1 mile~~ Direction S.W.

IMPORTANT NOTE.—… the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·22	·12	·02	·62	·56	—	—	·79	—	·46	1
2	—	—	·57	—	—	·03	·23	·01	·02	—	—	—	2
3	·04	·02	·04	—	—	·27	·02	·50	—	—	—	·04	3
4	·18	·03	·85	—	·01	·16	—	·06	—	—	·16	·01	4
5	·50	·12	·26	—	·02	—	—	·56	—	—	·01	·04	5
6	·46	·09	—	—	·10	·01	—	·24	—	—	—	·29	6
7	—	·05	·02	—	·11	·60	—	·18	—	—	—	·30	7
8	·57	·52	·36	—	—	·03	—	·01	—	—	—	—	8
9	—	·23	·27	—	—	·05	·04	·05	—	—	—	·37	9
10	—	·14	·01	·12	—	—	—	·15	—	—	·10	·36	10
11	·10	·43	·14	—	—	·02	—	·04	—	—	·01	·39	11
12	—	·13	·18	—	·06	·17	·16	·31	—	—	—	—	12
13	—	·03	·04	—	·06	—	·24	·06	—	—	·13	·21	13
14	·02	·—	·02	—	·04	—	—	·05	—	·06	—	·04	14
15	—	·07	·15	—	·08	·51	—	·30	—	—	—	·30	15
16	·11	—	·45	—	·18	—	—	·26	—	·13	·10	—	16
17	·59	—	·15	—	—	·02	—	·60	—	—	—	·19	17
18	·10	—	·20	—	—	—	—	·95	—	·02	—	·08	18
19	·11	·09	·23	—	—	—	·09	·04	—	— ~~·55~~	·01	—	19
20	·03	·01	·15	—	—	·04	—	·19	—	·38 ~~·22~~	·02	—	20
21	·02	·18	·62	—	·32	—	—	·25	—	·22	·01	—	21
22	·06	·85	·17	—	—	—	—	·37	—	—	—	·02	22
23	·52	·33	·18	—	—	·05	—	·15	—	·06	·21	·12	23
24	·13	·06	·30	—	—	·10	—	·81	—	—	—	·27	24
25	·16	—	—	—	—	·46	—	·15	—	·07	·31	·82	25
26	—	·11	—	—	—	·01	~~44~~	—	—	·54	·51	·32	26
27	—	·02	—	—	—	·15	·10	·46	·15	·42	—	·65	27
28	—	·07	—	—	—	·28	·68	·18	2·72	·46	·71	·32	28
29	—	·11	—	—	—	·02	·26	·04	1·34	·15	·06	—	29
30	—		—	—	·22	·04	·12	·15	—	·29	—	—	30
31	—		—		—		·43	—		·01		·02	31
Total	3·70	3·69	5·58	0·24	1·22	3·64	2·93	7·12	4·23	3·99	2·35	5·62	TOTAL for year 44·31
No. of Rain Days.	17	22	23	2	12	21	12	28	4	14	14	22	1912

W. 8,000, X. '11.

RE 12

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

Kept at Pendean, Midhurst

in the County of Sussex 2

by P. Christopher Bullock

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 206 ft.

Time of Observation 10 a.m.

Nearest Railway Station
Name Midhurst (L.B. & S.C. Ry.)
Distance 1 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·22	·12	·02	·62	·56	—	—	·79	—	·46	1
2	—	—	·57	—	—	·03	·23	·01	·02	—	—	—	2
3	·04	·02	·04	—	—	·27	·02	·50	—	—	—	·04	3
4	·18	·03	·85	—	·01	·16	—	·06	—	—	·16	·01	4
5	·50	·12	·26	—	·02	—	—	·56	—	—	·01	·04	5
6	·46	·09	—	—	·10	·01	—	·24	—	—	—	·29	6
7	—	·05	·02	—	·11	·60	—	·18	—	—	—	·30	7
8	·57	·52	·36	—	—	·03	—	·01	—	—	—	—	8
9	—	·23	·27	—	—	·05	·04	·05	—	—	—	·37	9
10	—	·14	·01	·12	—	—	—	·15	—	—	·10	·36	10
11	·10	·43	·14	—	—	·02	—	·04	—	—	·01	·39	11
12	—	·13	·18	—	·06	·17	·16	·31	—	—	—	—	12
13	—	·03	·04	—	·06	—	·24	·06	—	—	·13	·21	13
14	·02	—	·02	—	·04	—	—	·05	—	·06	—	·04	14
15	—	·07	·15	—	·08	·51	—	·30	—	—	—	·30	15
16	·11	—	·45	—	·18	—	—	·26	—	·13	·10	—	16
17	·59	—	·15	—	—	·02	—	·60	—	—	—	·19	17
18	·10	—	·20	—	—	—	—	·95	—	·02	—	·08	18
19	·11	·09	·23	—	—	—	·09	·04	—	·39	·01	—	19
20	·03	·01	·15	—	—	·04	—	·19	—	·38	·02	—	20
21	·02	·18	·62	—	·32	—	—	·25	—	·22	·01	—	21
22	·06	·85	·17	—	—	—	—	·37	—	—	—	·02	22
23	·52	·33	·18	—	—	·05	—	·15	—	·06	·21	·12	23
24	·13	·06	·30	—	—	·10	—	·81	—	—	—	·27	24
25	·16	—	—	—	—	·46	—	·15	—	·07	·31	·82	25
26	—	·11	—	—	—	·01	~~44~~	—	—	·54	·51	·32	26
27	—	·02	—	—	—	·15	·10	·46	·15	·42	—	·65	27
28	—	·07	—	—	—	·28	·68	·18	2·72	·46	·71	·32	28
29	—	·11	—	—	—	·02	·26	·04	1·34	·15	·06	—	29
30	—		—	—	·22	·04	·12	·15	—	·29	—	—	30
31	—		—		—		·43	—		·01		·02	31
Total	3·70	3·69	5·58	0·24	1·22	3·64	2·93	7·12	4·23	3·99	2·35	5·62	TOTAL for year 44·31
No. of Rain Days.	17	22	23	2	12	21	12	28	4	14	14	22	191 days

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

8 JAN 14

REGISTER OF RAINFALL IN 1910.

Kept at Pendean, Midhurst
in the County of West Sussex
by P. Chaston Bulbeck

Lat. 51° N. (about) Long. 40' W.
Time of Observation 10 a.m.
Nearest Railway Station Midhurst (Brighton Line)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	41	·25	·04	·0	·0	·0	·0	·32	·01	·43	·10	1
2	·07	24	·01	·10	·0	·0	·05	·0	·04	·27	·15	·02	2
3	·20	·0	·08	·24	·68	·0	·0	·0	·0	·02	·0	·34	3
4	52	·0	·15	·0	·42	·0	·0	·0	1·37	·17	·13	·05	4
5	·49	·07	·03	·0	·0	·10	·44	·0	~~·04~~	·0	·22	·05	5
6	·04	·22	·12	·0	·12	·25	·33	·0	·0	·90	·16	·27	6
7	·0[illegible]	·51	·12	·0	·22	·17	·0	·0	·0	·58	·19	·0	7
8	0 ·0~~2~~	·08	·0	·0	·38	·05	·0	·65	·0	·33	·0	·06	8
9	·0~~7~~	·09	·0	·0	·05	·02	·12	·0	·15	·0	·07	·0	9
10	·05~~7~~	·0	·0	·03	·0	·0	·26	·0	·0	·06	·41	·0	10
11	1·09	·0	·0	·36	·0	·0	·0	·0	·0	·41	·22	·02	11
12	·0	·0	·0	·0	·53	·0	·0	·0	·01	·0	·50	·0	12
13	·33	·0	·15	·0	·0	·0	·0	·03	·12	·0	·38	·0	13
14	·37	·0	·22	·0	·0	·0	·80	·08	·12	·04	·15	·0	14
15	·41	·0	·30	·94	·0	·0	·33	·0	·09	·0	·02	·0	15
16	·21	·08	·62	·12	·0	·0	·02	·0	·31	·0	·0	·0	16
17	·16	·0	·02	·10	·0	·0	·17	·0	·0	·0	·05	·0	17
18	·01	·0	·35	·28	·0	·0	·0	·0	·0	·0	·09	·0	18
19	·45	·0	·05	·0	·0	·01	·07	·0	·18	·0	·0	·0	19
20	·30	·0	·51	·09	·0	·04	·0	·0	·12	·77	·05	·0	20
21	·01	·0	·07	·15	·0	·0	·0	·0	·0	·39	·93	·0	21
22	·29	·0	·22	·0	·0	·0	·0	·20	·22	·01	·0	·02	22
23	·01	·0	·04	·0	·0	·06	·0	·0	·0	0	·0	·86	23
24	·10	·0	·0	·13	·0	·0	·0	·0	·0	·0	·04	·0	24
25	·0	·02	·0	·28	·0	·0	·0	·0	·0	·0	·0	·0	25
26	·0	·0	·08	·08	·0	·0	·0	·17	·0	·69	·0	·30	26
27	·0	·0	·52	·10	·0	·0	·0	·0	·0	·07	·0	·0	27
28	·15	·0	·05	·12	·0	·0	·0	·08	·0	·16	·0	·0	28
29	·05		·09	·43	·37	·0	·0	·08	·0	·15	·0	·0	29
30	·86		·0	·13	·0	·0	·0	·30	·0	·25	·0	·0	30
31	·03		·10		·0		·0	·66		·22		·0	31
Total	6·25	1·72	4·15	3·72	2·69	·70	2·59	2·25	3·09	5·50	4·19	2·09	YEAR'S TOTAL 38·94
Rain Days.	24	9	23	18	8	8	10	9	13	19	18	11	170

W. 7,500, XI. ·12

Ex LNK

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN.

Kept at Pendean
in the County of Sussex 2
by P. Chewton Bulbeck

Lat. 51° N Long. 40' W.
Time of Observation 10 a.m.
Nearest Railway Station Midhurst L. B. & S. C. Ry.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·01	·0	·0	·0	·0	·17	·0	·0	·36	·12	1
2	·0	·0	·0	·0	·0	·0	·0	·11	·0	·0	·03	·28	2
3	·0	·0	·04	·05	·43	·0	·06	·05	·0	·0	·0	·03	3
4	·06	·0	·11	·37	·17	·0	·01	·06	·0	·0	·43	·36	4
5	·0	·0	·06	·45	·10	·08	·34	·22	·0	·0	·0	·01	5
6	·0	·26	·03	·19	·09	·05	·0	·02	·0	·0	·0	·76	6
7	·0	1·13	·19	·18	·11	·07	·24	·01	·0	·0	·0	·42	7
8	·11	·68	·60	·05	·0	·08	·01	·40	·0	·0	·0	·06	8
9	·05	·0	1·30	·11	·0	·0	·0	·02	·36	·0	·0	2·40	9
10	·03	·45	·61	·15	·13	·0	·0	·0	·33	·0	·0	·0	10
11	·0	·64	·91	·0	·0	·02	·56	·0	·03	·0	·0	·76	11
12	·0	·18	·11	·0	·0	·0	·26	·0	·40	·15	·16	·93	12
13	·0	·87	·25	·0	·0	·01	·0	·0	·17	·08	·05	1·11	13
14	·0	·71	·25	·0	·0	·22	·06	·02	·0	·45	·36	·25	14
15	·0	·0	·32	·0	·0	·0	·13	·32	·0	·0	·75	·0	15
16	·0	·0	·0	·0	·0	·0	·07	·0	·54	·0	·04	·0	16
17	·0	·97	·16	·0	·0	·0	·0	·0	·01	·0	·0	·83	17
18	·0	·0	·36	·0	·0	·0	·0	·0	·0	·0	·0	·55	18
19	·0	·12	·70	·0	·0	·0	·69	·0	·0	·04	·18	·17	19
20	·0	·48	·27	·0	·0	·11	·0	·0	·0	·0	·0	·40	20
21	·0	·66	·08	·0	·0	·0	·0	·0	·0	·20	·0	·06	21
22	·0	·0	·0	·0	64 added ·64	·12	·06	·04	·0	·13	·0	·0	22
23	·0	·0	·37	·0	·0	·03	·0	·0	·0	·05	·0	·0	23
24	·0	·0	·08	·0	·0	·0	·0	·0	·0	·0	·20	·0	24
25	·03	·0	·15	·0	·0	·0	·04	·28	·0	·52	·05	·20	25
26	·0	·0	·07	·0	·0	·0	·0	·09	·0	·10	·31	·70	26
27	·03	·0	·0	·0	·0	·0	·0	·0	·0	·0	·20	·56	27
28	·01	·07	·02	·0	·07	·0	·01	·0	·0	·40	·46	·65	28
29	·28		·18 18	·0	·0	·0	·0	·0	·0	·38	·36	·02	29
30	·0		·15	·02	·0	·0	·0	·0	·0	as 18 ·18	1·08	1·04	30
31	·06		·0		·04		·18	·0		·15		·08	31
Total	·66	7·22	6·78	1·57	1·68	·79	2·72	1·81	1·84	2·83	5·02	12·75	YEAR'S TOTAL 45·67
Rain Days.	9	13	26	9	9	10	15	14	7	13	16	25	166

W.7,000, XI. 13

Record rainfall here on 9th Dec. 2.40 in.

526

FORM A.
BRITISH RAINFALL.
13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Pendean, Midhurst

in the County of Sussex 2

by – P. Chrestoun Bullock

Lat. 51° N Long. 40' W.
Time of Observation 10 a.m.
Nearest Railway Station Midhurst L. B. S. C. Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·76	·27	·06	·0	·02	·0	·0	·10	·27	·07	·08	77	1
2	·36	·36	·30	·10	·0	·0	·0	·16	·08	·10	·0	38	2
3	·59	·0	·11	·16	·08	·02	·0	·0	·0	·0	·0	57	3
4	·02	·~~XX~~0	·0	·0	·0	·0	·0	·0	·0	·0	·0	74	4
5	·03	·~~8~~81	·0	·0	·0	·0	·0	·12	·0	·0	·0	57	5
6	·69	·~~04~~16	·0	·94	·0	·0	·84	·06	·0	·0	·0	27	6
7	·23	~~·48~~04	·0	·01	·0	·0	·14	·0	·0	·0	·0	48	7
8	·03	1·41	·0	·0	·0	·0	·23	·04	·0	·0	·02	04	8
9	·04	·06	·0	·0	·0	·12	·0	·10	·0	·0	·28	91	9
10	·40	·11	·0	·0	·0	·0	·0	·0	·0	·0	·0	26	10
11	·09	·0	·07	·0	·0	·0	·0	·0	·0	·03	1·13	10	11
12	·09	·58	·0	·26	·55	·0	·0	·08	·0	·0	·53	·0	12
13	·06	·61	·0	·0	1·63	·0	·05	·0	·0	·0	·0	·02	13
14	·05	·0	·0	·0	·0	·0	·05	·23	·13	·0	·0	1·62	14
15	·14	·0	·0	·0	·06	·0	·06	·22	·0	·0	·05	·55	15
16	·01	1·40	·0	·0	·30	·0	1·42	·0	·0	·0	·0	·04	16
17	·0	·41	·0	·0	·94	·0	·0	·33	·0	·0	·0	·0	17
18	·0	·27	·0	·0	·14	·0	·0	·0	·0	·0	·05	·0	18
19	·0	·09	·0	·0	·08	·0	·06	·0	·0	·0	·0	·0	19
20	·30	·0	·0	·0	·02	·0	·0	·0	·0	·0	·0	·15	20
21	·18	·08	·0	·0	·0	·0	·09	·0	·0	·44	·0	·09	21
22	·62	·22	·16	·0	·0	·0	1·15	·0	·0	·[illegible]	·0	·32	22
23	·41	·0	·03	·0	·0	·03	·21	·0	·44	·61	·0	·76	23
24	·0	·0	·02	·0	·0	·0	·04	·0	·78	·26	·0	·46	24
25	·0	·0	·03	·08	·0	·0	·20	·0	·0	·0	·0	·32	25
26	·0	·26	·0	·0	·0	·16	·19	·0	·0	·0	·0	1·03	26
27	·0	·0	·0	·0	·0	·04	·03	·0	·02	79	·0	·0	27
28	·0	12	·0	·0	·0	·21	·0	·0	·51	·08	·0	·0	28
29	·0	✗	·0	·0	·0	·24	·0	·13	·0	·0	·50	·0	29
30	·20	✗	·0	·0	·0	·15	·0	·0	·0	·60	1·08	·11	30
31	·0	✗	·0	✗	·0	✗	·0	·44	✗	1·34	✗	·50	31
Total	5·30	7·86	0·78	1·55	3·82	0·97	4·79	2·01	2·23	4·32	3·72	11·06	YEAR'S TOTAL 48·41 ~~46·41~~
Rain Days.	21	18	8	6	10	8	15	12	7	~~11~~ 10	9	24	148 ~~149~~

W. 8,000. X. 14.

Summer Time from May 22 to Sept. 30

512

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL

5 JAN

Kept at Pendean, Midhurst
in the County of Sussex
by P. Chandler Bullock

Lat. 51° N about Long. 40' W
Time of Observation
Nearest Railway Station Midhurst L.B.&S.C.Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.03	.0	.0	.24	.01	.0	.0	.45	.19	.46	.0	1
2	.53	.18	.11	.0	.38	.0	.03	.0	.03	.96	.09	.0	2
3	.06	.75	.0	.0	.0	.0	.06	.0	.12	.80	.86	.0	3
4	.29	.04	.0	.0	.02	.74	.0	.0	.11	.03	.45	.0	4
5	.02	.16	.0	.0	.20	.20	.0	.0	.0	.13	.62	.0	5
6	.01	.15	.15	.05	.08	.30	.54	.0	.0	.25	.77	.0	6
7	.0	.02	.44	.0	.20	.39	.0	.0	.0	.02	1.30	.02	7
8	.0	.0	.02	.0	.54	.0	.0	.0	.0	.0	.0	.46	8
9	.0	.0	.02	.0	.21	.04	.0	.0	.0	.0	.0	.20	9
10	.0	.51	.05	.03	.0	.25	.09	.0	.0	.01	.04	.26	10
11	.05	.0	.02	.13	.0	.14	.0	.0	.0	.0	.0	.14	11
12	.04	.13	.03	.0	.04	.07	.22	.0	.0	.05	.0	.0	12
13	.0	.35	.06	.0	.0	.03	.0	.05	.02	.01	.0	.0	13
14	.0	.70	.09	.03	.04	.0	.0	.11	.0	.07	.0	.03	14
15	.0	.15	.53	.03	.0	.0	.0	.16	.0	.0	.0	.0	15
16	.06	.03	.35	.11	.0	.0	.10	.47	.0	.0	.0	.0	16
17	.38	.23	.0	.16	.0	.0	.0	.32	.30	1.00	.0	.20	17
18	.0	.06	.06	.09	.0	.0	.0	.06	.11	.06	.60	~~.40~~ .0	18
19	.37	.0	.21	.20	.0	.0	.0	.0	25	.0	.35	~~1.18~~ .04	19
20	.22	.0	.32	.04	.0	.0	.0	.0	.0	.0	.0	1.18	20
21	.0	.0	.26	.0	.0	.0	.10	.0	.0	.0	.0	.16	21
22	.0	.0	.02	.0	.0	.03	.0	.0	.0	.10	.03	.85	22
23	.02	.10	.0	.0	.0	.20	.0	.0	.0	.12	.19	.0	23
24	.0	.0	.0	.0	.11	.03	.0	.06	.0	.43	.19	.29	24
25	.0	.03	.25	.0	.0	.0	.0	.31	.40	.11	.04	.0	25
26	.04	.15	.04	.12	.0	.08	.0	.36	.09	.67	.0	.0	26
27	.0	.21	1.03	.0	.0	.02	.0	.12	.13	.54	.0	.0	27
28	.0	.61	.0	.0	.0	.03	.0	.20	.31	.25	.07	.33	28
29	.0	.31	.0	.0	.0	.67	.0	1.23	.17	.64	.0	.30	29
30	.0	✕	.0	.0	.46	.08	.0	.03	.0	.29	.0	.0	30
31	.0	✕	.0	✕	.0	✕	.0	.06	✕	.20	✕	.02	31
Total	2.18	4.90	4.04	.99	2.52	3.23	1.14	3.54	2.49	6.93	6.26	4.48	YEAR'S TOTAL 42.70
Rain Days.	14	21	19	11	12	17	7	14	13	23	15	15	181

W. 8,000. X. 15.

NEWICK

SUSSEX

1914-19

REGIS

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Newick ... °'1 E

... a.m.

in the County of S ... Newick

... in.

by Mrs Clement ... Ground ... ft. 17 in.

Sea Level 130 ft.

IMPORTANT NOTE ... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·42

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·09			·02	·11			·08	·22	1
2				·03	·22	·04	·22				·11	·17	2
3			·08	·01			·02	·02					3
4	·03		·01	·30				·05			·29	·27	4
5	·18	·07	·09	·27	·01	·02	·15						5
6			·02	·37	·03	·09		·06			·02	·30	6
7		·58	·13	·14		·01	·07					·22	7
8	·16	·45	·27	·01		·06	·04	·04				·13	8
9	·17		·59	·07	·02		·32		·26			1·42	9
10	·01	·05	·02	·12	·05				·07			·03	10
11		·36	·31	·04					·22		·02	·43	11
12		·03	·10						·30	·02	·02	·56	12
13		·39	·22			·03			·11	·01	·09	·53	13
14		·09	·13				·01	·01		·28	·20	·35	14
15		·05	·22					·06			·56		15
16		·11	·01				·03		·07		·01		16
17		·22	·25				·01		·12			·29	17
18		·04	·32									·45	18
19		·07	·75				·20			·03	·20	·13	19
20		·15	·07			·11			·01	·01		·18	20
21		·54	·06					·05		·04		·06	21
22		·04	·08		·05	·02	·14	·05		·40		·01	22
23			·20		·02	·42				·01		·01	23
24			·06								·18		24
25	·08		·21					·07		·26	·01		25
26	·01		·05				·01	·15		·06	·11	·48	26
27											·13	·45	27
28	·02	·01			·01					·35	·22	·47	28
29	·15		·02		·01					·54	·12	·01	29
30		×	·05							·06	·98	·27	30
31		×		×	·15	×			×		×	·06	31
Total	·81	3.25	4.33	1·45	·57	·80	1.24	·67	1·16	2.07	3.35	7.50	YEAR'S TOTAL 27·20
Rain Days.	9	17	27	11	10	9	13	11	8	13	18	25	171

W. 8,000. X. 14.

REGIS

Kept at Newick, Sussex

in the County of Sussex 4

by Mrs. Clement Powell

ong. 0° 1 E

Time of Observation 9 a.m.

Nearest Railway Station Newick

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 17 in.

" " " " Sea Level 130 ft.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·42

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·09			·02	·11			·08	·22	1
2				·03	·22	·04	·22				·11	·17	2
3			·08	·01			·02	·02					3
4	·03		·01	·30				·05			·29	·27	4
5	·18	·07	·09	·27	·01	·02	·15						5
6			·02	·37	·03	·09		·06			·02	·30	6
7		·58	·13	·14		·01	·07					·22	7
8	·16	·45	·27	·01		·06	·04	·04				·13	8
9	·17		·59	·07	·02		·32		·26			1·42	9
10	·01	·05	·02	·12	·05				·07			·03	10
11		·36	·31	·04					·22		·02	·43	11
12		·03	·10						·30	·02	·02	·56	12
13		·39	·22			·03			·11	·01	·09	·53	13
14		·09	·13				·01	·01		·28	·20	·35	14
15		·05	·22					·06			·56		15
16		·11	·01				·03		·07		·01		16
17		·22	·25				·01		·12			·29	17
18		·04	·32									·45	18
19		·07	·75				·20			·03	·20	·13	19
20		·15	·07			·11			·01	·01		·18	20
21		·54	·06					·05		·04		·06	21
22		·04	·08		·05	·02	·14	·05		·40		·01	22
23			·20		·02	·42				·01		·01	23
24			·06								·18		24
25	·08		·21					·07		·26	·01		25
26	·01		·05				·01	·15		·06	·11	·48	26
27											·13	·45	27
28	·02	·01			·01					·35	·22	·47	28
29	·15		·02		·01					·54	·12	·01	29
30		X	·05							·06	·98	·27	30
31		X		X	·15	X			X		X	·06	31
Total	·81	3.25	4.33	1.45	·57	·80	1.24	·67	1.16	2.07	3.35	7.50	YEAR'S TOTAL 27·20
Rain Days.	9	17	27	11	10	9	13	11	8	13	18	25	171

W. 8,000. X. 14.

CX 912 593

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Newick Rectory
in the County of Sussex 4
by E. V. Powell (Mr. Powell)

Lat. 50° 58′ Long. 0° 1′ E.
Time of Observation 9 a.m.
Nearest Railway Station Newick & Chailey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 17 in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·42	·13	·05				·13	·21	·62	·03	·13	·22	1
2	·36	·11	·25	·18				·09	·02	·04		·18	2
3	·23		·01	·20	·14			·07	·07			·50	3
4	·11							·07		·02		·46	4
5	·05	·41		·01				·06		·01	·04	·54	5
6	·50	·14	·05	·55		·06	·12					·21	6
7	·15	·29	·05	·10			·02					·28	7
8	·03	·32					·08	·01			·03	·01	8
9	·01	·27		·23		·29					·49	·63	9
10	·13		·01									·63	10
11	·01	·01	·01							·02	·65		11
12	·03	·13		·15	·31						1·02		12
13		·57			1·58				·05				13
14	·01	·02					·62	·01	·03			·31	14
15	·08	·01			·06		·33	·07			·13	·28	15
16		·75		·01	·11		1·14	·47				·04	16
17		·37			1·09			·85				·03	17
18		·12	·01		·12						·03		18
19		·02											19
20	·22			·02	·10							·18	20
21	·03	·01								·17		·02	21
22	·09		·02	·05			·74					·15	22
23	·16	·07	·06			·01	·02	·01	·20	·27		·60	23
24			·06	·01			·11		·23	·46		·33	24
25							·42					·21	25
26		·04				·02	·01					·57	26
27		·01					·04			·44		·02	27
28		·04				·16	·02		1·84	·20	·01	·03	28
29						·02	·38	·29		·09	·49		29
30	·19	×				·21				·12	·33	·02	30
31	·02	×		×		×		·36	×	·79	×	·19	31
Total	2.82	3.84	·58	1·51	3.51	·77	3.68	2.57	3.66	2·66	3·35	6·64	YEAR'S TOTAL 35.00
Rain Days.	20	21	11	11	8	7	15	13	8	13	11	25	163

W. 8,000. X. 15.

✓ [illegible] 584

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Newick . S
in the County of Sussex
by Mr. Powell

Lat. 50°58' Long. 0°1'E
Time of Observation 9 a.m.
Nearest Railway Station Newick
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground ft. 17 in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05				·09	·02			·05	·02	·48		1
2	·18	·05	·35		·31		·01			·73			2
3		·31	·18			·02	·01		·06	·46	·49		3
4	·11	·08	·01			·38			·24	·03	·32	·01	4
5	·02	·01		·03	·19	·10				·05	·48		5
6		·06	·07	·20	·03	·45	·27			·03	·36		6
7			·53		·26	·02	·04			·02	·59	·03	7
8					·20						·01	·51	8
9			·01		·17	·02	·01					·10	9
10		·35	·02	·05		·13				·02		·37	10
11	·06	·10	·01	·18		·08						·07	11
12	·03	·03	·23	·06	·15	·12	·08			·10	·01		12
13		·11	·14	·05	·04	·05	·02	·03	·01				13
14		·35	·14		·12			·02				·10	14
15		·03	·08	·01				·02				·02	15
16	·03	·03	·20	·13			·10	·02					16
17	·11	·17		·17			·01	·07	·39	·81			17
18	·02	·08		·02				·19	·18		·84		18
19	·14		·13	·33		·02		·02	·08	·17	·74	·17	19
20	·05		·03								·14	·50	20
21	·01		·25				·31				·02	·32	21
22										·05		·66	22
23		·15	·03			·13	·01			·12	·04	·02	23
24			·01		·08			·01		·20	·04	·39	24
25		·49	·17					·64		·12	·03	·01	25
26	·01	·40	·03			·11		·29	·04	·17			26
27		·09	·68			·07		·10	·10	·37			27
28		·59	·09			·21		·15	·14	·13		·16	28
29		·20				·25		·43	·07	·38		·36	29
30		╳			·11			·02		·36			30
31		╳		╳		╳		·02	╳	·02	╳		31
Total	·82	3·68	3·39	1·23	1·75	2·18	·87	2·03	1·36	4·36	4·59	3·80	YEAR'S TOTAL 30.06
Rain Days.	13	~~3·68~~ 20	22	11	12	17	11	15	11	21	15	17	185

W. 8,000, VIII. 16

553

FORM A.
BRITISH RAINFALL
5 JAN

REGISTER OF RAINFALL IN 1917

Kept at Newick
in the County of Sussex
by Mr Powell

Lat. 50°58' Long 0°1'E
Time of Observation 9 a.m.
Nearest Railway Station Newick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~1~~ ft. 17 in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·12				1·68	·06		·03	·02	1
2				·17				·09			·22		2
3	·01			·13			·29	·29		·07	·09		3
4		·09	·09				·07	·26		·27			4
5	·31		·03	·15		·03			·18	·28	·03		5
6			·18	·03		·42			·23		·13		6
7	·26						·03			·33		·01	7
8	·06			·09			·25	·21		·24	·23	·20	8
9			·02	·03			·10				·02	·69	9
10	·15		·09	·08		·16		·16					10
11	·08	·01	·21	·49				·15		·34			11
12	·04		·03	·08				·16		·17			12
13	·03		·16		·20			·01	·01	·21	·01	·01	13
14			·02	·21				·34	·02				14
15	·02				·09	·21		·32		·26		·04	15
16	·04	·21		·19	·12					·43		·71	16
17		·01		·11	·07		·29	·06	·22	·13			17
18	·01	·03		·05	·07		·08	·13	·18				18
19	·02	·22	·13		·03	·19			·14				19
20		·12	·02		·60				·06		·02		20
21			·02		·01		·01				·01	·02	21
22	·02		·09			·48		·18		·18			22
23		·17			·20			·17		·14		·04	23
24		·02				·06	·15				·04	·07	24
25		·14	·11			·03	·01			·02			25
26			·03			·02		·40	·04		·82		26
27			·04		·03	·03		1·04					27
28						·63	·03	·51				·06	28
29			·28				·13	·02		·63		·11	29
30	·01	✕				·03	·42	·25		·04		·03	30
31	·03	✕		✕		✕	·47	·03	✕	·01	✕	·04	31
Total	1·09	1·02	1·55	1·93	1·42	2·31	2·33	6·48	1·14	3·75	1·65	2·05	YEAR'S TOTAL 26·72
Rain Days.	15	10	17	14	10	12	14	21	10	17	12	14	166

3·08

W. 8,000, IX. 17.

Exd. E.F.E.

77

FORM A.
BRITISH RAINFALL
11.1.19

REGISTER OF RAINFALL IN 1918

Kept at Newick Rectory
in the County of Sussex
by Wm Powell

Lat. 50°58' Long. 0°1'E
Time of Observation 9 a.m
Nearest Railway Station Newick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 17 in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06	·							·16	·07	1
2		·02		·02				·41			·36		2
3		·01	·09	·06	·77			·08		·03	·42	·12	3
4		·05	·02	·02	·02			·08	·10		·66	·01	4
5		·06	·02	·14	·02			·21		·08			5
6	·15	·08			·19			·34	·02	·05		·03	6
7	·02	·05		·14	·03	·01			·16	·03	·07		7
8		·02							·10	·03	·04	·08	8
9	·02			·13		·08	·04		·60	·24		·39	9
10				·04		·04	·52		·83	·15		·18	10
11				·01			·09		·25	·33	·04	·11	11
12		·05			·13		·30		·04	·05		·01	12
13	·21	·01			·02		·19		·20			·01	13
14	·17		·03			·08	·14		·18	·33		·02	14
15	·83			·20		·04	·09		·01			·14	15
16	·36			·03		·31	·04		·20				16
17	·20			·15		·39	1·01	·01				·29	17
18	·34			·02		·30			·84			·04	18
19	·08		·07			·24	·01			·04			19
20	·05	·07		·99		·02	·47		·22	·18			20
21	·24		·01	·65		·01	·33		·51	·07		·02	21
22	·17			·01	·24		·38		·91			·34	22
23	·07				·03		·33	·10	·01			·05	23
24		·18				·02	·24		·17		·13		24
25						·01	·07	·22		·03			25
26				·11			·29		·01	·02	·08	·13	26
27		·08	·03	·07			·06	·16	·33		·15	·04	27
28		·01	·35	·06	·04	·03		·02	·	·03	·12	·01	28
29	·01		·03	·01					·84		·01	·01	29
30		X	·46						·02	·07	·	·07	30
31	·01	X		X		X			X	·04	X		31
Total	2·93 ✓	·69 ✓	1·17 ✓	2·86 ✓	1.49	1·58 ✓	4·80 ✓	1·63 ✓	6.55 ✓	1·80 ✓	2·18	2·17 ✓	YEAR'S TOTAL 29·85 ✓
Rain Days.	16 ✓	·13 ✓	11 ✓	19 ✓	10 ✓	14 ✓	18 ✓	10 ✓	·22 ✓	18 ✓	12 ✓	22 ✓	185 ✓

W. 6,500, VII. 18. w w c

Ex 82

5·17

26 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Newick Rectory

in the County of Sussex

by E. O. Powell

Lat 50°58' Long 0°1'E

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft 17 in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·01	·03	·03	·06		·02						1
2	·17	·01	·02		·17		·02						2
3	·44		·44		·02		·33						3
4	·21	·05	·43			·05	·08	·04					4
5		·25	·69				·09						5
6	·10		·03										6
7	·14		·37										7
8	·30		·08										8
9	·45		·04	·14	·27								9
10	·55		·04	·03									10
11	·17		·19	·32	·04		·22						11
12	·24		·02				·05						12
13	·02			·46									13
14	·46			·32			·08						14
15	·21	·03	·02	·03									15
16	·16	·47											16
17		·21	·02	·01									17
18		·06	·05					·04					18
19	·02	·30	·50			·05	·24	·14					19
20	·27	·05	·06			·54	·10	·18					20
21	·09	·48	·01				·01						21
22		·01	·01				·16						22
23						·01	·02						23
24		·02		·13		·02	·03						24
25	·04				·01		·01	·66					25
26	·01	·25	·13	·05			·03						26
27	·62	·02	·01	·72				·61					27
28	·03		·16	·06				·47					28
29				·02		·03		·92					29
30			·01	·22		·01		·84					30
31	·08		·07				·05						31
TOTAL	5·03	2·22	3·43	2·54	·57	·71	1·54	3·90					YEAR'S TOTAL
Days with ·01 in. or more	23	15	24	14	6	7	17	9					

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLO** … **GANIZATION.**

RE … 0.

PATCHING

DULANEY HSE

SUSSEX

1920

8 JAN 1921

Kept at Dulaney … 9 a.m. … Angmering

in the County of … Rain Gauge 5 in.

by J. Hunt … above Ground – ft. 9 in.

,, Sea Level ft.

IMPORTANT NOTE.- … entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·19	-·-	0·02	0·03	0·11	-·-	0·35	[illegible]	-·-	0·45	0·04	0·30	1
2	0·05	-·-	0·10	0·03	0·05	-·-	-·-	0·22	0·15	0·06	-·-	0·08	2
3	0·03	-·-	-·-	0·06	-·-	-·-	-·-	-·-	-·-	0·15	-·-	0·04	3
4	-·-	0·17	-·-	0·06	-·-	-·-	1·10	0·16	0·02	0·41	-·-	-·-	4
5	-·-	-·-	0·14	0·08	-·-	-·-	0·75	0·03	-·-	0·01	-·-	0·05	5
6	-·-	-·-	0·13	-·-	0·40	-·-	0·27	-·-	-·-	-·-	-·-	0·02	6
7	-·-	-·-	-·-	0·17	0·05	-·-	0·10	-·-	-·-	-·-	-·-	-·-	7
8	0·04	-·-	-·-	0·07	0·02	-·-	0·35	-·-	-·-	-·-	-·-	-·-	8
9	0·29	0·06	-·-	0·08	0·07	0·10	0·03	-·-	-·-	-·-	-·-	-·-	9
10	0·93	0·33	0·19	0·17	-·-	0·20	0·36	-·-	-·-	-·-	-·-	0·23	10
11	0·38	-·-	0·11	0·24	0·02	0·02	0·27	-·-	-·-	-·-	-·-	-·-	11
12	0·09	0·04	0·01	0·38	-·-	0·64	-·-	-·-	-·-	-·-	0·09	-·-	12
13	0·21	-·-	0·32	0·04	-·-	-·-	-·-	-·-	-·-	-·-	-·-	-·-	13
14	-·-	0·04	0·62	0·34	-·-	-·-	-·-	-·-	0·16	0·20	0·57	-·-	14
15	0·13	-·-	-·-	0·19	0·02	-·-	-·-	-·-	1·05	0·54	0·07	-·-	15
16	-·-	-·-	0·03	0·02	-·-	-·-	-·-	-·-	0·29	-·-	-·-	-·-	16
17	0·04	-·-	-·-	0·03	0·20	-·-	-·-	-·-	0·94	-·-	-·-	0·08	17
18	0·03	-·-	-·-	0·01	0·15	-·-	-·-	0·71	0·92	-·-	-·-	0·11	18
19	0·05	-·-	-·-	0·38	-·-	0·01	-·-	-·-	0·10	-·-	-·-	0·01	19
20	0·12	0·09	-·-	0·09	-·-	0·88	-·-	-·-	0·06	-·-	-·-	0·03	20
21	-·-	-·-	-·-	0·05	-·-	-·-	1·02	-·-	0·22	-·-	-·-	0·20	21
22	0·01	-·-	-·-	0·35	-·-	-·-	-·-	-·-	0·09	-·-	-·-	0·46	22
23	-·-	-·-	-·-	-·-	-·-	-·-	0·48	0·18	-·-	-·-	-·-	0·72	23
24	0·02	0·02	0·09	-·-	-·-	-·-	0·01	-·-	-·-	-·-	-·-	0·12	24
25	-·-	0·01	-·-	-·-	0·03	-·-	0·28	-·-	0·01	-·-	-·-	-·-	25
26	0·03	-·-	0·14	0·05	-·-	0·08	-·-	-·-	-·-	-·-	0·03	0·07	26
27	0·04	-·-	-·-	0·15	-·-	0·12	0·04	-·-	-·-	-·-	0·44	0·33	27
28	0·34	0·02	0·25	-·-	0·30	0·02	0·21	-·-	-·-	-·-	0·02	0·06	28
29	0·65	X	0·05	0·12	-·-	-·-	-·-	-·-	-·-	-·-	0·23	0·20	29
30	0·07	X	0·01	-·-	-·-	0·02	0·05	-·-	0·25	-·-	0·24	0·24	30
31	0·01	X	0·20	X	-·-	X	-·-	-·-	X	0·60	X	0·23	31
TOTAL	3·75	0·78	2·39	3·11	1·42	2·09	5·67	1·30	4·26	2·42	1·73	3·58	YEAR'S TOTAL 32·50
Days with ·01 in. or more	22	9	16	24	12	10	16	5	13	8	9	20	164
Days with ·04 in. or more	~~15~~ 16	~~5~~ 6	12	19	8	~~5~~ 6	14	4	11	~~6~~ 7	7	~~16~~ 17	~~123~~ 127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLO GANIZATION.

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Dulaney House Patching

in the County of Sussex

by J. Hunt.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Angmering

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·19	-·-	0·02	0·03	0·11	-·-	0·35	[illegible]	-·-	0·45	0·04	0·30	1
2	0·05	-·-	0·10	0·03	0·05	-·-	-·-	0·22	0·15	0·06	-·-	0·08	2
3	0·03	-·-	-·-	0·06	-·-	-·-	-·-	-·-	-·-	0·15	-·-	0·04	3
4	-·-	0·17	-·-	0·06	-·-	-·-	1·10	0·16	0·02	0·41	-·-	-·-	4
5	-·-	-·-	0·14	0·08	-·-	-·-	0·75	0·03	-·-	0·01	-·-	0·05	5
6	-·-	-·-	0·13	-·-	0·40	-·-	0·27	-·-	-·-	-·-	-·-	0·02	6
7	-·-	-·-	-·-	0·17	0·05	-·-	0·10	-·-	-·-	-·-	-·-	-·-	7
8	0·04	-·-	-·-	0·07	0·02	-·-	0·35	-·-	-·-	-·-	-·-	-·-	8
9	0·29	0·06	-·-	0·08	0·07	0·10	0·03	-·-	-·-	-·-	-·-	-·-	9
10	0·93	0·33	0·19	0·17	-·-	0·20	0·36	-·-	-·-	-·-	-·-	0·23	10
11	0·38	-·-	0·11	0·24	0·02	0·02	0·27	-·-	-·-	-·-	-·-	-·-	11
12	0·09	0·04	0·01	0·36	-·-	0·64	-·-	-·-	-·-	-·-	0·09	-·-	12
13	0·21	-·-	0·32	0·04	-·-	-·-	-·-	-·-	-·-	-·-	-·-	-·-	13
14	-·-	0·04	0·62	0·34	-·-	-·-	-·-	-·-	0·16	0·20	0·57	-·-	14
15	0·13	-·-	-·-	0·19	0·02	-·-	-·-	-·-	1·05	0·54	0·07	-·-	15
16	-·-	-·-	0·03	0·02	-·-	-·-	-·-	-·-	0·29	-·-	-·-	-·-	16
17	0·04	-·-	-·-	0·03	0·20	-·-	-·-	-·-	0·94	-·-	-·-	0·08	17
18	0·03	-·-	-·-	0·01	0·15	-·-	-·-	0·71	0·92	-·-	-·-	0·11	18
19	0·05	-·-	-·-	0·38	-·-	0·01	-·-	-·-	0·10	-·-	-·-	0·01	19
20	0·12	0·09	-·-	0·09	-·-	0·88	-·-	-·-	0·06	-·-	-·-	0·03	20
21	-·-	-·-	-·-	0·05	-·-	-·-	1·02	-·-	0·22	-·-	-·-	0·20	21
22	0·01	-·-	-·-	0·35	-·-	-·-	-·-	-·-	0·09	-·-	-·-	0·46	22
23	-·-	-·-	-·-	-·-	-·-	-·-	0·48	0·18	-·-	-·-	-·-	0·72	23
24	0·02	0·02	0·09	-·-	-·-	-·-	0·01	-·-	-·-	-·-	-·-	0·12	24
25	-·-	0·01	-·-	-·-	0·03	-·-	0·28	-·-	0·01	-·-	-·-	-·-	25
26	0·03	-·-	0·14	0·05	-·-	0·08	-·-	-·-	-·-	-·-	0·03	0·07	26
27	0·04	-·-	-·-	0·15	-·-	0·12	0·04	-·-	-·-	-·-	0·44	0·33	27
28	0·34	0·02	0·25	-·-	0·30	0·02	0·21	-·-	-·-	-·-	0·02	0·06	28
29	0·65	X	0·05	0·12	-·-	-·-	-·-	-·-	-·-	-·-	0·23	0·20	29
30	0·07	X	0·01	-·-	-·-	0·02	0·05	-·-	0·25	-·-	0·24	0·24	30
31	0·01	X	0·20	X	-·-	X	-·-	-·-	X	0·60	X	0·23	31
TOTAL	3·75	0·78	2·39	3·11	1·42	2·09	5·67	1·30	4·26	2·42	1·73	3·58	YEAR'S TOTAL 32·50
Days with ·01 in. or more	22	9	16	24	12	10	16	5	13	8	9	20	16 4
Days with ·04 in. or more.	~~15~~ 16	~~5~~ 6	12	19	8	~~5~~ 6	14	4	11	~~6~~ 7	7	~~16~~ 17	~~123~~ 127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

542/5

NINFIELD
HAZARDS GREEN P. S.
SUSSEX
1915-20

IN 19*15*

FORM A.
BRITISH RAINFALL.
8 JUN 1916

Kept at

in the Co

by *Bex*

53·6" N. Long. *0°23'30" E.*

f Observation *9 a.m.*

t Railway Station *Sidley S. E. & C. R.*

ter of Funnel of Rain Gauge *8* in. *square*

t of top of Gauge above Ground ..... ft. *10⅛* in.

„ „ „ Sea Level *74·04* ft.

IMPORTANT NOTE ly at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. *·21.*

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06							·02	·78	·16	1
2	·39	·15	·02						·89		·17	·37	2
3	·45	·15	·23	·09	·01		·01	·03	·15	·04		·16	3
4	·26			·32	·14	·01		·35	·05			·60	4
5	·02			·02								·22	5
6	·04	·20	·01	·12				·08		·01	·02	·61	6
7	·47	·18	·01	·36			·13					·11	7
8	·36	·18	·03	·02			·02	·01				·40	8
9	·02	·28	·09				·54				·01		9
10	·06	·32		·17		·20	·08				·52	·83	10
11	·22					·39						·68	11
12		·07	·01								·86	·05	12
13	·05	·12		·17	·23					·10	·49		13
14		·79			1·42				·05		·10		14
15	·05	·01	·01		·01		·51		·08			·27	15
16	·14				·08		·37	·16			·20	·24	16
17	·01	·51		·08	·18		1·02	·20			·07		17
18		·36			·90			·29				·20	18
19		·08			·11					·03	·01	·02	19
20	·01												20
21	·30	·02		·02	·09			·02				·18	21
22	·08		·01							·30		·04	22
23	·04	·01	·03	·04			·65					·16	23
24	·04		·11				·03			·08		·73	24
25		·09	·03				·07		·19	·94		·41	25
26			·02	·05			·17		·05	·01		·36	26
27		·02				·02						·70	27
28						·56	·08			·28		·01	28
29						·01			·77	·29	·01		29
30		X			·11		·01	·38	·02	·05	·40	·02	30
31	·26	X		X	·01	X			X	·22	X		31
Total	3·27	·06 ~~3·54~~	~~·06~~ ~~·67~~	1·46	3·29	1·19	3·69	1·52	·02 ~~2·25~~	~~·78~~ ~~2·37~~	·16 ~~3·61~~	·21 ~~4·53~~	YEAR'S TOTAL ~~34·42~~
Rain Days.	20	3·60 ~~18~~ 19	·61 ~~14~~ 13	12	12	6	14	9	2·27 ~~9~~ 10	3·13 13	3·02 13	4·58 24	34·63 ~~164~~ 165

W. 8,000. X. 15.

IN 1915.

FORM A.
BRITISH RAINFALL.
8 JUN 1916

Kept at Hazard's Green Pumping Station Ninfield.
in the County of Sussex (East.)
by Bexhill Water & Gas Company.
Charles P King. Engineer.

Lat. 50°53'6" N. Long. 0°23'30" E.
Time of Observation 9 a.m
Nearest Railway Station Sidley. S.E. & C.R.
Diameter of Funnel of Rain Gauge 8 in. square
Height of top of Gauge above Ground ft. 10⅛ in.
" " " " Sea Level 74.04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·21.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06							·02	·78	·16	1
2	·39	·15	·02						·89		·17	·37	2
3	·45	·15	·23	·09	·01		·01	·03	·15	·04		·16	3
4	·26			·32	·14	·01		·35	·05			·60	4
5	·02			·02								·22	5
6	·04	·20	·01	·12				·08		·01	·02	·61	6
7	·47	·18	·01	·36			·13					·11	7
8	·36	·18	·03	·02			·02	·01				·40	8
9	·02	·28	·09				·54				·01		9
10	·06	·32		·17		·20	·08				·52	·83	10
11	·22					·39						·68	11
12		·07	·01								·86	·05	12
13	·05	·12		·17	·23					·10	·49		13
14		·79			1·42				·05		·10		14
15	·05	·01	·01		·01		·51		·08			·27	15
16	·14				·08		·37	·16			·20	·24	16
17	·01	·51		·08	·18		1·02	·20			·07		17
18		·36			·90			·29				·20	18
19		·08			·11					·03	·01	·02	19
20	·01												20
21	·30	·02		·02	·09			·02				·18	21
22	·08		·01							·30		·04	22
23	·04	·01	·03	·04			·65					·16	23
24	·04		·11				·03			·08		·73	24
25		·09	·03				·07		·19	·94		·41	25
26			·02	·05			·17		·05	·01		·36	26
27		·02				·02			—			·70	27
28						·56	·08			·28		·01	28
29						·01			·77	·29	·01		29
30		✕			·11		·01	·38	·02	·05	·40	·02	30
31	·26	✕		✕	·01	✕			✕	·22	✕		31
	–	·06	~~·06~~	–	–	–	–	–	·02	·78	·16	·21	YEAR'S TOTAL
Total	3·27.	~~3·54~~	~~·67~~	1·46.	3·29.	1·19.	3·69.	1·52.	~~2·25~~	~~2·34~~	~~3·64~~	~~4·53~~	~~34·42~~
		3·60	·61						2·27	3·13	3·02	7·58	34·63
Rain Days.	20.	~~18~~ 19	~~14~~ 13	12	12.	6.	14.	9.	~~9~~ 10	13.	13.	24.	~~167~~ 165

Esc DL cmd for WD 621

FORM A. BRITISH RAINFALL.

9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Hazard's Green Pumping Station Ninfield
in the County of Sussex
by Charles P. King Engineer Bexhill Water & Gas Coy. Bexhill on Sea.

Lat. 50° 53' 6" N. Long. 0° 23' 30" E
Time of Observation 9 a.m.
Nearest Railway Station Battle
Diameter of Funnel of Rain Gauge 8 in. sq.
Height of top of Gauge above Ground ft. 10½ in.
" " " " Sea Level 74·04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21		·17				·01		·01		·29	·03	1
2	·05	·05	·02	·01	·12				·01	·01	·53		2
3	·30	·05	·32		·25	·01				·64	·08		3
4		·25	·25				·10		·20	·19	·27		4
5	·14	·04	·01			·27			·27	·08	·43	·01	5
6		·04		·06	·18	·03	·01			·06	·18		6
7	·01	·03		·42		·34	·25			·03	·21		7
8			·30		·31	·11	·11			·09	·23	·02	8
9			·31		·19						·01	·29	9
10					·22	·12					·01	·30	10
11		·35	·01	·02		·24	·07			·09		·14	11
12	·02	·20	·03	·12	·01	·07			·01			·26	12
13	·08	·04		·16	·17	·12	·09			·04	·01	·01	13
14		·18	·31	·03	·09	·08	·04			·03		·03	14
15		·35			·12	·01		·25		·02		·46	15
16		·03	·07		·06			·01			·01	·01	16
17		·12	·10	·25			·09						17
18	·33	·18		·03			·17	·01	·36	·61		·01	18
19	·06	·07	·01					·23	·23	·65	·89		19
20	·20		·06	·32					·10		·66	·07	20
21	·05	·01		·07		·02		·05			·39	·03	21
22	·03		·33	·14						·01	·06	·12	22
23	·02		·14	·01		·04			·01	·01	·18	·97	23
24		·08	·03			·14	·03	·06			·05	·01	24
25	·01	·21	·10		·11				·01	·35	·03	·34	25
26		·09	·14					·49		·16	·19		26
27		1·03				·15		·08		·09		·07	27
28	·01	·28	·85	·04		·39	·01	·02	·10	·53		·02	28
29		·63	·09			·22		·10	·12	·51		·10	29
30		✗	·01			·32		·79	·21	·55		·63	30
31		✗	·01	✗		✗		·05	✗	·33	✗		31
	–	·17	–	–	–	·01	–	·01	–	·29	·03	–	YEAR'S TOTAL
Total	~~1·52~~ 1·31	~~4·31~~ 4·48	~~3·64~~ 3·50	1·68	1·83	~~2·68~~ 2·69	~~·98~~ ·97	~~2·14~~ 2·15	~~1·64~~ 1·63	~~5·08~~ 5·37	~~4·71~~ 4·45	~~3·93~~ 3·90	~~34·17~~ 33·96
Rain Days.	~~15~~ 14	~~22~~ 23	~~20~~ 22	14	12	~~18~~ 19	~~12~~ 14	~~13~~ 13	~~13~~ 12	~~22~~ 23	20	22	205

W. 8,000. X. 15.

1 cnd pr WD 540

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

18 JAN 1918

Kept at Hazards Green Pumping Station.
in the County of Sussex.
by Charles P. King. Engineer
Bexhill Water & Gas Coy.

Lat. 50°-53′-6″ N. Long. 0°-23′-30″
Time of Observation 9 a.m.
Nearest Railway Station Battle S.E. & C.R.
Diameter of Funnel of Rain Gauge 8 in. square
Height of top of Gauge above Ground ___ ft. 10½ in.
" " " " Sea Level 74·04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04						·31		·01	·02		1
2		·01	·01	·06				1·69	·19		·06	·04	2
3				·09				·08		·06	·01		3
4				·12			·18	·28		·14	·03		4
5	·01		·12				·57	·27		·26			5
6	·33	·11	·13					·01	·45	·26	·01		6
7			·03	·20		·58			·03		·21	·01	7
8	·36						·21		·01	·39		·12	8
9				·11			·18	·04		·35	·34	·21	9
10	·03	·01	·05	·02			·02				·01	·92	10
11	·15		·11	·02		·66		·11	·01	·03			11
12	·17	·03	·23	·07				·01		·32		·01	12
13			·04	·08				·22		·22			13
14	·03		·18	·05	·01			·03	·01	·23	·01	·01	14
15				·26	·02	·01				·05			15
16	·02		·01	·02				·32		·06	·01		16
17	·02	·02		·17	·10		·01			·14		·58	17
18	·04	·02		·10	·21		·32		·02	·16	·01	·25	18
19	·01	·02		·07	·05		·23	·05	·28	·01		·14	19
20		·06	·09		·01	·01	·01	·09	·11			·01	20
21		·40	·04		·99	·14		·01		·01	·01		21
22			·05						·01	·01	·01	·05	22
23	·02		·01			·40		·10		·17			23
24		·17	·06	·01	·18			·08		·07		·01	24
25		·01				·01	·02	·18	·01	·28	·02	·02	25
26		·08	·04				·12				·02		26
27			·01					·39	·08		·93		27
28						·02		1·07					28
29			·09			1·25		·53	·01			·05	29
30		✕	·08			·03	·51	·01		·16		·07	30
31		✕	·08	✕	·01	✕	·25	·29	✕	·11	✕	·02	31
Total	·04 ~~1·19~~	~~·98~~	1·46	1·45	1·58	3·11	·31 ~~2·63~~	~~6·14~~	·01 ~~1·22~~	·02 3·50	~~1·71~~	·01 2·52	YEAR'S TOTAL 27·52
Rain Days.	1·23 13	·94 12	20	16	9	10	2·94 14	5·86 22	1·23 14	3·51 23	1·69 15	2·53 18	27·58 186

W. 8,000. X. 15.

2·84

W.D.

110

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918.

Kept at Hazard's Green Pump^g Station

in the County of Sussex

by Charles P. King
Engineer
Bexhill Water & Gas Coy.

Lat. 50°-53'-6" N Long. 0°-23'-30"

Time of Observation 9 a.m.

Nearest Railway Station Battle S.E.&C. abt 6 miles.

Diameter of Funnel of Rain Gauge 8 in. 19.

Height of top of Gauge above Ground ft. 10⅛ in.

" " " " Sea Level 74·04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0·00.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01.	·01	·01	·02							·13		1
2	·04	·01	·01		·02						·10.	·05	2
3			·03					·33.			·46.	·07	3
4		·01	·05	·05	·47			·13			·34	·08	4
5	·01.	·02	·01.	·12	·01.			·01	·29.	·02.	·37.	·01.	5
6		·23		·01	·06			·20.	·02.		·03.	·02.	6
7	·06	·07.		·09.	·26			·27.	·01.	·04	·06	·05.	7
8		·04		·30	·04				·68	·02			8
9		·04						·02.	·10.		·09	·07.	9
10	·07		·01	·05		·14			·44.	·26		·03.	10
11				·02		·21.	·15.		1·15.	·01		·14	11
12							·01		·11.	·41.	·05	·08.	12
13		·08	·01		·07		·02		·08.	·22.		·05	13
14		·01	·01	·01	·15				·08.				14
15	·28		·02			·06.	·32.		·47.	·35.		·04	15
16	1·72.			·09.		·08			·01.			·12.	16
17	·01.			·06.		·01	·18		·01.	·01.	·01		17
18	·34			·08		·07.	·16					·16.	18
19	·18.					·25			·50.	·26		·10.	19
20	·07.	·01	·10.	·01.		·17.				·17			20
21	·02	·12		·46.		·04.	·98		·26.	·33.			21
22	·18.		·01	·55.			·04		·07.	·28.		·08.	22
23	·09.			·01.	·05.		·05		1·01		·01	·07.	23
24	·12		·01	·03.	·01.		·91.		·01.			·13	24
25		·19.		·02		·02	·01.		·20.	·01	·03	·01	25
26						·02.	·08.	·42		·02.		·02	26
27				·01.			·06.		·07	·01	·08	·04	27
28		·03.		·11			·10.	·14.	·64	·01.		·23.	28
29	·02.		·17.	·02	·06	·01	·01			·06	·27		29
30				·05.					·48		·03.	·01	30
31	·02		·44.					·01.		·04.		·25.	31
Total	·01 3·~~24~~. 3·24	·01 ~~·87~~ ·87	·02 ~~·89~~. ·99	~~2·14~~. 2·15	1·20.	1·08.	3·08.	1·53.	6·69.	·13 ~~2·53~~. 2·66	~~2·06~~. 1·93	2·01.	YEAR'S TOTAL ~~27·35~~. 27·34
Rain Days.	17	14	14	22	11.	12.	15	9	22	~~19~~ 20	~~15~~ 14	24	194.

W. 8,000, IX. 17.

corr' for WD

2+RR

549

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

19 JAN 20

Kept at Hazards Green Pumping Stn.
in the County of Sussex
by Charles D. King. Engineer & Manager Bexhill Water & Gas Co.

Lat. 50°-53'-6" Long. 0°-23'-30"
Time of Observation 9 a.m.
Nearest Railway Station Battle S.E.&C.
Diameter of Funnel of Rain Gauge 8 in. sq.
Height of top of Gauge above Ground ft 10½ in.
" " " " Sea Level 74.04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·01

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·17			·01	·02		·21	·12	1
2	·35	·11		·01	·04		·09	·01		·13	·08	·46	2
3	·12	·04	·04		·03		·11			·02	·11	·38	3
4	·25		·40	·01	·02				·08		·03	·27	4
5	·23	·06	·55		·03	·02	·04	·03	·02		·08	·10	5
6	·02	·30	·86	·01				·06		·01	·06	·39	6
7	·12	·04	·01									·05	7
8	·10		·37							·01	·26		8
9	·25		·06						·01				9
10	·26		·05						·01		·34		10
11	·42		·04	·05						·01		·01	11
12	·43		·13	·28	·02							·17	12
13	·02		·02		·04		·22			·15	·01		13
14	·02			·01							·01		14
15	·46	·01		·47			·11		·07			·07	15
16	·11	·01		·19						·01	·02	·21	16
17	·16	·64									·15	·01	17
18	·02	·34	·03								·16	·03	18
19		·03	·04						·01		·09	·04	19
20	·02	·28	·64				·25	·20		·01	·16		20
21	·37	·09	·15			·30	·43	·12					21
22	·06	·49	·05			·06	·04			·02		·07	22
23		·05	·01				·19		·38		·05	·17	23
24							·02		·28	·01	·01	·01	24
25		·09	·01	·29					·01	·05	·30		25
26	·05	·01				·01		·32					26
27	·02	·16		·08				·02	·06		·12	·48	27
28	·25	X	·14	·55			·01	·15			·67	·02	28
29		X	·02	·65				1·26			·64	·41	29
30	·05	X	·15			·01		·35		·20	·14	·14	30
31		X	·04	X		X		·42	X	·09	X	·39	31
	–	–	–	·17	–	–	·01	·02	–	·21	·12	·01	YEAR'S TOTAL
TOTAL	4·16	2·75	3·81	~~2·60~~ 2·77	~~·35~~ ·18	·40	~~1·51~~ 1·52	~~2·05~~ 2·96	~~·95~~ ·93	~~·72~~ ·93	~~3·70~~ 3·61	~~4·00~~ 3·89	~~27·90~~ 27·91
Days with ·01 in. or more	24	17	22	13 ~~12~~	6 ~~7~~	5	12 ~~11~~	12	10 ~~11~~	14 ~~13~~	22	22	~~178~~ 179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copy WD

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

5 FEB 1921

Kept at Hazards Green Pumping Station
in the County of Sussex
by Charles P King M I Mech E M I Water Engrs

Lat. 50°-53'-6" Long. 0°-23'-30"
Time of Observation 9 a.m.
Nearest Railway Station Battle S. E. & C Rly.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft 10½ in.
" " " " Sea Level 74·04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·30

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·03		·05	·01		·01			·14	·30	·23	1
2	·12			·07	·03		·07			·32		·24	2
3			·16	·02	·02		·01	·52	·03	·03		·15	3
4			·01					·05		·01		·04	4
5		·10	·01	·02	·01		·75	·02	·02	·08		·04	5
6			·01		·02		·15	·07	·09		·02	·19	6
7			·26	·01	·17	·01	·07						7
8	·04	·01		·10	·05		·27					·03	8
9				·17			·33					·02	9
10	·25	·02			·05	·01	·04						10
11	·56	·13	·06	·21		·05					·01	·01	11
12	·39	·06	·11	·17	·02	·07	·18				·01	·01	12
13	·05	·02	·02	·17	~~·21~~	·21	·08						13
14	·31	·03	·10							·01			14
15		·02	·49	·35		·03				·08	·07	·03	15
16	·07		·03	·01	·01	·01			·81	·25	·31	·01	16
17			·01		·21				·49		·09		17
18	·01			·13	·15		·01		·42			·02	18
19	·03				·17			·96	·13		·01	·07	19
20	·08			·20				·03	·01			·04	20
21	·07	·15		·05		·80			·76				21
22			·01	·01			·17		·06			·40	22
23				·38			·01		·01			·44	23
24		·01					·32					·36	24
25	·01	·01	·04				·08		·01	·01		·12	25
26	·01	·01		·01	·01		·12			·02			26
27	·05		·16	·05			·06				·02	·04	27
28	·36	·03	·02	·20		·08	·08				·30	·26	28
29	·19		·01	·01	·30		·08				·39	·01	29
30	·36		·06	·11			·01				·18	·13	30
31			·02		·01		·03					·14	23.60
TOTAL	·03 ~~2·94~~ 2·99	- ~~·63~~ ·60	·05 ~~1·59~~ 1·64	·01 ~~2·20~~ 2·46	~~1·24~~ 1·23	·01 ~~1·27~~ 1·28	~~2·93~~ 2·92	- 1·65	·14 ~~2·84~~ 2·98	·30 ~~·95~~ 1·11	·23 ~~1·41~~ 1·64	·30 ~~3·03~~ 3·10	YEAR'S TOTAL ~~23·31~~
Days with ·01 in. or more	19	~~14~~ 13	~~19~~ 20	22	~~17~~ ~~16~~ 15	~~9~~ 10	~~22~~ 21	6	~~12~~ 13	10	12	24	185 ✓
Days with ·04 in. or more	~~13~~ 14	~~3~~ 4	~~9~~ 10	~~13~~ 14	~~7~~ 8	5	16	4	~~7~~ 8	5	7	16	~~109~~ 110

Great Dixter **REGIS**

NORTHIAM

GREAT DIXTER

~~KENT~~

SUSSEX

1912-20

306947. 912

562

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Northiam

in the County of Sussex

by Nathaniel Llo

ong.

ion

9.0 am

ge 8 in.

e above Ground 1 ft. . in.

Sea Level ~~[illegible]~~ 210 ft.

NOTE.—Rain should be measured dai ... y. Full instructions for the measurement of rain and particulars as to the British R ... "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·08	·21	—	·20	1
2									—	—	—	—	2
3									·01	—	·02	—	3
4									—	—	·25	—	4
5									—	—	·20	—	5
6									—	—	—	·02	6
7									—	—	—	·21	7
8									—	—	—	—	8
9									—	—	—	·15	9
10									·01	—	·06	·35	10
11									—	—	—	·21	11
12									—	—	—	·06	12
13									—	·01	·25	·05	13
14									—	·02	—	·03	14
15									—	·03	·02	·31	15
16									—	—	·01	—	16
17								·04	—	·03	·02	·03	17
18								·05	—	—	—	·50	18
19								·16	—	~~56~~	·02	—	19
20								·05	—	·56	·08	—	20
21								·11	—	·16	—	—	21
22								·12	—	—	—	—	22
23								·25	—	·16	·18	·02	23
24								·06	—	·01	—	·15	24
25								·90	—	—	·21	·50	25
26								·12	—	·35	·32	·50	26
27								—	—	·22	—	·34	27
28								·09	·02	·60	·41	·20	28
29								·15	·39	·25	·17	—	29
30								·17	·58	·17	—	—	30
31								·10	—	—		—	31
Total								~~2.37~~	1.09	2.78	2.22	3.83	TOTAL for year
No. of Rain Days.								~~14~~	6	14	15	18	

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

/ Great Dixter

REGISTER OF RAINFALL IN 1912

562

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Northiam

in the County of Sussex

by Nathaniel Lloyd

Lat. Long.

Nearest Railway Station

Time of Observation 9.0 am

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 200 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·08	·21	—	·20	1
2									—	—	—	—	2
3									·01	—	·02	—	3
4									—	—	·25	—	4
5									—	—	·20	—	5
6									—	—	—	·02	6
7									—	—	—	·21	7
8									—	—	—	—	8
9									—	—	—	·15	9
10									·01	—	·06	·35	10
11									—	—	—	·21	11
12									—	—	—	·06	12
13									—	·01	·25	·05	13
14									—	·02	—	·03	14
15									—	·03	·02	·31	15
16									—	—	·01	—	16
17								·04	—	·03	·02	·03	17
18								·05	—	—	—	·50	18
19								·16	—	~~56~~	·02	—	19
20								·05	—	·56	·08	—	20
21								·11	—	·16	—	—	21
22								·12	—	—	—	—	22
23								·25	—	·16	·18	·02	23
24								·06	—	·01	—	·15	24
25								·90	—	—	·21	·50	25
26								·12	—	·35	·32	·50	26
27								—	—	·22	—	·34	27
28								·09	·02	·60	·41	·20	28
29								·15	·39	·25	·17	—	29
30								·17	·58	·17	—	—	30
31								·10	—	—		—	31
Total								~~2.37~~	1.09	2.78	2.22	3.83	TOTAL for year
No. of Rain Days.								~~14~~	6	14	15	18	

1,000, I. '12.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1913

Kept at Northiam

in the County of Sussex

by Nathaniel Lloyd

Lat. .... Long. ....

Nearest Railway Station ....

Time of Observation 9. 0 am

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " Sea Level ~~200~~ 210 ft.

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

~~Average~~ Date.	~~2.95~~ Jan.	~~2.50~~ Feb.	~~2.44~~ March.	~~2.18~~ April.	~~1.30~~ May.	~~2.48~~ June.	~~2.98~~ July.	~~3.41~~ Aug.	~~2.90~~ Sept.	~~3.98~~ Oct.	~~2.49~~ Nov.	~~3.63~~ Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·42	·11	·09	—	·04	—	—	—	·11	·13	·03	1
2	·01	·18	—	—	—	—	·15	—	—	—	·10	—	2
3	—	—	·04	·60	·22	—	—	—	—	—	—	·06	3
4	·16	—	·06	—	—	—	·07	—	·13	·03	·14	—	4
5	·16	·03	·03	—	—	·02	·03	—	·90	·18	·16	·04	5
6	·02	·02	·12	—	—	·04	·39	—	—	·71	·23	·06	6
7	—	·25	·05	—	—	·04	·02	—	—	·40	·07	—	7
8	—	·05	·03	·01	·24	·05	—	·65	—	·18	·07	—	8
9	—	·07	—	—	·13	—	·01	·08	·10	—	·02	—	9
10	—	—	—	—	—	—	·12	—	—	—	·63	—	10
11	·80	—	—	·52	—	—	—	—	—	·50	·02	—	11
12	—	—	—	—	·04	—	—	—	—	—	·70	—	12
13	·98	—	·05	—	—	—	—	105	·05	—	·18	—	13
14	·20	·02	·20	·03	—	—	·94	—	·20	·10	·13	—	14
15	·19	—	·15	·22	—	—	·44	—	·03	—	—	—	15
16	·50	—	·63	·27	—	—	—	—	·50	—	—	—	16
17	·10	·02	·03	·20	—	—	·31	·02	—	—	—	·03	17
18	·01	—	·11	·22	—	—	·01	—		—	·12	—	18
19	·11	—	·17	—	·02	—	·11	—	·15	—	—	—	19
20	·65	—	·03	·18	—	·26	—	—	—	·50	—	—	20
21	·02	—	·03	·06	·05	—	—	—	·02	·75	·60	—	21
22	·33	—	·32	—	—	—	·05	—	·05	·02	—	—	22
23	·01	—	·02	—	—	—	·02	—	—	—	—	·65	23
24	·06	—	·01	·02	—	—	—	·19	—	—	·06	—	24
25	—	—	—	·34	—	·03	·02	—	—	—	—	—	25
26	—	—	·18	—	—	—	—	·07	—	·85	—	·25	26
27	—	—	·06	—	—	—	—	—	—	·18	—	—	27
28	·22	—	·30	·01	—	—	—	—	—	·29	—	—	28
29	·18	×	·03	·53	·15	—	—	·23	—	—	—	—	29
30	·65	×	·04	·22	·05	—	—	·65	—	·05	—	·04	30
31	—	×	·04	×	—	×	—	105	×	—	×	—	31
Total	5.37	1.06	2.84	3.52	·90	·48	2.69	2.99	2.13	4.85	3.36	1.16	TOTAL for year 31.35
No. of Rain Days.	21	9	25	16	8	7	15	9	10	15	16	8	

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Cond for multr 30.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Northiam W. W9

in the County of Sussex 6

by Nathaniel Lloyd

Lat. Long.
Nearest Railway Station Northiam
Time of Observation 9.0. AM
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 200 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Av. E. W. *Date.*	2·95 Jan.	2·50 Feb.	2·49 March.	2·18 April.	2·30 May.	2·48 June.	2·98 July.	3·41 Aug.	2·50 Sept.	3·58 Oct.	3·48 Nov.	3·53 Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	·03	—	—	·01	·06	—	—	·04	·08	1
2	—	—	—	—	—	—	·12	—	—	—	·14	·26	2
3	—	—	·15	·03	·19	—	—	—	—	—	—	·02	3
4	—	—	·01	·28	—	—	—	·30	—	—	·40	·40	4
5	·12	—	·09	·27	—	—	·28	·02	—	—	—	—	5
6	—	·03	—	·22	·02	·03	—	·08	—	—	—	·50	6
7	·02	·49	·25	·05	—	·06	·05	—	—	—	—	·24	7
8	·06	·23	·17	—	·01	·08	·05	·02	—	—	—	·08	8
9	·25	—	·67	·07	—	—	—	—	·11	—	—	1·25	9
10	·01	—	·01	·07	·06	—	—	—	—	—	—	·09	10
11	—	·35	·44	·08	·08	·01	—	—	·22	—	·06	·47	11
12	—	·05	·07	—	—	·25	·09	—	·45	—	·02	·57	12
13	—	·45	·20	—	—	·17	—	—	·12	·08	·10	·70	13
14	—	·25	·14	—	—	—	—	—	·02	·44	·09	·21	14
15	—	·05	·21	—	—	—	—	·04	—	—	1·24	·02	15
16	—	·25	·05	—	—	—	·33	—	·10	—	—	—	16
17	—	·30	·15	—	—	—	·02	—	·25	·02	—	·15	17
18	—	·10	·09	—	—	—	—	—	—	·02	·02	·37	18
19	—	·08	·88	—	—	—	·23	—	—	·18	·23	·41	19
20	—	·15	·09	—	—	·02	·01	—	·04	·05	—	·42	20
21	—	·90	·05	—	—	—	—	—	—	—	—	·02	21
22	—	·02	—	—	·03	·10	·22	·03	—	·31	—	—	22
23	—	—	·61	·01	·02	·68	—	—	—	·02	—	—	23
24	—	—	—	·02	·01	—	—	—	—	·06	·15	—	24
25	·10	—	·14	—	·02	—	—	·03	—	·44	·02	—	25
26	·02	—	·05	—	—	—	—	28	—	—	·11	·41	26
27	·02	—	·01	—	—	—	—	·03	—	·06	·30	·70	27
28	·01	—	—	—	·02	—	·19	—	—	·50	·58	·35	28
29	·06	×	—	—	—	—	—	—	—	·74	·14	—	29
30	—	×	·06	—	·01	—	—	—	—	·12	1·54	·11	30
31	·01	×	—	×	·37	×	·01	—	×	—	×	·07	31
Total	·68	3·70	4·60	1·13	·8+ ·84	1·40	1·61	·89	1·31	3·04	5·18	7·90	for year 32·28
No. of Rain Days.	11	15	24	11	12	9	13	10	8	14	17	24	168

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

[illegible] 644

REGISTER OF RAINFALL IN 19[illegible]

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Northiam

in the County of Sussex 6

by Nathaniel Lloyd

Lat. ______ Long. ______

Time of Observation 9.0 AM

Nearest Railway Station Northiam

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50	·10	·03	—	—	—	—	·11	·57	—	·10	·33	1
2	·40	·16	·20	·11	—	—	—	·09	·11	—	·02	·13	2
3	·38	—	—	·24	·20	—	—	·08	·29	—	—	·51	3
4	·05	—	—	—	—	—	—	·29	—	·03	·01	·34	4
5	·03	·31	—	·09	—	—	—	·03	—	·01	·01	·58	5
6	·43	·25	—	·53	—	—	·14	—	—	—	—	·18	6
7	·45	·32	·04	·06	—	—	·05	—	—	—	—	·38	7
8	·05	·34	—	·01	—	—	·04	—	—	—	·02	·01	8
9	—	·32	—	·05	—	·07	—	·01	—	—	·50	·90	9
10	·32	—	—	—	—	·28	—	—	—	—	—	·67	10
11	—	·02	—	—	—	—	—	—	—	—	·90	·01	11
12	·07	·10	—	·15	·16	—	—	—	—	·04	·74	—	12
13	·04	1·02	—	·02	1·72	—	—	—	·06	—	·01	—	13
14	·05	·02	—	—	—	—	·25	—	·06	·01	—	·49	14
15	·23	—	—	—	·07	—	·01	—	—	—	·19	·31	15
16	—	·60	—	·05	·15	—	1·15	·29	—	—	·17	·01	16
17	—	·58	—	—	1·53	—	·01	—	—	—	—	·24	17
18	—	·15	—	—	·20	—	—	—	—	—	·01	·05	18
19	—	·02	·01	—	—	—	·01	—	—	·08	—	—	19
20	·24	—	—	—	·01	—	—	—	—	—	—	·18	20
21	·10	—	—	—	—	—	—	—	—	·14	—	·05	21
22	—	—	·06	·01	—	—	·80	—	—	—	—	·22	537 22
23	·06	·14	·12	—	—	—	·07	—	—	·05	—	·75	23
24	—	— 445	·13	—	—	—	·10	—	·37	·38	—	·50	24 684
25	—	—	—	·06	—	—	·14	—	—	·02	—	·24	25
26	—	·05	—	—	—	·03	·01	—	—	—	—	·67	7.08 26
27	—	·03	—	—	—	·15	·05	—	—	·20	—	—	27
28	—	·05	—	—	—	·01	·03	—	1·52	·54	·01	—	28
29	—	X	—	—	·03	·02	·55	·54	—	—	·56	·01	29
30	·25	X	—	—	—	·04	—	—	·02	·08	·22	·01	30
31	·01	X	—	X	—	X	—	·03	X	·60	X	·27	31
Total	3·66	4·58	·59	1·38	4·07	·60	3·41	1·47	3·00	2·21	3·47	8·04	YEAR'S TOTAL 36·48
Rain Days.	~~18~~	~~19~~	~~7~~	~~12~~	~~9~~	~~7~~	~~16~~	~~9~~	~~8~~	~~13~~	~~15~~	~~26~~	~~159~~

W. 8,000. X. 14.

23 Exd C & E /524

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Northiam

in the County of Sussex

by Nathaniel Lloyd

Lat. 51·00 N Long. 2·20· E

Time of Observation 9·0 A.M. (May 26 — 9.15 Summer time)

Nearest Railway Station Northiam

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Northiam in 1915 Date. Av. [illegible]	3·66 Jan. 2·95	4·58 Feb. 2·58	·59 March. 2·49	1·38 April. 2·18	4·09 May. 2·30	·60 June. 2·48	3·41 July. 2·98	1·47 Aug. 3·41	3·00 Sept. 2·90	2·27 Oct. 3·98	3·47 Nov. 3·48	8·04 Dec. 3·53	Date.
1	·09	·01	—	—	·18	·01	—	—	·02	·02	·50	—	1
2	·27	·08	·62	—	·15	—	—	—	—	·29	·09	·01	2
3	·01	·45	·14	—	—	—	·10	—	·08	·20	·42	—	3
4	·20	·11	—	—	—	·62	—	—	·10	·10	·17	—	4
5	·01	·03	·02	·03	·05	·15	—	—	·01	·08	·98	·01	5
6	·01	·14	·07	·39	·09	·55	·27	—	—	·07	·40	—	6
7	·07	·04	·61	—	·25	·10	·09	—	—	·04	·31	·02	7
8	·01	·02	·01	—	·11	—	—	—	—	—	·01	·41	8
9	—	—	—	—	·36	·17	—	—	—	·01	—	·17	9
10	—	·22	·02	·05	—	·49	·03	—	—	—	·01	·64	10
11	·02	·27	·01	·10	—	·27	—	—	·01	—	—	·16	11
12	·05	·08	—	·05	·25	·14	·09	—	·01	·07	—	·01	12
13	—	·18	·18	·05	·06	·10	·05	·01	—	·02	—	·12	13
14	—	·57	·04	—	·14	—	—	·26	—	·05	—	·38	14
15	—	·10	·20	—	—	—	—	·01	—	·02	—	·03	15
16	·01	·02	·14	·18	—	—	·26	·01	—	—	—	—	16
17	·32	·10	—	·05	—	—	·09	·04	·35	·75	—	·01	17
18	·04	·10 2·51	·01	·02	—	—	—	·07	·25	·60	85	·07	18
19	·34	·03	·04	·20	—	04	—	—	·08	—	138	·09	19
20	·07	—	·05	·12	—	—	—	·01	—	—	13	·54	20
21	·04	—	·27	·14	—	—	—	—	—	—	·02	·43	21
22	·02	·02	·09	·04	—	·02	—	—	—	·05	01	·63	22
23	·02	·25	·26	—	—	·10	·05	·08	—	—	·06	·05	23
24	·01	—	·03	—	·03	·01	—	—	—	·45	·19	·41	24
25	—	·83	·15	—	·02	—	—	·53	—	·15	·12	·01	25
26	—	·14	·04	—	—	·25	—	·14	—	·15	·06	·03	26
27	·03	·38	·60 3·60	—	—	·09	—	·03	·08	·70	·01	·01	27
28	—	·70	·09	—	—	·43	—	·05	·46	35	—	·19	28
29	—	·20	·01	—	—	·41	—	·64	·06	·70	—	45	29
30	—	X	—	—	—	—	—	·11	—	·41	—	—	30
31	—	X	—	X	—	X	—	—	X	·15	X	·03	31
Total	1·64	5·07	3·70	1·42	1·69	3·95	1·03	1·99	1·51	5·43	5·72	4·91	YEAR'S TOTAL 38·06
Rain Days.	20	25	24	12	12	18	9	14	12	23	19	25	213

27·43 33·45

W. 8,000. X. 15.

605

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

3 JAN 1918

Kept at Great Dixter,
Northiam,
in the County of Sussex.
by Nathaniel Lloyd

Lat. 51.00 N Long. 2.20 E
Time of Observation 9.0 a.m.
Nearest Railway Station Northiam
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date average E&W	Jan.	Feb.	March.	April. 2·18	May. 2·30	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	—	·19	—	—	—	1·70	·20	—	·10	·03	1
2	—	—	—	·17	—	—	—	·21	—	·05	·06	—	2
3	—	—	—	·12	—	—	·26	·46	—	·25	·02	—	3
4	·01	·10	·27	—	—	—	·34	·05	·02	·40	—	—	4
5	·21	—	·06	·04	—	—	—	—	·37	·15	·01	—	5
6	·51	—	·01	—	—	·14	—	·03	·03	·05	·17	·02	6
7	—	—	·01	·15	—	—	·32	—	·01	·63	·01	·11	7
8	·05	—	—	·27	—	—	·26	·09	—	·42	·31	·16	8
9	·01	—	·05	·08	—	—	·07	·01	—	—	·02	·90	9
10	·09	—	·17	·12	—	·17	—	·17	—	—	—	·01	10
11	·22	·04	·19	·06	—	—	—	·07	—	·58	—	—	11
12	·11	·01	·06	·04	—	—	—	·01	—	·24	—	—	12
13	·04	—	·14	—	·01	—	—	·03	·01	·25	—	·01	13
14	·02	—	·01	·29	·01	—	—	·02	·02	—	—	—	14
15	·03	—	—	—	·47	—	—	·41	—	·12	—	·01	15
16	·06	·02	—	·31	·09	—	·01	—	—	·25	—	·88	16
17	—	·01	—	·08	·55	—	·21	—	·25	·32	—	·10	17
18	·05	·07	—	·10	·08	—	·36	·10	·15	—	—	—	18
19	—	·11	·23	—	—	—	—	—	·11	·02	·03	—	19
20	—	·16	·07	—	·57	·04	·03	—	—	—	—	—	20
21	·02	·01	·02	—	·01	·01	—	—	—	—	—	·04	21
22	·02	—	·14	—	—	·27	—	·02	—	·18	—	·01	22
23	·01	·18	·03	·01	·25	—	—	·12	—	·02	·06	·05	23
24	—	·01	—	—	—	—	·02	·09	—	·28	·03	·04	24
25	—	·08	·04	—	·01	—	·07	—	—	·02	·80	—	25
26	—	—	·04	—	—	·01	—	·29	·04	—	—	—	26
27	—	—	—	—	—	·06	—	1·57	—	—	—	·02	27
28	—	·01	·07	—	—	1·46	—	·53	—	—	—	·04	28
29	—	✕	·01	—	—	·08	1·16	·04	—	·38	~~0~~	·11	29
30	·04	✕	·15	—	—	·01	·44	·24	—	·13	·03	·04	30
31	·08	✕	·18	✕	—	✕	·30	—	✕	·04	✕	·03	31
Total	1·58	·83	1·95	2·03	2·05	2·25	3·85	6·26	1·21	4·78	1·65	2·61	YEAR'S TOTAL 31·05
Rain Days.	18	14	21	15	10	10	14	22	11	21	18	19	188

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

cord p ante
W J L

FORM A.
BRITISH RAINFALL.

Kept at Great Dixter, Northiam, Sussex.
in the County of
by Nathaniel Lloyd O.B.E.

Lat. 51·00 N Long. 2·20 E.
Nearest Railway Station Northiam
Time of Observation 9.0 am – 8.0 am during Summer time
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 210 · 0 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1. 1919.—·53 in

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02										·19	·04	1
2		·01	·02								·45	·23	2
3		·01						·36			·47	·03	3
4		·05	·08	·15	·36			·09	·01	·04	·50		4
5		·18	·04	·03				·17	·35			·05	5
6	·09	·13			·37			·23		·02		·03	6
7	·04	·15		·15	·24				·49	·01	05		7
8		·01			·09				·62	·01	·10	·04	8
9	·05			·01		·06			·77			·19	9
10				·22		·17	·19		·26	·28		·24	10
11				·05			·13		·37	·05	·05	·09	11
12		·12			·05		·18		·05	·46		·04	12
13	·17				·21		·01		·08	·22		·03	13
14	·21				·22	·06	·27		·24			·03	14
15	1·72		·03			·02			·01	·27		·20	15
16	·11			·11			·09			·03			16
17	·46			·05		1·14	·04	·02				·34	17
18	·29			·12		·27			·23	·03		·04	18
19	·11	·01	·05	·01					·40	·07		·03	19
20	·08	·16		·02		·02	1·03		·01	·61		·02	20
21	·15			·21			·04		1·28	·06		·04	21
22	·09			·14			·52		·01			·18	22
23	·05			·01	·04		·47		·15			·03	23
24		·17		·01	·04		·13				·03		24
25					·09		·03	·10	·08				25
26	·01	·01					·16	·09	·16		·05	·18	26
27	·01		·01	·09			·22	·20		·02	·04	·05	27
28		·06	·28	·02		·08		·03	1·44	·01	·27	·02	28
29	·02	×		·01	·09				·11		·04	·01	29
30		×	·40							·13		13	30
31	·02	×	·02	×		×			×	·04	×	·03	31
Total	3·70	1·07	·93	1·41	1·80	1·82	3·51	1·29	7·32 7·12	2·36	2·24	2·34	TOTAL for year 29·59 [illegible]
No. of Rain Days.	19	13	9	8	11	8	15	9	21	16	12	26	

1,000, I. '12.
EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

notified 3.11.20

W ML

563

FORM A.
BRITISH RAINFALL.

15 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Great Dixter
Northiam
in the County of Sussex
by Mr Nathaniel Lloyd O.B.E

Lat. 51·0 N Long. 2·20 E
Time of Observation 9.0 am — 8.0 am in Summer
Nearest Railway Station Northiam
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 210·0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·53	·10	—	—	·05	—	·38	—	—	·16	·11	·50	1
2	·20	·02	·07	—	·11	—	·28	—	—	·04	·08	·25	2
3	·34	—	·50	—	·03	—	·16	—	·12	—	·03	·20	3
4	·25	—	·30	—	—	·02	—	—	·08	—	·26	·12	4
5	·02	·31	·80	—	—	—	—	·16	—	—	·10	·29	5
6	·15	—	·02	—	—	—	—	—	—	—	·01	05	6
7	·18	—	·48	—	—	—	—	—	—	·01	·15	—	7
8	·39	—	·09	—	—	—	—	—	—	—	—	—	8
9	·41	—	·05	·04	—	—	—	—	—	—	·26	—	9
10	·92	—	·06	·03	—	—	—	—	—	—	·03	·03	10
11	·38	—	·06	·30	·03	—	—	—	—	—	—	·14	11
12	·05	—	·01	—	—	—	·41	—	—	·08	·03	—	12
13	·01	—	—	·30	—	—	—	—	—	·01	—	06	13
14	·56	—	—	·62	—	—	·07	—	09	—	—	·07	14
15	·19	·02	—	·10	—	—	—	—	—	—	03	·14	15
16	·24	·73	—	—	—	—	—	—	—	—	·15	·03	16
17	—	·40	—	·01	—	—	—	—	—	—	·14	·03	17
18		·05	·02	—	—	—	—	—	01	—	·04	·02	18
19	01	·21	·66	—	—	—	·10	·19	·03	—	·14	—	19
20	~~35~~	·10	·20	—	—	37	·37	·11	—	—	—	—	20
21	—	·62	·01	—	—	—	·04	—	—	—	·02	·04	21
22	—	—	—	—	—	—	·18	—	·63	—	·06	·13	22
23	—	·06	—	·16	—	—	·11	—	·35	—	—	·02	23
24	·03	·03	—	—	—	—	—	·05	—	·03	·25	·12	24
25	—	·04	—	—	·06	—	—	·26	—	—	·01	·01	25
26	·02	·17	·10	—	—	—	·21	·02	·04	—	·06	·47	26
27	·26	—	·09	·89	—	—	—	·25	—	—	·18	03	27
28	—	—	·06	·20	—	—	—	1·04	—	—	·41	·33	28
29	·08	~~14~~ X	—	·09	—	—	—	·54	—	·25	16	·19	29
30	—	X	—	·16	—	—	—	75	—	·11	·23	·50	30
31	·10	X	—	X	—	X	—	·03	X	·32	X	·01	31
Total	5·67 [illegible]	2·86	3·58 ~~3·59~~	2·90	·28	·39	2·31 ~~2·01~~	3·40	1·35	1·01	2·94	3·78	YEARS TOTAL 30·4 ~~30·70~~
Rain Days.													

23 14 18 12 5 2 11 11 8 9 24 25 162

W. 8,000, IX. 17.

METEOROLOGICAL OFFICE, LONDON.

IMPORTANT.
All communications must be addressed to
THE SUPERINTENDENT.
In reply to this letter quote No.

S. 151

Telephone:—North 142.

British Rainfall Organization,
62, Camden Square,
London, N.W.1.

MAR 20

3rd March 1920.

Nathaniel Lloyd Esq O.B.E.
Great Dixter,
Northiam,
Sussex.

Dear Sir,

In preparing for publication the rainfall return for last year which you have been so kind as to send us, trifling discrepancies have been observed between the totals for the months of January, March and July and the sums of the daily entries. A careful comparison with other records leads us to believe that no error occurs in the daily amounts and we propose therefore to adopt the correct totals making them 5·67 in. 3·58 in. and 2·31 inch respectively. The total for the year thus becomes 30·47 inch.

In by any chance you do not concur in this we should be much obliged if you would kindly let us know.

Yours sincerely,

Carle Salter

SUPERINTENDENT.

I am sorry. I accept your corrections:
I did not add them myself but left it
to my small son who is usually
very accurate: so accurate that
I cannot understand this
carelessness (we say
carelessness when the offender
is young or subordinate &
inadvertence when we
blame ourselves!)

M

531

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

Kept at Great Dixter, Northiam
in the County of Sussex
by Nathaniel Lloyd.

Lat. 51·00 N. Long [illegible] 2·20 E
Nearest Railway Station Northiam
Time of Observation 9 a.m. [illegible]
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 210·0 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	—	—	·09	·01	—	·07	—	—	·66	·01	·40	1
2	·03	—	·11	·03	·04	—	—	·40	—	·14	—	·19	2
3	—	—	—	—	—	—	—	—	·03	·01	—	·05	3
4	—	·13	—	·05	—	·01	·63	·11	—	—	—	·07	4
5	—	—	·01	—	·01	—	·40	·02	·0.4	—	—	·22	5
6	—	—	·17	—	·12	—	·26	—	—	—	—	—	6
7	·06	—	—	·04	·15	—	·03	—	—	·04	—	·05	7
8	—	—	—	·12	·03	—	·28	—	—	—	—	—	8
9	·33	·01	—	·13	·11	—	·01	—	—	—	—	—	9
10	·38	·14	·03	·17	—	—	·02	—	—	—	·02	—	10
11	·56	—	·05	·22	—	·04	·20	—	—	—	—	·13	11
12	·06	·03	—	·15	·02	·04	·04	—	—	—	—	·02	12
13	·22	·02	·18	·01	—	·40	—	—	—	—	·06	—	13
14	—	·03	·36	·42	—	·05	—	—	·01	·10	·42	—	14
15	·01	·01	·02	·03	—	·01	—	—	·60	·27	·13	·03	15
16	—	—	·01	·09	·24	—	—	—	·41	·02	—	·10	16
17	—	—	—	·02	·22	—	—	—	·42	—	—	·01	17
18	·10	—	—	—	·15	—	—	1.08	·18	—	—	·03	18
19	·13	—	—	·29	—	—	—	·01	·10	—	—	·10	19
20	·05	·11	—	·09	—	·51	—	—	·61	—	—	·01	20
21	—	—	—	—	—	—	·20	—	·22	—	—	·32	21
22	·01	—	—	·25	—	—	—	—	·21	—	—	·34	22
23	—	—	—	—	—	—	·55	—	—	—	—	·36	23
24	·02	—	·02	—	—	—	—	—	·01	—	—	·15	24
25	—	—	—	—	·06	—	·20	—	—	—	·02	—	25
26	·06	—	·10	·06	—	·06	·03	—	—	—	—	·05	26
27	·48	·10	·02	·13	—	—	·01	—	—	—	·16	·32	27
28	·30	—	—	·04	·28	—	·09	—	—	—	·26	·05	28
29	·53	—	·01	·10	·02	·01	—	—	—	—	·17	·09	29
30	·03	×	—	—	·15	—	·01	—	·19	—	·30	·11	30
31	·02	×	—	×	—	×	·01	—	×	·20	×	·35	31
Total	3·53	·58	1·09	2·53	1·61	1·13	3·04	1·62	3·03	1·44	1·55	3·55	TOTAL for year 24·70
No. of Rain Days.	20	9	13	21	15	9	18	5	13	8	10	24	165

[illegible] 6.20

10 6 4 10 1·13

1,000, I, '12

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✓

NUTLEY

THE HALL

1911 — 1916

REG

FORM A2.
BRITISH RAINFALL.
29 JAN 1912

i & Zambra

Kept at The Hall

in the County of Suss

by C Sayers Garde

5 in.

Ground — ft. 10 in.

Sea Level 417 ft.

ame Sheffield Park

istance 4 m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·49				·04			·06	·01	1
2	·05		·02	·07	·26						·19	·36	2
3	·02	·01			·24			·02			·13	·27	3
4	·20	·03	·04	·29		·69			·01	·58	·27	·34	4
5		·02		·13						1·10	·02	·10	5
6	·30		·08									(·72)	6
7										·50	·73	·42	7
8	·13		·23								·91	·27	8
9	·22		·04	·02							·16	·07	9
10		·10	·06	·09							·02	·74	10
11	·44		·07		·07						1·37		11
12			·81		·07				·01		·08		12
13			·16		·18				·45	·27	·02	·27	13
14		·12	·01		·14					·02		·73	14
15		·05	·28							·01	·11	·02	15
16						·31					·76	·14	16
17			·04			·05					1·09	·18	17
18		·21	·03								1·38	·42	18
19				·03		·09			·12	·42	·16	·14	19
20	·01	·01				·05		·63	·36			·85	20
21	·03	·23						·13	·01	·82		·18	21
22	·06	·06	·38			·12		·04		·35		·61	22
23		·24				1·15			·57	·43	·03	·20	23
24	·01	·20				·19	·06	·03		·35		·47	24
25	·01		·13	·09		·28		·24	·08	·03	·01		25
26			·25	·26	·12	·29				·38	·12	·27	26
27		·46	·21	·15					·07	·42	·04	·15	27
28		·26		·13				·05			·02	·01	28
29				·12		·18	·34		·29	·58			29
30				·05		·05			·03	·41		·03	30
31													31
Total	1·55	2·00	2·84	1·92	1·08	3·45	·40	1·18	2·00	6·67	7·68	7·97 ✓	TOTAL for year 38·74 ✓
No. of Rain Days	13	14	17	13	7	12	2	8	11	16	22	2~~0~~6	160 ✓

9,000, IX. '10.

RE

FORM A2. BRITISH RAINFALL.

29 JAN 1912

Kept at The Hall Nutley

in the County of Sussex 4

by C Sayers gardener to the Misses Cook

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground – ft. 10 in.
" " " Sea Level 417 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Sheffield Park
Distance 4 m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07			.49				.04			.06	.01	1
2	.05		.02	.07	.26						.19	.36	2
3	.02	.01			.24			.02			.13	.27	3
4	.20	.03	.04	.29		.69			.01	.58	.27	.34	4
5		.02		.13						1.10	.02	.10	5
6	.30		.08									(.72)	6
7										.50	.73	.42	7
8	.13		.23								.91	.29	8
9	.22		.04	.02							.16	.07	9
10		.10	.06	.09							.02	.74	10
11	.44		.07		.07						1.37		11
12			.81		.07				.01		.08		12
13			.16		.18				.45	.27	.02	.27	13
14		.12	.01		.14					.02		.73	14
15		.05	.28							.01	.11	.02	15
16						.31					.76	.14	16
17			.04			.05					1.09	.18	17
18		.21	.03								1.38	.42	18
19				.03		.09			.12	.42	.16	.14	19
20	.01	.01				.05		.63	.36			.85	20
21	.03	.23						.13	.01	.82		.18	21
22	.06	.06	.38			.12		.04		.35		.61	22
23		.24				1.15			.57	.43	.03	.20	23
24	.01	.20				.19	.06	.03		.35		.47	24
25	.01		.13	.09		.28		.24	.08	.03	.01		25
26			.25	.26	.12	.29				.38	.12	.27	26
27		.46	.21	.15					.07	.42	.04	.15	27
28		.26		.13				.05			.02	.01	28
29				.12		.18	.34		.29	.58			29
30				.05		.05			.03	.41		.03	30
31													31
Total	1.55	2.00	2.84	1.92	1.08	3.45	.40	1.18	2.00	6.67	7.68	7.97	TOTAL for year 38.74
No. of Rain Days	13	14	17	13	7	12	2	8	11	16	22	26	160

9,000, IX. '10.

[illegible] 19.11.17

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 FEB 1913

Kept at The Hall Nutley Uckfield
in the County of Sussex 4
by Charles Sayers. for the Misses Cook

Lat. 51·49 N Long. 22·41 E
Time of Observation 9·AM
Nearest Railway Station Sheffield Park.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 417 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·01		·16			·10	·11		·04	·98		·22	1
2		·02	·46			·03	·28						2
3	·01	·05	·03			·33	·04	·24	·03	·03		·01	3
4	·27	·03	·70		·03	·19		·02			·18		4
5	·18	·04	·16			·04		·14			·14	·08	5
6	·43	·12			·06			·44			·01	·12	6
7					·22	·44		·33				·11	7
8	·40	·38	·29		·01	·31		·12			·01	·05	8
9	·03	·10	·02	·03		·09	·12	·32				·18	9
10		·11	·01					·39			·26	·38	10
11	·06		·12			·03			·03			·22	11
12		·07	·07		·11			·23		·01	·02	·04	12
13	·01	·01	·03								·20	·14	13
14			·02		·04			·09		·07		·05	14
15	·01	·06	·10		·19	·70		·02				·38	15
16	·25		·16		·42	·01		·13		·10	·04		16
17	·44		·48		·05	·08		·08			·20	·30	17
18	·09		·54			·04	·04	·23		·07		·26	18
19	·07	·16	·44				·11	·31			·03		19
20	·05	·02	·73					·15		·45	·10		20
21	·01	·06	·52		·03			·11		·17	·09		21
22	·05	·54	·08				·02	·31		·01		·02	22
23	·31	·30	·38		·07	·04		·51		·07	·18	·10	23
24	·06	·03					·04	·41				·14	24
25	·13	·05				·29		·98		·01	·42	·52	25
26	·01	·05				·10		·24		·47	·44	·43	26
27						·02	·04			·24		·45	27
28		·08				·02	·48	·12	·10	·88	·71	·37	28
29		·05		·01			·08	·80	1·91	·10	·04		29
30					·44	·15	·01	·40	1·51	·37			30
31			(·02)				·31	·19					31
Total	2·88	2·33	5·52	·04	1·67	3·01	1·68	7·31	3·62	4·03	3·07	4·57	YEAR'S TOTAL 39·73
Rain Days.	21	21	22	2	12	19	13	26	6	16	17	22	197

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

24 FEB 1914

Kept at The Hall Nutley

in the County of Sussex 4

by C Sayers Gardener to the Misses Cook

Lat. 51·1·49 N Long. 22·41 E

Time of Observation 9 A M

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 417 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·46	·05	·19	·10				·02	·04	·08	·16	1
2	·16	·18					·12		·02	·21	·11		2
3			·09	·68	·30				·05	·01		·26	3
4	·32		·07	·02	·03		·01		·47	·15	·14	·01	4
5	·41	·06				·13	·10		·55	·03	·15	·01	5
6	·03	·01	·10		·02	·14			·05	·40	·17	·16	6
7		·15	·09		·03	·08	·30			·40	·11	·02	7
8		·05	·03		·21	·08	·05			·35	·09	·06	8
9		·05		·02	·13	·01	·12	·06	·12		·02	·01	9
10	·01					·01	·44				·75		10
11	·75			·60						·77	·32		11
12					·14						1-35	·01	12
13	·35		·05					·04	·07		~~·26~~		13
14	·32		·09	·07			1-29	·02	·22	·08	·23	·02	14
15	·14		·20	·40			·38		·13				15
16	·19		·55	·25			·06		·27				16
17	·08	·06	·10	·07			·21				·01	·05	17
18			·13	·18			·09				·10		18
19	·31		·21		·09	·03	·13		·44				19
20	·53		·10	·17		·22				·49			20
21	·02		·15	·15	·03					·94	·62		21
22	·35		·37				·03	·08	·11				22
23			·28			·01		·07				·71	23
24	·09			·04		·06		·06			·04		24
25		·01		·22									25
26			·12				·02	·14		·89		·36	26
27			·08	·01	·52					·12			27
28	·15		·36	·10						·19			28
29	·14		·05	·52	·09			·19		·34	·02		29
30	·65			·21				·26	·01	·16			30
31			·12					·93		·24			31
Total	5·06	1·03 6·09	3·37 9·46	3-90 13·36	1-69 15·05	·77 15·82	3-35 19·17	1-85 21-02	2-53 23-55	5·81 29·36	4·57 33·93	1-84 35·77	YEAR'S TOTAL 35·77
Rain Days.	20	9	22	18	12	10	15	10	14	18	18	13	179

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
19 FEB 1915

Kept at The Hall Nutley

in the County of Sussex 4

by Charles Sayers, Gardener to the Misses Cook

Lat. 51·1·49 N Long. 22·41 E

Time of Observation 9 AM

Nearest Railway Station Sheffield Park

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 417 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·13				·19			·07	·11	1
2	·01			·03		·04	·31	·02			·15	·16	2
3			·05	·01	·25		·02				·05		3
4			·06	·34	·09			·08			·42	·29	4
5	·14			·57	·03			·09			·03		5
6		·13	·02	·32	·05	·10		·05				·48	6
7	·01	·65	·29	·03	·04	·25	·10					·38	7
8	·14	·63	·52	·35	·01		·09	·12				·05	8
9	·36		·80	·24				·02	·27			1·65	9
10	·09	·11	·01	·13	·14				·03			·05	10
11		·56	·58	·09	·04				·26		·05	·39	11
12		·05	·09			·05	·35		·70	·05	·01	·73	12
13		·54	·31						·17	·04	·15	·83	13
14		·20	·14				·05		·01	·36	·18	·66	14
15		·07	·34				·02	·15			·61	·02	15
16			·02				·14		·09				16
17		·40	·23				·01		·19			·24	17
18		·11	·30									·68	18
19		·17	·88				·20			·06	·26	·19	19
20		·22	·10			·05	·01			·03		·19	20
21		·72	·08					1·52		·05		·02	21
22		·09	·05		·09		·05	·09		·35			22
23			·30		·16	·25				·01		·06	23
24			·04		·02						·20		24
25	·11		·37							·41	·01		25
26			·02					·38		·19	·23	·63	26
27	·02							·04			·06	·73	27
28	·03	·03								·29	·26	·58	28
29	·02		·02							·85	·25	·05	29
30	·05	×	·14							·10	1·24	·06	30
31		×		×	·19	×			×		×	·09	31
Total	·98	4·68	5·78	2·24	1·11	·74	1·35	2·75	1·72	2·79	4·23	9·32	YEAR'S TOTAL 37·69
Rain Days.	11	16	26	11	12	6	12	12	8	13	18	25	170

W. 8,000. X. 14.

cod by own stats
23.11.16

600

FORM A.
BRITISH RAINFALL.

2-FEB 1916

REGISTER OF RAINFALL IN 1915

4

Kept at The Hall Nutley
in the County of Sussex
by C Sayers. Gardener to the Misses Cooke

Lat. 51·1·49 N Long. 22·41E
Time of Observation 9·A·M
Nearest Railway Station Sheffield Park.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 417 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·62	·26	·06					·36	·19	·04	·28	·25	1
2	·26	·20	·27	·10				·23	·01	·06		·19	2
3	·32		·04	·28	·08			·17	·14		·01	·56	3
4	·06							·19		·07		·60	4
5	·05	·60						·14				·55	5
6	·40	·20		·74		·08	·23	·02			·02	·19	6
7	·33	·43		·05			·08			·01		·43	7
8	·03	·88		·03			·17	·03					8
9		·23		·17		·39		·04			·55	·88	9
10						·03						·62	10
11	·41		·02								·69	·05	11
12	·03	·13		·31	·32						·91		12
13	·01	·81			2·09				·06				13
14	·04	·06					·14	·02	·09			·47	14
15	·23				·08		·05	·07			·14	·35	15
16		·71			·12		1·12	·10				·10	16
17		·46			1·02			·15				·02	17
18		·26	·02		·21								18
19		·06			·12 ·21					·03	·14		19
20	·28			·04								·24	20
21	·16	·07								·04		·07	21
22	·22	·01	·03				1·13					·14	22
23		·11	·10				·04		·17	·36		·51	23
24			·02	·02			·12		·25	·47		·61	24
25				·02			·26					·17	25
26		·09				·03						·77	26
27		·10					·11			·64		·05	27
28		·09				·17	·01		1·61	·26			28
29					·01	·03		·36		·01	·67	·03	29
30	·21	✕				·19		·26	·02	·12	·32	·10	30
31	·06	✕		✕		✕			✕	·85	✕	·15	31
Total	3·72	5·76	·56	1·76	4·05	·92	3·46	2·14	2·54	2·96	3·73	8·10	YEAR'S TOTAL 39 70
Rain Days.	18	20	8	10	9	7	12	14	9	13	10	25	155

W. 8,000. X. 15.

589

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 JAN 1917

Kept at The Hall, Nutley, Uckfield

in the County of Sussex.

by Mr Charles Sayers, Gardener to Miss Cook.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Uckfield L.B.&S.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 10 in.
" " " " Sea Level 417 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	13	02	02		19	05			26	04	46		1
2	49	10	42		39					61	01		2
3		62	31				07		15	55	62		3
4	22	08				60			26	05	45		4
5	02	02			19	13				06	78		5
6	01	08	10	26	04	46	40			03	59		6
7	05		72		26	28					65	03	7
8					39							53	8
9			01		26	01				02		26	9
10		38	07	08		17	18		02			19	10
11	05	24	02	28	09							04	11
12	03	10		06			18		02	20			12
13		24	37	09	02			02	08 ~~03~~	06			13
14		43	14	02	14	07		14	~~14~~	02		13	14
15		32	18			18							15
16	04		12	24		06	19	05	~~05~~				16
17	20	17		09			01	05	38 ~~05~~	1.23			17
18	02	12		02				24	27 ~~24~~	44	86	40	18
19	21		16	19					17		77		19
20	08		02	03							18	53	20
21	03		47				63				04	30	21
22		01	06			05				03	02	64	22
23		22	04			16				10	04	04	23
24	02		02		15	03		01		26	11	32	24
25	03	06						65		15	03		25
26		32	06			15		04	03	38			26
27	02	19	76	05		17		05	10	33			27
28	01	49	11			07		23	10	16		26	28
29		19				18		85	16	46		44	29
30		×			26	03		08		14			30
31		×		×		×		02	×	04	×		31
Total	1.66	4.40	4.18	1.41	2.38	2.85	1.66	2.43	2.00	5.35	5.61	4.11	YEAR'S TOTAL 38.04
Rain Days.	18	21	21	12	12	18	7	13	13	22	15	14	186

W. 8,000, VIII. 16

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

NUTLEY
VICARAGE
SUSSEX
1911 – 12

REG

Kept at Nuttey Vi
in the County of Susse
by Revd H. J. Peckh

5 in.
Ground 1 ft. in.
Sea Level 386 ft.
Name Uckfield
Distance 5 miles Direction S.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	–	–	·46	–	–	–	·03	–	–	·05	·01	1
2	·05	–	·02	·06	·24	–	–	–	–	–	·18	·31	2
3	·02	·02	–	–	·21	–	–	·01	–	–	·13	·25	3
4	·18	·03	·04	·29	–	·60	–	–	–	·57	·25	·34	4
5	·02	·01	–	·23	–	–	–	–	–	·97	·02	·05	5
6	·28	–	·06	·07	–	–	–	–	–	·01	–	·54	6
7	·05	–	·01	–	–	–	–	–	–	·43	·69	·45	7
8	·09	–	·23	–	–	–	–	–	–	–	·86	·26	8
9	·19	–	·02	·04	–	–	–	–	–	–	·15	·06	9
10	–	·09	·06	·08	–	–	–	–	–	–	–	·56	10
11	·41	–	·07	–	·05	–	–	–	–	–	1·32	–	11
12	–	–	·90	–	·05	–	–	–	–	–	·09	–	12
13	–	–	·13	–	·17	–	–	–	·43	·18	·01	·28	13
14	–	·10	·01	–	·13	–	–	–	–	·01	–	·70	14
15	–	·04	·26	–	·02	–	–	–	–	·01	·12	·01	15
16	–	·01	·01	–	–	·30	–	–	–	·01	·72	·13	16
17	–	–	·03	–	–	·03	–	–	–	–	·94	·17	17
18	–	·17	·03	–	–	·01	–	–	–	–	1·29	·38	18
19	–	–	–	–	–	·08	–	–	·14	·44	·15	·15	19
20	·02	·02	·02	·02	–	·04	–	·58	·35	·04	–	·77	20
21	·03	·22	–	–	–	–	–	·10	·01	·89	–	·18	21
22	·06	·05	·40	–	–	·11	–	·05	–	·33	·01	·59	22
23	·01	·22	–	–	–	1·08	–	–	·53	·43	·03	·16	23
24	–	·19	–	–	–	·24	·05	·03	–	·30	–	·45	24
25	·01	·06	·22	·07	–	·19	02	·30	·07	·03	·02	–	25
26	–	–	·23	·22	·19	·26	–	–	–	·34	·13	·28	26
27	–	·45	·18	·12	–	–	–	–	·06	·40	·04	·14	27
28	·01	·23	–	·11	–	–	–	04	–	–	·02	·07	28
29	–		–	·10	–	·15	·30	–	·28	·55	–	–	29
30	–		–	·03	–	·04	–	–	·02	·36	·01	·04	30
31	–		·01		–		–	–		–		–	31
Total	1·49	1·91	2·94	1·84	1·06	3·13	0·37	1·14	1·89	6·24	7·23	7·27	TOTAL for year 36·57
No. of Rain Days.	16	16	21	14	8	13	3	8	9	19	23	26	176

W. 8,000, X. '11.

REC

FORM A2.
BRITISH RAINFALL
2 - JAN 1912

Kept at Nutley Vicarage

in the County of Sussex (East - 4

by Revd H. J. Peckham

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 386 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Uckfield
Distance 5 mls, Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	–	–	·46	–	–	–	·03	–	–	·05	·01	1
2	·05	–	·02	·06	·24	–	–	–	–	–	·18	·31	2
3	·02	·02	–	–	·21	–	–	·01	–	–	·13	·25	3
4	·18	·03	·04	·29	–	·60	–	–	–	·51	·25	·34	4
5	·02	·01	–	·23	–	–	–	–	–	·97	·02	·05	5
6	·28	–	·06	·01	–	–	–	–	–	·01	–	·54	6
7	·05	–	·01	–	–	–	–	–	–	·43	·69	·45	7
8	·09	–	·23	–	–	–	–	–	–	–	·86	·26	8
9	·19	–	·02	·04	–	–	–	–	–	–	·15	·06	9
10	–	·09	·06	·08	–	–	–	–	–	–	–	·56	10
11	·41	–	·07	–	·05	–	–	–	–	–	1·32	–	11
12	–	–	·90	–	·05	–	–	–	–	–	·09	–	12
13	–	–	·13	–	·17	–	–	–	·43	·18	·01	·28	13
14	–	·10	·01	–	·13	–	–	–	–	·01	–	·70	14
15	–	·04	·26	–	·02	–	–	–	–	·01	·12	·01	15
16	–	·01	·01	–	–	·30	–	–	–	·01	·72	·13	16
17	–	–	·03	–	–	·03	–	–	–	–	·94	·17	17
18	–	·17	·03	–	–	·01	–	–	–	–	1·29	·38	18
19	–	–	–	–	–	·08	–	–	·14	·44	·15	·15	19
20	·02	·02	·02	·02	–	·04	–	·58	·35	·04	–	·77	20
21	·03	·22	–	–	–	–	–	·10	·01	·89	–	·18	21
22	·06	·05	·40	–	–	·11	–	·05	–	·33	·01	·59	22
23	·01	·22	–	–	–	1·08	–	–	·53	·43	·03	·16	23
24	–	·19	–	–	–	·24	·05	·03	–	·30	–	·45	24
25	·01	·06	·22	·07	–	·19	02	·30	·07	·03	·02	–	25
26	–	–	·23	·22	·19	·26	–	–	–	·34	·13	·28	26
27	–	·45	·18	·12	–	–	–	–	·06	·40	·04	·14	27
28	·01	·23	–	·11	–	–	–	04	–	–	·02	·01	28
29	–		–	·10	–	·15	·30	–	·28	·55	–	–	29
30	–		–	·03	–	·04	–	–	·02	·36	·01	·04	30
31	–		·01		–		–	–		–		–	31
Total	1·49	1·91	2·94	1·84	1·06	3·13	0·37	1·14	1·89	6·24	7·23	7·27	TOTAL for year 36·51
No. of Rain Days.	16	16	21	14	8	13	3	8	9	19	23	26	176

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

7 - JAN 1913

Exd DL

REGISTER OF RAINFALL IN 1912

Kept at Nutley Vicarage

in the County of Sussex, East 4

by Rev H. J. Peckham

Lat. 51. 1. 49 Long. - .22.41 E

Time of Observation 9 AM

Nearest Railway Station Forest Row or Uckfield

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 386 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	-	·13	-	-	·11	·10	-	·03	·96	-	·20	1
2	-	·04	·38	-	-	·03	·18	-	-	-	-	-	2
3	·01	·10	03	·01	-	·29	·03	·32	·04	·04	·01	·02	3
4	·22	-	·61	-	·04	·17	-	·01	-	-	·20	·01	4
5	·22	·05	·14	-	-	·03	-	·21	-	-	·12	·07	5
6	·35	·11	-	-	·05	-	-	·43	-	-	·02	·10	6
7	-	-	-	-	·21	·44	-	·30	-	·01	-	·09	7
8	·38	·35	·27	-	-	·30	-	·14	-	-	·01	·05	8
9	·01	·09	·02	·05	-	·13	·10	·35	-	-	-	·15	9
10	-	·11	·09	-	-	-	-	·36	-	-	·23	·35	10
11	·05	·41	·09	-	·01	·02	-	-	·03	·01	-	·19	11
12	-	·06	·06	-	·12	·02	-	·23	-	-	·04	·04	12
13	·01	·02	·03	-	-	-	-	-	-	-	·19	·12	13
14	-	-	·02	-	·03	-	-	·07	-	·08	-	·04	14
15	·02	·05	·09	-	·18	·61	-	·02	-	·01	-	·35	15
16	·30	-	·15	-	·35	-	-	·12	-	·09	·05	-	16
17	·38	-	·42	-	·02	·06	-	·06	-	-	·21	·30	17
18	·09	·01	·57	-	-	-	·03	·19	-	·06	-	·24	18
19	·07	·17	·42	-	-	·01	·09	·30	-	-	·03	-	19
20	·04	·01	·70	-	·01	·03	-	·15	-	·45	·10	-	20
21	·01	·08	·43	-	·02	-	-	·10	-	·19	·08	-	21
22	·08	·48	·07	-	-	-	·02	·34	-	-	-	·02	22
23	·32	·27	·34	-	·06	·03	-	·42	-	·06	·18	·10	23
24	·06	·04	-	-	-	-	·03	·36	-	-	-	·12	24
25	·13	·03	-	-	-	·27	-	·93	-	·02	·38	·47	25
26	·01	·06	-	-	-	·09	-	·23	-	·44	·34	·37	26
27	-	-	-	-	-	-	·05	-	-	·26	-	·42	27
28	-	·08	-	-	-	·03	·53	·17	·11	·77	·71	·30	28
29	-	·04	-	·02	-	-	·13	·76	1·93	·10	·02	-	29
30	-		-	-	·42	·14	·01	·37	1·37	·40	-	-	30
31	-		·03		-		·25	·20		-		-	31
Total	2·77	2·66	5·03	0·08	1·52	2·81	1·55	7·14	3·51	3·95	2·92	4·12	YEAR'S TOTAL 38·06
Rain Days.	21	22	22	3	13	19	13	26	6	17	18	23	203

W. 7,500, XI. ·12

cnd

REG

OCKLEY MANOR

SUSSEX

1913 - 1915

FORM A.
BRITISH RAINFALL.

8. JAN 1914

Kept at Ockley Ma a.m.
in the County of Su Hassocks.
8 in.
by R. G. Davidso ove Ground 2 ft. – in.
Sea Level 192 ft.

IMPORTANT NOT the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
		·46	·20	·10	–	·07	–	–	–	·06	–	–	
1	(–)	·24	–	–	1·04	–	·07	–	–	·35	·37	·20	1
2	·08	–	·05	·31	·30	–	–	–	–	–	–	·19	2
3	·59	–	·08	–	·02	–	–	–	1·30	·26	–	–	3
4	·21	·11	–	–	–	·26	·09	–	·31	·04	·48	–	4
5	–	·03	·08	–	·06	·31	·26	–	–	·34	·20	·24	5
6	–	·41	·06	–	·10	·10	–	–	–	–	·28	–	6
7	·02	·04	·03	–	·21	·06	·02	·46	–	·34	–	–	7
8	–	·03	–	–	·18	–	·31	–	·20	–	·04	–	8
9	–	–	–	·07	–	–	·48	–	–	·79	·70	·04	9
10	1·05	–	–	·49	–	–	–	–	–	–	·19	–	10
11	–	–	–	–	·46	–	–	–	–	–	1·18	–	11
12	·48	–	–	–	–	–	–	–	·20	–	·30	–	12
13	·49	–	·18	·06	–	–	1·47	·02	–	·09	·10	–	13
14	·28	–	·32	·56	–	–	·22	–	–	–	–	–	14
15	·25	–	·59	·24	–	–	–	–	·24	–	–	–	15
16	·10	·05	·04	·09	–	–	·32	–	–	–	–	–	16
17	–	–	·20	·29	–	–	·16	–	–	–	–	–	17
18	·56	–	·10	–	–	–	–	–	·61	–	·28	–	18
19	·31	–	·11	·17	–	–	–	–	–	·62	–	–	19
20	–	–	–	·11	–	–	–	–	–	·76	·70	–	20
21	·26	–	·75	–	–	–	–	–	·10	·15	–	·76	21
22	–	–	·01	–	–	–	–	–	–	–	–	–	22
23	·10	–	–	·06	–	–	–	·22	–	–	·10	–	23
24	–	·02	–	·23	–	–	–	–	–	–	–	·27	24
25	–	–	·09	–	–	–	–	·12	–	·80	–	–	25
26	–	–	·11	–	–	–	–	–	–	·04	–	–	26
27	·15	–	·47	·13	–	–	–	–	–	·13	–	–	27
28	·10	·20	·06	·29	·66	–	–	·07	–	·54	·02	–	28
29	·93		–	·28	–	–	–	–	–	·25	–	–	29
30	–		·08	–	–	–	–	1·34	·06	·21	–	–	30
31	·46		·10		·07		–	–		–		–	31
Total	~~6·42~~ 5·96	~~1·18~~ 1·39	~~3·51~~ 3·61	~~3·38~~ 3·48	~~3·10~~ 3·03	~~·73~~ ·80	3·40	2·23	~~3·02~~ 2·96	~~5·71~~ 5·77	4·94	1·70	YEAR'S TOTAL 39·27
Rain Days.	~~18~~ 17	9	20	~~15~~ 16	~~10~~ 9	~~4~~ 5	10	6	~~8~~ 7	~~18~~ 17	14	6	136

W. 7,500, XI. 12

cnd REG

FORM A.
BRITISH RAINFALL.

8 JAN 1914

Kept at Ockley Man

in the County of Sussex

by R. G. Davidson.

of Observation 9 a.m.

Nearest Railway Station Hassocks

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 192 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	(–)	·46	·20	·10	–	·07	–	–		·06	–		
1	–	·24	–	–	1·04	–	·07	–	–	·35	·37	·20	1
2	·08	–	·05	·31	·30	–	–	–	–	–	–	·19	2
3	·59	–	·08	–	·02	–	–	–	1·30	·26	–	–	3
4	·21	·11	–	–	–	·26	·09	–	·31	·04	·48	–	4
5	–	·03	·08	–	·06	·31	·26	–	–	·34	·20	·24	5
6	–	·41	·06	–	·10	·10	–	–	–	–	·28	–	6
7	·02	·04	·03	–	·21	·06	·02	·46	–	·34	–	–	7
8	–	·03	–	–	·18	–	·31	–	·20	–	·04	–	8
9	–	–	–	·07	–	–	·48	–	–	·79	·70	·04	9
10	1·05	–	–	·49	–	–	–	–	–	–	·19	–	10
11	–	–	–	–	·46	–	–	–	–	–	1·18	–	11
12	·48	–	–	–	–	–	–	–	·20	–	·30	–	12
13	·49	–	·18	·06	–	–	1·47	·02	–	·09	·10	–	13
14	·28	–	·32	·56	–	–	·22	–	–	–	–	–	14
15	·25	–	·59	·24	–	–	–	–	·24	–	–	–	15
16	·10	·05	·04	·09	–	–	·32	–	–	–	–	–	16
17	–	–	·20	·29	–	–	·16	–	–	–	–	–	17
18	·56	–	·10	–	–	–	–	–	·61	–	·28	–	18
19	·31	–	·11	·17	–	–	–	–	–	·62	–	–	19
20	–	–	–	·11	–	–	–	–	–	·76	·70	–	20
21	·26	–	·75	–	–	–	–	–	·10	·15	–	·76	21
22	–	–	·01	–	–	–	–	–	–	–	–	–	22
23	·10	–	–	·06	–	–	–	·22	–	–	·10	–	23
24	–	·02	–	·23	–	–	–	–	–	–	–	·27	24
25	–	–	·09	–	–	–	–	·12	–	·80	–	–	25
26	–	–	·11	–	–	–	–	–	–	·04	–	–	26
27	·15	–	·47	·13	–	–	–	–	–	·13	–	–	27
28	·10	·20	·06	·29	·66	–	–	·07	–	·54	·02	–	28
29	·93		–	·28	–	–	–	–	–	·25	–	–	29
30	–		·08	–	–	–	–	1·34	·06	·21	–	–	30
31	·46		·10		·07		–	–		–		–	31
Total	~~6·42~~ 5·96	~~1·13~~ 1·39	~~3·51~~ 3·61	~~3·38~~ 3·48	~~3·10~~ 3·03	~~·73~~ ·80	3·40	2·23	~~3·02~~ 2·96	~~5·71~~ 5·77	4·94	1·70	YEAR'S TOTAL 39·27 ✓
Rain Days.	~~18~~ 17	9 ✓	20 ✓	~~15~~ 16	~~10~~ 9	~~4~~ 5	10 ✓	6 ✓	~~8~~ 7	~~16~~ 17	14 ✓	6 ✓	136 ✓

W. 7,500, XI. 12

cor. by other copy 11.II.14

REGISTER OF RAINFALL IN ~~1913~~. 1913

FORM A2.
BRITISH RAINFALL.

28 JAN 1914

Kept at Ockley Manor. Keymer

in the County of Sussex.

by R. G. Davidson

RAIN GAUGE
Pattern unknown
Diameter of top 8 in.
Height of top above Ground 2 ft. – in.
" " " Sea Level 192 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Hassocks.
Distance 1¼ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·46	·20	·10	–	·07	–	–	–	·06	–	–	1
2	–	·24	–	–	1·04	–	·07	–	–	·35	·37	·20	2
3	·08	–	·05	·31	·30	–	–	–	–	–	–	·19	3
4	·59	–	·08	–	·02	–	–	–	1·30	·26	–	–	4
5	·21	·11	–	–	–	·26	·09	–	·31	·04	·48	–	5
6	–	·03	·08	–	·06	·31	·26	–	–	·34	·20	·24	6
7	–	·41	·06	–	·10	·10	–	–	–	–	·28	–	7
8	·02	·04	·03	–	·21	·06	·02	·46	–	·34	–	–	8
9	–	·03	–	–	·18	–	·31	–	·20	–	·04	–	9
10	–	–	–	·07	–	–	·48	–	–	·79	·70	·04	10
11	1·05	–	–	·49	–	–	–	–	–	–	·19	–	11
12	–	–	–	–	·46	–	–	–	–	–	1·18	–	12
13	·48	–	–	–	–	–	–	–	·20	–	·30	–	13
14	·49	–	·18	·06	–	–	1·47	·02	–	·09	·10	–	14
15	·28	–	·32	·56	–	–	·22	–	–	–	–	–	15
16	·25	–	·59	·24	–	–	–	–	·24	–	–	–	16
17	·10	·05	·04	·09	–	–	·32	–	–	–	–	–	17
18	–	–	·20	·29	–	–	·16	–	–	–	–	–	18
19	·56	–	·10	–	–	–	–	–	·61	–	·28	–	19
20	·31	–	·11	·17	–	–	–	–	–	·62	–	–	20
21	–	–	–	·11	–	=	–	–	–	·76 ·76	·70		21
22	·26	–	·75	–	–	–	–	–	·10	·15	–	·76	22
23	–	–	·01	–	–	–	–	–	–	–	–	–	23
24	·10	–	–	·06	–	–	–	·22	–	–	·10	–	24
25	–	·02	–	·23	–	–	–	–	–	–	–	·27	25
26	–	–	·09	–	–	–	–	·12	–	·80	–	–	26
27	–	–	·11	–	–	–	–	–	–	·04	–	–	27
28	·15	–	·47	·13	–	–	–	–	–	·13	–	–	28
29	·10		·06	·29	·66	–	–	·07	–	·54	·02	–	29
30	·93		–	·28	–	–	–	–	–	·25	–	–	30
31	–		·08		–		–	1·34		·21		–	31
Total	5·96 ✓	1·39 ✓	3·61 ✓	3·48 ✓	3·03 ✓	·80 ✓	3·40 ✓	2·23 ✓	2·96 ✓	5·77 ✓	4·94 ✓	1·70	TOTAL for year 39·27 ✓
No. of Rain Days.	17	9	20	16	9	5	10	6	7	17	14	6	136 ✓

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL
4 JAN 1915

Kept at Ockley Manor. Keymer.
in the County of Sussex 3
by R. G. Davidson.

Lat. 50°-56'N Long. 0°·6'. W.
Time of Observation 9. a.m.
Nearest Railway Station Hassocks.
Diameter of Rain Gauge 8. in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·12				·15			·30		1
2						·05	·10						2
3			·12	·12	·30		·06	·03			·49	·23	3
4				·42				·11					4
5	·17		·09	·35			·15			·05		·21	5
6		·12	·01	·27	·16	·11						·80	6
7		·75		·22		·25		·08				·20	7
8	·08	·78	·57				·12	·16				·12	8
9	·15		·85	·18					·12			1·35	9
10				·22	·12								10
11		·77	·65						·38		·06	·60	11
12		·10	·14				·64		·41		·03	·72	12
13		·93	·32						·14			·73	13
14			·16				·07				·45	·58	14
15		·40	·30					·08		·29	1·11		15
16		·13					·08		·20				16
17		·71	·23						·40			·48	17
18		·06	·72									·70	18
19		·12	·75				·31			·03	·21	·22	19
20		·20	·14							·13		·28	20
21		·76	~~73~~			·10						·06	21
22		·10	·13		·12		·06			·56			22
23			·30			·50	·02	·02					23
24											·12		24
25	·15		·30					·07		·48			25
26			·16				·02	·17		·08	·19	·67	26
27										·40		·73	27
28		·05					·27				·43	·42	28
29	·15									·63	·18	·04	29
30		✕	·20							·10	1·36	·52	30
31	·03	✕		✕	·24	✕			✕		✕	·10	31
Total	·73	5·98	6·14	1·90	·94	1·01	1·90	·87	1·65	2·75	4·93	9·76	YEAR'S TOTAL 38·56
Rain Days.	6	15	19	8	4	5	12	9	6	10	12	21	127

W. 8,000. X. 14.

572

FORM A.
BRITISH RAINFALL.

9 - FEB 1916

REGISTER OF RAINFALL IN 1915.

1

Kept at Ockley Manor Hassocks

in the County of Sussex 3

by Randall G. Fairdon

Lat. 50'-56" Long. 0'6" w.

Time of Observation 9 a.m.

Nearest Railway Station Hassocks.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 172. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·74	·34							1·37			·24	1
2	·47	·21	·30					·15		·20			2
3	·42			·36	·06				·05			·70	3
4	·05												4
5	·02	·70						·30				1·22	5
6	·42	·32	·08	·72			·54					·30	6
7	·27	·60	·08			·04						·35	7
8	·04	·50		·09		·15	·15				·12		8
9		·38	·03	·23							·57	·74	9
10	·26												10
11										·07	1·45	·63	11
12	·05	·62		·15				·05			·83		12
13		·47			1·88				·05				13
14									·05			1·04	14
15	·24	1·44			·07		·42	·44				·50	15
16		·27					1·45	·47				·14	16
17		·16			1·45								17
18		·07			·20						·20		18
19													19
20	·22				·04							·15	20
21			·15							·35			21
22	·46						1·10			·77		·32	22
23		·10					·11					·67	23
24									·42			·52	24
25		·19		·06			·27					·50	25
26												·81	26
27						·08	·07			1·06		·05	27
28		·06					~~·07~~		1·46				28
29		X				·20	·80	·24					29
30	·24	X									1·20	·21	30
31		X		X		X		·11	X	1·55	X	·12	31
Total	3·90	6·43	·64	1·61	3·70	·47	4·91	1·76	3·40	4·00	4·37	9·21	YEAR'S TOTAL 44·40
Rain Days.	14	16	5	6	6	4	9	7	6	6	6	19	104

W. 8,000. X. 14.

DL/

1/3

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

RE 1911

PATCHING
{FARM}
SUSSEX
1911-20

Kept at Arundel

in the County of Suss

by J. Drewitt

of top .... in.

top above Ground .... ft. .... in.

,, ,, Sea Level .... ft.

n ....

tation { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·56				·03			·12	·02	1
2	·08			·10	·33						·39	·37	2
3					·24						·17	·26	3
4	·05		·03	x						·12	·23	·16	4
5	·01	·02		·31						·87	·09		5
6	·37		·03							·10		·74	6
7	·08									·26	·90	·17	7
8	·04		·19								1·00	·29	8
9	·09										·18	·06	9
10		·09	·17	·04								·57	10
11	·39		·05		·04						1·34		11
12			·93						·02		·06		12
13			·02		·09				·28	·03		·27	13
14		·07	·01		·26							·41	14
15		·02	·01								·05	·01	15
16						·38					·57	·14	16
17						·04					1·37	·17	17
18		·11	·08	·01		·05					·87	·48	18
19									·29	·24	·03	·08	19
20			·04					·22	·12	·03		·73	20
21	·05	·28						·35	·11	1·14		·38	21
22	·29	·01	·02			·19		·12		·35		·59	22
23		·14	·01			·76			·37	·38	·08	·26	23
24		·24				·10		·01		·47		·48	24
25		·03	·01	·10	·06	·08	·02		·09	·23		·02	25
26			·02	·34	~~·17~~ ·11	·01	·17			·29		·35	26
27		·48	·40	·06				·02	·05			·22	27
28		·19		·18				·05				·01	28
29		x		·04		·14	·15		·41	·34			29
30		x		·10		·15		·46	·01	·28			30
31		x		x		x			x		x		31
Total	1·49	1·68	2·02	1·84	1·13	1·90	·34	1·26	1·75	5·13	7·45	7·24	TOTAL for year 33·23
No. of Rain Days	11	12	16	12	7	10	3	8	10	15	16	25	145

9,000, IX. '10.

DL

1/3

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Arundel Patching

in the County of Sussex 2

by J. Drewitt

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.56				.03			.12	.02	1
2	.08			.10	.33						.39	.37	2
3					.24						.17	.26	3
4	.05		.03	x						.12	.23	.16	4
5	.01	.02		.31						.87	.09		5
6	.37		.03							.10		.74	6
7	.08									.26	.90	.17	7
8	.04		.19								1.00	.29	8
9	.09										.18	.06	9
10		.09	.17	.04								.57	10
11	.39		.05		.04						1.34		11
12			.93						.02		.06		12
13			.02		.09				.28	.03		.27	13
14		.07	.01		.26							.41	14
15		.02	.01								.05	.01	15
16						.38					.57	.14	16
17						.04					1.37	.17	17
18		.11	.08	.01		.05					.87	.48	18
19									.29	.24	.03	.08	19
20			.04					.22	.12	.03		.73	20
21	.05	.28						.35	.11	1.14		.38	21
22	.29	.01	.02			.19		.12		.35		.59	22
23		.14	.01			.76			.37	.38	.08	.26	23
24		.24				.10		.01		.47		.48	24
25		.03	.01	.10	.06	.08	.02		.09	.23		.02	25
26			.02	.34	.11	.01	.17			.29		.35	26
27		.48	.40	.06				.02	.05			.22	27
28		.19		.18				.05				.01	28
29		x		.04		.14	.15		.41	.34			29
30		x		.10		.15		.46	.01	.28			30
31		x		x		x			x		x		31
Total	1.49	1.68	2.02	1.84	1.13	1.90	.34	1.26	1.75	5.13	7.45	7.24	TOTAL for year 33.23
No. of Rain Days	11	12	16	12	7	10	3	8	10	15	16	25	145

9,000, IX. '10.

DL Wrote for Dec. 7.II.13 J.C. ✓

Cor'd by B Hymn stats 19.11.13

Ex. H.G.

1/3

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Arundel, Patching

in the County of Sussex 2

by J. Drewitt

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level ~~130~~ ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.06	.02	.03	.38	.28		.01	.93		.25	1
2		.01	.31				.29						2
3			.06			.27	.01	.64	.02				3
4	.27	.09	.71			.67		.02			.12		4
5	.32	.02	.12					.40			.21	.01	5
6	.68	.13			.10	.01		.42				.01	6
7		.43	.05		.33	.52		.18				.06	7
8	.70		.15			.18		.14				.01	8
9	.04	.05	.11	.05		.13		.08				.16	9
10		.13					.05	.50			.03	.35	10
11	.05	.59			.02							.13	11
12		.07	.04		.14	.12	.10	.39			.01		12
13		.03	.03				.61	.06			.02	.24	13
14					.09			.19		.09		.03	14
15	.01	.11	.14		.08	.50		.01				.26	15
16	.12	.01	.19		.12			.22		.09	.02		16
17	.51		.36		.09	.09		.17		.03	.15	.13	17
18	.12		.37		.05			.21				.22	18
19	.06	.06	.22			.02	.04	.49					19
20	.04	.02	.67					.01		.62	.01		20
21	.01	.24	.26		.07			.21		.08	.10		21
22	.13	.67	.07				.01	.23		.11		.07	22
23	.39	.22	.37					.45			.15	.03	23
24	.05	.11						.55		.03		.18	24
25	.20		.01			.30		1.04		.03	.29	.52	25
26		.08				.03		.14		.59	.45	.32	26
27		.01	.01			.05				.24		.60	27
28		.05					.26	.09	.17	.85	.39	.13	28
29		.03					.10	.37	1.68	.01	.07		29
30		×			.23		.10	.30	1.33	.36			30
31		×	.07	×	.16	×	.24	.19	×		×		31
Total	3.70	3.16	4.38	.07	1.51	3.27	2.09	7.70	3.21	4.06	2.02	3.71	TOTAL for year 38.88
No. of Rain Days	17	23	22	2	13	14	12	27	5	14	14	20	183

9,000, IX. '10.

R ✓ 1/3

FORM A. BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Patching, Arundel

in the County of Sussex

by J. Drewitt

2

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·04	·70	·15	·07		·12			·14	·02	·25	·13	1
2	·07	·10	·02	·01	·22		·08			·33	·11	·03	2
3			·04	·31	·35							·20	3
4	·44		·14		·16		·01		1·43	·13	·10	·01	4
5	·10	·08	·01			·24	·06		·06	·01	·26		5
6		·04	·07		·06	·17	·39		·03	·11	·26	·26	6
7		·25	·14		·10	·05	·04			·36	·18		7
8		·16	·01		·22			·04		·21		·07	8
9		·09			·18		·06	·05	·11		·02		9
10	·05			·02			·52				·58		10
11	1·00			·45						·15	·16	·02	11
12					·96						1·27		12
13	·31		·02			·07		·01	·20		·16		13
14	·35		·16				·47	·01	·05	·02	·16		14
15	·39	·12	·32	·31			·43		·09		·01		15
16	·29		·52	·23			·01		·07				16
17	·15	·04		·12			·27				·04	·01	17
18			·14	·16			·07				·07		18
19	·25		·04		·02	·11	·06		·67				19
20	·33		·09	·20		·54				·51			20
21			·14	·23						·84	·82		21
22	·35		·30		·01			·06	·20	·16		·01	22
23			·14			·04		·13				·88	23
24	·13			·06				·22			·02		24
25		·01		·28									25
26			·14					·07		·79		·22	26
27			·07	·02						·29			27
28	·11		·35	·08						·17			28
29	·19	×	·06	·40	·62			·11		·10	·01		29
30	·62	×		·15				·81		·11			30
31	·03	×	·12	×		×		2·32	×	·17	×		31
Total	5·20	1·59	3·19	3·10	2·90	1·34	2·47	3·83	3·05	4·48	4·48	1·84	YEAR'S TOTAL 37·47
Rain Days.	19	10	23	17	11	8	13	11	11	18	18	11	170

W. 7,500, XI. 12

82 /

1/3

FORM A.
BRITISH RAINFALL.

21 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Patching

in the County of Sussex 2

by J. Drewitt

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·07				·28			·14	·11	1
2							·08	·01			·27	·13	2
3			·04		·32		·04					·02	3
4			·01	·32			·05	·09			·42	·44	4
5	·11		·09	·44	·03		·22	·11					5
6		·14		·25	·11	·05	·03	·04				·64	6
7	·01	·35	·27	·17	·01		·07					·28	7
8	·04	·56	·25	·14		·15	·18	·16				·14	8
9	·06		·67	·13				·01	·11			2·08	9
10	·11	·14		·21	·27				·13		·02	·01	10
11		·55	·62		·05	·05			·25		·13	·73	11
12		·07	·14				·50		·64	·07	·07	·49	12
13		·46	}						·29	·03	·08	·77	13
14		·25	·36 }					·03		·50	·29	·59	14
15		}	·25					·50		·02	·81		15
16		·11 }					·06		·23				16
17		·60	·16						·11			·14	17
18			·41									·44	18
19		·18	·58				·30			·01	·23	·10	19
20		·20	·11			·02			·01			·29	20
21		·48	·06							·11			21
22		·05	·31		·06	·05	·03	·07		·29			22
23			·36			·71				·01			23
24			·01								·14		24
25	·03		·28				·02	·29		·50	·03	·07	25
26								·12		·09	·09	·73	26
27	·04											·48	27
28		·02			·05					·50	·39	·52	28
29	·14	X	·06							·60	·29	·02	29
30	·01	X	·15	·49						·11	1·00	·49	30
31	·01	X		X	·11	X	·08		X	·03	X		31
Total	·56	4·16	5·19	2·22	1·01	1·03	1·66	1·71	1·77	2·87	4·40	9·71	YEAR'S TOTAL 36·29
Rain Days.	10	16	22	9	9	6	13	12	8	14	16	23	158

W.7,000, XI. 13

8L/

43
520

REGISTER OF RAINFALL IN 1915

Kept at Patching, Arundel
in the County of Sussex 2
by J. Dreuitt

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·82	·24	·03					·01	·25	·11	·04		1
2	·45	·13	·26	·14				·06	·11	·09		·36	2
3	·41		·05	·23	·15			·02	·01			·61	3
4	·03			·02		·01						·53	4
5	·12	·22		·01				·27				·62	5
6	·96	·17	·01	·54			·41					·29	6
7	·33	·50	·03	·04			·19	·01				·19	7
8	·01	·75					·41	·02			·04	·02	8
9	·02	·05		·09		·09		·02			·43	1·00	9
10	·31											·53	10
11	·05		·11							·11	·97	·01	11
12	·05	·29		·48	·44						·77		12
13	·05	·62			2·20				·11				13
14	·05						·11	·08	·11			·76	14
15	·11				·09		·19	·39			·09	·29	15
16	·01	·72			·18		1·21	·70				·06	16
17		·38			1·04								17
18		·02			·12						·06	·01	18
19		·03			·04		·01						19
20	·23			·06	·08							·09	20
21	·24									·37		·09	21
22	·57	·06	·14	·01			1·20					·18	22
23	·01	·07	·26	·01			·01		·05	·40		·85	23
24							·01		·33	·70		·38	24
25			·02	·05			·17					·24	25
26	·01	·14				·06	·36					·94	26
27		·02				·02				·49		·01	27
28		·09				·19	·03		2·21	·18	·02		28
29						·02		·26			·34	·04	29
30	·19	✕				·06				·54	·66	·04	30
31	·02	✕		✕		✕		·51	✕	·84	✕	·28	31
													YEAR'S TOTAL
Total	5·05	4·50	·91	1·68	4·34	·45	4·31	2·35	3·18	3·83	3·42	8·42	42·44
Rain Days.	23	18	9	12	9	7	13	12	8	10	10	26	157

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. JAN 1917

Kept at Patching
in the County of Sussex
by J. Drewett

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	.05			.16	.06				.08	.50		1
2	.32	.08	.36		.39		.04		.07	.77			2
3	.03	.39	.13				.05		.01	.75	.71		3
4	.10	.07	.01		.01	.61			.23	.04	.24		4
5	.04	.02	.01		.21	.02			.19	.07	.73		5
6	.01	.07	.08	.04		.05	.39			.04	.44		6
7			.71			.13				.04	.57	.03	7
8					.28							.48	8
9					.17							.19	9
10		.70	.03	.03		.43	.05			.01	.03	.23	10
11	.04	.07		.10		.30			.01			.41	11
12	.04	.08	.06	.04	.04	.10	.12	.02		.03			12
13		.25	.09			.09				.01		.01	13
14		.47	.34	.04	.09					.01		.08	14
15		.22	.25					.12					15
16	.08		.31	.24			.11						16
17	.37	.16		.13				.03	.29	1.00			17
18	.01	.10	.02	.05				.29	.22	.09	.59		18
19	.17		.17	.16		.32		.12	.02		.71	.47	19
20	.12		.18	.13							.14	.64	20
21	.01		.33				.01				.02	.54	21
22		.01				.04				.01	.01	.64	22
23	.02	.04	.01			.01		.03		.67			23
24					.36	.04				.25	.03	.42	24
25		.51	.28					.24	.13	.08	.05		25
26	.03	.48				.25		.07	.36	.30		.08	26
27		.62	1.07			.01		.01	.14	.62			27
28		.58	.08					.18	.30	.28		.42	28
29		.32				.52		.71	.15	.32		.47	29
30		✕			.15			.01		.72			30
31		✕		✕		✕		.04	✕	.05	✕	.01	31
Total	1.47	5.29	4.52	.96	1.86	2.98	.77	1.87	2.12	6.24	4.77	5.12	YEAR'S TOTAL 37.97
Rain Days.	16	21	20	10	10	16	7	13	13	23	14	16	179

W. 8,000. X. 15.

Dh ✓ W. Dh and Drewitt

489

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Patching

in the County of Sussex

by J. Drewitt

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04					1·22	·01		·07	·03	1
2				·50				·08			·06		2
3							·90	·23			·17		3
4			·26	·16			·01	·41		·09			4
5	·34	·16	·04	·22		·11			·27	·13			5
6			·11			·21			·07	·26	·17		6
7	·41						·11			·35		·04	7
8	·19			·10			·31	·22		·33	·23	·32	8
9			·15		·03			·06			·01	·35	9
10	·22		·20	·11		·17		·16					10
11	·22	·01	·20	·37				·08		·59			11
12	·02							·05		·29			12
13	·02		·32		·05			·05	·08	·35			13
14				·10				·05					14
15					·01			·02		·19		·09	15
16	·01	·33		·10						·52		1·10	16
17				·12	·21		·60		·58	·08			17
18	·01	·08		·06	·08		·25	·16	·34				18
19		·45	·10		·10		·02		·16				19
20		·12			·44	·07							20
21	·02												21
22			·01		·12	·29		·14		·25			22
23		·39						·17		·07			23
24		·18				·11	·48			·24	·04		24
25		·12	·04			·02							25
26			·01			·05		·63	·12		·62		26
27					·02			1·12					27
28						3·20		·35					28
29			·02		·02		·38	·49		·51		·21	29
30		X	·40			·02				·04		·02	30
31	·04	X	·02	X		X	·10	·09	X	·12	X	·10	31
Total	1·50	1·84	1·92	1·84	1·08	4·25	3·16	5·78	1·63 1·62	4·41	1·37	2·26	YEAR'S TOTAL 31·04 31·03
Rain Days.	12	10	15	12	10	11	10	20	8	17	8	9	142

W. 8,000. X. 15.

2·41

Dl 23

FORM A. BRITISH RAINFALL.

22. 1 19

REGISTER OF RAINFALL IN 1918

Kept at Patching Farm, Arundel

in the County of Sussex

by M. Drewitt

Lat. ……… Long. ………

Time of Observation ………

Nearest Railway Station ………

Diameter of Funnel of Rain Gauge ……… in.

Height of top of Gauge above Ground ……… ft. ……… in.

" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.17			.18	.16	1
2		.11		.10	.04			.63			.33	.24	2
3		.01	.08	.01				.04			.27		3
4		.06	.01		.71			.10	.08		.54	.06	4
5		.04	.03					.19		.06		.02	5
6	.24	.17		.19	.09			.51	.02				6
7		.10		.20	.16	.01		.09	.57	.06	.12	.04	7
8		.02			.41				.60	.05	.05	.03	8
9	.02			.09		.13	.11		.56	.16		.44	9
10				.05			.22		.34	.11		.29	10
11	.02			.03			.23		.07	.17	.08	.06	11
12		.09			.24				.02			.06	12
13	.25				.11		.18		.28			.01	13
14	.26		.11		.02	.09	} .85		.49	.37		.06	14
15	1.58			.23		.05						.14	15
16	.50		.01	.02					.42	.13	—		16
17	.15			.13		.09	.91					.22	17
18	.34		.39			.40			.58			.07	18
19	.01			.03		.07	.09						19
20	.04	.21		.66		.01	.28	.03	.22	.12			20
21	.17			.41					.46	.29		.05	21
22	.15				.05		.49		.65			.19	22
23	.07			.02			.50		.01			.08	23
24		.24					.05		.32		.06		24
25				.40				.31			.14		25
26							.72		.07		.09	.16	26
27		.05	.04	.07			.10	.15	.24		.14	.06	27
28			.17							.09		.03	28
29									1.40			.02	29
30		X	.64						.06	.12			30
31		X		X		X			X	.07	X	.01	31
Total	3.80	1.10	1.48	2.64 ~~2.59~~	1.83	.85	4.73	2.22	7.46	1.80	2.00	2.50	YEAR'S TOTAL 32.41 ~~32.36~~
Rain Days.	14	11	9	16	9	8	14	10	21	13	11	23	159

W. 8,000, VIII. 16

Dh [illegible] 463

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Patching, Arundel

in the County of Sussex

by M. Drewitt

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.56			.04	.02		.20			.02		.71	1
2	.20	.10	.05		.02		.18		.19		.04	.18	2
3	.25		.65		.04		.08		.04			.41	3
4	.32		.49			.02	.13	.13	.01		.09		4
5		.51	1.01				.08				.04	.47	5
6	.23		.13									.07	6
7	.06		.47										7
8	.23		.13										8
9	.54		.14		.09						.15		9
10	.65		.05	.08								.17	10
11	.33		.10	.42	.10		.03					.04	11
12	.20				.03		.06			.10	.01		12
13	.03		.01	.35								.08	13
14	.56			.22			.20		.33			.28	14
15		.07	.06	.08								1.20	15
16	.29	.48									.09	.01	16
17											.12		17
18		.38	.22					.04			.20	.06	18
19	.14	.60	1.14			.08	.65	.35			.10		19
20	.59	.04	.02			.60	.02	.25				.03	20
21	.08	.44					.01					.01	21
22							.19		.68		.03	.21	22
23									.22		.02	.02	23
24				.15		.02	.04	.01		.20	.11	.08	24
25	.08							.49					25
26		.15	.04	.06				.04	.08		.19	.51	26
27	.02		.02	.58				.71			.07	.02	27
28	.74							.56			.38	.57	28
29	.02		.48	.05				.51		.15	.04	.08	29
30		X		.26		.07		.50			.32	.78	30
31	.01	X	.15	X		X			X	.01	X	.09	31
Total	6.13 ~~6.33~~	2.77	5.36	2.29	.30	.79	1.87	3.59	1.55	.48	2.00	6.08	YEAR'S TOTAL 33.21 ~~33.41~~
Rain Days.	23	11	19	11	6	5	13	11	7	5	17	23	151

W. 8,000, IX. 17.

1/76

438

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Patching Farm

in the County of Sussex

by N. Drewitt

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18 }			·07	·11		·38			·40	·03	·28	1
2			·11	·01	·06			·25	·13	·07		·09	2
3	·03			·05						·14			3
4		·15		·04			1·19	·16		·43			4
5			·14	·08			·77						5
6			·13		·39		·29	·01					6
7	·06			·14	·05		·10						7
8	·01			·11	·01		·37						8
9	·29	·03		·07	·08	·09	·01						9
10	·92	·31	·17	·16		·22	·36						10
11	·19		·10	·28	·01		·26					·47	11
12	·08	·06		·30		·59							12
13	·21		·35								·09		13
14		·01	·64	·29					·07	·20	·66		14
15	·16		·01	·13	·02				1·23	·54	·09		15
16		·05	·03	·15					·25				16
17				·02	·13				·96				17
18	·08				·23			·70	·90				18
19	·05			·39		·02			·09				19
20		·04		·10		·91			·04			·04	20
21				·04			1·05		·22			·20	21
22				·34					·10			·46	22
23								·17				·74	23
24	·14	·02	·09				·50					·17	24
25			·01		·07		·29						25
26	·02		·11			·07					·04	·08	26
27	·49		·01	·22		·12	·02				·47	·34	27
28	·34	·03	·25		·31	·01	·26					·04	28
29	·74		·04	·12	·02						·27	·22	29
30	·06	✕				·01	·04		·26		·25	·30	30
31	·01	✕	·14	✕		✕			✕	·61	✕	·26	31
TOTAL	4·06	·70	2·33	3·11	1·49	2·04	5·89	1·29	4·25	2·39	1·90	3·69	YEAR'S TOTAL 33·14
Days with ·01 in. or more	20	9	16	21	13	9	15	5	11	7	8	14	148
	16	5	12	19	9	6	13	4	11	7	7	14	123

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4·04